

## REFERENCES

- Ahn, D. G., Choi, J. K., Taylor, D. R., & Oh, J. W. (2012). Biochemical characterization of a recombinant SARS coronavirus nsp12 RNA-dependent RNA polymerase capable of copying viral RNA templates. *Archives of virology*, 157(11), 2095–2104. <https://doi.org/10.1007/s00705-012-1404-x>
- Ahn, J. H., Kim, J., Hong, S. P., Choi, S. Y., Yang, M. J., Ju, Y. S., Kim, Y. T., Kim, H. M., Rahman, M. D. T., Chung, M. K., Hong, S. D., Bae, H., Lee, C. S., & Koh, G. Y. (2021). Nasal ciliated cells are primary targets for SARS-CoV-2 replication in the early stage of COVID-19. *The Journal of Clinical Investigation*, 131(13), e148517. <https://doi.org/10.1172/JCI148517>
- Amicone, M., Borges, V., Alves, M. J., Isidro, J., Zé-Zé, L., Duarte, S., Vieira, L., Guiomar, R., Gomes, J. P., & Gordo, I. (2022). Mutation rate of SARS-CoV-2 and emergence of mutators during experimental evolution. *Evolution, Medicine, and Public Health*, 10(1), 142–155. <https://doi.org/10.1093/emph/eoac010>
- Ashraf, U. M., Abokor, A. A., Edwards, J. M., Waigi, E. W., Royfman, R. S., Hasan, S. A., Smedlund, K. B., Hardy, A. M. G., Chakravarti, R., & Koch, L. G. (2021). SARS-CoV-2, ACE2 expression, and systemic organ invasion. *Physiological Genomics*, 53(2), 51–60. <https://doi.org/10.1152/physiolgenomics.00087.2020>
- Atkins, J. F., Loughran, G., Bhatt, P. R., Firth, A. E., & Baranov, P. V. (2016). Ribosomal frameshifting and transcriptional slippage: From genetic steganography and cryptography to adventitious use. *Nucleic acids research*, 44(15), 7007–7078. <https://doi.org/10.1093/nar/gkw530>
- Ayinde, K. S., Pinheiro, G. M. S., & Ramos, C. H. I. (2022). Binding of SARS-CoV-2 protein ORF9b to mitochondrial translocase TOM70 prevents its interaction with chaperone HSP90. *Biochimie*, 200, 99–106. <https://doi.org/10.1016/j.biochi.2022.05.016>
- Baggen, J., Jacquemyn, M., Persoons, L., Vanstreels, E., Pye, V. E., Wrobel, A. G., Calvaresi, V., Martin, S. R., Roustan, C., Cronin, N. B., Reading, E., Thibaut, H. J., Vercruyssen, T., Maes, P., De Smet, F.,

- Yee, A., Nivitchanyong, T., Roell, M., Franco-Hernandez, N., Rhinn, H., ... Daelemans, D. (2023). TMEM106B is a receptor mediating ACE2-independent SARS-CoV-2 cell entry. *Cell*, *186*(16), 3427–3442.e22. <https://doi.org/10.1016/j.cell.2023.06.005>
- Banerjee, A., Mossman, K., & Grandvaux, N. (2021). Molecular determinants of SARS-CoV-2 variants. *Trends in Microbiology*, *29*(10), 871–873. <https://doi.org/10.1016/j.tim.2021.07.002>
- Baruah, C., Devi, P., & Sharma, D. K. (2020). Sequence analysis and structure prediction of SARS-CoV-2 accessory proteins 9b and ORF14: Evolutionary analysis indicates close relatedness to bat coronavirus. *BioMed Research International*, *2020*, 7234961. <https://doi.org/10.1155/2020/7234961>
- Benoni, R., Krafcikova, P., Baranowski, M. R., Kowalska, J., Boura, E., & Cahová, H. (2021). Substrate specificity of SARS-CoV-2 nsp10-nsp16 methyltransferase. *Viruses*, *13*(9), 1722. <https://doi.org/10.3390/v13091722>
- Benton, D. J., Wrobel, A. G., Xu, P., Roustan, C., Martin, S. R., Rosenthal, P. B., Skehel, J. J., & Gamblin, S. J. (2020). Receptor binding and priming of the spike protein of SARS-CoV-2 for membrane fusion. *Nature*, *588*(7837), 327–330. <https://doi.org/10.1038/s41586-020-2772-0>
- Biswal, M., Diggs, S., Xu, D., Khudaverdyan, N., Lu, J., Fang, J., Blaha, G., Hai, R., & Song, J. (2021). Two conserved oligomer interfaces of NSP7 and NSP8 underpin the dynamic assembly of SARS-CoV-2 RdRP. *Nucleic acids research*, *49*(10), 5956–5966. <https://doi.org/10.1093/nar/gkab370>
- Blanco-Melo, D., Nilsson-Payant, B. E., Liu, W. C., Uhl, S., Hoagland, D., Møller, R., Jordan, T. X., Oishi, K., Panis, M., Sachs, D., Wang, T. T., Schwartz, R. E., Lim, J. K., Albrecht, R. A., & tenOever, B. R. (2020). Imbalanced host response to SARS-CoV-2 drives development of COVID-19. *Cell*, *181*(5), 1036–1045.e9. <https://doi.org/10.1016/j.cell.2020.04.026>
- Bobrovs, R., Kanepe, I., Narvaiss, N., Patetko, L., Kalnins, G., Sisovs, M., Bula, A. L., Grinberga, S., Boroduskis, M., Ramata-Stunda, A., Rostoks, N., Jirgensons, A., Tars, K., & Jaudzems, K. (2021). Discovery of SARS-CoV-2 nsp14 and nsp16 methyltransferase inhibitors by high-throughput

- virtual screening. *Pharmaceuticals (Basel, Switzerland)*, 14(12), 1243.  
<https://doi.org/10.3390/ph14121243>
- Brandherm, L., Kobaš, A. M., Klöhn, M., Brüggemann, Y., Pfaender, S., Rassow, J., & Kreimendahl, S. (2021). Phosphorylation of SARS-CoV-2 Orf9b regulates its targeting to two binding sites in TOM70 and recruitment of Hsp90. *International Journal of Molecular Sciences*, 22(17), 9233.  
<https://doi.org/10.3390/ijms22179233>
- Brant, A. C., Tian, W., Majerciak, V., Yang, W., & Zheng, Z. M. (2021). SARS-CoV-2: from its discovery to genome structure, transcription, and replication. *Cell & Bioscience*, 11(1), 136.  
<https://doi.org/10.1186/s13578-021-00643-z>
- Breitinger, U., Farag, N. S., Sticht, H., & Breitinger, H. G. (2022). Viroporins: Structure, function, and their role in the life cycle of SARS-CoV-2. *The International Journal of Biochemistry & Cell Biology*, 145, 106185. <https://doi.org/10.1016/j.biocel.2022.106185>
- Brisse, M., & Ly, H. (2019). Comparative structure and function analysis of the RIG-I-like receptors: RIG-I and MDA5. *Frontiers in Immunology*, 10, 1586.  
<https://doi.org/10.3389/fimmu.2019.01586>
- Cao, Y., Yang, R., Lee, I., Zhang, W., Sun, J., Wang, W., & Meng, X. (2021). Characterization of the SARS-CoV-2 E Protein: Sequence, Structure, Viroporin, and Inhibitors. *Protein Science : A Publication of the Protein Society*, 30(6), 1114–1130. <https://doi.org/10.1002/pro.4075>
- Carabelli, A. M., Peacock, T. P., Thorne, L. G., Harvey, W. T., Hughes, J., COVID-19 Genomics UK Consortium, Peacock, S. J., Barclay, W. S., de Silva, T. I., Towers, G. J., & Robertson, D. L. (2023). SARS-CoV-2 variant biology: immune escape, transmission and fitness. *Nature Reviews. Microbiology*, 21(3), 162–177. <https://doi.org/10.1038/s41579-022-00841-7>
- da Rosa Mesquita, R., Francelino Silva Junior, L. C., Santos Santana, F. M., Farias de Oliveira, T., Campos Alcântara, R., Monteiro Arnozo, G., Rodrigues da Silva Filho, E., Galdino Dos Santos, A. G., Oliveira da Cunha, E. J., Salgueiro de Aquino, S. H., & Freire de Souza, C. D. (2021). Clinical

- manifestations of COVID-19 in the general population: systematic review. *Wiener Klinische Wochenschrift*, 133(7-8), 377–382. <https://doi.org/10.1007/s00508-020-01760-4>
- El-Kamand, S., Du Plessis, M. D., Breen, N., Johnson, L., Beard, S., Kwan, A. H., Richard, D. J., Cubeddu, L., & Gamsjaeger, R. (2022). A distinct ssDNA/RNA binding interface in the Nsp9 protein from SARS-CoV-2. *Proteins*, 90(1), 176–185. <https://doi.org/10.1002/prot.26205>
- Elrobaa, I. H., & New, K. J. (2021). COVID-19: Pulmonary and extra pulmonary manifestations. *Frontiers in Public Health*, 9, 711616. <https://doi.org/10.3389/fpubh.2021.711616>
- Fang, R., Jiang, Q., Zhou, X., Wang, C., Guan, Y., Tao, J., Xi, J., Feng, J. M., & Jiang, Z. (2017). MAVS activates TBK1 and IKK $\epsilon$  through TRAFs in NEMO dependent and independent manner. *PLoS Pathogens*, 13(11), e1006720. <https://doi.org/10.1371/journal.ppat.1006720>
- Fehr, A. R., & Perlman, S. (2015). Coronaviruses: an overview of their replication and pathogenesis. *Methods in Molecular Biology (Clifton, N.J.)*, 1282, 1–23. [https://doi.org/10.1007/978-1-4939-2438-7\\_1](https://doi.org/10.1007/978-1-4939-2438-7_1)
- Files, J. K., Boppana, S., Perez, M. D., Sarkar, S., Lowman, K. E., Qin, K., Sterrett, S., Carlin, E., Bansal, A., Sabbaj, S., Long, D. M., Kutsch, O., Kobie, J., Goepfert, P. A., & Erdmann, N. (2021). Sustained cellular immune dysregulation in individuals recovering from SARS-CoV-2 infection. *The Journal of Clinical Investigation*, 131(1), e140491. <https://doi.org/10.1172/JCI140491>
- Freundt, E. C., Yu, L., Goldsmith, C. S., Welsh, S., Cheng, A., Yount, B., Liu, W., Frieman, M. B., Buchholz, U. J., Screaton, G. R., Lippincott-Schwartz, J., Zaki, S. R., Xu, X. N., Baric, R. S., Subbarao, K., & Lenardo, M. J. (2010). The open reading frame 3a protein of severe acute respiratory syndrome-associated coronavirus promotes membrane rearrangement and cell death. *Journal of Virology*, 84(2), 1097–1109. <https://doi.org/10.1128/JVI.01662-09>
- Fung, S.-Y., Siu, K.-L., Lin, H., Chan, C.-P., Yeung, M. L., & Jin, D.-Y. (2022). SARS-COV-2 NSP13 helicase suppresses interferon signaling by perturbing JAK1 phosphorylation of STAT1. *Cell & Bioscience*, 12(1). <https://doi.org/10.1186/s13578-022-00770-1>

- Gadhve, K., Kumar, P., Kumar, A., Bhardwaj, T., Garg, N., & Giri, R. (2021). Conformational dynamics of 13 amino acids long NSP11 of SARS-CoV-2 under membrane mimetics and different solvent conditions. *Microbial Pathogenesis*, *158*, 105041. <https://doi.org/10.1016/j.micpath.2021.105041>
- Gao, X., Zhu, K., Qin, B., Olieric, V., Wang, M., & Cui, S. (2021). Crystal structure of SARS-CoV-2 Orf9b in complex with human TOM70 suggests unusual virus-host interactions. *Nature Communications*, *12*(1), 2843. <https://doi.org/10.1038/s41467-021-23118-8>
- Gordon, D. E., Hiatt, J., Bouhaddou, M., Rezelj, V. V., Ulferts, S., Braberg, H., Jureka, A. S., Obernier, K., Guo, J. Z., Batra, J., Kaake, R. M., Weckstein, A. R., Owens, T. W., Gupta, M., Pourmal, S., Titus, E. W., Cakir, M., Soucheray, M., McGregor, M., Cakir, Z., ... Krogan, N. J. (2020). Comparative host-coronavirus protein interaction networks reveal pan-viral disease mechanisms. *Science (New York, N.Y.)*, *370*(6521), eabe9403. <https://doi.org/10.1126/science.abe9403>
- Gupta, A., Madhavan, M. V., Sehgal, K., Nair, N., Mahajan, S., Sehrawat, T. S., Bikdeli, B., Ahluwalia, N., Ausiello, J. C., Wan, E. Y., Freedberg, D. E., Kirtane, A. J., Parikh, S. A., Maurer, M. S., Nordvig, A. S., Accili, D., Bathon, J. M., Mohan, S., Bauer, K. A., Leon, M. B., ... Landry, D. W. (2020). Extrapulmonary manifestations of COVID-19. *Nature Medicine*, *26*(7), 1017–1032. <https://doi.org/10.1038/s41591-020-0968-3>
- Hadjadj, J., Yatim, N., Barnabei, L., Corneau, A., Boussier, J., Smith, N., Péré, H., Charbit, B., Bondet, V., Chenevier-Gobeaux, C., Breillat, P., Carlier, N., Gauzit, R., Morbieu, C., Pène, F., Marin, N., Roche, N., Szwebel, T. A., Merkling, S. H., Treluyer, J. M., ... Terrier, B. (2020). Impaired type I interferon activity and inflammatory responses in severe COVID-19 patients. *Science (New York, N.Y.)*, *369*(6504), 718–724. <https://doi.org/10.1126/science.abc6027>
- Hall, R., Guedán, A., Yap, M. W., Young, G. R., Harvey, R., Stoye, J. P., & Bishop, K. N. (2022). SARS-CoV-2 ORF6 disrupts innate immune signalling by inhibiting cellular mRNA export. *PLoS Pathogens*, *18*(8), e1010349. <https://doi.org/10.1371/journal.ppat.1010349>

- Harvey, W. T., Carabelli, A. M., Jackson, B., Gupta, R. K., Thomson, E. C., Harrison, E. M., Ludden, C., Reeve, R., Rambaut, A., COVID-19 Genomics UK (COG-UK) Consortium, Peacock, S. J., & Robertson, D. L. (2021). SARS-CoV-2 variants, spike mutations and immune escape. *Nature Reviews. Microbiology*, *19*(7), 409–424. <https://doi.org/10.1038/s41579-021-00573-0>
- Han, L., Zhuang, M. W., Deng, J., Zheng, Y., Zhang, J., Nan, M. L., Zhang, X. J., Gao, C., & Wang, P. H. (2021). SARS-CoV-2 ORF9b antagonizes type I and III interferons by targeting multiple components of the RIG-I/MDA-5-MAVS, TLR3-TRIF, and cGAS-STING signaling pathways. *Journal of Medical Virology*, *93*(9), 5376–5389. <https://doi.org/10.1002/jmv.27050>
- Hernandez Acosta, R. A., Esquer Garrigos, Z., Marcelin, J. R., & Vijayvargiya, P. (2022). COVID-19 pathogenesis and clinical manifestations. *Infectious Disease Clinics of North America*, *36*(2), 231–249. <https://doi.org/10.1016/j.idc.2022.01.003>
- Huang, J., Hume, A. J., Abo, K. M., Werder, R. B., Villacorta-Martin, C., Alysandratos, K. D., Beermann, M. L., Simone-Roach, C., Lindstrom-Vautrin, J., Olejnik, J., Suder, E. L., Bullitt, E., Hinds, A., Sharma, A., Bosmann, M., Wang, R., Hawkins, F., Burks, E. J., Saeed, M., Wilson, A. A., ... Kotton, D. N. (2020a). SARS-CoV-2 infection of pluripotent stem cell-derived human lung alveolar type 2 cells elicits a rapid epithelial-intrinsic inflammatory response. *Cell Stem Cell*, *27*(6), 962–973.e7. <https://doi.org/10.1016/j.stem.2020.09.013>
- Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., Zhang, L., Fan, G., Xu, J., Gu, X., Cheng, Z., Yu, T., Xia, J., Wei, Y., Wu, W., Xie, X., Yin, W., Li, H., Liu, M., Xiao, Y., ... Cao, B. (2020b). Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet (London, England)*, *395*(10223), 497–506. [https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5)
- Hoffmann, M., Kleine-Weber, H., Schroeder, S., Krüger, N., Herrler, T., Erichsen, S., Schiergens, T. S., Herrler, G., Wu, N. H., Nitsche, A., Müller, M. A., Drosten, C., & Pöhlmann, S. (2020). SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically proven protease inhibitor. *Cell*, *181*(2), 271–280.e8. <https://doi.org/10.1016/j.cell.2020.02.052>

- Jayaweera, M., Perera, H., Gunawardana, B., & Manatunge, J. (2020). Transmission of COVID-19 virus by droplets and aerosols: A critical review on the unresolved dichotomy. *Environmental Research*, *188*, 109819. <https://doi.org/10.1016/j.envres.2020.109819>
- Jiang, H. W., Zhang, H. N., Meng, Q. F., Xie, J., Li, Y., Chen, H., Zheng, Y. X., Wang, X. N., Qi, H., Zhang, J., Wang, P. H., Han, Z. G., & Tao, S. C. (2020). SARS-CoV-2 Orf9b suppresses type I interferon responses by targeting TOM70. *Cellular & Molecular Immunology*, *17*(9), 998–1000. <https://doi.org/10.1038/s41423-020-0514-8>
- Jimenez-Guardeño, J. M., Nieto-Torres, J. L., DeDiego, M. L., Regla-Nava, J. A., Fernandez-Delgado, R., Castaño-Rodríguez, C., & Enjuanes, L. (2014). The PDZ-binding motif of severe acute respiratory syndrome coronavirus envelope protein is a determinant of viral pathogenesis. *PLoS pathogens*, *10*(8), e1004320. <https://doi.org/10.1371/journal.ppat.1004320>
- Khare, S., Gurry, C., Freitas, L., Schultz, M. B., Bach, G., Diallo, A., Akite, N., Ho, J., Lee, R. T., Yeo, W., Curation Team, G. C., & Maurer-Stroh, S. (2021). GISAID's Role in Pandemic Response. *China CDC weekly*, *3*(49), 1049–1051. <https://doi.org/10.46234/ccdcw2021.255>
- Kimura, I., Konno, Y., Uriu, K., Hopfensperger, K., Sauter, D., Nakagawa, S., & Sato, K. (2021). Sarbecovirus ORF6 proteins hamper induction of interferon signaling. *Cell Reports*, *34*(13), 108916. <https://doi.org/10.1016/j.celrep.2021.108916>
- Kindler, E., Gil-Cruz, C., Spanier, J., Li, Y., Wilhelm, J., Rabouw, H. H., Züst, R., Hwang, M., V'kovski, P., Stalder, H., Marti, S., Habjan, M., Cervantes-Barragan, L., Elliot, R., Karl, N., Gaughan, C., van Kuppeveld, F. J., Silverman, R. H., Keller, M., Ludewig, B., ... Thiel, V. (2017). Early endonuclease-mediated evasion of RNA sensing ensures efficient coronavirus replication. *PLoS Pathogens*, *13*(2), e1006195. <https://doi.org/10.1371/journal.ppat.1006195>
- Korneeva, N., Khalil, M. I., Ghosh, I., Fan, R., Arnold, T., & De Benedetti, A. (2023). SARS-CoV-2 viral protein Nsp2 stimulates translation under normal and hypoxic conditions. *Virology Journal*, *20*(1), 55. <https://doi.org/10.1186/s12985-023-02021-2>

- Kouwaki, T., Nishimura, T., Wang, G., & Oshiumi, H. (2021). RIG-I-like receptor-mediated recognition of viral genomic RNA of Severe Acute Respiratory Syndrome Coronavirus-2 and viral escape from the host innate immune responses. *Frontiers in Immunology*, *12*, 700926. <https://doi.org/10.3389/fimmu.2021.700926>
- Lauer, S. A., Grantz, K. H., Bi, Q., Jones, F. K., Zheng, Q., Meredith, H. R., Azman, A. S., Reich, N. G., & Lessler, J. (2020). The incubation period of coronavirus disease 2019 (COVID-19) from publicly reported confirmed cases: estimation and application. *Annals of Internal Medicine*, *172*(9), 577–582. <https://doi.org/10.7326/M20-0504>
- Lamers, M. M., van der Vaart, J., Knoops, K., Riesebosch, S., Breugem, T. I., Mykytyn, A. Z., Beumer, J., Schipper, D., Bezstarosti, K., Koopman, C. D., Groen, N., Ravelli, R. B. G., Duimel, H. Q., Demmers, J. A. A., Verjans, G. M. G. M., Koopmans, M. P. G., Muraro, M. J., Peters, P. J., Clevers, H., & Haagmans, B. L. (2021). An organoid-derived bronchioalveolar model for SARS-CoV-2 infection of human alveolar type II-like cells. *The EMBO Journal*, *40*(5), e105912. <https://doi.org/10.15252/emj.2020105912>
- Lamers, M. M., & Haagmans, B. L. (2022). SARS-CoV-2 pathogenesis. *Nature Reviews. Microbiology*, *20*(5), 270–284. <https://doi.org/10.1038/s41579-022-00713-0>
- Li, J. Y., Liao, C. H., Wang, Q., Tan, Y. J., Luo, R., Qiu, Y., & Ge, X. Y. (2020). The ORF6, ORF8 and nucleocapsid proteins of SARS-CoV-2 inhibit type I interferon signaling pathway. *Virus Research*, *286*, 198074. <https://doi.org/10.1016/j.virusres.2020.198074>
- Liu, X. Y., Wei, B., Shi, H. X., Shan, Y. F., & Wang, C. (2010). Tom70 mediates activation of interferon regulatory factor 3 on mitochondria. *Cell Research*, *20*(9), 994–1011. <https://doi.org/10.1038/cr.2010.103>
- Liu, S., Chen, J., Cai, X., Wu, J., Chen, X., Wu, Y. T., Sun, L., & Chen, Z. J. (2013). MAVS recruits multiple ubiquitin E3 ligases to activate antiviral signaling cascades. *eLife*, *2*, e00785. <https://doi.org/10.7554/eLife.00785>



- Ma, Y., Wu, L., Shaw, N., Gao, Y., Wang, J., Sun, Y., Lou, Z., Yan, L., Zhang, R., & Rao, Z. (2015). Structural basis and functional analysis of the SARS coronavirus nsp14-nsp10 complex. *Proceedings of the National Academy of Sciences of the United States of America*, *112*(30), 9436–9441. <https://doi.org/10.1073/pnas.1508686112>
- Malone, B., Urakova, N., Snijder, E. J., & Campbell, E. A. (2022). Structures and functions of coronavirus replication-transcription complexes and their relevance for SARS-CoV-2 drug design. *Nature reviews. Molecular Cell Biology*, *23*(1), 21–39. <https://doi.org/10.1038/s41580-021-00432-z>
- McNaughton, C. D., Austin, P. C., Sivaswamy, A., Fang, J., Abdel-Qadir, H., Daneman, N., Udell, J. A., Wodchis, W. P., Mostarac, I., Lee, D. S., & Atzema, C. L. (2022). Post-acute health care burden after SARS-CoV-2 infection: a retrospective cohort study. *CMAJ : Canadian Medical Association Journal = Journal de l'Association Medicale Canadienne*, *194*(40), E1368–E1376. <https://doi.org/10.1503/cmaj.220728>
- Meier, C., Aricescu, A. R., Assenberg, R., Aplin, R. T., Gilbert, R. J., Grimes, J. M., & Stuart, D. I. (2006). The crystal structure of ORF-9b, a lipid binding protein from the SARS coronavirus. *Structure (London, England : 1993)*, *14*(7), 1157–1165. <https://doi.org/10.1016/j.str.2006.05.012>
- Mendez, A. S., Ly, M., González-Sánchez, A. M., Hartenian, E., Ingolia, N. T., Cate, J. H., & Glaunsinger, B. A. (2021). The N-terminal domain of SARS-CoV-2 nsp1 plays key roles in suppression of cellular gene expression and preservation of viral gene expression. *Cell Reports*, *37*(3), 109841. <https://doi.org/10.1016/j.celrep.2021.109841>
- Menges, D., Ballouz, T., Anagnostopoulos, A., Aschmann, H. E., Domenghino, A., Fehr, J. S., & Puhan, M. A. (2021). Burden of post-COVID-19 syndrome and implications for healthcare service planning: A population-based cohort study. *PloS One*, *16*(7), e0254523. <https://doi.org/10.1371/journal.pone.0254523>
- Min, Y. Q., Huang, M., Sun, X., Deng, F., Wang, H., & Ning, Y. J. (2021). Immune evasion of SARS-CoV-2 from interferon antiviral system. *Computational and Structural Biotechnology Journal*, *19*, 4217–4225. <https://doi.org/10.1016/j.csbj.2021.07.023>

- Minkoff, J. M., & tenOever, B. (2023). Innate immune evasion strategies of SARS-CoV-2. *Nature reviews. Microbiology*, *21*(3), 178–194. <https://doi.org/10.1038/s41579-022-00839-1>
- Miorin, L., Kehrer, T., Sanchez-Aparicio, M. T., Zhang, K., Cohen, P., Patel, R. S., Cupic, A., Makio, T., Mei, M., Moreno, E., Danziger, O., White, K. M., Rathnasinghe, R., Uccellini, M., Gao, S., Aydilto, T., Mena, I., Yin, X., Martin-Sancho, L., Krogan, N. J., ... García-Sastre, A. (2020). SARS-CoV-2 Orf6 hijacks Nup98 to block STAT nuclear import and antagonize interferon signaling. *Proceedings of the National Academy of Sciences of the United States of America*, *117*(45), 28344–28354. <https://doi.org/10.1073/pnas.2016650117>
- Neuman, B. W., & Buchmeier, M. J. (2016). Supramolecular architecture of the coronavirus particle. *Advances in Virus Research*, *96*, 1–27. <https://doi.org/10.1016/bs.aivir.2016.08.005>
- Ogando, N. S., Zevenhoven-Dobbe, J. C., van der Meer, Y., Bredenbeek, P. J., Posthuma, C. C., & Snijder, E. J. (2020). The Enzymatic Activity of the nsp14 Exoribonuclease Is Critical for Replication of MERS-CoV and SARS-CoV-2. *Journal of Virology*, *94*(23), e01246-20. <https://doi.org/10.1128/JVI.01246-20>
- Onomoto, K., Onoguchi, K., & Yoneyama, M. (2021). Regulation of RIG-I-like receptor-mediated signaling: interaction between host and viral factors. *Cellular & Molecular Immunology*, *18*(3), 539–555. <https://doi.org/10.1038/s41423-020-00602-7>
- Phetsouphanh, C., Darley, D. R., Wilson, D. B., Howe, A., Munier, C. M. L., Patel, S. K., Juno, J. A., Burrell, L. M., Kent, S. J., Dore, G. J., Kelleher, A. D., & Matthews, G. V. (2022). Immunological dysfunction persists for 8 months following initial mild-to-moderate SARS-CoV-2 infection. *Nature Immunology*, *23*(2), 210–216. <https://doi.org/10.1038/s41590-021-01113-x>
- Redondo, N., Zaldivar-López, S., Garrido, J. J., & Montoya, M. (2021). SARS-CoV-2 accessory proteins in viral pathogenesis: Knowns and unknowns. *Frontiers in Immunology*, *12*, 708264. <https://doi.org/10.3389/fimmu.2021.708264>

- Ren, Z., Ding, T., Zuo, Z., Xu, Z., Deng, J., & Wei, Z. (2020). Regulation of MAVS expression and signaling function in the antiviral innate immune response. *Frontiers in Immunology*, *11*, 1030. <https://doi.org/10.3389/fimmu.2020.01030>
- Ricciardi, S., Guarino, A. M., Giaquinto, L., Polishchuk, E. V., Santoro, M., Di Tullio, G., Wilson, C., Panariello, F., Soares, V. C., Dias, S. S. G., Santos, J. C., Souza, T. M. L., Fusco, G., Viscardi, M., Brandi, S., Bozza, P. T., Polishchuk, R. S., Venditti, R., & De Matteis, M. A. (2022). The role of NSP6 in the biogenesis of the SARS-CoV-2 replication organelle. *Nature*, *606*(7915), 761–768. <https://doi.org/10.1038/s41586-022-04835-6>
- Richards, F., Kodjamanova, P., Chen, X., Li, N., Atanasov, P., Bennetts, L., Patterson, B. J., Yektashenas, B., Mesa-Frias, M., Tronczynski, K., Buyukkaramikli, N., & El Khoury, A. C. (2022). Economic Burden of COVID-19: A Systematic Review. *ClinicoEconomics and outcomes research : CEOR*, *14*, 293–307. <https://doi.org/10.2147/CEOR.S338225>
- Roman, C., Lewicka, A., Koirala, D., Li, N. S., & Piccirilli, J. A. (2021). The SARS-CoV-2 Programmed -1 Ribosomal Frameshifting Element Crystal Structure Solved to 2.09 Å Using Chaperone-Assisted RNA Crystallography. *ACS Chemical Biology*, *16*(8), 1469–1481. <https://doi.org/10.1021/acscchembio.1c00324>
- Russell, C. D., Lone, N. I., & Baillie, J. K. (2023). Comorbidities, multimorbidity and COVID-19. *Nature Medicine*, *29*(2), 334–343. <https://doi.org/10.1038/s41591-022-02156-9>
- Ryan, F. J., Hope, C. M., Masavuli, M. G., Lynn, M. A., Mekonnen, Z. A., Yeow, A. E. L., Garcia-Valtanen, P., Al-Delfi, Z., Gummow, J., Ferguson, C., O'Connor, S., Reddi, B. A. J., Hissaria, P., Shaw, D., Kok-Lim, C., Gleadle, J. M., Beard, M. R., Barry, S. C., Grubor-Bauk, B., & Lynn, D. J. (2022). Long-term perturbation of the peripheral immune system months after SARS-CoV-2 infection. *BMC Medicine*, *20*(1), 26. <https://doi.org/10.1186/s12916-021-02228-6>
- Schubert, K., Karousis, E. D., Jomaa, A., Scaiola, A., Echeverria, B., Gurzeler, L. A., Leibundgut, M., Thiel, V., Mühlemann, O., & Ban, N. (2020). SARS-CoV-2 Nsp1 binds the ribosomal mRNA channel to

- inhibit translation. *Nature Structural & Molecular Biology*, 27(10), 959–966.  
<https://doi.org/10.1038/s41594-020-0511-8>
- Siu, K. L., Yuen, K. S., Castaño-Rodriguez, C., Ye, Z. W., Yeung, M. L., Fung, S. Y., Yuan, S., Chan, C. P., Yuen, K. Y., Enjuanes, L., & Jin, D. Y. (2019). Severe acute respiratory syndrome coronavirus ORF3a protein activates the NLRP3 inflammasome by promoting TRAF3-dependent ubiquitination of ASC. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, 33(8), 8865–8877. <https://doi.org/10.1096/fj.201802418R>
- Smith, N., Possémé, C., Bondet, V., Sugrue, J., Townsend, L., Charbit, B., Rouilly, V., Saint-André, V., Dott, T., Pozo, A. R., Yatim, N., Schwartz, O., Cervantes-Gonzalez, M., Ghosn, J., Bastard, P., Casanova, J. L., Szwebel, T. A., Terrier, B., Conlon, N., O'Farrelly, C., ... Duffy, D. (2022). Defective activation and regulation of type I interferon immunity is associated with increasing COVID-19 severity. *Nature Communications*, 13(1), 7254. <https://doi.org/10.1038/s41467-022-34895-1>
- Sungnak, W., Huang, N., Bécavin, C., Berg, M., Queen, R., Litvinukova, M., Talavera-López, C., Maatz, H., Reichart, D., Sampaziotis, F., Worlock, K. B., Yoshida, M., Barnes, J. L., & HCA Lung Biological Network (2020). SARS-CoV-2 entry factors are highly expressed in nasal epithelial cells together with innate immune genes. *Nature Medicine*, 26(5), 681–687. <https://doi.org/10.1038/s41591-020-0868-6>
- Takeuchi, O., & Akira, S. (2008). MDA5/RIG-I and virus recognition. *Current Opinion in Immunology*, 20(1), 17–22. <https://doi.org/10.1016/j.coi.2008.01.002>
- de Velthuis, A. J., van den Worm, S. H., & Snijder, E. J. (2012). The SARS-coronavirus nsp7+nsp8 complex is a unique multimeric RNA polymerase capable of both de novo initiation and primer extension. *Nucleic Acids Research*, 40(4), 1737–1747. <https://doi.org/10.1093/nar/gkr893>
- Tsujino, S., Deguchi, S., Nomai, T., Padilla-Blanco, M., Plianchaisuk, A., Wang, L., Begum, M. M., Uriu, K., Mizuma, K., Nao, N., Kojima, I., Tsubo, T., Li, J., Matsumura, Y., Nagao, M., Oda, Y., Tsuda, M., Anraku, Y., Kita, S., ... Sato, K. (2023). Virological Characteristics of the SARS-COV-2 Omicron EG.5.1 Variant [Preprint]. <https://doi.org/10.1101/2023.10.19.563209>.

- V'kovski, P., Kratzel, A., Steiner, S., Stalder, H., & Thiel, V. (2021). Coronavirus biology and replication: implications for SARS-CoV-2. *Nature Reviews. Microbiology*, 19(3), 155–170. <https://doi.org/10.1038/s41579-020-00468-6>
- Walls, A. C., Park, Y. J., Tortorici, M. A., Wall, A., McGuire, A. T., & Velesler, D. (2020). Structure, function, and antigenicity of the SARS-CoV-2 spike glycoprotein. *Cell*, 181(2), 281–292.e6. <https://doi.org/10.1016/j.cell.2020.02.058>
- Wang, Q., Wu, J., Wang, H., Gao, Y., Liu, Q., Mu, A., Ji, W., Yan, L., Zhu, Y., Zhu, C., Fang, X., Yang, X., Huang, Y., Gao, H., Liu, F., Ge, J., Sun, Q., Yang, X., Xu, W., Liu, Z., ... Rao, Z. (2020). Structural basis for RNA replication by the SARS-CoV-2 polymerase. *Cell*, 182(2), 417–428.e13. <https://doi.org/10.1016/j.cell.2020.05.034>
- Wu, B., & Hur, S. (2015). How RIG-I like receptors activate MAVS. *Current Opinion in Virology*, 12, 91–98. <https://doi.org/10.1016/j.coviro.2015.04.004>
- Wu, F., Zhao, S., Yu, B., Chen, Y. M., Wang, W., Song, Z. G., Hu, Y., Tao, Z. W., Tian, J. H., Pei, Y. Y., Yuan, M. L., Zhang, Y. L., Dai, F. H., Liu, Y., Wang, Q. M., Zheng, J. J., Xu, L., Holmes, E. C., & Zhang, Y. Z. (2020). A new coronavirus associated with human respiratory disease in China. *Nature*, 579(7798), 265–269. <https://doi.org/10.1038/s41586-020-2008-3>
- Wu, J., Shi, Y., Pan, X., Wu, S., Hou, R., Zhang, Y., Zhong, T., Tang, H., Du, W., Wang, L., Wo, J., Mu, J., Qiu, Y., Yang, K., Zhang, L. K., Ye, B. C., & Qi, N. (2021). SARS-CoV-2 ORF9b inhibits RIG-I-MAVS antiviral signaling by interrupting K63-linked ubiquitination of NEMO. *Cell Reports*, 34(7), 108761. <https://doi.org/10.1016/j.celrep.2021.108761>
- Xu, K., Zheng, B. J., Zeng, R., Lu, W., Lin, Y. P., Xue, L., Li, L., Yang, L. L., Xu, C., Dai, J., Wang, F., Li, Q., Dong, Q. X., Yang, R. F., Wu, J. R., & Sun, B. (2009). Severe acute respiratory syndrome coronavirus accessory protein 9b is a virion-associated protein. *Virology*, 388(2), 279–285. <https://doi.org/10.1016/j.virol.2009.03.032>
- Yuen, C. K., Lam, J. Y., Wong, W. M., Mak, L. F., Wang, X., Chu, H., Cai, J. P., Jin, D. Y., To, K. K., Chan, J. F., Yuen, K. Y., & Kok, K. H. (2020). SARS-CoV-2 nsp13, nsp14, nsp15 and orf6 function as potent

- interferon antagonists. *Emerging Microbes & Infections*, 9(1), 1418–1428.  
<https://doi.org/10.1080/22221751.2020.1780953>
- Zandi, M., Shafaati, M., Kalantar-Neyestanaki, D., Pourghadamyari, H., Fani, M., Soltani, S., Kaleji, H., & Abbasi, S. (2022). The role of SARS-CoV-2 accessory proteins in immune evasion. *Biomedicine & Pharmacotherapy = Biomedecine & Pharmacotherapie*, 156, 113889.  
<https://doi.org/10.1016/j.biopha.2022.113889>
- Zhang, Z., Nomura, N., Muramoto, Y., Ekimoto, T., Uemura, T., Liu, K., Yui, M., Kono, N., Aoki, J., Ikeguchi, M., Noda, T., Iwata, S., Ohto, U., & Shimizu, T. (2022). Structure of SARS-CoV-2 membrane protein essential for virus assembly. *Nature Communications*, 13(1), 4399.  
<https://doi.org/10.1038/s41467-022-32019-3>
- Zhao, X., Liu, S., Yin, Y., Zhang, T. T., & Chen, Q. (2022). Airborne transmission of COVID-19 virus in enclosed spaces: An overview of research methods. *Indoor Air*, 32(6), e13056.  
<https://doi.org/10.1111/ina.13056>
- Zhu, N., Zhang, D., Wang, W., Li, X., Yang, B., Song, J., Zhao, X., Huang, B., Shi, W., Lu, R., Niu, P., Zhan, F., Ma, X., Wang, D., Xu, W., Wu, G., Gao, G. F., Tan, W., & China Novel Coronavirus Investigating and Research Team (2020). A novel coronavirus from patients with pneumonia in China, 2019. *The New England Journal of Medicine*, 382(8), 727–733.  
<https://doi.org/10.1056/NEJMoa2001017>
- Znaidia, M., Demeret, C., van der Werf, S., & Komarova, A. V. (2022). Characterization of SARS-CoV-2 evasion: Interferon pathway and therapeutic options. *Viruses*, 14(6), 1247.  
<https://doi.org/10.3390/v14061247>
- Zou, L., Ruan, F., Huang, M., Liang, L., Huang, H., Hong, Z., Yu, J., Kang, M., Song, Y., Xia, J., Guo, Q., Song, T., He, J., Yen, H. L., Peiris, M., & Wu, J. (2020). SARS-CoV-2 viral load in upper respiratory specimens of infected patients. *The New England Journal of Medicine*, 382(12), 1177–1179.  
<https://doi.org/10.1056/NEJMc2001737>