

## REFERENCES

- Abdallah, J. F., Okoth, S. A., Fontecha, G. A., Torres, R. E., Banegas, E. I., Matute, M. L., Bucheli, S. T., Goldman, I. F., de Oliveira, A. M., Barnwell, J. W., & Udhayakumar, V. (2015). Prevalence of PFHRP2 and PFHRP3 gene deletions in Puerto Lempira, Honduras. *Malaria Journal*, 14(1).
- <https://doi.org/10.1186/s12936-014-0537-7>
- Alemayehu, G. S., Messele, A., Blackburn, K., Lopez, K., Lo, E., Janies, D., & Golassa, L. (2021). Genetic variation of Plasmodium falciparum histidine-rich protein 2 and 3 in Assosa Zone, Ethiopia: Its impact on the performance of Malaria Rapid Diagnostic tests. *Malaria Journal*, 20(1). <https://doi.org/10.1186/s12936-021-03928-3>
- Amoah, L. E., Abuaku, B., Bukari, A. H., Dickson, D., Amoako, E. O., Asumah, G., Asamoah, A., Prerah, N. Y., & Malm, K. L. (2020). Contribution of P. falciparum parasites with Pfhrp 2 gene deletions to false negative PfHRP 2 based malaria RDT results in Ghana: A nationwide study of symptomatic malaria patients. *PLoS one*, 15(9), e0238749.
- <https://doi.org/10.1371/journal.pone.0238749>
- Berhane, A., Anderson, K., Selam Mihreteab, Gresty, K., Rogier, E., Salih, M., Hagos, F., Ghirmay Embaye, Chinorumba, A., Assefash Zehaie, Dowd, S., Waters, N. C., Gatton, M. L., Venkatachalam Udhayakumar, Cheng, Q., & Cunningham, J. (2018). Major Threat to Malaria Control Programs by Plasmodium falciparum Lacking Histidine-Rich Protein 2, Eritrea. *Emerging Infectious Diseases*, 24(3), 462–470. <https://doi.org/10.3201/eid2403.171723>
- Beshir, K. B., Parr, J. B., Cunningham, J., Cheng, Q., & Rogier, E. (2022). Screening strategies and laboratory assays to support plasmodium falciparum histidine-rich protein deletion surveillance: Where we are and what is needed. *Malaria Journal*, 21(1).
- <https://doi.org/10.1186/s12936-022-04226-2>
- Bharati, K., & Ganguly, N. K. (2013). Tackling the malaria problem in the South-East Asia Region: need for a change in policy?. *The Indian journal of medical research*, 137(1), 36–47.

- Bharti, A. R., Letendre, S. L., Patra, K. P., Vinetz, J. M., & Smith, D. M. (2009). Malaria diagnosis by a polymerase chain reaction-based assay using a pooling strategy. *The American journal of tropical medicine and hygiene*, 81(5), 754–757. <https://doi.org/10.4269/ajtmh.2009.09-0274>
- Bharti, P. K., Chandel, H. S., Ahmad, A., Krishna, S., Udhayakumar, V., & Singh, N. (2016). Prevalence of pfhrp2 and/or pfhrp3 Gene Deletion in Plasmodium falciparum Population in Eight Highly Endemic States in India. *PloS one*, 11(8), e0157949. <https://doi.org/10.1371/journal.pone.0157949>
- Bhatia, R., Rastogi, R. M., & Ortega, L. (2013). Malaria successes and challenges in Asia. *Journal of vector borne diseases*, 50(4), 239–247.
- Carr, J., Williams, D. G., & Hayden, R. T. (2010). Molecular Detection of Multiple Respiratory Viruses. Elsevier EBooks, 289–300. <https://doi.org/10.1016/b978-0-12-369428-7.00024-0>
- Cheng, Q., Gatton, M. L., Barnwell, J. W., Chiodini, P. L., McCarthy, J. S., Bell, D. A., & Cunningham, J. (2014). Plasmodium falciparum parasites lacking histidine-rich protein 2 and 3: a review and recommendations for accurate reporting. 13(1). <https://doi.org/10.1186/1475-2875-13-283>
- Chiu, C., White, M. T., Healer, J., Jay Daniel Thompson, Siba, P., Ivo Müller, Cowman, A. F., & Hansen, D. S. (2016). Different Regions of Plasmodium falciparum Erythrocyte-Binding Antigen 175 Induce Antibody Responses to Infection of Varied Efficacy. *The Journal of Infectious Diseases*, 214(1), 96–104. <https://doi.org/10.1093/infdis/jiw119>
- Cummings, R. D., Hokke, C. H., & Haslam, S. M. (2022). FIGURE 43.1. [Life cycle of Plasmodium falciparum,...]. Nih.gov; Cold Spring Harbor Laboratory Press. [https://www.ncbi.nlm.nih.gov/books/NBK579956/figure/CSHL\\_P5087CH43F1/](https://www.ncbi.nlm.nih.gov/books/NBK579956/figure/CSHL_P5087CH43F1/)
- Das, P., Grewal, J. S., & Chauhan, V. S. (2006). Interaction of Plasmodium falciparum histidine-rich protein II with human lymphocytes leads to suppression of proliferation, IFN-gamma release, and CD69 expression. *Parasitology research*, 100(1), 39–50. <https://doi.org/10.1007/s00436-006-0228-6>

Debode, F., Marien, A., Janssen, É., Bragard, C., & Berben, G. (2017). The influence of amplicon length on real-time PCR results. *BASE*. <https://doi.org/10.25518/1780-4507.13461>

Deroost, K., Pham, T. T., Opdenakker, G., & Van den Steen, P. E. (2016). The immunological balance between host and parasite in malaria. *FEMS microbiology reviews*, 40(2), 208–257. <https://doi.org/10.1093/femsre/fuv046>

Dijkman, P. M., Marzluf, T., Zhang, Y., Chang, S.-Y. S., Helm, D., Lanzer, M., Bujard, H., & Kudryashev, M. (2021). Structure of the merozoite surface protein 1 from *Plasmodium falciparum*. *Science Advances*, 7(23). <https://doi.org/10.1126/sciadv.abg0465>

Fadilah, I., Djaafara, B. A., Lestari, K. D., Fajariyani, S. B., Sunandar, E., Makamur, B. G., Wopari, B., Mabui, S., Ekawati, L. L., Sagara, R., Lina, R. N., Argana, G., Ginting, D. E., Sumiwi, M. E., Laihad, F. J., Mueller, I., McVernon, J., Baird, J. K., Surendra, H., & Elyazar, I. R. F. (2022). Quantifying spatial heterogeneity of malaria in the endemic Papua region of Indonesia: Analysis of Epidemiological Surveillance Data. *The Lancet Regional Health - Southeast Asia*, 5, 100051. <https://doi.org/10.1016/j.lansea.2022.100051>

Gamboa, D., Ho, M.-F., Bendezu, J., Torres, K., Chiodini, P. L., Barnwell, J. W., Incardona, S., Perkins, M. D., Bell, D. A., McCarthy, J. S., & Cheng, Q. (2010). A Large Proportion of *P. falciparum* Isolates in the Amazon Region of Peru Lack pfhrp2 and pfhrp3: Implications for Malaria Rapid Diagnostic Tests. *PLOS ONE*, 5(1), e8091–e8091.

<https://doi.org/10.1371/journal.pone.0008091>

Gatton, M. L., Chaudhry, A., Glenn, J., Wilson, S., Ah, Y., Kong, A., Ord, R., Rees-Channer, R. R., Chiodini, P. L., Incardona, S., Cheng, Q., Aidoo, M., & Cunningham, J. (2020). Impact of Plasmodium falciparum gene deletions on malaria rapid diagnostic test performance. *Malaria Journal*, 19(1). <https://doi.org/10.1186/s12936-020-03460-w>

Góes, L., Nathália Nogueira Chamma-Siqueira, Peres, V., José Maria Nascimento, Costa, S., Ruth, A., Lacerda, M., Liana Reis Blume, Marinete Marins Póvoa, & Maria, G. (2020). Evaluation of

Histidine-Rich Proteins 2 and 3 Gene Deletions in Plasmodium falciparum in Endemic Areas of the Brazilian Amazon. International Journal of Environmental Research and Public Health, 18(1), 123–123. <https://doi.org/10.3390/ijerph18010123>

González-Sanz, M., Berzosa, P., & Norman, F. F. (2023). Updates on Malaria Epidemiology and Prevention Strategies. Current infectious disease reports, 1–9. Advance online publication. <https://doi.org/10.1007/s11908-023-00805-9>

Grignard, L., Nolder, D., Nuno Sepúlveda, Berhane, A., Selam Mihreteab, Kaaya, R., Phelan, J., Moser, K. A., Schalkwyk, van, Campino, S., Parr, J. B., Juliano, J. J., Chiodini, P. L., Cunningham, J., Sutherland, C. J., Drakeley, C., & Beshir, K. B. (2020). A novel multiplex qPCR assay for detection of Plasmodium falciparum with histidine-rich protein 2 and 3 (pfhrp2 and pfhrp3) deletions in polyclonal infections. EBioMedicine, 55, 102757–102757. <https://doi.org/10.1016/j.ebiom.2020.102757>

Green, M. R., & Sambrook, J. (2019). Nested Polymerase Chain Reaction (PCR). Cold Spring Harbor protocols, 2019(2), 10.1101/pdb.prot095182. <https://doi.org/10.1101/pdb.prot095182>

Guntur, R. D., Kingsley, J., & Islam, F. M. (2021). Epidemiology of malaria in East Nusa tenggara province in Indonesia: Protocol for a cross-sectional study. JMIR Research Protocols, 10(4). <https://doi.org/10.2196/23545>

Healer, J., Thompson, J. K., Riglar, D. T., Wilson, D. W., Chiu, Yu-H. C., Miura, K., Chen, L., Hodder, A. N., Long, C. A., Hansen, D. S., Baum, J., & Cowman, A. F. (2013). Vaccination with Conserved Regions of Erythrocyte-Binding Antigens Induces Neutralizing Antibodies against Multiple Strains of Plasmodium falciparum. PLoS ONE, 8(9), e72504. <https://doi.org/10.1371/journal.pone.0072504>

IDT. (N.D.). What are the criteria for choosing a PCR amplicon length?. Integrated DNA Technologies. <https://sg.idtdna.com/pages/support/faqs/what-are-the-criteria-for-choosing-pcr-amplicon-length->

- Kavanaugh, M., Azzam, S. E., & Rockabrand, D. (2021). Malaria Rapid Diagnostic Tests: Literary Review and Recommendation for a Quality Assurance, Quality Control Algorithm. 11(5), 768–768. <https://doi.org/10.3390/diagnostics11050768>
- Kobayashi, T., Sikalima, J., Parr, J. B., Chaponda, M., Stevenson, J. C., Thuma, P. E., Mulenga, M., Meshnick, S. R., Moss, W. J., & For The Southern And Central Africa International Centers Of Excellence For Malaria Research (2019). The Search for Plasmodium falciparum histidine-rich protein 2/3 Deletions in Zambia and Implications for Plasmodium falciparum histidine-rich protein 2-Based Rapid Diagnostic Tests. *The American journal of tropical medicine and hygiene*, 100(4), 842–845. <https://doi.org/10.4269/ajtmh.18-0859>
- Kozycki, C. T., Umulisa, N., Rulisa, S., Emil Ivan Mwikarago, Jean Pierre Musabyimana, Jean Pierre Habimana, Karema, C., & Krogstad, D. J. (2017). False-negative malaria rapid diagnostic tests in Rwanda: impact of Plasmodium falciparum isolates lacking hrp2 and declining malaria transmission. *Malaria Journal*, 16(1). <https://doi.org/10.1186/s12936-017-1768-1>
- Kreidenweiss, A., Trauner, F., Rodi, M., Koehne, E., Held, J., Wyndorps, L., Manouana, G. P., McCall, M., Adegnika, A. A., Lalremruata, A., Kremsner, P. G., Fendel, R., & Sandri, T. L. (2019). Monitoring the threatened utility of malaria rapid diagnostic tests by novel high-throughput detection of Plasmodium falciparum HRP2 and HRP3 deletions: A cross-sectional, diagnostic accuracy study. *EBioMedicine*, 50, 14–22. <https://doi.org/10.1016/j.ebiom.2019.10.048>
- Leski, T. A., Taitt, C. R., Swaray, A. G., Bangura, U., Reynolds, N. D., Holtz, A., Yasuda, C. Y., Lahai, J., Lamin, J. M., Baio, V., Jacobsen, K. H., Rashid Ansumana, & Stenger, D. A. (2020). Use of real-time multiplex PCR, malaria rapid diagnostic test and microscopy to investigate the prevalence of Plasmodium species among febrile hospital patients in Sierra Leone. *Malaria Journal*, 19(1). <https://doi.org/10.1186/s12936-020-03163-2>
- Low, A., Chandrashekaran, I. R., Adda, C. G., Yao, S., Sabo, J. K., Zhang, X., Soetopo, A., Anders, R. F., & Norton, R. S. (2007). Merozoite surface protein 2 of Plasmodium falciparum: expression,

structure, dynamics, and fibril formation of the conserved N-terminal domain. *Biopolymers*, 87(1), 12–22. <https://doi.org/10.1002/bip.20764>

Maltha, J., Gillet, P., & Jacobs, J. (2013). Malaria rapid diagnostic tests in travel medicine. 19(5), 408–415. <https://doi.org/10.1111/1469-0691.12152>

Molina-de la Fuente, I., Pastor, A., Herrador, Z. et al. Impact of *Plasmodium falciparum* pfhrp2 and pfhrp3 gene deletions on malaria control worldwide: a systematic review and meta-analysis. *Malar J* 20, 276 (2021). <https://doi.org/10.1186/s12936-021-03812-0>

Moody A. (2002). Rapid diagnostic tests for malaria parasites. *Clinical microbiology reviews*, 15(1), 66–78. <https://doi.org/10.1128/CMR.15.1.66-78.2002>

Mouatcho, J. C., & Goldring, J. P. D. (2013). Malaria rapid diagnostic tests: challenges and prospects. *Journal of medical microbiology*, 62(Pt 10), 1491–1505. <https://doi.org/10.1099/jmm.0.052506-0>

Mussa, A., Talib, M., Mohamed, Z., & Khalid Hajissa. (2019). Genetic diversity of *Plasmodium falciparum* histidine-rich protein 2 (PfHRP2) and its effect on the performance of PfHRP2-based rapid diagnostic tests. *BMC Research Notes*, 12(1). <https://doi.org/10.1186/s13104-019-4361-6>

Mwingira, F., Nkwengulila, G., Schoepflin, S., Sumari, D., Beck, H.-P., Snounou, G., Felger, I., Olliaro, P., & Mugittu, K. (2011). Plasmodium falciparum msp1, msp2 and glurp allele frequency and diversity in sub-Saharan Africa. *Malaria Journal*, 10(1), 79. <https://doi.org/10.1186/1475-2875-10-79>

Nguetse, C. N., Ojo, J. A., Nchotebah, C., Ikegbunam, M. N., Meyer, C. G., Thomas, B. N., Velavan, T. P., & Ojurongbe, O. (2018). Genetic Diversity of the *Plasmodium falciparum* Glutamate-Rich Protein R2 Region Before and Twelve Years after Introduction of Artemisinin Combination Therapies among Febrile Children in Nigeria. *The American journal of tropical medicine and hygiene*, 98(3), 667–676. <https://doi.org/10.4269/ajtmh.17-0621>

Paing, M. M., Salinas, N. D., Adams, Y., Oksman, A., Anja TR Jensen, Goldberg, D. E., & Tolia, N. H. (2018, December 17). Shed EBA-175 mediates red blood cell clustering that enhances malaria parasite growth and enables immune evasion. *eLife*; eLife Sciences Publications, Ltd. <https://elifesciences.org/articles/43224>

Pattaradilokrat, S., Trakoolsoontorn, C., Simpalipan, P., Warrit, N., Kaewthamasorn, M., & Harnyuttanakorn, P. (2018). Size and sequence polymorphisms in the glutamate-rich protein gene of the human malaria parasite *Plasmodium falciparum* in Thailand. *Parasites & Vectors*, 11(1). <https://doi.org/10.1186/s13071-018-2630-1>

Perce-da-Silva, D. S., Banic, D. M., Lima-Junior, J. C., Santos, F., Daniel-Ribeiro, C. T., de Oliveira-Ferreira, J., & Pratt-Riccio, L. R. (2011). Evaluation of allelic forms of the erythrocyte binding antigen 175 (EBA-175) in *Plasmodium falciparum* field isolates from Brazilian endemic area. *Malaria Journal*, 10(1). <https://doi.org/10.1186/1475-2875-10-146>

Poti, K. E., Sullivan, D. J., Dondorp, A. M., & Woodrow, C. J. (2020). HRP2: Transforming malaria diagnosis, but with caveats. *Trends in Parasitology*, 36(2), 112–126. <https://doi.org/10.1016/j.pt.2019.12.004>

Renn, J. P., Doritchamou, J., Bergeline C. Nguemwo Tentokam, Morrison, R., Cowles, M. V., Burkhardt, M., Ma, R., Tolia, N. H., Fried, M., & Duffy, P. E. (2021). Allelic variants of full-length VAR2CSA, the placental malaria vaccine candidate, differ in antigenicity and receptor binding affinity. *Communications Biology*, 4(1). <https://doi.org/10.1038/s42003-021-02787-7>

Rojrung, R., Kuamsab, N., Putaporntip, C., & Jongwutiwes, S. (2023). Analysis of sequence diversity in *Plasmodium falciparum* glutamic acid-rich protein (pfgarp), an asexual blood stage vaccine candidate. *Scientific Reports*, 13(1). <https://doi.org/10.1038/s41598-023-30975-4>

Sato S. (2021). Plasmodium-a brief introduction to the parasites causing human malaria and their basic biology. *Journal of physiological anthropology*, 40(1), 1. <https://doi.org/10.1186/s40101-020-00251-9>

Schindler, T., Deal, A., Fink, M., Guirou, E. A., Moser, K. A., Mwakasungula, S., Mihayo, M. G., Said Jongo, Prosper Chaki, Abdulla, S., Paulo, Torres, K., José Raso Bijeri, Silva, J. C., Hoffman, S. L., Gamboa, D., Tanner, M., & Daubbenberger, C. (2019). A multiplex qPCR approach for detection of pfhrp2 and pfhrp3 gene deletions in multiple strain infections of Plasmodium falciparum. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-49389-2>

Sigma Aldrich. (N.D.). Polymerase chain reaction.   
<https://www.sigmaaldrich.com/ID/en/technical-documents/technical-article/genomics/pcr/polymerase-chain-reaction>

Snounou, G., Zhu, X., Siripoon, N., Jarra, W., Thaithong, S., Brown, K. N., & Viriyakosol, S. (1999). Biased distribution of msp1 and msp2 allelic variants in Plasmodium falciparum populations in Thailand. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 93(4), 369–374. [https://doi.org/10.1016/s0035-9203\(99\)90120-7](https://doi.org/10.1016/s0035-9203(99)90120-7)

Sugiarto, S.R., Baird, J.K., Singh, B. et al. The history and current epidemiology of malaria in Kalimantan, Indonesia. *Malar J* 21, 327 (2022). <https://doi.org/10.1186/s12936-022-04366>  
Talapko, J., Škrlec, I., Alebić, T., Jukić, M., & Včev, A. (2019). Malaria: The past and the present. *Microorganisms*, 7(6), 179. <https://doi.org/10.3390/microorganisms7060179>

Thang, N.D., Rovira-Vallbona, E., Binh, N.T.H. et al. Surveillance of pfhrp2 and pfhrp3 gene deletions among symptomatic Plasmodium falciparum malaria patients in Central Vietnam. *Malar J* 21, 371 (2022). <https://doi.org/10.1186/s12936-022-04399-w>

Thomson, R., Beshir, K. B., Cunningham, J., Baiden, F., Jameel Bharmal, Bruxvoort, K., Maiteki-Sebuguzi, C., Owusu-Agyei, S., Staedke, S. G., & Hopkins, H. (2019). pfhrp2 and pfhrp3 Gene Deletions That Affect Malaria Rapid Diagnostic Tests for Plasmodium falciparum: Analysis of Archived Blood Samples From 3 African Countries. *220(9), 1444–1452.* <https://doi.org/10.1093/infdis/jiz335>

- Tolia, N. H., Enemark, E. J., Lee, K., & Leemor Joshua-Tor. (2005). Structural Basis for the EBA-175 Erythrocyte Invasion Pathway of the Malaria Parasite Plasmodium falciparum. *Cell*, 122(2), 183–193. <https://doi.org/10.1016/j.cell.2005.05.033>
- Ullah, I., Khan, A., Muhammad Israr, Shah, M., Shams, S., Khan, W., Shah, M., Siraj, M., Akbar, K., Naz, T., & Sahib Gul Afridi. (2022). Genomic miscellany and allelic frequencies of Plasmodium falciparum msp-1, msp-2 and glurp in parasite isolates. *PLOS ONE*, 17(3), e0264654–e0264654. <https://doi.org/10.1371/journal.pone.0264654>
- Venugopal, K., Franziska Hentzschel, Gediminas Valkiūnas, & Marti, M. (2020). Plasmodium asexual growth and sexual development in the haematopoietic niche of the host. *Nature Reviews Microbiology*, 18(3), 177–189. <https://doi.org/10.1038/s41579-019-0306-2>
- Viana, G. M. R., Okoth, S. A., Silva-Flannery, L., Lima Barbosa, D. R. L., Macedo de Oliveira, A., Goldman, I. F., Morton, L. C., Huber, C., Anez, A., Dantas Machado, R. L. D., Aranha Camargo, L. M. A., Costa Negreiros do Valle, S., Marins Póvoa, M. M., Udhayakumar, V., & Barnwell, J. W. (2017). Histidine-rich protein 2 (PFHRP2) and PFHRP3 gene deletions in Plasmodium falciparum isolates from select sites in Brazil and Bolivia. *PLOS ONE*, 12(3). <https://doi.org/10.1371/journal.pone.0171150>
- Wang, S., Fatimae, M., Hu, H., & Li, X. (2022). A revisit to universal single-copy genes in bacterial genomes. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-18762-z>
- Zekar, L., & Sharman, T. (2023). *Plasmodium falciparum Malaria*. Nih.gov; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK555962/>