

REFERENCES

- Abah, S. E., & Egwari, L. O. (2011). Methods of Extraction and Antimicrobial Susceptibility Testing of Plant Extracts. *African Journal of Basic & Applied Sciences*.
- Aboaba, O. O., Smith, S. I., & Olude, F. O. (2006). Antibacterial Effect of Edible Plant Extract on *Escherichia coli* 0157:H7. *Pakistan Journal of Nutrition*, 5(4), 325–327.
- Aduol, O. M., Ogila, K. O., & John, K. (2014). Evaluation of antibacterial effects and phytochemical screening of the aqueous and methanolic extracts of *Hibiscus diversifolius*. *Journal of Microbiology and Antimicrobials*, 6(5), 88–93. <http://doi.org/10.5897/JMA2014.0311>
- Afiqah Amani Binti Zaaba, N., & Priya, V. V. (2016). IN VITRO FREE RADICAL SCAVENGING ACTIVITY OF TEA TREE OIL AND CLOVE OIL, 9. Retrieved from <https://innovareacademics.in/journals/index.php/ajpcr/article/viewFile/12838/6400>
- Ali, B., Al-Wabel, N. A., Shams, S., Ahamad, A., Khan, S. A., & Anwar, F. (2015). Essential oils used in aromatherapy: A systemic review. *Asian Pacific Journal of Tropical Biomedicine*, 5(8), 601–611. <http://doi.org/10.1016/j.apjtb.2015.05.007>
- Arullappan, S., Zakaria, Z., & Basri, D. F. (2009). Preliminary Screening of Antibacterial Activity Using Crude Extracts of *Hibiscus rosa sinensis*. *Tropical Life Sciences Research*, 20(2), 109–18. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/24575183>
- Asbahani, A. El, Miladi, K., Badri, W., Sala, M., Addi, E. H. A., Casabianca, H., ... Elaissari, A. (2015). Essential oils: From extraction to encapsulation. *International Journal of Pharmaceutics*, 483(1–2), 220–243. <http://doi.org/10.1016/j.ijpharm.2014.12.069>
- Azmir, J., Zaidul, I. S. M., Rahman, M. M., Sharif, K. M., Mohamed, A., Sahena, F., ... Omar, A. K. M. (2013). Techniques for extraction of bioactive compounds from plant materials: A review. *Journal of Food Engineering*, 117(4), 426–436. <http://doi.org/10.1016/j.jfoodeng.2013.01.014>
- Azwanida, N. (2015). A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Medicinal & Aromatic Plants*, 04(03), 3–8. <http://doi.org/10.4172/2167-0412.1000196>
- Barry, A. L., Craig, W. A., Nadler, H., Reller, L. B., Sanders, C. C., & Swenson, J. M. (1999). *Methods for determining bactericidal activity of antimicrobial agents; approved guideline*. National Committee for Clinical Laboratory Standards (Vol. 19). Retrieved from <http://demo.nextlab.ir/getattachment/096a51d4-1530-4f81-92c0-f5477c584b9b/CLSI-M26-A.aspx>
- Carson, C. F., Hammer, K. a, Riley, T. V, Carson, C. F., Hammer, K. a, & Riley, T. V. (2006). *Melaleuca alternifolia (Tea Tree) Oil : a Review of Antimicrobial and Other Medicinal Properties*. *Clinical Microbiology Reviews*, 19(1), 50–62. <http://doi.org/10.1128/CMR.19.1.50>
- Carson, C. F., Mee, B. J., & Riley, T. V. (2002). Mechanism of Action of *Melaleuca alternifolia* (Tea Tree) Oil on *Staphylococcus aureus* Determined by Time-Kill, Lysis, Leakage, and Salt Tolerance Assays and Electron Microscopy Christine. *ANTIMICROBIAL AGENTS AND CHEMOTHERAPY*, 46(6), 1914–1920. <http://doi.org/10.1128/AAC.46.6.1914>
- Centers for Disease Control and Prevention. (2011). *Staphylococcus aureus* in Healthcare Settings. Retrieved March 26, 2018, from <https://www.cdc.gov/hai/organisms/staph.html#>
- Centers for Disease Control and Prevention. (2018). *E.coli (Escherichia coli)*. Retrieved March 25, 2018, from <https://www.cdc.gov/ecoli/>
- Chen, C. J., & Huang, Y. C. (2014). New epidemiology of *Staphylococcus aureus* infection in Asia. (Themed Section: New epidemiology of *Staphylococcus aureus* infections.). *Clinical Microbiology and Infection*, 20, 605–623.
- de Campos Rasteiro, M. M., da Costa, P. C. B. P., Araújo, F. F., de Barros, P. P., Rossoni, D. D., Anbinder, L. L., ... Junqueira, C. C. (2014). Essential oil of *Melaleuca alternifolia* for the treatment of oral candidiasis induced in an immunosuppressed mouse model. *BMC Complementary and Alternative Medicine*, 14(1), 489. <http://doi.org/10.1186/1472-6882-14-489>

- Dhifi, W., Bellili, S., Jazi, S., Bahloul, N., & Mnif, W. (2016). Essential Oils ' Chemical Characterization and Investigation of Some Biological Activities : *Medicines*, 3(25), 1–16.
<http://doi.org/10.3390/medicines3040025>
- Ebane, R. U. , Madunagu, E. D., Ekpe, E. D., & Otung, I. N. (1991). Microbiological exploitation of cardiac glycosides and alkaloids from *Garcinia kola* , *Borreria ocymoides* , *Kola nitida* and *Citrus aurantifolia*. *Journal of Applied Bacteriology*, 71(5), 398–401.
- Falcil, S. P. P., Teixeirall, M. A., ChagasIII, P. F. das, , Beatriz Bertolaccini MartinezIV, A., LoyolaV, B. A. T., FerreiraVI, L. M., ... DOI: (2015). Antimicrobial activity of *Melaleuca* sp . oil against clinical isolates of antibiotics resistant. *Acta Cirúrgica Brasileira*, 30(7), 491–496.
<http://doi.org/http:10.1590/S0102-865020150070000007>
- Farmita, A. R. (2016). Industri Desak BPOM Segera Beri Izin Edar Obat Demam Berdarah. Retrieved from <https://nasional.tempo.co/read/742875/industri-desak-bpom-segera-beri-izin-edar-obat-demam-berdarah>
- Gnanamani, A., Hariharan, P., & Paul-Satyaseela, M. (2017). *Staphylococcus aureus*: Overview of Bacteriology, Clinical Diseases, Epidemiology, Antibiotic Resistance and Therapeutic Approach. In *Frontiers in Staphylococcus aureus* (p. 232). InTech. <http://doi.org/10.5772/67338>
- Gu, X., Zhang, Z., Wan, X., Ning, J., Yao, C., & Shao, W. (2009). Simultaneous Distillation Extraction of Some Volatile Flavor Components from Pu-erh Tea Samples-Comparison with Steam Distillation-Liquid/Liquid Extraction and Soxhlet Extraction. *International Journal of Analytical Chemistry*, 2009, 276713. <http://doi.org/10.1155/2009/276713>
- Gustafson, Liew, Chew, Markham, Bell, Wyllie, & Warmington. (1998). Effects of tea tree oil on *Escherichia coli*. *Letters in Applied Microbiology*, 26(3), 194–198.
<http://doi.org/10.1046/j.1472-765X.1998.00317.x>
- Hammer, K. A., Carson, C. F., Riley, T. V., & Nielsen, J. B. (2006). A review of the toxicity of *Melaleuca alternifolia* (tea tree) oil. *Food and Chemical Toxicology*, 44(5), 616–625.
<http://doi.org/10.1016/j.fct.2005.09.001>
- Hammer, K. A., Carson, C. F., & Riley, T. V. (2012). Effects of *Melaleuca alternifolia* (tea tree) essential oil and the major monoterpene component terpinen-4-ol on the development of single- and multistep antibiotic resistance and antimicrobial susceptibility. *Antimicrobial Agents and Chemotherapy*, 56(2), 909–915. <http://doi.org/10.1128/AAC.05741-11>
- Herzi, N., Bouajila, J., Camy, S., Romdhane, M., & Condoret, J. S. (2013). Comparison of different methods for extraction from *Tetraclinis articulata*: Yield, chemical composition and antioxidant activity. *Food Chemistry*, 141(4), 3537–3545. <http://doi.org/10.1016/j.foodchem.2013.06.065>
- Jajaei, S. M., Daud, W. R. W., Markom, M., Zakaria, Z., Presti, M. Lo, Costa, R., ... Santi, L. (2010). Extraction of melaleuca cajuputi using supercritic fluid extraction and solvent extraction. *Journal of Essential Oil Research*, 22(3), 205–210.
<http://doi.org/10.1080/10412905.2010.9700304>
- Lee, L. S., Brooks, L. O., Homer, L. E., Rossetto, M., Henry, R. J., & Baverstock, P. R. (2002). Geographic variation in the essential oils and morphology of natural populations of *Melaleuca alternifolia* (Myrtaceae). *Biochemical Systematics and Ecology*, 30(4), 343–360.
[http://doi.org/10.1016/S0305-1978\(01\)00092-8](http://doi.org/10.1016/S0305-1978(01)00092-8)
- Levinson, W. E. (2012). *Review of Medical microbiology and Immunology* (13th ed.). McGraw-Hill Education.
- Levison, M. E., & Levison, J. H. (2009, December). Pharmacokinetics and Pharmacodynamics of Antibacterial Agents. *Infectious Disease Clinics of North America*. NIH Public Access.
<http://doi.org/10.1016/j.idc.2009.06.008>
- Loughlin, R., Gilmore, B. F., McCarron, P. A., & Tunney, M. M. (2008). Comparison of the cidal activity of tea tree oil and terpinen-4-ol against clinical bacterial skin isolates and human fibroblast cells. *Letters in Applied Microbiology*, 46(4), 428–433. <http://doi.org/10.1111/j.1472-765X.2008.02334.x>
- Maekawa, L. E., Lamping, R., Marcacci, S., Maekawa, M. Y., Nassri, M. R. G., & Koga-Ito, C. Y. (2007).

- Antimicrobial activity of chlorophyll-based solution on *Candida albicans* and *Enterococcus faecalis*. *Revista Sul-Brasileira de Odontologia*, 4(2), 36–40.
- Maggio, P. M. (2018). Introduction to Bacteremia, Sepsis, and Septic Shock. Retrieved from <https://www.msdmanuals.com/home/infections/bacteremia,-sepsis,-and-septic-shock/introduction-to-bacteremia,-sepsis,-and-septic-shock>
- Martin, L. J. (2017). Staph infections - self-care at home. Retrieved March 26, 2018, from <https://medlineplus.gov/ency/patientinstructions/000686.htm>
- Mertas, A., Garbusińska, A., Szliszka, E., Jureczko, A., Kowalska, M., & Król, W. (2015). The Influence of Tea Tree Oil (*Melaleuca alternifolia*) on Fluconazole Activity against Fluconazole-Resistant *Candida albicans* Strains. *BioMed Research International*, 2015, 1–9. <http://doi.org/10.1155/2015/590470>
- Motamedi, H., Seyyednejad, S. M., Dehghani, F., Hasannejad, Z., & Chamran, S. (2014). Zahedan Journal of Research in Medical Sciences, 55–59.
- National Health Services. (2009). Facts about *E. coli*. Retrieved March 25, 2018, from <https://www.nhs.uk/news/food-and-diet/facts-about-e-coli/#what-is-e-coli>
- National Health Services. (2017). *E. coli* infection. Retrieved March 25, 2018, from <https://www.nhs.uk/conditions/e-coli/>
- Nemeth, J., Oesch, G., & Kuster, S. P. (2015). Bacteriostatic versus bactericidal antibiotics for patients with serious bacterial infections: Systematic review and meta-analysis. *Journal of Antimicrobial Chemotherapy*, 70(2), 382–395. <http://doi.org/10.1093/jac/dku379>
- Pandey, A., Tripathi, S., & Pandey, C. A. (2014). Concept of standardization, extraction and pre phytochemical screening strategies for herbal drug. *Journal of Pharmacognosy and Phytochemistry JPP*, 115(25), 115–119.
- Paz, J. E. W., Contreras, C. R., Munguía, A. R., Aguilar, C. N., & Inungaray, M. L. C. (2017). Phenolic content and antibacterial activity of extracts of *Hamelia patens* obtained by different extraction methods. *Brazilian Journal of Microbiology*. <http://doi.org/10.1016/j.bjm.2017.03.018>
- Piekarcz, T., Mertas, A., Wiatrak, K., Rój, R., Kownacki, P., Śmieszek-Wilczewska, J., ... Morawiec, T. (2017). The influence of toothpaste containing australian *melaleuca alternifolia* oil and ethanolic extract of polish propolis on oral hygiene and microbiome in patients requiring conservative procedures. *Molecules*, 22(11). <http://doi.org/10.3390/molecules22111957>
- Pradhan, J., Das, S., & Das, B. K. (2014). Antibacterial activity of freshwater microalgae : A review. *African Journal of Pharmacy and Pharmacology*, 8(32), 809–818. <http://doi.org/10.5897/AJPP2013.0002>
- Ramadhan, B. (2016). Berkat Obat Temuan UNAIR ini, Demam Berdarah akan Lenyap? Retrieved March 30, 2018, from <https://www.goodnewsfromindonesia.id/2016/02/04/berkat-obat-temuan-unair-ini-demam-berdarah-akan-lenyap>
- Salvatori, C., Barchi, L., Guzzo, F., & Gargari, M. (2017). A comparative study of antibacterial and anti-inflammatory effects of mouthrinse containing tea tree oil. *ORAL & Implantology*, 10(1), 59–70. <http://doi.org/10.11138/orl/2017.10.1.059>
- Shapira, S., Pleban, S., Kazanov, D., Tirosh, P., & Arber, N. (2016). Terpinen-4-ol: A Novel and Promising Therapeutic Agent for Human Gastrointestinal Cancers. *PLOS ONE*, 11(6), e0156540. <http://doi.org/10.1371/journal.pone.0156540>
- Sherma, J. (2005). Detection (Visualization) of TLC Zones. In J. Cazes (Ed.), *Encyclopedia of Chromatography* (Second Edi, p. 800). Florida: Taylor & Francis Group.
- Silva, L. D. L., Heldwein, C. G., Gustavo, L., Reetz, B., Moraes, D. P. De, Duarte, F. A., ... Heinzmann, B. M. (2015). Influence of extraction method on antibacterial activity of ethanolic extracts of *Ocimum gratissimum* L ., 9(7), 199–206. <http://doi.org/10.5897/JMPR2014.5387>
- Szewczyk, G., & Wisniewski, K. (2007). Dish and Household Cleaning. In *Handbook for Cleaning/Decontamination of Surfaces* (1st ed., Vol. 1, pp. 125–195). Amsterdam: Elsevier Science B.V. <http://doi.org/10.1016/B978-044451664-0/50005-X>
- Taylor, P. C., Schoenknecht, F. D., Sherris, J. C., & Linner, E. C. (1983). Determination of minimum

- bactericidal concentrations of oxacillin for *Staphylococcus aureus*: Influence and significance of technical factors. *Antimicrobial Agents and Chemotherapy*, 23(1), 142–150.
<http://doi.org/10.1128/AAC.23.1.142>
- Tisserand, M. (2015). *Aromatherapy vs MRSA: Antimicrobial essential oils to combat bacterial infection, including the superbug* (2nd ed.). London: Singing Dragon. Retrieved from <https://books.google.co.id/books?id=ukmHBAAAQBAJ&pg=PA62&lpg=PA62&dq=unfortunately,+the+size+of+the+zone+of+inhibition+is+not+proportional+to+its+activity+as+essential+oils+contain+up+to+one+hundred+different+chemicals,+each+with+its+own+diffusion+property>
- Wadhwani, T., & Desai, K. (2009). Effect of various solvents on bacterial growth in context of determining MIC of various antimicrobials. *Internet Journal of ...*, 7(1), 1–8.
<http://doi.org/10.5580/b43>
- Wagner, H., & Bladt, S. (1996). *Plant Drug Analysis: A Thin Layer Chromatography Atlas*. (S. Bladt, Ed.) (2nd ed.). New York: Springer Science & Business Media. Retrieved from <http://search.ebscohost.com.subzero.lib.uoguelph.ca/login.aspx?direct=true&db=bth&AN=16867310&site=ehost-live&scope=site>
- Wu, C., Wang, F., Liu, J., Zou, Y., & Chen, X. (2015). A comparison of volatile fraction obtained from *Lonicera macranthoides* via different extraction processes: ultrasound, microwave, soxhlet extraction, hydrodistillation and cold-maceration. *Integrative Medicine Research*, 4(3), 171–177. <http://doi.org/10.1016/j.imr.2015.06.001>
- Zulkefli, H. N. (2013). *In vitro bioactivity and chemical investigation of Ervatamia coronaria and Tinospora crispa for the treatment of sinusitis*. University of Malaya. Retrieved from <http://studentsrepo.um.edu.my/id/eprint/4169>