

REFERENCES

- Ahmed, N., Singh, J., Chauhan, H., Anjum, P., & Kour, H. (2015). Different Drying Methods : Their Applications and Recent Advances, (April).
- Almeida, J. C. de, Perassolo, M. S., Camargo, J. L., Bragagnolo, N., & Gross, J. L. (2006). Fatty acid composition and cholesterol content of beef and chicken meat in Southern Brazil. *Revista Brasileira de Ciências Farmacêuticas*, 42(1), 109–117.
- Aramouni, F., & Deschenes, K. (2015). Methods for developing new food products, 1–337.
- AOAC- association of analytical chemists. Official methods of Analysis, Association of Official Analytical Chemists, Washington D.C USA, 2000
- Badan Standardisasi Nasional - National Standardization Agency of Indonesia - Setting the Standard in Indonesia ISO SNI WTO. (1996). Retrieved August 2, 2018, from <http://www.bsn.go.id/>
- Banach, J. C., Clark, S., & Lamsal, B. P. (2016). Instrumental and Sensory Texture Attributes of High-Protein Nutrition Bars. *Journal of Food Science*, 81(5), S1254–S1262.
- Beuchat, L. R. (1983). Influence of water activity on growth, metabolic activities and survival of yeasts and molds. *Journal of Food Protection (USA)*, 46(2). Retrieved from <http://agris.fao.org/agris-search/search.do?recordID=US8208585>
- Binnie, M. A., Barlow, K., Johnson, V., & Harrison, C. (2014). Red meats: Time for a paradigm shift in dietary advice. *Meat Science*, 98(3), 445–451.
- Borneo, R., Aguirre, A., & León, A. E. (2010). Chia (*Salvia hispanica L*) Gel Can Be Used as Egg or Oil Replacer in Cake Formulations. *Journal of the American Dietetic Association*, 110(6), 946–949.
- Carvalho, M. G. De, Maria, J., Passos, C., Henrique, P., Sousa, M. De, & Clemente, E. (2011). Formulation and Sensory Acceptance of Cereal-Bars Made with Almonds of c hichá , sapucaia and gurguéia Nuts, 26–30.
- Coorey, R., Tjoe, A., & Jayasena, V. (2014). Gelling Properties of Chia Seed and Flour. *Journal of Food Science*, 79(5).
- Cowan, G. (2017). Statistical Data Analysis. *Metallurgia Italiana*, 109(1), 5–10.
- Czernhorsky, J. H., & Hooker, R. (2008). The chemistry of baking. *NZ Institute for Crop and Food Research*, 1–8.
- De Greef, M., Arcusin, L., & Rossetti, G. (2016). Product development process in food industries: tools management analysis in post-development stage. *Ijrras*, 26(2), 69–77. Retrieved from http://www.arpapress.com/volumes/vol26issue2/ijrras_26_2_02.pdf
- Driscoll, R. H. (2014). Food Processing: Principles and Applications, 61–78.
- Dinh T.T.N. (2006). Meat quality: Understanding of meat tenderness and influence of fat content on meat flavor. University of Technology. *Science and Technology* 12, pp. 65-70

Doherty, C. A., & Ward, P. C. (2000). U.S. Patent No. 5,607,716.

Etienne, M. (2005). Volatile amines as criteria for chemical quality assessment. *SeaFood Plus*, 1–22.

Fona International. An Overview of Snack, Cereal and Energy Bars (2015). Retrieved from
<https://www.fona.com/wp-content/themes/fona/migrated-files/Bar Category Insight 1015.pdf>

Food Safety and Standards Authority of India. (2016). Manual of Methods of Analysis of Foods (Meat and Meat Products).

Food Standards Australia New Zealand. *NUTTAB 2006. Online Database of the Nutritional Composition of Australian Foods*. Canberra: FSANZ, 2006.

Fuller, Gordon W. (1994). "New Food Product Development: From Concept to Marketplace", CRC Press, Montreal, Quebec.

Heinz G. and Hautzinger P.(2007). Meat processing technology for small- to medium-scale producers. Food and agriculture organization of the United Nations, Regional office for Asia and the pacific. RAP Publication, 20. Bangkok [Online] <http://www.fao.org/3/a-ai407e.pdf> Available 09.03.2016

Ho, L. H., Tang, J. Y. H., Mazaitul Akma, S., Mohd Aiman, H., & Roslan, A. (2016). Development of novel "energy" snack bar by utilizing local Malaysian ingredients. *International Food Research Journal*, 23(5), 2280–2285.

Hoffman J.R. and Falvo M.J. (2004). Protein – which is best? *Journal of Sports Science and Medicine* (2004) 3, pp. 118-130 [Online] <http://www.jssm.org/vol3/n3/2/v3n3-2pdf.pdf> Available 09.03.2016

Hunter Associates Laboratory, I. (1996). CIE L* a* b* Color Scale. *Volumen 8*, 8(7), 1–4.
<https://doi.org/10.1128/AEM.02997-13>

Ireland, C. R. (2010). Experimental Statistics for Agriculture and Horticulture. Retrieved July 15, 2018, from
<https://books.google.co.id/books?id=UwPc7kbwQ4AC&pg=PA109&dq=experimental+statistics+for+agriculture+and+horticulture+Least+significant+difference&hl=en&sa=X&ved=0ahUKEwi35IHYvZrcAhUBX30KHZ3wCNQQ6AEIJzAA#v=onepage&q&f=false>

Karanja, J. K., Mugendi, B. J., Khamis, F. M., & Muchugi, A. N. (2013). Nutritional composition of the pumpkin (Cucurbita spp.) seed cultivated from selected regions in Kenya. *Journal of Horticulture Letters*, 3(1), 17–22.

Khan M. Y. and Saxena S.(2006). Biomolecules: introduction, structure and function. Proteins. Lucknow. [Online] <http://nsdl.niscair.res.in/jspui/bitstream/123456789/96/4/Proteins.pdf> Available 09.03.2016

Knipe, L. (1987). Meat Emulsions. Proceedings of the Eighth Annual Sausage and Processed Meats Short Course. ISU Extension Service CE 2113 kldxaa

Kumar, S. M. (2012). Oats and health benefits. *Natural Products and Their Active Compounds on Disease Prevention*, (January), 431–447. Retrieved from

<http://www.scopus.com/inward/record.url?eid=2-s2.0-84893018188&partnerID=40&md5=87a8f5f8cac57ea13e99d5bd6b1ab233>

Kuswandi, B., Damayanti, F., & Abdullah, A. (2015). Simple and Low-Cost On-Package Sticker Sensor based on Litmus Paper for Real-Time Monitoring of Beef Freshness, 47(3), 236–251.

Lawless, H. T., & Heimann, H. (2010). *Sensory Evaluation of Food 2nd Ed. Science*. New York: Chapman & Hall.

Lawless, H.T., & Heymann, H. (1998). *Sensory Evaluation of Food: Principles and Practices*. New York: Chapman & Hall.

Lawrie R.A. and Ledward D.A. (2006). Lawrie's meat science. 7th edition. Woodhead Publishing, Cambridge, England

Lehman, A., & O'Rourke, N. (2005). Basic Concepts in Research and Data Analysis. *JMP for Basic Univariate and Multivariate Statistics: A Step-by-Step Guide*, 4(3), 26.

León, K., Mery, D., Pedreschi, F., & León, J. (2006). Color measurement in L*a*b* units from RGB digital images. *Food Research International*, 39(10), 1084–1091.

Lewis, A. (2009). Market Share by Nutrition-Bar Type, 9–11. Retrieved from <https://www.cspdailynews.com/sites/default/files/F4-keepingproteinbarhigh.pdf>

Liu, S., & Gan, L. (2016). Determination of Total Volatile Basic Nitrogen (TVB-N) Content in Beef by Hyperspectral Imaging Technique, 06007. <https://doi.org/10.1051/matecconf/20166106007>

Maradini-Filho, A. M. (2017). Quinoa : Nutritional Aspects. *Journal of Nutraceuticals and Food Science*, 2(1), 1–5.

Marcinek, K., & Krejpcio, Z. (2017). Chia Seeds (*Salvia Hispanica*): Health Promoting Properties and Therapeutic Applications – a Review. *Roczniki Państwowej Szkoły Wyższej w Zielonej Górze*, 68(2), 123–129. Retrieved from http://wydawnictwa.pzh.gov.pl/roczniki_pzh/

Masterson, B. (2017). Conway ' s Microdiffusion Analysis, (January 2013).

McAfee, A. J., McSorley, E. M., Cuskelly, G. J., Moss, B. W., Wallace, J. M. W., Bonham, M. P., & Fearon, A. M. (2010). Red meat consumption: An overview of the risks and benefits. *Meat Science*, 84(1), 1–13.

Mishra, B. P., Mishra, J., Husbandry, A., Pati, P., & Husbandry, A. (2017). Dehydrated Meat Products: A Review, (December).

Moss, Michael (2014-01-28). "A Look Inside the Protein Bar". The New York Times. ISSN 0362-4331. Retrieved 2017-08-19

Motarjemi, Y., Moy, G., & Todd, E. C. D. (Ewen C. D. (2013). *Encyclopedia of food safety*. Retrieved from <https://books.google.co.id/books?id=mX1XAQAAQBAJ&pg=RA3-PA433&lpg=RA3-PA433&dq=aw+of+protein+bar+to+be+free+from+microbial+contamination&source=bl&ots=3t9AEze2LB&sig=PrebE6DQRJkbbRG8K8Hn3oMsOH0&hl=en&sa=X&ved=0ahUKEwig44fdr6XcAhXIdt4KHXvKCY4Q6AEIWTAE#v=onepage&q=aw of protein bar to be free from microbial>

- contamination&f=false
- Navruz-Varli, S., & Sanlier, N. (2016). Nutritional and health benefits of quinoa (*Chenopodium quinoa* Willd.). *Journal of Cereal Science*, 69(December), 371–376.
- Nielsen. (2014). Snack Attack “What consumers are reaching around the world,” (September), 1–21.
- Nishinari, K., Kohyama, K., Kumagai, H., Funami, T., & Bourne, M. C. (2013). Parameters of Texture Profile Analysis. *Food Science and Technology Research*, 19(3), 519–521.
- Olaoye. (2011). Meat: An overview of its composition, biochemical changes and associated microbial agents. *International Food Research Journal* 18(3), pp. 877-885 [Online] [http://www.ifrj.upm.edu.my/18%20\(03\)%202011/\(4\)IFRJ- 2010-227.pdf](http://www.ifrj.upm.edu.my/18%20(03)%202011/(4)IFRJ- 2010-227.pdf) Available 09.03.2016
- Padmashree, A., & Sharma, G. K. (2017). Development of shelf stable protein rich composite cereal bar, (June 2012).
- Rahman, M. S. (2010). Food stability determination by macro-micro region concept in the state diagram and by defining a critical temperature. *Journal of Food Engineering*, 99(4), 402–416.
- Rao, Q., Klaassen Kamdar, A., & Labuza, T. P. (2016). Storage Stability of Food Protein Hydrolysates—A Review. *Critical Reviews in Food Science and Nutrition*, 56(7), 1169–1192.
- Rawat, N. and I. Darappa, Effect of ingredients on rheological, nutritional and quality characteristics of fibre and protein enriched baked energy bars. *Journal of Food Science and Technology*, 2015. 52(5): p. 3006-3013
- Rödel, W. (2001). Water activity and its measurement in food. *Instrumentation and Sensors for the Food Industry*, (Giese 1997), 453–483.
- Rustan A.C. and Drevon C.A. (2005). Fatty Acids: Structures and Properties. *Encyclopedia of Life Sciences*, John Wiley and Sons, Ltd. University of Oslo, Oslo.
- Sandulachi, E. (2010). Water Activity Concept and Its Role in Food Preservation. *Water Activity Concept and Its Role in Food Preservation*, 40–48.
- Sanlier, N. (2017). Nutritional and health benefits of quinoa (*Chenopodium quinoa* Willd .) Nutritional and health bene fits of quinoa (*Chenopodium quinoa* Willd .). *Journal of Cereal Science*, 69(May 2016), 371–376.
- Schmidt, C., Health, C., At, A., & International, E. (2014). Annual report: Trends in Major Sports Nutrition Markets.
- Scollan N. (2003). Strategies for Optimising the Fatty Acid Composition of Beef. *Iger Innovations*, pp.41-45 [Online] <http://www.aberystwyth.ac.uk/en/media/departmental/ibers/pdf/innovations/03/03ch7.pdf> Available 02.11.2015
- Sidel, J.L., & Stone, H. (1993). The role of sensory evaluation in the food industry. *Food Quality & Preference*, 4, 65-73. San Diego: Academic Press.

Singh-Ackbarali, D., & Maharaj, R. (2014). Sensory Evaluation as a Tool in Determining Acceptability of Innovative Products Developed by Undergraduate Students in Food Science and Technology at The University of Trinidad and Tobago. *Journal of Curriculum and Teaching*, 3(1), 10–27.

Suton, M. (2011). Powerbar discusses selling nutrition product -. Retrieved July 17, 2018, from <https://www.bikebiz.com/business/powerbar-discusses-selling-nutrition-product>

Toldrá F. (2006). Meat: Chemistry and Biochemistry. In: Hui Y. (ed.). *Handbook of food science, technology and engineering*. CRC Press, Taylor & Francis Group, Florida

Trinh, T. K., & Glasgow, S. (2012). Texture profile analysis test. *Quality of Lfile:///Users/User/Desktop/TPA3.Pdfife through Chemical Engineering*, 749–760.

Trusell, H.J., Saber, E, Vrhel, M. (2005): Color Image Processing. *IEEE Signal Processing Magazine*, 22(1):14-22.

Ullah, N., Khan, A., Khan, F. A., Khurram, M., Hussan, M., Muhammad, S., ... Hussain, J. (2011). Composition and isolation of beta carotene from different vegetables and their effect on human serum retinal level. *Middle-East Journal of Scientific Research*, 9(4), 496–502. Retrieved from [http://idosi.org/mejsr/mejsr9\(4\)11/12.pdf](http://idosi.org/mejsr/mejsr9(4)11/12.pdf)

United States Department of Agriculture (USDA). (2018). USDA Food Composition Databases. Retrieved August 2, 2018, from <https://ndb.nal.usda.gov/ndb/>

Vesković-moračanin, S. (2014). Influence of Modified Atmosphere Pacakging on Chemical and Sensory Changes of Beef. *Journal of Hygienic Engineering and Design*.

Williams, L. J., & Abdi, H. H. (2010). Fisher's least significant difference (LSD) test. *Encyclopedia of Research Design*, 1–6.

Williams, P. (2007). Nutritional composition of red meat. *Nutrition and Dietetics*, 64(SUPPL. 4), 5–7.

Williams, P. G. (2007). Nutritional composition of red meat. *Nutrition and Dietetics*, 64(Suppl. 4), S113–S119.

Wood J.D., Enser M., Fisher A.V., Nute G.R., Sheard P.R., Richardson R.I., Hughes S.I. and Whittington F.M. (2007). Fat deposition, fatty acid composition and meat quality: A review. *Meat Science*, 78, pp. 343–358 [Online] http://www.uco.es/zootecniaygestion/img/pictorex/01_10_22_grasa_1.pdf Available 23.05.2016

Wu, G., Bazer, F. W., Davis, T. A., Jaeger, L. A., Johnson, G. A., Woo, S., ... Yin, Y. (2007). Important roles for the arginine family of amino acids in swine nutrition and production, 112, 8–22.

Wu, G., Cross, H. R., Gehring, K. B., Savell, J. W., Arnold, A. N., & Mcneill, S. H. (2018). Composition of free and peptide-bound amino acids in beef chuck , loin , and round cuts 1 , 2, (July), 2603–2613.

Wyness, L., E. Weichselbaum, A., O'Connor, E. B., Williams, B. B., Riley, H., & Stanner, S. (2011). Red

meat in the diet : an update Evidence base, 34–77.

Yam, K.L. & Papadakis, S. (2004). A simple digital imaging method for measuring and analyzing color of food surfaces. *Journal of Food Engineering* 61: 137-142.

Yan, M. R. (2016). Nothing Else : A Healthier Snack Bar, (December). Retrieved from
<https://aut.researchgateway.ac.nz/bitstream/handle/10292/10478/YanMR.pdf?sequence=3&isAllowed=y>

Zhang, L., Sun, D. W., & Zhang, Z. (2017). Methods for measuring water activity (a_w) of foods and its applications to moisture sorption isotherm studies. *Critical Reviews in Food Science and Nutrition*, 57(5), 1052–1058.