

References

- Abdi, J., Rashedi, I., & Keating, A. (2018). Concise review: TLR pathway-miRNA interplay in mesenchymal stromal cells: Regulatory roles and therapeutic directions. *STEM CELLS*, 36(11), 1655–1662. <https://doi.org/10.1002/stem.2902>
- Al-Azzawi, B., McGuigan, D. H., Manderson, F. N., Elttayef, A., Dale, T. P., Yang, Y., Kelly, C., & Forsyth, N. R. (2020). The Secretome of Mesenchymal Stem Cells Prevents Islet Beta Cell Apoptosis via an IL-10-Dependent Mechanism. *The Open Stem Cell Journal*, 6(1), 1–12. <https://doi.org/10.2174/1876893802006010001>
- Clark, A. J., & Lillard Jr, J. W. (2024). A comprehensive review of bioinformatics tools for genomic biomarker discovery driving precision oncology. *Genes*, 15(8), 1036. <https://doi.org/10.3390/genes15081036>
- Costa, T. J., Potje, S. R., Fraga-Silva, T. F. C., da Silva-Neto, J. A., Barros, P. R., Rodrigues, D., Machado, M. R., Martins, R. B., Santos-Eichler, R. A., Benatti, M. N., de Sá, K. S. G., Almado, C. E. L., Castro, I. A., Pontelli, M. C., La Serra, L., Carneiro, F. S., Becari, C., Louzada-Junior, P., Oliveira, R. D. R., Zamboni, D. S., Arruda, E., Martins, M. A., Giachini, F. R. C., Bonato, V. L. D., Zachara, N. E., Bomfim, G. F., & Tostes, R. C. (2022). Mitochondrial DNA and TLR9 activation contribute to SARS-CoV-2-induced endothelial cell damage. *Vascular Pharmacology*, 142, 106946. <https://doi.org/10.1016/j.vph.2021.106946>
- Daassi, D., Rodrigues, R. M., & Merimi, M. (2021). Transcriptional profile of cytokines, regulatory mediators, and Toll-like receptors in mesenchymal stromal cells after inflammatory signaling and cell passaging. *International Journal of Molecular Sciences*, 22(14), 7309. <https://doi.org/10.3390/ijms22147309>
- Dang, K., Farooq, H. M. U., Dong, J., Yang, H., Kong, Y., Wang, H., Jiang, S., Gao, Y., & Qian, A. (2023). Transcriptomic and proteomic time-course analyses based on Metascape reveal mechanisms

- against muscle atrophy in hibernating *Spermophilus dauricus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 275, 111336.
- De Boer, E. C., Van Mourik, A. G., & Jongerius, I. (2020). Therapeutic lessons to be learned from the role of complement regulators as double-edged sword in health and disease. *Frontiers in immunology*, 11, 578069. <https://doi.org/10.3389/fimmu.2020.578069>
- Di, C., Jiang, Y., Li, L., Shi, M., Zhu, Y., Zhang, J., Song, Y., Su, X., & Qu, J. (2023). ASCs activate cGAS-type I IFNs-IL-7 axis via *Pseudomonas aeruginosa*-derived outer membrane vesicles to resolve pneumonia. *Stem Cells*, 41(5), 468-481.
- Doğan, G., Karagenç, N., Esmen, K., Kul, B. Ç., Yeşilkaya, H., Akgün, Ş., Orman, M. N., Sandıkçı, M., Eren, Ü., Ünsal, H., & Karagenç, L. (2024). Expression of Toll-like receptors in the lung tissue of mouse fetuses generated by in vitro embryo culture and embryo transfer. *Cells Tissues Organs*, 213(3), 181-202. <https://doi.org/10.1159/000529974>
- Gao, L., Bird, A. K., Meednu, N., Dauenhauer, K., & Looney, R. J. (2017). Bone marrow–derived mesenchymal stem cells from patients with systemic lupus erythematosus have a senescence-associated secretory phenotype mediated by a Toll-like receptor 9-dependent pathway. *Arthritis & Rheumatology*, 69(8), 1623-1633. <https://doi.org/10.1002/art.40142>
- Gao, T., Huang, F., Wang, W. Xie, Y., & Wang, B. (2022). Interleukin-10 genetically modified clinical-grade mesenchymal stromal cells markedly reinforced functional recovery after spinal cord injury via directing alternative activation of macrophages. *Cellular & Molecular Biology Letters* 27, 27 (2022). <https://doi.org/10.1186/s11658-022-00325-9>
- Kumar, V. (2021). The trinity of cGAS, TLR9, and ALRs guardians of the cellular galaxy against host-derived self-DNA. *Frontiers in Immunology*, 11, 624597. doi: 10.3389/fimmu.2020.624597

- Jiang, M., Gao, T., Liu, Y., Cao, X., Li, Y., Li, J., & Liu, Y. (2019). CD14 dictates differential activation of mesenchymal stromal cells through AKT, NF-κB, and P38 signals. *Bioscience Reports*, 39(7), BSR20190807. <https://doi.org/10.1042/BSR20190807>
- Kaçaroğlu, D., & Yaylacı, S. (2024). Enhancing the regenerative potential of adipose-derived mesenchymal stem cells through TLR4-mediated signaling. *Current Stem Cell Research & Therapy*, 19(11), 1514-1524. <https://doi.org/10.2174/011574888X283664231219080535>
- Kay, A. G., Long, G., Tyler, G., Stefan, A., Broadfoot, S. J., Piccinini, A. M., Middleton, J., & Kehoe, O. (2017). Mesenchymal Stem Cell-Conditioned Medium Reduces Disease Severity and Immune Responses in Inflammatory Arthritis. *Scientific Reports*, 7(1). doi:10.1038/s41598-017-18144-w
- Kim, Y. E., Ahn, S. Y., Sung, S. I., Yang, M., Sung, D. K., Park, W. S., & Chang, Y. S. (2024). Mesenchymal stem cells reduce mitochondrial DNA-mediated TLR-9 activation in lung injury. *Biomedicines*, 12(3), 686. <https://doi.org/10.3390/biomedicines12030686>
- Land, W. G. (2018). Innate immune recognition molecules. In *Damage-Associated Molecular Patterns in Human Diseases: Volume 1: Injury-Induced Innate Immune Responses* (pp. 43-108). Cham: Springer International Publishing. https://doi.org/10.1007/978-3-319-78655-1_5
- Lo Sicco, C., Reverberi, D., Balbi, C., Ulivi, V., Principi, E., Pascucci, L., Becherini, P., Bosco, M. C., Varesio, L., Franzin, C., Pozzobon, M., Cancedda, R., & Tasso, R. (2017). Mesenchymal Stem Cell-Derived Extracellular Vesicles as Mediators of Anti-Inflammatory Effects: Endorsement of Macrophage Polarization. *STEM CELLS Translational Medicine*, 6(3), 1018–1028. doi:10.1002/sctm.16-0363
- Magatti, M., Masserdotti, A., & Bonassi Signoroni, P. (2020). B lymphocytes as targets of the immunomodulatory properties of human amniotic mesenchymal stromal cells. *Frontiers in Immunology*, 11, 1156. <https://doi.org/10.3389/fimmu.2020.01156>
- McInnes, L., Healy, J., & Melville, J. (2018). *Umap: Uniform manifold approximation and projection for dimension reduction*. <https://doi.org/10.48550/arXiv.1802.03426>

- Miyake, K., Shibata, T., Ohto, U., & Shimizu, T. (2016). Emerging roles of the processing of nucleic acids and Toll-like receptors in innate immune responses to nucleic acids. *Journal of Leukocyte Biology*, 101(1), 135–142. doi:10.1189/jlb.4mr0316-108r
- Najar, M., Krayem, M., Meuleman, N., Bron, D., & Lagneaux, L. (2017). Mesenchymal stromal cells and Toll-like receptor priming: A critical review. *Immune Network*, 17(2), 89-102. <https://doi.org/10.4110/in.2017.17.2.89>
- Okude, H., Ori, D., & Kawai, T. (2021). Signaling through nucleic acid sensors and their roles in inflammatory diseases. *Frontiers in Immunology*, 11, 625833. <https://doi.org/10.3389/fimmu.2020.625833>
- Patergnani, S., Bouhamida, E., Leo, S., Pinton, P., & Rimessi, A. (2021). Mitochondrial oxidative stress and “mito-inflammation”: actors in the diseases. *Biomedicines*, 9(2), 216. <https://doi.org/10.3390/biomedicines9020216>
- QIAGEN. (2020). *QIAGEN® IPA® For the analysis and interpretation of 'omics data*. https://digitalinsights.qiagen.com/wp-content/uploads/2020/05/PROM-15199-001_1119312_BRO_IPA_Data_Sheet_1119_WW.pdf
- Rashedi, I., Gómez-Aristizábal, A., Wang, X.-H., Viswanathan, S., & Keating, A. (2016). TLR3 or TLR4 activation enhances mesenchymal stromal cell-mediated Treg induction via Notch signaling. *STEM CELLS*, 35(2), 265–275. <https://doi.org/10.1002/stem.2485>
- Redondo-Castro, E., Cunningham, C., Miller, J., Martuscelli, L., Aoulad-Ali, S., Rothwell, N. J., Kielty, C. M., Allan, S. M., & Pinteaux, E. (2017). Interleukin-1 primes human mesenchymal stem cells towards an anti-inflammatory and pro-trophic phenotype in vitro. *Stem Cell Research & Therapy*, 8(1). doi:10.1186/s13287-017-0531-4
- Regmi, S., Pathak, S., Kim, J. O., Yong, C. S., & Jeong, J. H. (2019). Mesenchymal stem cell therapy for the treatment of inflammatory diseases: Challenges, opportunities, and future perspectives. *European Journal of Cell Biology*, 98 (11), 151041. <https://doi.org/10.1016/j.ejcb.2019.151041>

- Rodríguez-Nuevo, A., & Zorzano, A. (2019). The sensing of mitochondrial DAMPs by non-immune cells. *Cell Stress*, 3(6), 195. <https://doi.org/10.15698/cst2019.06.190>
- Sadeghi, L., Karimi, M., Kamali-Sarvestani, E., Azarpira, N., & Shariati, M. (2017). The immunomodulatory effect of bone-marrow mesenchymal stem cells on expression of TLR3 and TLR9 in mice dendritic cells. *International Journal of Organ Transplantation Medicine*, 8(1), 35–42.
- Saldaña, L., Bensiamar, F., Vallés, G., Mancebo, F. J., García-Rey, E., & Vilaboa, N. (2019). Immunoregulatory potential of mesenchymal stem cells following activation by macrophage-derived soluble factors. *Stem Cell Research & Therapy*, 10(1). doi:10.1186/s13287-019-1156-6
- Sallustio, F., Curci, C., Stasi, A., et al. (2019). Role of Toll-like receptors in actuating stem/progenitor cell repair mechanisms: Different functions in different cells. *Stem Cells International*, 2019, 6795845. <https://doi.org/10.1155/2019/6795845>
- Shahsavari, A., Weeratunga, P., & Ovchinnikov, D. A. (2021). Signaling through Toll-like receptors in MSC immunomodulation. *Scientific Reports*, 11, 82856. <https://doi.org/10.1038/s41598-021-82856-3>
- Shin, T.-H., Ahn, J.-S., Oh, S.-J., Shin, Y. Y., Yang, J. W., Kang, M.-J., Kim, J. M., Lee, B. -J., Seo, Y., & Kim, H.-S. (2020). TNF- α Priming Elicits Robust Immunomodulatory Potential of Human Tonsil-Derived Mesenchymal Stem Cells to Alleviate Murine Colitis. *Biomedicines*, 8(12), 561. doi:10.3390/biomedicines8120561
- Shirjang, S., Mansoori, B., Solali, S., Hagh, M. F., & Shamsasenjan, K. (2017). Toll-like receptors as a key regulator of mesenchymal stem cell function: An up-to-date review. *Cellular Immunology*, 315, 1–10. <https://doi.org/10.1016/j.cellimm.2016.12.005>
- Smith, J. A. (2018). Regulation of cytokine production by the unfolded protein response; implications for infection and autoimmunity. *Frontiers in immunology*, 9, 422. <https://doi.org/10.3389/fimmu.2018.00422>

- Wang, M., Yuan, Q., & Xie, L. (2018). Mesenchymal Stem Cell-Based Immunomodulation: Properties and Clinical Application. *Stem Cells International*, 2018, 1–12. doi:10.1155/2018/3057624
- Wang, P., Zeng, F., He, L., Wang, J., Zhang, T., & Zhang, D. (2016). Alteration of the immune status of umbilical cord mesenchymal stem cells stimulated by TLR1/2 agonist, Pam3Csk. *Molecular Medicine Reports*, 14(3), 2206–2212. <https://doi.org/10.3892/mmr.2016.5520>
- Waterman, R. S., Henkle, S. L., & Betancourt, A. M. (2012). Mesenchymal Stem Cell 1 (MSC1)-Based Therapy Attenuates Tumor Growth Whereas MSC2-Treatment Promotes Tumor Growth and Metastasis. *PLoS ONE*, 7(9), e45590. doi:10.1371/journal.pone.0045590
- Wu, X., Xu, L., Shen, Y., Yu, N., Zhang, Y., & Guo, T. (2017). MALP-2, an agonist of TLR6, promotes the immune status without affecting the differentiation capacity of umbilical cord mesenchymal stem cells. *Experimental and Therapeutic Medicine*, 14(6), 5540–5546. <https://doi.org/10.3892/etm.2017.5262>
- Yang, Y., Wang, Y., Li, L., Bao, J., Chen, F., & Zhang, L. (2015). Toll-like receptor 9 agonist stimulation enables osteogenic differentiation without altering the immune status of umbilical cord mesenchymal stem cells. *Molecular Medicine Reports*, 12(6), 8077–8084. <https://doi.org/10.3892/mmr.2015.4429>
- Yang, Y., Wang, Y., Li, L., Chen, F., & Zhang, P. (2017). Activation of the Toll-like receptor 8 pathway increases the immunogenicity of mesenchymal stem cells from umbilical cord. *Molecular Medicine Reports*, 16(2), 2061–2068. <https://doi.org/10.3892/mmr.2017.6806>
- Zheng, W., Xu, Q., Zhang, Y., E, X., Gao, W., Zhang, M., Zhang, M., Zhai, W., Rajkumar, R. S., & Liu, Z. (2020). Toll-like receptor-mediated innate immunity against herpesviridae infection: a current perspective on viral infection signaling pathways. *Virology Journal*, 17, 1-15. <https://doi.org/10.1186/s12985-020-01463-2>
- Zhou, Y., Zhou, B., Pache, L., Chang, M., Khodabakhshi, A. H., Tanaseicchuk, O., Benner, C., & Chanda, S. K. (2019). Metascape provides a biologist-oriented resource for the analysis of

systems-level datasets. *Nature Communications*, 10, 1523.
<https://doi.org/10.1038/s41467-019-09234-6>