

References

- Alvarez, S. (2024). Development of innovative bio-based films with keratin extracted from duck feathers. *Hal.science*. <https://theses.hal.science/tel-04741373>
- Ardre, M., Doucier, G., Brenner, N., & Rainey, P. B. (2022). Interaction among bacterial cells triggers exit from lag phase. *BioRxiv (Cold Spring Harbor Laboratory)*. <https://doi.org/10.1101/2022.01.24.477561>
- Aziz, M., Jaleeli, A., & Ahmad, A. (2017). *FTIR Spectroscopic Analysis of Keratinised Tissue -The Hair*. <https://www.ijset.com/publication/v6/022.pdf>
- Bamidele, M. O., Bamikale, M. B., Hernández, E. C., Bamidele, M. A., Castillo-Olvera, G., Cortes, J. S., & Aguilar, C. N. (2025). Bioengineering in Solid-State Fermentation for next sustainable food bioprocessing. *Next Sustainability*, 6, 100105–100105. <https://doi.org/10.1016/j.nxsust.2025.100105>
- Banasaz, S., & Ferraro, V. (2024). Keratin from Animal By-Products: Structure, Characterization, Extraction and Application—A Review. *Polymers*, 16(14), 1999. <https://doi.org/10.3390/polym16141999>
- Brown, E. M., Pandya, K., Taylor, M. M., & Liu, C.-K. (2016). Comparison of Methods for Extraction of Keratin from Waste Wool. *Agricultural Sciences*, 07(10), 670–679. <https://doi.org/10.4236/as.2016.710063>
- Cai, C., Lou, B., & Zheng, X. (2008). Keratinase production and keratin degradation by a mutant strain of *Bacillus subtilis*. *Journal of Zhejiang University SCIENCE B*, 9(1), 60–67. <https://doi.org/10.1631/jzus.b061620>
- Cassoni, A. C., Freixo, R., Pintado, A. I. E., Amorim, M., Pereira, C. D., Madureira, A. R., & Pintado, M. E. (2018). Novel Eco-Friendly Method to Extract Keratin from Hair. *ACS Sustainable Chemistry & Engineering*, 6(9), 12268–12274. <https://doi.org/10.1021/acssuschemeng.8b02680>

- Chatterley, A. S., Laity, P., Holland, C., Weidner, T., Woutersen, S., & Giubertoni, G. (2022). Broadband Multidimensional Spectroscopy Identifies the Amide II Vibrations in Silkworm Films. *Molecules*, 27(19), 6275. <https://doi.org/10.3390/molecules27196275>
- Chen, X., Ru, Y., Chen, F., Wang, X., Zhao, X., & Ao, Q. (2013). FTIR spectroscopic characterization of soy proteins obtained through AOT reverse micelles. *Food Hydrocolloids*, 31(2), 435–437. <https://doi.org/10.1016/j.foodhyd.2012.11.017>
- Chilakamarri, C. R., Mahmood, S., Saffe, S. N. B. M., Arifin, M. A. B., Gupta, A., Sikkandar, M. Y., Begum, S. S., & Narasaiah, B. (2021). Extraction and application of keratin from natural resources: a review. *3 Biotech*, 11(5). <https://doi.org/10.1007/s13205-021-02734-7>
- Cortés-Ríos, J., Zárate, A. M., Figueroa, J. D., Medina, J., Fuentes-Lemus, E., Rodríguez-Fernández, M., Aliaga, M., & López-Alarcón, C. (2020). Protein quantification by bicinchoninic acid (BCA) assay follows complex kinetics and can be performed at short incubation times. *Analytical Biochemistry*, 608, 113904. <https://doi.org/10.1016/j.ab.2020.113904>
- Eslahi, N., Dadashian, F., & Nejad, N. H. (2013). An Investigation on Keratin Extraction From Wool and Feather Waste by Enzymatic Hydrolysis. *Preparative Biochemistry and Biotechnology*, 43(7), 624–648. <https://doi.org/10.1080/10826068.2013.763826>
- Feroz, S., Muhammad, N., Ranayake, J., & Dias, G. (2020). Keratin - Based materials for biomedical applications. *Bioactive Materials*, 5(3), 496–509. <https://doi.org/10.1016/j.bioactmat.2020.04.007>
- Giteru, S. G., Ramsey, D. H., Hou, Y., Cong, L., Mohan, A., & Alaa El-Din A. Bekhit. (2022). Wool keratin as a novel alternative protein: A comprehensive review of extraction, purification, nutrition, safety, and food applications. *Comprehensive Reviews in Food Science and Food Safety*, 22(1), 643–687. <https://doi.org/10.1111/1541-4337.13087>
- He, Z., Sun, R., Tang, Z., Bu, T., Wu, Q., Li, C., & Chen, H. (2018). Biodegradation of Feather Waste Keratin by the Keratin-Degrading Strain *Bacillus subtilis* 8. *Journal of Microbiology and Biotechnology*, 28(2), 314–322. <https://doi.org/10.4014/jmb.1708.08077>

- Koentjoro, M. P., Prasetyo, E. N., & Rahmatullah, A. M. (2018). Optimization of keratinase production by *Bacillus SLII-I* bacteria in chicken feather waste medium. *ARPN Journal of Engineering and Applied Sciences*, 13(2), 482–488. <https://scholar.its.ac.id/en/publications/optimization-of-keratinase-production-by-bacillus-slii-i-bacteria>
- Koshland, D. E., & Haurowitz, F. (2019). Protein. In *Encyclopædia Britannica*. <https://www.britannica.com/science/protein>
- Lazarus, B. S., Chadha, C., Velasco-Hogan, A., Barbosa, J. D. V., Jasiuk, I., & Meyers, M. A. (2021). Engineering with keratin: A functional material and a source of bioinspiration. *IScience*, 24(8), 102798. <https://doi.org/10.1016/j.isci.2021.102798>
- Li, Q. (2022). Perspectives on Converting Keratin-Containing Wastes Into Biofertilizers for Sustainable Agriculture. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.918262>
- Mattiello, S., Guzzini, A., Del Giudice, A., Santulli, C., Antonini, M., Lupidi, G., & Gunnella, R. (2022). Physico-Chemical Characterization of Keratin from Wool and Chicken Feathers Extracted Using Refined Chemical Methods. *Polymers*, 15(1), 181. <https://doi.org/10.3390/polym15010181>
- Mokrejs, P., Hutta, M., Pavlackova, J., Egner, P., & Benicek, L. (2017). The cosmetic and dermatological potential of keratin hydrolysate. *Journal of Cosmetic Dermatology*, 16(4), e21–e27. <https://doi.org/10.1111/jocd.12319>
- Moktip, T., Salaipeth, L., Cope, A. E., Taherzadeh, M. J., Watanabe, T., & Paripok Phitsuwan. (2025). Current Understanding of Feather Keratin and Keratinase and Their Applications in Biotechnology. *PubMed*, 2025, 6619273–6619273. <https://doi.org/10.1155/bri/6619273>
- Moll, R., Divo, M., & Langbein, L. (2008). The human keratins: biology and pathology. *Histochemistry and Cell Biology*, 129(6), 705–733. <https://doi.org/10.1007/s00418-008-0435-6>
- Nagal, S., & Jain, P. C. (2010). Feather degradation by strains of *Bacillus* isolated from decomposing feathers. *Brazilian Journal of Microbiology : [Publication of the Brazilian Society for Microbiology]*, 41(1), 196–200. <https://doi.org/10.1590/S1517-838220100001000028>

- Nandiyanto, A. B. D., Ragadhita, R., & Fiandini, M. (2022). Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. *Indonesian Journal of Science and Technology*, 8(1), 113–126. <https://doi.org/10.17509/ijost.v8i1.53297>
- Parrado, J., Rodriguez-Morgado, B., Tejada, M., Hernandez, T., & Garcia, C. (2014). Proteomic analysis of enzyme production by *Bacillus licheniformis* using different feather wastes as the sole fermentation media. *Enzyme and Microbial Technology*, 57, 1–7. <https://doi.org/10.1016/j.enzmictec.2014.01.001>
- Peng, Z., Zhang, J., Du, G., & Chen, J. (2019). Keratin Waste Recycling Based on Microbial Degradation: Mechanisms and Prospects. *ACS Sustainable Chemistry & Engineering*, 7(11), 9727–9736. <https://doi.org/10.1021/acssuschemeng.9b01527>
- Potumarthi, R., Ch., S., & Jetty, A. (2007). Alkaline protease production by submerged fermentation in stirred tank reactor using *Bacillus licheniformis* NCIM-2042: Effect of aeration and agitation regimes. *Biochemical Engineering Journal*, 34(2), 185–192. <https://doi.org/10.1016/j.bej.2006.12.003>
- Qiu, J., Wilkens, C., Barrett, K., & Meyer, A. S. (2020). Microbial enzymes catalyzing keratin degradation: Classification, structure, function. *Biotechnology Advances*, 44, 107607. <https://doi.org/10.1016/j.biotechadv.2020.107607>
- Rajabi, M., Ali, A., McConnell, M., & Cabral, J. (2020). Keratinous materials: Structures and functions in biomedical applications. *Materials Science and Engineering: C*, 110, 110612. <https://doi.org/10.1016/j.msec.2019.110612>
- Rajput, N., Sharma, H., & Bajwa, J. (2023). Potential role of keratinase in the environmental remediation. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.02.221>
- Saravanan, S., Sameera, D. K., Moorthi, A., & Selvamurugan, N. (2013). Chitosan scaffolds containing chicken feather keratin nanoparticles for bone tissue engineering. *International Journal of Biological Macromolecules*, 62, 481–486. <https://doi.org/10.1016/j.ijbiomac.2013.09.034>

- Shafique, T., Shafique, J., Zahid, S., Kazi, M., Alnemer, O., & Ahmad, A. (2021). Screening, selection and development of *Bacillus subtilis* apr-IBL04 for hyper production of macromolecule alkaline protease. *Saudi Journal of Biological Sciences*, 28(2), 1494–1501. <https://doi.org/10.1016/j.sjbs.2020.11.079>
- Sharma, K. M., Kumar, R., Panwar, S., & Kumar, A. (2017). Microbial alkaline proteases: Optimization of production parameters and their properties. *Journal of Genetic Engineering and Biotechnology*, 15(1), 115–126. <https://doi.org/10.1016/j.jgeb.2017.02.001>
- Sharma, S., & Gupta, A. (2016). Sustainable Management of Keratin Waste Biomass: Applications and Future Perspectives. *Brazilian Archives of Biology and Technology*, 59(0). <https://doi.org/10.1590/1678-4324-2016150684>
- Sharma, S., Gupta, A., Kumar, A., Kee, C. G., Kamyab, H., & Saufi, S. M. (2018). An efficient conversion of waste feather keratin into ecofriendly bioplastic film. *Clean Technologies and Environmental Policy*, 20(10), 2157–2167. <https://doi.org/10.1007/s10098-018-1498-2>
- Soleymani, S., & Karbasi, S. (2024). Keratin-containing scaffolds for tissue engineering applications: a review. *Journal of Biomaterials Science Polymer Edition*, 35(6), 916–965. <https://doi.org/10.1080/09205063.2024.2311450>
- Timorshina, S., Popova, E., Kreyer, V., Baranova, N., & Osmolovskiy, A. (2022). Keratinolytic Properties of *Aspergillus clavatus* Promising for Biodegradation. *International Journal of Environmental Research and Public Health*, 19(21), 13939–13939. <https://doi.org/10.3390/ijerph192113939>
- Valle, del. (2024). Development of new adhesives based on keratin extracted from duck feathers for the production of composite materials. *Hal.science*. <https://theses.hal.science/tel-04801787>
- Wang, R., & Tong, H. (2022). Preparation Methods and Functional Characteristics of Regenerated Keratin-Based Biofilms. *Polymers*, 14(21), 4723. <https://doi.org/10.3390/polym14214723>
- Windt, X., Scott, E. L., Seeger, T., Schneider, O., Akbar Asadi Tashvigh, & Bitter, J. H. (2022). Fourier Transform Infrared Spectroscopy for Assessing Structural and Enzymatic Reactivity Changes

Induced during Feather Hydrolysis. *ACS Omega*, 7(44), 39924–39930.

<https://doi.org/10.1021/acsomega.2c04216>

Zhou, Y., Rigoletto, R., Koelmel, D., Zhang, G., & Sun, C. (2011). The effect of various cosmetic pretreatments on protecting hair from thermal damage by hot flat ironing. *Journal of Cosmetic Science*, 62(2), 265–282.

https://www.researchgate.net/publication/51186310_The_effect_of_various_cosmetic_pretreatments_on_protecting_hair_from_thermal_damage_by_hot_flat_ironing