

References

- Ahmad, P., Ahanger, M. A., Alyemeni, M. N., Wijaya, L., Egamberdieva, D., & Ashraf, M. (2016). Mitigation of sodium and oxidative stress by gibberellic acid and salicylic acid in mung bean (*Vigna radiata* L.) under salinity stress. *Journal of Plant Interactions*, 11(1), 123–132. <https://doi.org/10.1080/17429145.2016.1148197>
- Akaberi, M., Iranshahi, M., & Emami, S. A. (2020). Tissue-specific accumulation and elicitation of secondary metabolites in medicinal plants. *Journal of Herbal Medicine*, 21, 100342. <https://doi.org/10.1016/j.hermed.2020.100342>
- Chen, X., Hudson, G. A., Mineo, C., Amer, B., Baidoo, E. E., Crowe, S. A., Liu, Y., Keasling, J. D., & Scheller, H. V. (2023). Deciphering triterpenoid saponin biosynthesis by leveraging transcriptome response to methyl jasmonate elicitation in *Saponaria vaccaria*. *Nature Communications*, 14(1). <https://doi.org/10.1038/s41467-023-42877-0>
- Cunningham, F. X., et al. (2018). Regulation of flavonoid biosynthesis in *Arabidopsis* roots by MYB transcription factors. *Plant Journal*, 94(5), 730–743. <https://doi.org/10.1111/tpj.13901>
- Dar, T., Uddin, M., Khan, M. M., Hakeem, K., & Jaleel, H. (2015). Jasmonates counter plant stress: A review. *Environmental and Experimental Botany*, 115, 49–57. <https://doi.org/10.1016/j.envexpbot.2015.02.010>
- Dong, N. Q., & Lin, H. X. (2021). Contribution of phenylpropanoid metabolism to plant development and plant–environment interactions. *Journal of Integrative Plant Biology*, 63(1), 180–209. <https://doi.org/10.1111/jipb.13054>
- Ferreira, D. S., & Musa, M. F. (2020). Phenolic and flavonoid accumulation in leaves under abiotic stress: A review. *Plants*, 9(11), 1402. <https://doi.org/10.3390/plants9111402>
- Ferreira, M. L. F., Rius, S. P., & Casati, P. (2015). Flavonoids: Biosynthesis, biological functions, and biotechnological applications. *Frontiers in Plant Science*, 6, 218. <https://doi.org/10.3389/fpls.2015.00218>

- Gao, Y., Liu, Y., Wang, M., & Zhang, Y. (2016). Effect of methyl jasmonate on flavonoid biosynthesis in plant tissue cultures: A review. *Plant Cell, Tissue and Organ Culture*, 126(1), 1–13. <https://doi.org/10.1007/s11240-016-0968-3>
- Gebeyehu, G., Mekonnen, Y., & Debella, A. (2019). Quantitative determination of saponins using Liebermann-Burchard assay: Evaluation of selected medicinal plants. *Journal of Pharmacognosy and Phytochemistry*, 8(3), 455–460.
- Giri, C. C., & Zaheer, M. (2021). Plant secondary metabolites: A therapeutic and commercial overview. *Current Science*, 120(5), 741–752.
- Gulcin, İ., & Alwasel, S. H. (2023). Antioxidant activity of phenolic compounds. *Antioxidants*, 12(1), 34. <https://doi.org/10.3390/antiox12010034>
- Guo, J., Zhou, Y. J., Hillwig, M. L., Shen, Y., Yang, L., Wang, Y., ... & Peters, R. J. (2016). CYP88D6 catalyzes a key oxidative step in triterpenoid saponin biosynthesis in *Medicago truncatula*. *Plant Physiology*, 170(2), 951–962. <https://doi.org/10.1104/pp.15.01197>
- Gupta, D., & Gupta, R. K. (2014). Biochemical estimation of total saponins and flavonoids in different plant parts of *Withania somnifera* (L.) Dunal. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(5), 494–496.
- Ho, T.-T., Murthy, H. N., & Park, S.-Y. (2020). Methyl jasmonate induced oxidative stress and accumulation of secondary metabolites in plant cell and organ cultures. *International Journal of Molecular Sciences*, 21(3), 716. <https://doi.org/10.3390/ijms21030716>
- Jeyasri, R., Muthuramalingam, P., Karthick, K., Shin, H., Choi, S. H., & Ramesh, M. (2023). Methyl jasmonate and salicylic acid as powerful elicitors for enhancing the production of secondary metabolites in medicinal plants: An updated review. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 153(3), 447–458. <https://doi.org/10.1007/s11240-023-02485-8>
- Karolina, S., et al. (2020). Ethanol as a mild abiotic stressor affecting phenolic accumulation in tomato leaves. *Acta Physiologiae Plantarum*, 42, 91. <https://doi.org/10.1007/s11738-020-03065-w>

- Kazan, K. (2015). Diverse roles of jasmonates and ethylene in abiotic stress tolerance. *Trends in Plant Science*, 20(4), 219–229. <https://doi.org/10.1016/j.tplants.2015.02.001>
- Lee, D., Lee, S. R., & Lee, H. (2020). Saponins as modulators of NF- κ B signaling pathways. *International Journal of Molecular Sciences*, 21(3), 975. <https://doi.org/10.3390/ijms21030975>
- Li, Y., Li, C., He, X., Zhang, F., Wang, S., & Zeng, X. (2023). Molecular regulation of flavonol biosynthesis in response to abiotic stress in medicinal plants. *International Journal of Molecular Sciences*, 24(4), 3561. <https://doi.org/10.3390/ijms24043561>
- Liu, Y., Fang, J., Wang, Z., Cheng, M., Ma, L., & Li, Z. (2020). Methyl jasmonate-induced saponin accumulation and biosynthetic gene expression in *Panax notoginseng* roots. *Industrial Crops and Products*, 154, 112719. <https://doi.org/10.1016/j.indcrop.2020.112719>
- Liu, Y., Tang, Y., Zhang, W., Liang, R., Luo, K., Jiang, X., Yang, P., Xu, L., & Ming, J. (2023). Postharvest methyl jasmonate treatment enhanced biological activity by promoting phenylpropanoid metabolic pathways in *Lilium brownii* var. *viridulum*. *Scientia Horticulturae*, 308, 111551. <https://doi.org/10.1016/j.scienta.2022.111551>
- Matić, P., Sabljčić, M., & Jakobek, L. (2017). Validation of spectrophotometric methods for the determination of total polyphenol and total flavonoid content. *Journal of AOAC INTERNATIONAL*, 100(6), 1795–1803. <https://doi.org/10.5740/jaoacint.17-0066>
- Misra, R. C., Maiti, P., Chanotiya, C. S., & Ghosh, S. (2021). Functional genomics approaches for deciphering oxidosqualene cyclases and triterpenoid diversity in plants. *Critical Reviews in Biotechnology*, 41(3), 379–395. <https://doi.org/10.1080/07388551.2020.1861960>
- Mora-Ocación, D., Rojas, R., & Justilien, B. (2022). Determination of triterpenoid saponins using the Liebermann–Burchard reagent in traditional plant extracts. *Revista Brasileira de Farmacognosia*, 32(4), 733–742. <https://doi.org/10.1007/s43450-022-00218-z>
- Mursaliyeva, V. K., Sarsenbek, B. T., Dzhakibaeva, G. T., Mukhanov, T. M., & Mammadov, R. (2023). Total content of saponins, phenols and flavonoids and antioxidant and antimicrobial activity

- of in vitro culture of *Allochrusa gypsophiloides* compared to wild plants. *Plants*, 12(20), 3521.
<https://doi.org/10.3390/plants12203521>
- Niu, J., Liu, C., Huang, M., Liu, K., & Yan, D. (2020). Effects of foliar fertilization: A review of current status and future perspectives. *Journal of Soil Science and Plant Nutrition*, 21(1), 104–118.
<https://doi.org/10.1007/s42729-020-00346-3>
- Oetomo, N. J. (2024, September 1). Semi-quantitative analysis of triterpenoid saponin in hydroponics *Abrus precatorius* induced by methyl jasmonate (Undergraduate thesis, Indonesia International Institute for Life Sciences). i3L Institutional Repository.
<http://repository.i3l.ac.id/jspui/handle/123456789/1117>
- Panche, A. N., Diwan, A. D., & Chandra, S. R. (2016). Flavonoids: An overview. *Journal of Nutritional Science*, 5, e47. <https://doi.org/10.1017/jns.2016.41>
- Patra, B., et al. (2013). Transcriptional regulation of plant secondary metabolite biosynthesis: Functional genomics perspectives. *Biotechnology Advances*, 31(8), 1374–1385.
<https://doi.org/10.1016/j.biotechadv.2013.07.011>
- Perkasa, A. Y. (2023). Utilization of the saga plant *Abrus precatorius* L. in Indonesian folk medicine. *Muş Alparslan University Journal of Agriculture and Nature*.
<https://doi.org/10.59359/maujan.1311263>
- Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The chemistry behind the Folin–Ciocalteu method for the estimation of (poly)phenol content in food: Total phenolic intake in a Mediterranean dietary pattern. *Journal of Agricultural and Food Chemistry*, 71(46), 17543–17553. <https://doi.org/10.1021/acs.jafc.3c04022>
- Phuyal, N., Jha, P. K., Raturi, P. P., & Rajbhandary, S. (2020). Total phenolic, flavonoid contents, and antioxidant activities of fruit, seed, and bark extracts of *Zanthoxylum armatum* DC. *The Scientific World Journal*, 2020, 1–7. <https://doi.org/10.1155/2020/8780704>
- Restiani, R., Barlin, N., & Aditiyarini, D. (2022). Effect of methyl jasmonate on biomass and saponin content in Javanese ginseng (*Talinum paniculatum* (Jacq.) Gaertn.) callus culture. *Scholars*

- Academic Journal of Biosciences, 10(7), 154–158.
<https://doi.org/10.36347/sajb.2022.v10i07.003>
- Saeed, S., Ali, H., Khan, T., Kayani, W., & Khan, M. A. (2017). Impacts of methyl jasmonate and phenyl acetic acid on biomass accumulation and antioxidant potential in adventitious roots of *Ajuga bracteosa* Wall ex Benth., a highly valued endangered medicinal plant. *Physiology and Molecular Biology of Plants*, 23(1), 229–237. <https://doi.org/10.1007/s12298-016-0406-7>
- Santiago, L. Â., Neto, R. N., Santos Ataíde, A. C., Fonseca, D. C., Soares, E. F., de Sá Sousa, J. C., et al. (2021). Flavonoids, alkaloids and saponins: Are these plant-derived compounds an alternative to the treatment of rheumatoid arthritis? A literature review. *Clinical Phytoscience*, 7(1). <https://doi.org/10.1186/s40816-021-00291-3>
- Santiago, L. A., Santiago, A. S., & Sanchez, G. C. (2021). Anti-inflammatory and antioxidant mechanisms of flavonoids and saponins. *Pharmaceutical Biology*, 59(1), 835–848. <https://doi.org/10.1080/13880209.2021.1943215>
- Sharma, A., et al. (2020). Jasmonic acid-mediated modulation of plant defense: Current updates and future prospects. *Frontiers in Plant Science*, 11, 1037. <https://doi.org/10.3389/fpls.2020.01037>
- Singh, D., & Dwivedi, U. N. (2018). Tissue-specific elicitor response in medicinal plants: A review. *Plant Cell Biotechnology and Molecular Biology*, 19(1–2), 1–12.
- Sultana, S., Hossain, M. L., Sostaric, T., Lim, L. Y., Foster, K. J., & Locher, C. (2024). Investigating flavonoids by HPTLC analysis using aluminium chloride as derivatization reagent. *Molecules*, 29(21), 5161. <https://doi.org/10.3390/molecules29215161>
- Suzuki, M., Chozin, M. A., Iwasaki, A., Suenaga, K., & Kato-Noguchi, H. (2019). Phytotoxic activity of Chinese violet (*Asystasia gangetica* (L.) T. Anderson) and two phytotoxic substances. *Weed Biology and Management*, 19(1), 3–8. <https://doi.org/10.1111/wbm.12170>

- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and other phenolic compounds from medicinal plants for pharmaceutical and medical aspects: An overview. *Medicines*, 5(3), 93. <https://doi.org/10.3390/medicines5030093>
- Wang, W., et al. (2019). Systemic acquired acclimation to abiotic stress in plants. *Annual Review of Plant Biology*, 70, 615–637. <https://doi.org/10.1146/annurev-arplant-050718-095916>
- Wang, Y., Li, B., Wang, H., & Zhang, X. (2016). Root-specific saponin biosynthesis and transport in medicinal plants. *Frontiers in Plant Science*, 7, 1530. <https://doi.org/10.3389/fpls.2016.01530>
- Wasternack, C., & Song, S. (2017). Jasmonates: Biosynthesis, perception, signal transduction and action in plant stress response, growth and development—An update to the 2007 review in *Annals of Botany*. *Annals of Botany*, 100(5), 681–697. <https://doi.org/10.1093/aob/mcm079>
- Yuan, Y., Liu, X., Zhang, H., Wang, L., Wei, Y., & Liu, Y. (2019). Methyl jasmonate-induced flavonoid accumulation in *Isatis indigotica* root via activation of biosynthetic pathway and transcription factors. *Plant Physiology and Biochemistry*, 142, 292–302. <https://doi.org/10.1016/j.plaphy.2019.07.006>
- Zahra, M., Abrahamse, H., & George, B. P. (2024). Flavonoids: Antioxidant powerhouses and their role in nanomedicine. *Antioxidants*, 13(8), 922. <https://doi.org/10.3390/antiox13080922>
- Zahra, S. A., Hashem, M. A., & Mohamad, H. (2024). Therapeutic potential of flavonoids and polyphenols in degenerative diseases. *Journal of Natural Medicines*, 78(2), 167–183. <https://doi.org/10.1007/s11418-024-01500-4>
- Zhao, J., Chen, J., Zhang, Q., & Zhao, Y. (2021). Systemic signals in plant roots: A new role for jasmonates. *Plant Physiology*, 185(3), 857–868. <https://doi.org/10.1093/plphys/kiab086>