

References

- Adav, S. S., & Sze, S. K. (2014). Insight into the mechanism of keratin hydrolysis by protease subtilisin in the presence of sodium sulfite. *Process Biochemistry*, 49(5), 763–770. <https://doi.org/10.1016/j.procbio.2014.01.022>
- Adrio, J. L., & Demain, A. L. (2014). Microbial enzymes: tools for biotechnological processes. *Biomolecules*, 4(1), 117–139. <https://doi.org/10.3390/biom4010117>
- Alibardi, L., & Toni, M. (2006). Cytochemical and immunocytochemical detection of beta-proteins (beta-keratins) in feathers. *European Journal of Histochemistry*, 50(3), 235–246. <https://doi.org/10.4081/1133>
- Barabadi, H., Vahidi, H., Jahani, R., Amidi, S., Jounaki, K., Kamali, M., Vadie, T., Jamshidi, N., & Ashouri, F. (2025). A comparative study of the plant and animal peptone-capped silver nanoparticles on Biological Systems. *Biochemical and Biophysical Research Communications*, 769, 152005. <https://doi.org/10.1016/j.bbrc.2025.152005>
- Barone, J. R., Schmidt, W. F., & Liebner, C. (2005). FTIR characterization of keratin structure. *Biopolymers*, 79(3), 129–137. <https://doi.org/10.1002/bip.20312>
- Barth, A. (2007). Infrared spectroscopy of proteins. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1767(9), 1073–1101. <https://doi.org/10.1016/j.bbabbio.2007.06.004>
- Belarmino, L. C., De Oliveira, A. M., Da Silva, A. F., & Lima, A. S. (2012). Sustainable feather waste processing and keratin extraction using ionic liquids. *Chemical Engineering Transactions*, 27, 115–120. <https://doi.org/10.3303/CET1227020>
- Bhari, R., Kaur, M., & Singh, R. (2016). Insights into the structural and functional diversity of keratinases: A review. *Applied Biochemistry and Biotechnology*, 178(4), 846–860. <https://doi.org/10.1007/s12010-015-1925-4>
- Brandelli, A., Daroit, D. J., & Riffel, A. (2010). Biochemical features of microbial keratinases and their production and applications. *Applied Microbiology and Biotechnology*, 85(6), 1735–1750. <https://doi.org/10.1007/s00253-009-2398-5>
- Cai, C., & Zheng, X. (2009). Medium optimization for keratinase production in hair substrate by a new *Bacillus subtilis* KD-N2 using response surface methodology. *Journal of industrial microbiology & biotechnology*, 36(7), 875–883. <https://doi.org/10.1007/s10295-009-0565-4>
- Chilakamarry, C. R., Mahmood, S., Saffe, S. N. B. M., Arifin, M. A. B., Gupta, A., Sikkandar, M. Y., Begum, S. S., & Narasaiah, B. (2021). Extraction and application of keratin from natural resources: a review. *3 Biotech*, 11(5), 220. <https://doi.org/10.1007/s13205-021-02734-7>

- Chitnis, S., Gaikwad, S. A., Lambate, S. B., Ingole, S. D., & Zende, R. J. (2024). Comparative morphological study of feathers of broiler and layer chicken. *Indian Journal of Veterinary Anatomy*, 35(2), 113-116.
- Daroit, D. J., & Brandelli, A. (2014). Functional and bioactive properties of peptides obtained from animal proteins. *Food Research International*, 62, 875–881. <https://doi.org/10.1016/j.foodres.2014.03.002>
- Dinarvand, M., Rezaee, M., Masomian, M., Jazayeri, S. D., Zareian, M., Abbasi, S., & Ariff, A. B. (2013). Effect of C/N ratio and media optimization through response surface methodology on simultaneous productions of intra- and extracellular inulinase and invertase from *Aspergillus niger* ATCC 20611. *BioMed research international*, 2013, 508968. <https://doi.org/10.1155/2013/508968>
- Donato, R. K., & Mija, A. (2019). Keratin associations with synthetic, biosynthetic and natural polymers: An extensive review. *Polymers*, 12(1), 32. <https://doi.org/10.3390/polym12010032>
- Fang, Z., Zhang, J., Liu, B., Du, G., Chen, J., & Liu, L. (2013). Biodegradation of wool waste and keratinase production by *Bacillus pumilus*. *Journal of Cleaner Production*, 52, 199–204.
- Feroz, S., Muhammad, N., Ranayake, J., & Dias, G. (2020). Keratin-based materials for biomedical applications. *Bioactive Materials*, 5(3), 496–509. <https://doi.org/10.1016/j.bioactmat.2020.04.007>
- Fraser, R. D. B., & Parry, D. A. D. (2011). Structural transitions in keratin proteins. *Journal of Structural Biology*, 175(1), 37–44. <https://doi.org/10.1016/j.jsb.2011.03.011>
- Gahatraj, I., Borah, A., Pandey, P., Bhattacharya, A., Mazumdar, S., Singh, B., & Kumar, S. (2023). Current progress and biotechnological applications of microbial keratinases. *Journal of Pure and Applied Microbiology*, 17(2), 732–748. <https://doi.org/10.22207/jpam.17.2.50>
- Gniadecka, M., Nielsen, O. F., Wulf, H. C., & Christensen, D. H. (1998). Structure of water, proteins, and lipids in intact human skin, hair, and nail. *Journal of Investigative Dermatology*, 110(5), 393–398. <https://doi.org/10.1046/j.1523-1747.1998.00146.x>
- Gradisar, H., Friedrich, J., Krizaj, I., & Jerala, R. (2005). Similarities and specificities of fungal keratinolytic proteases: Comparative biochemical and genetic analysis. *Applied and Environmental Microbiology*, 71(7), 3420–3426. <https://doi.org/10.1128/AEM.71.7.3420-3426.2005>
- Gupta, R., & Ramnani, P. (2006). Microbial keratinases and their prospective applications: An overview. *Applied Microbiology and Biotechnology*, 70(1), 21–33. <https://doi.org/10.1007/s00253-005-0239-8>
- IDOWU, O., Idoko, D., Ogundipe, S., & Mensah, E. (2025). Optimizing SDS-PAGE for Accurate Protein Characterization in Nutritional Research and Food Quality Assessment. *International Journal*

- of Innovative Science and Research Technology, 10(1).
<https://doi.org/https://doi.org/10.5281/zenodo.14744563>
- Ji, Y., Chen, J., Lv, J., Li, Z., Xing, L., & Ding, S. (2014). Extraction of keratin with ionic liquids from poultry feather. *Separation and Purification Technology*, 132, 577–583.
<https://doi.org/10.1016/j.seppur.2014.05.049>
- Jin, H.-S., Park, S. Y., Kim, K., Lee, Y.-J., Nam, G.-W., Kang, N. J., & Lee, D.-W. (2017). Development of a keratinase activity assay using recombinant chicken feather keratin substrates. *PLOS ONE*, 12(2). <https://doi.org/10.1371/journal.pone.0172712>
- Kaul, S., & Sumbali, G. (2019). Keratinophilic fungi: Nature’s keratin degrading machines! *Mycosphere*, 10(1), 738–761. <https://doi.org/10.5943/mycosphere/10/1/15>
- Karthikeyan, R., Srinivasan, B., & Sehgal, P. (2007). Industrial applications of keratins – A review. *Journal of Scientific & Industrial Research*, 66, 710–715.
- Khan, A., Mehmood, K., Nadhman, A., Khan, S. U., Shah, A. A., & Shah, Z. (2024). Microbial production of keratinase from *Bacillus velezensis* strain MAMA: A novel enzyme for eco-friendly degradation of keratin waste. *Heliyon*, 10(12). <https://doi.org/10.1016/j.heliyon.2024.e32338>
- Kohlstedt, M., Sappa, P. K., Meyer, H., Maaß, S., Zaprasis, A., Hoffmann, T., Becker, J., Steil, L., Hecker, M., van Dijk, J. M., Lalk, M., Mäder, U., Stülke, J., Bremer, E., Völker, U., & Wittmann, C. (2014). Adaptation of *Bacillus subtilis* carbon core metabolism to simultaneous nutrient limitation and Osmotic Challenge: A multi-omics perspective. *Environmental Microbiology*, 16(6), 1898–1917. <https://doi.org/10.1111/1462-2920.12438>
- Kokwe, L., Nnolim, N. E., Ezeogu, L. I., Sithole, B., & Nwodo, U. U. (2023). Thermoactive metallo-keratinase from *Bacillus* sp. NFH5: Characterization, structural elucidation, and potential application as detergent additive. *Heliyon*, 9(2), e13635. <https://doi.org/10.1016/j.heliyon.2023.e13635>
- Konop, M., Rybka, M., & Drapała, A. (2021). Keratin biomaterials in skin wound healing, an old player in modern medicine: A mini review. *Pharmaceutics*, 13(12), 2029. <https://doi.org/10.3390/pharmaceutics13122029>
- Korniłowicz-Kowalska, T., & Bohacz, J. (2011). Biodegradation of keratin waste: Theory and practical aspects. *Waste Management*, 31(8), 1689–1701. <https://doi.org/10.1016/j.wasman.2011.03.024>
- Kumar, R., Yadav, A., Negi, Y. K., & Yadav, M. (2012). Effect of carbon and nitrogen sources on keratinase production by *Bacillus mojavensis*. *Journal of Applied and Natural Science*, 4(1), 123–126.

- Kurien, B. T., & Scofield, R. H. (2012). Common artifacts and mistakes made in electrophoresis. *Methods in molecular biology* (Clifton, N.J.), 869, 633–640. https://doi.org/10.1007/978-1-61779-821-4_58
- Lai, H. W., Tung, S. Y., & Hsu, K. C. (2023). Structural and physicochemical insights into feather keratin degradation for value-added reuse. *Journal of Agricultural and Food Chemistry*, 71(7), 2345–2352. <https://doi.org/10.1021/acs.jafc.2c06453>
- Lange, L., Huang, Y., & Busk, P. K. (2016). Microbial decomposition of keratin in nature—A new hypothesis of industrial relevance. *Applied Microbiology and Biotechnology*, 100(5), 2083–2096. <https://doi.org/10.1007/s00253-015-7262-1>
- López, Y., Alarcón, E., Jerez, C. A., & Chávez, R. (2021). Regulation of protease and keratinase expression in keratin-degrading bacteria: A review. *Frontiers in Microbiology*, 12, 662510. <https://doi.org/10.3389/fmicb.2021.662510>
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., & Randall, R. J. (1951). Protein measurement with the Folin phenol reagent. *Journal of Biological Chemistry*, 193(1), 265–275.
- Malhotra, S. P., & Alghuthaymi, M. A. (2022). Biomolecule-assisted biogenic synthesis of metallic nanoparticles. In *Agri-Waste and Microbes for Production of Sustainable Nanomaterials* (pp. 139–163). <https://doi.org/10.1016/b978-0-12-823575-1.00011-1>
- Martín-González, D., Bordel, S., Solis, S., Gutierrez-Merino, J., & Santos-Beneit, F. (2023). Characterization of *Bacillus* strains from natural honeybee products with high keratinolytic activity and antimicrobial potential. *Microorganisms*, 11(2), 456. <https://doi.org/10.3390/microorganisms11020456>
- Matsumoto, M., Miyake, K., & Goto, T. (2019). Keratin degradation method using *Bacillus* sp. (WO2019227512A1). World Intellectual Property Organization. <https://patentscope.wipo.int/search/en/detail.jsf?docId=WO2019227512>
- Mazotto, A. M., Couri, S., Damaso, M. C. T., & Vermelho, A. B. (2011). Degradation of feather waste by *Streptomyces* sp. and *Aspergillus* sp. *World Journal of Microbiology and Biotechnology*, 27(7), 1355–1365. <https://doi.org/10.1007/s11274-010-0578-2>
- Movasaghi, Z., Rehman, S., & ur Rehman, D. I. (2008). Fourier Transform Infrared (FTIR) spectroscopy of biological tissues. *Applied Spectroscopy Reviews*, 43(2), 134–179. <https://doi.org/10.1080/05704920701829043>
- Msigala, A., et al. (2017). Carbon catabolite repression in *Bacillus subtilis*. *Frontiers in Microbiology*, 8, 1182. <https://doi.org/10.3389/fmicb.2017.01182>
- Onifade, A. A., Al-Sane, N. A., Al-Musallam, A. A., & Al-Zarban, S. (1998). A review: Potentials for biotechnological applications of keratin-degrading microorganisms and their enzymes for

- nutritional improvement of feathers and other keratins as livestock feed resources. *Bioresource Technology*, 66(1), 1–11. [https://doi.org/10.1016/S0960-8524\(98\)00033-9](https://doi.org/10.1016/S0960-8524(98)00033-9)
- Paul, T., Das, A., Mandal, A., Halder, S. K., DasMohapatra, P. K., Pati, B. R., & Mondal, K. C. (2014). Effective degradation and detoxification of chicken-feather waste by keratinase and sulfide-oxidase producing bacteria. *Environmental Science and Pollution Research*, 21(8), 4607–4618. <https://doi.org/10.1007/s11356-013-2392-0>
- Poole, A. J., et al. (2018). Keratin-based materials: Structure, properties, and applications. *Progress in Polymer Science*, 80, 115–143.
- Qiu, J., Feng, Y., Li, H., Tang, J., & Li, X. (2020). Advances in keratin extraction and application: A review. *Biomolecules*, 10(7), 1004. <https://doi.org/10.3390/biom10071004>
- Qiu, J., Wilkens, C., Barrett, K., & Meyer, A. S. (2020). Microbial enzymes catalyzing keratin degradation: Classification, structure, function. *Biotechnology Advances*, 44, 107607. <https://doi.org/10.1016/j.biotechadv.2020.107607>
- Rajput, N., Sharma, H., & Bajwa, J. (2023). Potential role of keratinase in the environmental remediation. *Materials Today: Proceedings*. <https://doi.org/10.1016/j.matpr.2023.02.221>
- Riffel, A., & Brandelli, A. (2006). Keratinolytic bacteria isolated from feather waste. *Brazilian Journal of Microbiology*, 37(3), 395–399. <https://doi.org/10.1590/S1517-83822006000300026>
- Sangali, S., & Brandelli, A. (2000). Feather keratin hydrolysis by a *Vibrio* sp. strain kr2. *Journal of applied microbiology*, 89(5), 735–743. <https://doi.org/10.1046/j.1365-2672.2000.01173.x>
- Shung, C.-C., Hsin, K.-Y., Tan, F.-J., & Chen, S.-E. (2023). The defeathering effect by scalding in chickens follows their intrinsic dermal histologies. *Animals*, 13(16), 2584. <https://doi.org/10.3390/ani13162584>
- Singh, K. D., Schmalisch, M. H., Stülke, J., & Görke, B. (2008). Carbon catabolite repression in *Bacillus subtilis*: quantitative analysis of repression exerted by different carbon sources. *Journal of bacteriology*, 190(21), 7275–7284. <https://doi.org/10.1128/JB.00848-08>
- Su, C., Gong, J.-S., Qin, J., Li, H., Li, H., Xu, Z.-H., & Shi, J.-S. (2020). The tale of a versatile enzyme: Molecular insights into keratinase for its industrial dissemination. *Biotechnology Advances*, 45, 107655. <https://doi.org/10.1016/j.biotechadv.2020.107655>
- Tesfaye, T., Sithole, B., Ramjugernath, D., & Chuniilall, V. (2017). Valorisation of chicken feathers: Characterisation of physical properties and morphological structure. *Journal of Cleaner Production*, 149, 349–365. <https://doi.org/10.1016/j.jclepro.2017.02.150>
- Tinoco, A., Gonçalves, J., Silva, C., Loureiro, A., Gomes, A. C., Cavaco-Paulo, A., & Ribeiro, A. (2018). Keratin-based particles for protection and restoration of hair properties. *International Journal of Cosmetic Science*, 40(4), 408–419. <https://doi.org/10.1111/ics.12483>

- Verma, A., Sharma, R., & Pathania, A. (2021). Nutritional regulation and optimization strategies for microbial keratinase production: recent advances. *Critical Reviews in Biotechnology*, 41(2), 270–287.
- Vielmuth, F., et al. (2018). Keratins regulate the adhesive properties of desmosomal cadherins through signaling. *The Journal of Investigative Dermatology*, 138(1), 121–131. <https://doi.org/10.1016/j.jid.2017.08.033>
- Vikash, V. L., Kamini, N. R., Ponesakki, G., & Anandasadagopan, S. K. (2025). Microbial disintegration of wool: An effective and sustainable approach for keratin extraction. *International Journal of Biological Macromolecules*, 290, 138806. <https://doi.org/10.1016/j.ijbiomac.2024.138806>
- Wang, B., Yang, W., McKittrick, J., & Meyers, M. A. (2016). Keratin: Structure, mechanical properties, and applications. *Materials Science and Engineering: R: Reports*, 105, 1–32. <https://doi.org/10.1016/j.mser.2016.03.001>
- Warke, R. G., Kale, M. B., Deshmukh, S. V., & Pathak, A. P. (2021). Production, purification, and characterization of keratinase from *Bacillus subtilis* for sustainable degradation of chicken feather waste. *Environmental Technology & Innovation*, 23, 101742. <https://doi.org/10.1016/j.eti.2021.101742>
- Yamamura, S., Morita, Y., Hasan, Q., Yokoyama, K., & Tamiya, E. (2002). Keratin degradation: A cooperative action of two enzymes from *Streptomyces pactum* DSM 40530. *Biochemical and Biophysical Research Communications*, 294(5), 1138–1143. [https://doi.org/10.1016/S0006-291X\(02\)00594-4](https://doi.org/10.1016/S0006-291X(02)00594-4)
- Zhang, J., Peng, Z., Chen, J., Du, G., MAO, X., & ZHOU, H. (2021). Recombinant *Bacillus Subtilis* Engineered Bacterium Capable of Efficiently Expressing Keratinase.