

References

- Abduxukur, D., Tursuntay, A., Zhu, X., Wang, X., & Rahman, N. (2023). Antioxidant capacity of lactic acid bacteria and yeasts from Xinjiang traditional fermented dairy products. *Fermentation*, 9(7), 639. <https://doi.org/10.3390/fermentation9070639>.
- Abou-Hamdan, A., Ruhlmann, C., Kopacz, K., Lundgren, C. A. K., Hederstedt, L., & Brzezinski, P. (2022). Functional design of bacterial superoxide quinone oxidoreductase. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*, 1863(3), 148520. <https://doi.org/10.1016/j.bbabi.2022.148520>
- Afify, A. E.-M. M. R., Romeilah, R. M., Sultan, S. I. M., & Hussein, M. M. (2012). Activities and biological evaluations of probiotic bacteria strains. *International Journal of Academic Research*, 4(6), 138–146. <https://doi.org/10.7813/2075-4124.2012/4-6/a.19>.
- Alam, M. N., Bristi, N. J., & Rafiquzzaman, M. (2013). Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi Pharmaceutical Journal*, 21(2), 143–152. <https://doi.org/10.1016/j.jsps.2012.05.002>.
- Amaretti, A., Di Nunzio, M., Pompei, A., Raimondi, S., Rossi, M., & Bordoni, A. (2012). Antioxidant properties of potentially probiotic bacteria: In vitro and in vivo activities. *Applied Microbiology and Biotechnology*, 97(2), 809–817. <https://doi.org/10.1007/s00253-012-4241-7>.
- Anastasiadou, S., Papagianni, M., Filiouis, G., Ambrosiadis, I., & Koidis, P. (2008). Pediocin SA-1, an antimicrobial peptide from *Pediococcus acidilactici* NRRL B5627: Production conditions, purification, and characterization. *Bioresource Technology*, 99(12), 5384–5390. <https://doi.org/10.1016/j.biortech.2007.11.032>.
- Andrews, S., Mareq, Reimer, N., Brokamp, J., Mahe, F., & Yi, H. (2023, March 1). FastQC. GitHub. <https://github.com/s-andrews/FastQC>.
- Arbolea, S., Bottacini, F., O'Connell-Motherway, M., Ryan, C. A., Ross, R. P., Van Sinderen, D., & Stanton, C. (2018). Gene-trait matching across the *Bifidobacterium longum* pan-genome reveals considerable diversity in carbohydrate catabolism among human infant strains. *BMC Genomics*, 19, 33. <https://doi.org/10.1186/s12864-017-4382-5>.
- Arslan, N. P., Azad, F., Orak, T., Budak-Savas, A., Ortucu, S., Dawar, P., Baltaci, M. O., Ozkan, H., Esim, N., & Taskin, M. (2025). A review on bacteria-derived antioxidant metabolites: Their production, purification, characterization, potential applications, and limitations. *Archives of Pharmacal Research*, 48, 253–292. <https://doi.org/10.1007/s12272-025-01541-5>.
- Aziz, R. K., Bartels, D., Best, A. A., DeJongh, M., Disz, T., Edwards, R. A., Formsma, K., Gerdes, S., Glass, E. M., Kubal, M., Meyer, F., Olsen, G. J., Olson, R., Osterman, A. L., Overbeek, R. A., McNeil, L. K., Paarmann, D., Paczian, T., Parrello, B., & Pusch, G. D. (2008). The RAST Server: Rapid Annotations using Subsystems Technology. *BMC Genomics*, 9(1), 75. <https://doi.org/10.1186/1471-2164-9-75>.
- Bekhit, M., Arabtehrany, E., Kahn, C. J. F., Cleymand, F., Fleutot, S., & Desobry, S. (2018). Bioactive films containing alginate-pectin composite microbeads with *Lactococcus lactis*

subsp. *lactis*: Physicochemical characterization and antilisterial activity. *International Journal of Molecular Sciences*, 19(2), 574. <https://doi.org/10.3390/ijms19020574>.

Bryukhanov, A. L., Klimko, A. I., & Netrusov, A. I. (2022). Antioxidant properties of lactic acid bacteria. *Microbiology*, 91(5), 463–478. <https://doi.org/10.1134/s0026261722601439>.

Cantalapiedra, C. P., Hernández-Plaza, A., Letunic, I., Bork, P., & Huerta-Cepas, J. (2021). eggNOG-mapper v2: Functional Annotation, Orthology Assignments, and Domain Prediction at the Metagenomic Scale. *Molecular Biology and Evolution*, 38(12), 5825–5829. <https://doi.org/10.1093/molbev/msab293>.

Cintas, L. M., Casaus, P., Fernández, M., & Hernández, P. (1998). Comparative antimicrobial activity of enterocin L50, pediocin PA-1, nisin A, and lactocin S against spoilage and foodborne pathogenic bacteria. *Food Microbiology*, 15(3), 289–298. <https://doi.org/10.1006/fmic.1997.0180>.

Cintas, L. M., Rodríguez, J. M., Fernández, M. F., Sletten, K., Nes, I. F., Hernández, P. E., & Holo, H. (1995). Isolation and characterization of pediocin L50, a new bacteriocin from *Pediococcus acidilactici* with a broad inhibitory spectrum. *Applied and Environmental Microbiology*, 61(7), 2643–2648. <https://doi.org/10.1128/aem.61.7.2643-2648.1995>.

El-Sayed, M. I., Awad, S., & Abou-Soliman, N. H. I. (2021). Improving the antioxidant properties of fermented camel milk using some strains of *Lactobacillus*. *Food & Nutrition Sciences*, 12(4), 352–371. <https://doi.org/10.4236/fns.2021.124027>.

Endo, A., Tanizawa, Y., & Arita, M. (2018). Isolation and identification of lactic acid bacteria from environmental samples. *Methods in Molecular Biology*, 3–13. https://doi.org/10.1007/978-1-4939-8907-2_1.

Feng, T., & Wang, J. (2020). Oxidative stress tolerance and antioxidant capacity of lactic acid bacteria as probiotics: A systematic review. *Gut Microbes*, 12(1), 1801944. <https://doi.org/10.1080/19490976.2020.1801944>.

Foti, M. C., Daquino, C., & Geraci, C. (2004). Electron-transfer reaction of cinnamic acids with the DPPH• radical in methanol. *Journal of Organic Chemistry*, 69(7), 2309–2314. <https://doi.org/10.1021/jo035758q>.

Fujiki, Y., & Bassik, M. C. (2021). A new paradigm in Catalase Research. *Trends in Cell Biology*, 31(3), 148–151. <https://doi.org/10.1016/j.tcb.2020.12.006>.

Gulcin, İ. (2020). Antioxidants and antioxidant methods: An updated overview. *Archives of Toxicology*, 94(3), 651–715. <https://doi.org/10.1007/s00204-020-02689-3>.

Gulcin, İ., & Alwasel, S. H. (2023). DPPH radical scavenging assay. *Processes*, 11(8), 2248. <https://doi.org/10.3390/pr11082248>.

Grilo, A. L., Sá-Moura, B., Carvalho, M. F., Ferreira, L. A., & Ferreira, M. G. (2020). Development of a 96-well based assay for kinetic determination of catalase. *Analytical Biochemistry*, 607, 113858. <https://doi.org/10.1016/j.ab.2020.113858>.

Halliwell, B., & Gutteridge, J. M. C. (2015). *Free radicals in biology and medicine* (5th ed.). Oxford University Press.

Hamad, G. M., Abdelmotilib, N. M., Darwish, A. M. G., & Zeitoun, A. M. (2020). Commercial probiotic cell-free supernatants for inhibition of *Clostridium perfringens* poultry meat infection in Egypt. *Anaerobe*, 62, 102181. <https://doi.org/10.1016/j.anaerobe.2020.102181>.

Jomova, K., Raptova, R., Alomar, S. Y., Alwasel, S. H., Nepovimova, E., Kuca, K., & Valko, M. (2023). Reactive oxygen species, toxicity, oxidative stress, and antioxidants: Chronic diseases and aging. *Archives of Toxicology*, 97(10), 2499–2574. <https://doi.org/10.1007/s00204-023-03562-9>.

Kim, S., Seo, H., Mahmud, H. A., Islam, M. I., Sultana, O. F., Lee, Y., Kim, M., & Song, H.-Y. (2020). Melanin Bleaching and Melanogenesis Inhibition Effects of *Pediococcus acidilactici* PMC48 Isolated from Korean Perilla Leaf Kimchi. *Journal of Microbiology and Biotechnology*, 30(7), 1051–1059. <https://doi.org/10.4014/jmb.2003.03007>.

Kolmogorov, M., Yuan, J., Lin, Y., & Pevzner, P. A. (2019). Assembly of long, error-prone reads using repeat graphs. *Nature Biotechnology*, 37(5), 540–546. <https://doi.org/10.1038/s41587-019-0072-8>.

Kumar, R., Grover, S., & Batish, V. K. (2022). Next generation sequencing, biochemical characterization, metabolic pathways and in vitro functional analysis of *Pediococcus acidilactici* NCDC 252. *Archives of Microbiology*, 204, 375. <https://doi.org/10.1007/s00203-022-03045-5>.

Li, X. (2012). Improved pyrogallol autoxidation method: A reliable and cheap superoxide-scavenging assay suitable for all antioxidants. *Journal of Agricultural and Food Chemistry*, 60(25), 6418–6424. <https://doi.org/10.1021/jf204970r>.

Marklund, S., & Marklund, G. (1974). Involvement of the superoxide anion radical in the autoxidation of pyrogallol and convenient assay for superoxide dismutase. *European Journal of Biochemistry*, 47(3), 469–474. <https://doi.org/10.1111/j.1432-1033.1974.tb03714.x>.

Munteanu, I. G., & Apetrei, C. (2021). Analytical methods used in determining antioxidant

activity: A review. *International Journal of Molecular Sciences*, 22(7), 3380. <https://doi.org/10.3390/ijms22073380>.

Murphy, M. P., Bayir, H., Belousov, V., Chang, C. J., Davies, K. J., Dick, T. P., & Halliwell, B. (2022). Guidelines for measuring reactive oxygen species and oxidative damage in cells and in vivo. *Nature Metabolism*, 4(6), 651–662. <https://doi.org/10.1038/s42255-022-00591-z>.

Nauseef, W. (2014). Detection of superoxide and H₂O₂ produced by NADPH oxidases. *Biochimica et Biophysica Acta (BBA) - General Subjects*, 1840(2), 757–767. <https://doi.org/10.1016/j.bbagen.2013.05.030>.

Nursyam, H., Widjanarko, S. B., Sukoso, & Yunianta. (2007, April 24). The use of *Pediococcus acidilactici* 0110<TAT-1 starter on catfish fermented sausage which infected by *Escherichia coli* IFO-3301 and *Listeria monocytogenes* ATCC-1194. National Fisheries Science Seminar, Faculty of Fisheries, Universitas Brawijaya.

Oxford Nanopore Technologies. (n.d.). *Technology: How nanopore sensing works*. Retrieved June 16, 2025, from <https://nanoporetech.com/platform/technology>.

Oxford Nanopore Technologies. (2025, April 25). MinKNOW experiment companion (MKE_1013_v1_revDK_25Apr2025). Oxford Nanopore Technologies. Retrieved from <https://nanoporetech.com/document/experiment-companion-minknow>.

Palma, F. R., He, C., Danes, J. M., Paviani, V., Coelho, D. R., Gantner, B. N., & Bonini, M. G. (2020). Mitochondrial Superoxide Dismutase: What the Established, the Intriguing, and the Novel Reveal About a Key Cellular Redox Switch. *Antioxidants & redox signaling*, 32(10), 701–714. <https://doi.org/10.1089/ars.2019.7962>.

Tanizawa, Y., Fujisawa, T., & Nakamura, Y. (2017). DFAST: a flexible prokaryotic genome annotation pipeline for faster genome publication. *Bioinformatics*, 34(6), 1037–1039. <https://doi.org/10.1093/bioinformatics/btx713>.

Thorakkattu, P., Khanashyam, A. C., Shah, K., Babu, K. S., Mundanat, A. S., Deliephan, A., Deokar, G. S., Santivarangkna, C., & Nirmal, N. P. (2022). Postbiotics: Current trends in food and pharmaceutical industry. *Foods*, 11(20), 3094. <https://doi.org/10.3390/foods11203094>.

Todorov, S. D., & Dicks, L. M. T. (2022). Antimicrobial properties of *Pediococcus acidilactici* and *Pediococcus pentosaceus* isolated from silage. *Journal of Basic Microbiology*, 45(6), 428–438. <https://doi.org/10.1002/jobm.200410512>.

Tripathi, N., Zubair, M., & Sapra, A. (2025, March 28). Gram staining. In StatPearls. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK562156/>.

Seeman, T., Standage, D., Cock, P., Saladi, S., Jackman, S., da Silva, A. G., Telatin, A., Rossini, R., Soranzo, N., Skewes-Cox, P., Hickey, P., Turner, S., & Skennerton, C. T. (2014). PROKKA:

rapid prokaryotic genome annotation Introduction. GitHub. <https://github.com/tseemann/PROKKA>.

Wang, Y., Wu, Y., Wang, Y., Xu, H., Mei, X., Yu, D., & Li, W. (2017). Antioxidant properties of probiotic bacteria. *Nutrients*, 9(5), 521. <https://doi.org/10.3390/nu9050521>.

Wright, C., Ykes, M., Young, S., Ostevin, F., Rocklebank, D., Libiseller-Egger, J., Griffiths, S., Rescheneder, P., Nicholls, S., Konopka, T., Harris, R., Chorlton, J., O'Toole, A., Asa, & Coulombe, C. (2024, May 20). Medaka. GitHub. <https://github.com/nanoporetech/medaka>.

Yamauchi, M., Kitamura, Y., Nagano, H., Kawatsu, J., & Gotoh, H. (2024). DPPH measurements and structure–activity relationship studies on the antioxidant capacity of phenols. *Antioxidants*, 13(3), 309. <https://doi.org/10.3390/antiox13030309>.

Yuliana, M., & Nurdebyandaru, N. (2023). First report of *Pediococcus acidilactici*: Bacterium harbored in *Lysurus periphragmoides* slimy spore mass. *Jurnal Biota*, 9(1), 53–61. <https://doi.org/10.19109/biota.v9i1.14597>.

Zhang, H., Kong, B., Liu, H., Sun, F., & Chen, Q. (2021). Physiology and antioxidant activity of *Pediococcus pentosaceus* R1 and *Lactobacillus fermentum* R6 in response to lactic acid stress. *LWT*, 149, 111878. <https://doi.org/10.1016/j.lwt.2021.111878>.