

REFERENCES

- Abril, B., Bou, R., García-Pérez, J. V., & Benedito, J. (2023). Role of Enzymatic Reactions in Meat Processing and Use of Emerging Technologies for Process Intensification. *Role of Enzymatic Reactions in Meat Processing and Use of Emerging Technologies for Process Intensification*, 12(10), 1940–1940. <https://doi.org/10.3390/foods12101940>
- Ahhmed, A. M., Kawahara, S., Ohta, K., Nakade, K., Soeda, T., & Muguruma, M. (2007). Differentiation in improvements of gel strength in chicken and beef sausages induced by transglutaminase. *Meat Science*, 76(3), 455–462. <https://doi.org/10.1016/j.meatsci.2007.01.002>
- Ahhmed, A. M., Nasu, T., Huy, D. Q., Tomisaka, Y., Kawahara, S., & Muguruma, M. (2009). Effect of microbial transglutaminase on the natural actomyosin cross-linking in chicken and beef. *Meat Science*, 82(2), 170–178. <https://doi.org/10.1016/j.meatsci.2009.01.007>
- Altan, C., Turan, H., Demet Kocatepe, İrfan Keskin, & Bayram Köstekli. (2024). Enhancing the Quality of Ready-to-Eat Trout Burger Patties: Investigating the Combination of Modified Atmosphere Packaging and Microbial Transglutaminase Enzyme. *Food Science & Nutrition*, 12(11), 9268–9286. <https://doi.org/10.1002/fsn3.4495>
- Arogundade, L. A., Mu, T.-H., Zhang, M., Chen, J.-W., Sun, H.-N., & Zhang, D. (2021). Improving sweet potato protein gel properties through ϵ -(γ -glutamy)-lysine isopeptide cross-link catalyzed by transglutaminase. *Food Bioscience*, 39, 100828. <https://doi.org/10.1016/j.fbio.2020.100828>
- Baugreet, S., Kerry, J. P., Allen, P., Gallagher, E., & Hamill, R. M. (2018). Physicochemical Characteristics of Protein-Enriched Restructured Beef Steaks with Phosphates, Transglutaminase, and Elasticised Package Forming. *Journal of Food Quality*, 2018, 1–11. <https://doi.org/10.1155/2018/4737602>
- Benu, N. N., Sudarmanto, B. A., Tri Wahyuni, Susilastri, D., Rosita, E., Mahmud, A., & Yono, S. (2025). The culinary linguistic landscape of Kupang City, Indonesia: unraveling identity through sign

- boards. *Cogent Arts and Humanities*, 12(1).
<https://doi.org/10.1080/23311983.2025.2449735>
- Böhme, B., Moritz, B., Wendler, J., Hertel, T. C., Ihling, C., Brandt, W., & Pietzsch, M. (2019). Enzymatic activity and thermoresistance of improved microbial transglutaminase variants. *Amino Acids*, 52(2), 313–326. <https://doi.org/10.1007/s00726-019-02764-9>
- Buchert, J., Ercili Cura, D., Ma, H., Gasparetti, C., Monogioudi, E., Faccio, G., Mattinen, M., Boer, H., Partanen, R., Selinheimo, E., Lantto, R., & Kruus, K. (2010). Crosslinking Food Proteins for Improved Functionality. *Annual Review of Food Science and Technology*, 1(1), 113–138.
<https://doi.org/10.1146/annurev.food.080708.100841>
- Çelik, İ., & Sarıçoban, C. (2023). The interaction of chia mucilage-based edible film and transglutaminase enzyme on spent hen meat nuggets. *British Poultry Science*, 64(6), 710–717. <https://doi.org/10.1080/00071668.2023.2263835>
- Chakraborty, I., N, P., Mal, S. S., Paul, U. C., Rahman, Md. H., & Mazumder, N. (2022). An Insight into the Gelatinization Properties Influencing the Modified Starches Used in Food Industry: A review. *Food and Bioprocess Technology*, 15(6), 1195–1223.
<https://doi.org/10.1007/s11947-022-02761-z>
- Chen, Y., Qiao, Y., Xiao, Y., Chen, H., Zhao, L., Huang, M., & Zhou, G. (2015). Differences in Physicochemical and Nutritional Properties of Breast and Thigh Meat from Crossbred Chickens, Commercial Broilers, and Spent Hens. *Asian-Australasian Journal of Animal Sciences*, 29(6), 855–864. <https://doi.org/10.5713/ajas.15.0840>
- D’Argenio, G., Amoroso, D. C., Mazzone, G., Vitaglione, P., Romano, A., Ribecco, M. T., D’Armiento, M. R., Mezza, E., Morisco, F., Fogliano, V., & Caporaso, N. (2009). Garlic extract prevents CCl₄-induced liver fibrosis in rats: The role of tissue transglutaminase. *Digestive and Liver Disease*, 42(8), 571–577. <https://doi.org/10.1016/j.dld.2009.11.002>

- DeJong, G. A. H., & Koppelman, S. J. (2002). Transglutaminase Catalyzed Reactions: Impact on Food Applications. *Journal of Food Science*, 67(8), 2798–2806.
<https://doi.org/10.1111/j.1365-2621.2002.tb08819.x>
- Detzel, C., Petschow, B. W., Johnson, N., & Weaver, E. M. (2016). Comparison of the Amino Acid and Peptide Composition and Postprandial Response of Beef, Chicken, and Whey Protein Nutritional Preparations. *Functional Foods in Health and Disease*, 6(10), 612.
<https://doi.org/10.31989/ffhd.v6i10.308>
- Dimitrakopoulou, M. A., Ambrosiadis, J. A., Zetou, F. K., & Bloukas, J. G. (2005). Effect of salt and transglutaminase (TG) level and processing conditions on quality characteristics of phosphate-free, cooked, restructured pork shoulder. *Meat Science*, 70(4), 743–749.
<https://doi.org/10.1016/j.meatsci.2005.03.011>
- Donmez, D., Pinho, L., Patel, B., Desam, P., & Campanella, O. H. (2021). Characterization of starch–water interactions and their effects on two key functional properties: starch gelatinization and retrogradation. *Current Opinion in Food Science*, 39, 103–109.
<https://doi.org/10.1016/j.cofs.2020.12.018>
- Du, J., Cao, J., Zhou, C., Pan, D., Geng, F., & Wang, Y. (2022). Insight into the mechanism of myosin-fibrin gelation induced by non-disulfide covalent cross-linking. *Food Research International*, 156, 111168–111168. <https://doi.org/10.1016/j.foodres.2022.111168>
- Duarte, L., Matte, C. R., Bizarro, C. V., & Ayub, M. A. Z. (2019). Review transglutaminases: part II—industrial applications in food, biotechnology, textiles and leather products. *World Journal of Microbiology and Biotechnology*, 36(1).
<https://doi.org/10.1007/s11274-019-2792-9>
- DuBois, T. D. (2024). *China in Seven Banquets* (pp. 98–111). Reaktion Books.
- Elli, L., Bergamini, C. M., Bardella, M. T., & Schuppan, D. (2009). Transglutaminases in inflammation and fibrosis of the gastrointestinal tract and the liver. *Digestive and Liver Disease*, 41(8), 541–550. <https://doi.org/10.1016/j.dld.2008.12.095>

- Erdem, N., Babaoğlu, A. S., Poçan, H. B., & Karakaya, M. (2020). The effect of transglutaminase on some quality properties of beef, chicken, and turkey meatballs. *Journal of Food Processing and Preservation*, 44(10). <https://doi.org/10.1111/jfpp.14815>
- ERSÖZ, F., AYKIN DİNÇER, E., ÖZÇELİK, A. T., & İNAN, M. (2021). Rekombinant Transglutaminazın Pişmiş Sığır Köftelerinin Kalite Özelliklerine Etkisi. *Kafkas Üniversitesi Veteriner Fakültesi Dergisi*. <https://doi.org/10.9775/kvfd.2020.25080>
- Feng, Y., Liang, X., Zhang, J., Kong, B., Shi, P., Cao, C., Zhang, H., Liu, Q., & Zhang, Y. (2023). Effects of transglutaminase coupled with κ-carrageenan on the rheological behaviours, gel properties and microstructures of meat batters. *Food Hydrocolloids*, 146, 109265–109265. <https://doi.org/10.1016/j.foodhyd.2023.109265>
- Feng, Y., Liang, X., Zhao, Z., Kong, B., Xia, X., Cao, C., Zhang, H., Liu, Q., & Sun, F. (2024). Mechanisms and effects of different crosslinking degrees on gelling properties and in vitro digestibility of heat-induced microbial transglutaminase-mediated myofibrillar protein gels with or without κ-carrageenan. *Food Hydrocolloids*, 152, 109964–109964. <https://doi.org/10.1016/j.foodhyd.2024.109964>
- Guo, W., Liu, W., Liang, P., Ni, L., Xucong Lv, Fan, J., & Shi, F. (2024). High molecular weight polysaccharides from *Ganoderma lucidum* attenuates inflammatory responses, gut microbiota, and liver metabolomic in lipopolysaccharide-induced liver injury mice. *International Journal of Biological Macromolecules*, 138400–138400. <https://doi.org/10.1016/j.ijbiomac.2024.138400>
- Gürbüz, Z., Şengül, M., Erkaya-Kotan, T., & Sarıcaoğlu, F. T. (2024). A novel composite edible film based on quince seed gel and whey protein concentrate as affected by transglutaminase crosslinking. *International Journal of Food Science and Technology*, 59(9), 6163–6173. <https://doi.org/10.1111/ijfs.17350>

- Huang, L., Zhao, D., Wang, Y., Li, H., Zhou, H., & Liu, X. (2022). Transglutaminase treatment and pH shifting to manipulate physicochemical properties and formation mechanism of cubic fat substitutes. *Food Chemistry: X*, 16, 100508. <https://doi.org/10.1016/j.fochx.2022.100508>
- Kolotylo, V., Piwowarek, K., Synowiec, A., & Kieliszek, M. (2024). Optimization of fermentation conditions for microbial transglutaminase production by *Streptovorticillium cinnamoneum* KKP 1658 using response surface methodology (RSM). *Folia Microbiologica*. <https://doi.org/10.1007/s12223-024-01223-7>
- Lan, M., Li, L., Peng, X., Chen, J., Cao, Q., He, N., Cai, J., Li, B., & Zhang, X. (2021). Effects of different lipids on the physicochemical properties and microstructure of pale, soft and exudative (PSE)-like chicken meat gel. *LWT*, 145, 111284. <https://doi.org/10.1016/j.lwt.2021.111284>
- Lantto, R., Puolanne, E., Katina, K., Niemistö, M., Buchert, J., & Autio, K. (2006). Effect of laccase and transglutaminase on the textural and water-binding properties of cooked chicken breast meat gels. *European Food Research and Technology*, 225(1), 75–83. <https://doi.org/10.1007/s00217-006-0384-z>
- Lee, E., & Hong, G.-P. (2019). Effects of microbial transglutaminase and alginate on the water-binding, textural and oil absorption properties of soy patties. *Food Science and Biotechnology*, 29(6), 777–782. <https://doi.org/10.1007/s10068-019-00713-6>
- Liang, X., Ma, C., Yan, X., Zeng, H., McClements, D. J., Liu, X., & Liu, F. (2020). Structure, rheology and functionality of whey protein emulsion gels: Effects of double cross-linking with transglutaminase and calcium ions. *Food Hydrocolloids*, 102, 105569. <https://doi.org/10.1016/j.foodhyd.2019.105569>
- Lúcia, M., Eliane Teixeira Mársico, de, L., Anna C.V.C.S. Canto, Reis, B., Cruz, & Carlos Adam Conté-Júnior. (2014). Effect of transglutaminase on quality characteristics of a value-added product tilapia wastes. *Journal of Food Science and Technology*, 52(5), 2598–2609. <https://doi.org/10.1007/s13197-014-1327-5>

- Ma, C., Li, S., Yin, Y., Xu, W., Xue, T., Wang, Y., Liu, X., & Liu, F. (2022). Preparation, characterization, formation mechanism and stability of allicin-loaded emulsion gel. *LWT*, *161*, 113389.
<https://doi.org/10.1016/j.lwt.2022.113389>
- Materia, V. C., Linnemann, A. R., Smid, E. J., & Schoustra, S. E. (2021). Contribution of traditional fermented foods to food systems transformation: value addition and inclusive entrepreneurship. *Food Security*, *13*(5), 1163–1177.
<https://doi.org/10.1007/s12571-021-01185-5>
- Meng, X., Wu, D., Zhang, Z., Wang, H., Wu, P., Xu, Z., Gao, Z., Mintah, B. K., & Dabbour, M. (2022). An overview of factors affecting the quality of beef meatballs: Processing and preservation. *Food Science & Nutrition*, *10*(6). <https://doi.org/10.1002/fsn3.2812>
- Mirian dos Santos, Wanessa Oliveira Ribeiro, de, J., Santos, Paulo, & Rodrigues, A. (2023). Effect of Transglutaminase Treatment on the Structure and Sensory Properties of Rice- or Soy-Based Hybrid Sausages. *Foods*, *12*(23), 4226–4226. <https://doi.org/10.3390/foods12234226>
- Monto, A. R., Li, M., Wang, X., Wijaya, G. Y. A., Shi, T., Xiong, Z., Yuan, L., Jin, W., Li, J., & Gao, R. (2021). Recent developments in maintaining gel properties of surimi products under reduced salt conditions and use of additives. *Critical Reviews in Food Science and Nutrition*, 1–16.
<https://doi.org/10.1080/10408398.2021.1931024>
- Mostafa, H. S. (2020). Microbial transglutaminase: An overview of recent applications in food and packaging. *Biocatalysis and Biotransformation*, *38*(3), 161–177.
<https://doi.org/10.1080/10242422.2020.1720660>
- Nabila Sukma Priyatnasari, Eny Palupi, Fayza Kamila, Khalisa Rahma Ardhiani, None Khalisah, Ghasani Tsuraya Prilyadi, & Ade Chandra Iwansyah. (2024). Meat-analog made from Javanese Grasshopper, kidney beans, and elephant foot yam as a high-protein and low-cholesterol product. *Journal of Agriculture and Food Research*, 101071–101071.
<https://doi.org/10.1016/j.jafr.2024.101071>

- Oksana Zinina, Merenkova, S., Damir Galimov, Okuskhanova, E., Maksim Rebezov, Mars Khayrullin, & Anichkina, O. (2020). Effects of Microbial Transglutaminase on Technological, Rheological, and Microstructural Indicators of Minced Meat with the Addition of Plant Raw Materials. *International Journal of Food Science*, 2020, 1–11. <https://doi.org/10.1155/2020/8869401>
- Paul R. Hanlon, Frestedt, J., & Magurany, K. (2017). GRAS from the ground up: Review of the Interim Pilot Program for GRAS notification. *Food and Chemical Toxicology*, 105, 140–150. <https://doi.org/10.1016/j.fct.2017.03.064>
- Prayitno, A. H., Asrianto, N., Rahmasari, R., Handayani, H. T., Huda, C., Abdil, S. S., Naky, I. A. M., Mafazah, L., Ramadhan, M. F. H., Umam, M. S., Ramadhana, W. M., Wicaksono, S. H., & Yogi, R. (2025). The effect of broiler bone nanocalcium citrate fortification on the color and sensory properties of Indonesian traditional beef meatballs “bakso.” *IOP Conference Series: Earth and Environmental Science*, 1446(1), 012051. <https://doi.org/10.1088/1755-1315/1446/1/012051>
- Prayitno, S. S., Sari, D., & Ton, S. (2024). Modification of physicochemical quality of beef sausage by addition of transglutaminase enzyme and external protein. *IOP Conference Series: Earth and Environmental Science*, 1377(1), 012044. <https://doi.org/10.1088/1755-1315/1377/1/012044>
- Rahman, M. S., Al-Attabi, Z. H., Al-Habsi, N., & Al-Khusaibi, M. (2021). Measurement of Instrumental Texture Profile Analysis (TPA) of Foods. *Techniques to Measure Food Safety and Quality*, 427–465. https://doi.org/10.1007/978-3-030-68636-9_17
- Rifqie Mariana, R., Hidayati, L., & Soekopitojo, S. (2018). Implementing the HACCP system to the production of Bakso Malang-Indonesia. *Journal of Culinary Science & Technology*, 17(4), 291–312. <https://doi.org/10.1080/15428052.2018.1442760>
- Santhi, D., Kalaikannan, A., & Sureshkumar, S. (2015). Factors influencing meat emulsion properties and product texture: A review. *Critical Reviews in Food Science and Nutrition*, 57(10), 2021–2027. <https://doi.org/10.1080/10408398.2013.858027>

- Shahida Anusha Siddiqui, Khalifa, I., Yin, T., Morsy, M. K., Khoder, R. M., Molla Salauddin, Wasiya Farzana, Sharma, S., & Khalid, N. (2024). Valorization of plant proteins for meat analogues design—a comprehensive review. *European Food Research & Technology*.
<https://doi.org/10.1007/s00217-024-04565-1>
- Shamini Nair Achudan, Manan, A., & Abbas. (2024). Textural properties, cooking loss and syneresis of chicken meatballs using carboxymethylated sago starch and isolated soy protein blends. *AIP Conference Proceedings*, 3130, 020001–020001. <https://doi.org/10.1063/5.0195490>
- Shan, L., Li, Y., Wang, Q., Wang, B., Guo, L., Sun, J., Xiao, J., Zhu, Y., Zhang, X., Huang, M., Xu, X., Yu, J., Ho, H., & Kang, D. (2020). Profiles of gelling characteristics of myofibrillar proteins extracted from chicken breast: Effects of temperatures and phosphates. *LWT*, 129, 109525.
<https://doi.org/10.1016/j.lwt.2020.109525>
- Sissons, M., Aravind, N., & Fellows, C. M. (2010). Quality of Fiber-Enriched Spaghetti Containing Microbial Transglutaminase. *Cereal Chemistry*, 87(1), 57–64.
<https://doi.org/10.1094/cchem-87-1-0057>
- Sujarwanta, R. O., Beya, M. M., Utami, D., Jamhari, J., Suryanto, E., Agus, A., Smyth, H. E., & Hoffman, L. C. (2021). Rice Bran Makes a Healthy and Tasty Traditional Indonesian Goat Meatball, “Bakso.” *Foods*, 10(8), 1940. <https://doi.org/10.3390/foods10081940>
- Sulaiman, N. S., Mohd Dona Sintang, Huda, N., Zaini, H. M., Haque, J., & Wolyna Pindi. (2024). Enhancing Meat Product Quality: Exploring the Effects of Additives on Myofibrillar Protein Functionality. *Food and Bioprocess Technology*. <https://doi.org/10.1007/s11947-024-03503-z>
- Sun, X. D. (2009). Utilization of restructuring technology in the production of meat products: a review. *CyTA - Journal of Food*, 7(2), 153–162. <https://doi.org/10.1080/19476330903010193>
- Supaluk Sorapukdee, & Pussadee Tangwatcharin. (2018). Quality of steak restructured from beef trimmings containing microbial transglutaminase and impacted by freezing and grading by fat level. *Asian-Australasian Journal of Animal Sciences*, 31(1), 129–137.
<https://doi.org/10.5713/ajas.17.0170>

- URAN, H., & YILMAZ, İ. (2017). A research on determination of quality characteristics of chicken burgers produced with transglutaminase supplementation. *Food Science and Technology*, 38(1), 19–25. <https://doi.org/10.1590/1678-457x.33816>
- Walayat, N., Liu, J., Nawaz, A., Aadil, R. M., López-Pedrouso, M., & Lorenzo, J. M. (2022). Role of Food Hydrocolloids as Antioxidants along with Modern Processing Techniques on the Surimi Protein Gel Textural Properties, Developments, Limitation and Future Perspectives. *Antioxidants*, 11(3), 486. <https://doi.org/10.3390/antiox11030486>
- Wang, Y., Zhang, D., & Liu, Y. (2024). Research Progress on the Regulating Factors of Muscle Fiber Heterogeneity in Livestock: A Review. *Animals*, 14(15), 2225–2225. <https://doi.org/10.3390/ani14152225>
- Wang, Z., Ng, K., Warner, R. D., Stockmann, R., & Fang, Z. (2023). Effects of chitosan nanoparticles incorporation on the physicochemical quality of cellulose coated deep-fried meatballs. *Food Control*, 149, 109715. <https://doi.org/10.1016/j.foodcont.2023.109715>
- Wu, M., Yin, Q., Bian, J., Xu, Y., Gu, C., Jiao, J., Yang, J., & Zhang, Y. (2023). Effects of Transglutaminase on Myofibrillar Protein Composite Gels with Addition of Non-Meat Protein Emulsion. *Gels*, 9(11), 910–910. <https://doi.org/10.3390/gels9110910>
- Wu, X., Liu, Y., Liu, A., & Wang, W. (2017). Improved thermal-stability and mechanical properties of type I collagen by crosslinking with casein, keratin and soy protein isolate using transglutaminase. *International Journal of Biological Macromolecules*, 98, 292–301. <https://doi.org/10.1016/j.ijbiomac.2017.01.127>
- Yie, L. J., Khalid, N. I., & Ismail-Fitry, M. R. (2023). Quality Evaluation of Buffalo Meatballs Produced at Different Comminution Process Temperatures. *Malaysian Journal of Fundamental and Applied Sciences*, 19(4), 573–582. <https://doi.org/10.11113/mjfas.v19n4.2946>
- Younes, M., Aquilina, G., Castle, L., Degen, G., Engel, K.-H., Fowler, P. J., Jose, M., Fürst, P., Rainer Gürtler, Trine Husøy, Manco, M., Mennes, W., Moldeus, P., Passamonti, S., Shah, R., Ine Waalkens-Berendsen, Wright, M., Detlef Wölflé, Dusemund, B., & Mortensen, A. (2023).

Re-evaluation of xanthan gum (E 415) as a food additive in foods for infants below 16 weeks of age and follow-up of its re-evaluation as a food additive for uses in foods for all population groups. 21(5). <https://doi.org/10.2903/j.efsa.2023.7951>

Zhang, W., Hedayati, S., Tarahi, M., Asli Can Karaca, Milad Hadidi, Elham Assadpour, & Jafari, S. M. (2023). Advances in transglutaminase cross-linked protein-based food packaging films; a review. *International Journal of Biological Macromolecules*, 253, 127399–127399. <https://doi.org/10.1016/j.ijbiomac.2023.127399>

Zhang, Z., Wang, B., Chen, J., & Adhikari, B. (2024). Modification of plant and algal proteins through the Maillard reaction and complex coacervation: mechanisms, characteristics, and applications in encapsulating oxygen-sensitive oils. *Sustainable Food Technology*. <https://doi.org/10.1039/d3fb00220a>

Zhao, X., Xu, X., & Zhou, G. (2020). Covalent chemical modification of myofibrillar proteins to improve their gelation properties: A systematic review. *Comprehensive Reviews in Food Science and Food Safety*, 20(1), 924–959. <https://doi.org/10.1111/1541-4337.12684>

Zhuang, X., Jiang, X., Zhou, H., Chen, Y., Zhao, Y., Yang, H., & Zhou, G. (2020). Insight into the mechanism of physicochemical influence by three polysaccharides on myofibrillar protein gelation. *Carbohydrate Polymers*, 229, 115449. <https://doi.org/10.1016/j.carbpol.2019.115449>

Zimoch-Korzycka, A., Krawczyk, A., Król-Kilińska, Ż., Kulig, D., Bobak, Ł., & Jarmoluk, A. (2024). Influence of Microbial Transglutaminase on the Formation of Physico-Chemical Properties of Meat Analogs. *Foods*, 13(24), 4085. <https://doi.org/10.3390/foods13244085>