

References

- Aalberse, R. (2011). The role of IGG antibodies in allergy and immunotherapy. *Allergy*, 66, 28–30. <https://doi.org/10.1111/j.1398-9995.2011.02628.x>
- Alharbi, N., Skwarczynski, M., & Toth, I. (2022). The influence of component structural arrangement on peptide vaccine immunogenicity. *Biotechnology Advances*, 60, 108029. <https://doi.org/10.1016/j.biotechadv.2022.108029>
- Ayuso, R., Sánchez-Garcia, S., Lin, J., Fu, Z., Ibáñez, M. D., Carrillo, T., Blanco, C., Goldis, M., Bardina, L., Sastre, J., & Sampson, H. A. (2010). Greater epitope recognition of shrimp allergens by children than by adults suggests that shrimp sensitization decreases with age. *Journal of Allergy and Clinical Immunology*, 125(6). <https://doi.org/10.1016/j.jaci.2010.03.010>
- Ayuso, R., Sánchez-Garcia, S., Pascal, M., Lin, J., Grishina, G., Fu, Z., Ibáñez, M. D., Sastre, J., & Sampson, H. A. (2011). Is epitope recognition of shrimp allergens useful to predict clinical reactivity? *Clinical & Experimental Allergy*, 42(2), 293–304. <https://doi.org/10.1111/j.1365-2222.2011.03920.x>
- Bhatnager, R., Bhasin, M., Arora, J., & Dang, A. S. (2020). Epitope based peptide vaccine against SARS-COV2: An Immune-informatics approach. *Journal of Biomolecular Structure and Dynamics*, 39(15), 5690–5705. <https://doi.org/10.1080/07391102.2020.1787227>
- Betts, R. J., & Kemeny, D. M. (2009). Cd8+ T cells in asthma: Friend or foe? *Pharmacology & Therapeutics*, 121(2), 123–131. <https://doi.org/10.1016/j.pharmthera.2008.09.001>
- Bui, H.-H., Sidney, J., Li, W., Fusseder, N., & Sette, A. (2007). Development of an epitope conservancy analysis tool to facilitate the design of epitope-based diagnostics and vaccines. *BMC Bioinformatics*, 8(1). <https://doi.org/10.1186/1471-2105-8-361>
- Carrasco Pro, S., Lindestam Arlehamn, C. S., Dhanda, S. K., Carpenter, C., Lindvall, M., Faruqi, A. A., Santee, C. A., Renz, H., Sidney, J., Peters, B., & Sette, A. (2018). Microbiota epitope similarity either dampens or enhances the immunogenicity of disease-associated antigenic epitopes. *PLOS ONE*, 13(5). <https://doi.org/10.1371/journal.pone.0196551>
- Chen, X., Zaro, J. L., & Shen, W.-C. (2013). Fusion protein linkers: Property, design and functionality. *Advanced Drug Delivery Reviews*, 65(10), 1357–1369. <https://doi.org/10.1016/j.addr.2012.09.039>
- Colavita, A. M., Reinach, A. J., & Peters, S. P. (2000). Contributing factors to the pathobiology of asthma. *Clinics in Chest Medicine*, 21(2), 263–277. [https://doi.org/10.1016/s0272-5231\(05\)70265-3](https://doi.org/10.1016/s0272-5231(05)70265-3)
- Cuspoa, A. F., Díaz, L. L., Acosta, A. F., Peñaloza, M. K., Méndez, Y. R., Clavijo, D. C., & Yosa Reyes, J. (2021). An immunoinformatics approach for SARS-COV-2 in Latam populations and

- multi-epitope vaccine candidate directed towards the world's population. *Vaccines*, 9(6), 581. <https://doi.org/10.3390/vaccines9060581>
- Daul, C. B., Slattery, M., Reese, G., & Lehrer, S. B. (1994). Identification of the major brown shrimp (*penaeus aztecus*) allergen as the muscle protein tropomyosin. *International Archives of Allergy and Immunology*, 105(1), 49–55. <https://doi.org/10.1159/000236802>
- Dhanda, S. K., Vir, P., & Raghava, G. P. S. (2013). Designing of interferon-gamma inducing MHC class-II binders. *Biology Direct*, 8(1). <https://doi.org/10.1186/1745-6150-8-30>
- Dimitrov, I., Flower, D., & Doytchinova, I. (2013). AllerTOP - a server for in-silico prediction of allergens. *BMC Bioinformatics*, 14(S6). doi: 10.1186/1471-2105-14-s6-s4
- Dong, R., Chu, Z., Yu, F., & Zha, Y. (2020). Contriving multi-epitope subunit of vaccine for covid-19: Immunoinformatics approaches. *Frontiers in Immunology*, 11. <https://doi.org/10.3389/fimmu.2020.01784>
- Faber, M., Pascal, M., El Kharbouchi, O., Sabato, V., Hagendorens, M., & Decuyper, I. et al. (2017). Shellfish allergens: tropomyosin and beyond. *Allergy*, 72(6), 842-848. doi: 10.1111/all.13115
- Focke, M., Swoboda, I., Marth, K., & Valenta, R. (2010). Developments in allergen-specific immunotherapy: From allergen extracts to allergy vaccines bypassing allergen-specific immunoglobulin E and T cell reactivity. *Clinical & Experimental Allergy*, 40(3), 385–397. <https://doi.org/10.1111/j.1365-2222.2009.03443.x>
- Gao, J., Faraggi, E., Zhou, Y., Ruan, J., & Kurgan, L. (2012). Best: Improved prediction of B-cell epitopes from antigen sequences. *PLoS ONE*, 7(6). <https://doi.org/10.1371/journal.pone.0040104>
- Garna, D. R., Lucianus, J., & Ivone, J. (2017). Descriptive study on skin prick test in Allergy Clinic Immanuel Hospital bandung Indonesia. *Journal Of Medicine & Health*, 1(6). <https://doi.org/10.28932/jmh.v1i6.553>
- Gonzalez-Galarza, F. F., McCabe, A., Santos, E. J. M. dos, Jones, J., Takeshita, L., Ortega-Rivera, N. D., Cid-Pavon, G. M. D., Ramsbottom, K., Ghattaoraya, G., Alfirevic, A., Middleton, D., & Jones, A. R. (2019). Allele frequency net database (AFND) 2020 update: Gold-standard data classification, open access genotype data and New Query Tools. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/gkz1029>
- Gustiananda, M., Sulisty, B. P., Agustriawan, D., & Andarini, S. (2021). Immunoinformatics analysis of SARS-COV-2 orf1ab polyproteins to identify promiscuous and highly conserved T-cell epitopes to formulate vaccine for Indonesia and the World Population. *Vaccines*, 9(12), 1459. <https://doi.org/10.3390/vaccines9121459>
- Hoffman, D. R., Day Jr, E. D., & Miller, J. S. (1981). The major heat stable allergen of shrimp. *Annals of allergy*, 47(1), 17-22.

- Hopp, T. P., & Woods, K. R. (1981). Prediction of protein antigenic determinants from amino acid sequences. *Proceedings of the National Academy of Sciences*, 78(6), 3824–3828. <https://doi.org/10.1073/pnas.78.6.3824>
- Indonesia Population 2022 (live). (n.d.). Retrieved November 19, 2022, from <https://worldpopulationreview.com/countries/indonesia-population>
- Janeway, C. A. (2007). *Immunobiology: The immune system in health and disease*. Garland Science.
- Jespersen, M. C., Peters, B., Nielsen, M., & Marcatili, P. (2017). BepiPred-2.0: Improving sequence-based B-cell epitope prediction using conformational epitopes. *Nucleic Acids Research*, 45(W1). <https://doi.org/10.1093/nar/gkx346>
- Kamath, S. D., Abdel Rahman, A. M., Komoda, T., & Lopata, A. L. (2013). Impact of heat processing on the detection of the major shellfish allergen tropomyosin in crustaceans and molluscs using specific monoclonal antibodies. *Food Chemistry*, 141(4), 4031–4039. <https://doi.org/10.1016/j.foodchem.2013.06.105>
- Khan, S., Rizwan, M., Zeb, A., Eldeen, M. A., Hassan, S., Ur Rehman, A., A. Eid, R., Samir A. Zaki, M., M. Albadrani, G., E. Altyar, A., Nouh, N. A., Abdel-Daim, M. M., & Ullah, A. (2022). Identification of a potential vaccine against *Treponema pallidum* using subtractive proteomics and reverse-vaccinology approaches. *Vaccines*, 11(1), 72. <https://doi.org/10.3390/vaccines11010072>
- Kyte, J., & Doolittle, R. F. (1982). A simple method for displaying the hydropathic character of a protein. *Journal of Molecular Biology*, 157(1), 105–132. [https://doi.org/10.1016/0022-2836\(82\)90515-0](https://doi.org/10.1016/0022-2836(82)90515-0)
- Larché, M. (2011). T cell epitope-based allergy vaccines. *Vaccines against Allergies*, 107–119. https://doi.org/10.1007/82_2011_131
- Lee, A. J., Gerez, I., Shek, L. P. C., & Lee, B. W. (2012). Shellfish allergy-an Asia-Pacific perspective. *Asian Pacific journal of allergy and immunology*, 30(1), 3.
- Leung, N.Y. et al. (2012) “Current immunological and molecular biological perspectives on Seafood Allergy: A comprehensive review,” *Clinical Reviews in Allergy & Immunology*, 46(3), pp. 180–197. Available at: <https://doi.org/10.1007/s12016-012-8336-9>.
- Lombard, C., André, F., Paul, J., Wanty, C., Vosters, O., Bernard, P., Pilette, C., Dupont, P., Sokal, E. M., & Smets, F. (2015). Clinical parameters vs cytokine profiles as predictive markers of IGE-mediated allergy in young children. *PLOS ONE*, 10(7). <https://doi.org/10.1371/journal.pone.0132753>
- Mahajan, A., Youssef, L. A., Cleyrat, C., Grattan, R., Lucero, S. R., Mattison, C. P., Erasmus, M. F., Jacobson, B., Tapia, L., Hlavacek, W. S., Schuyler, M., & Wilson, B. S. (2017). Allergen valency, dose, and FcεRI occupancy set thresholds for secretory responses to pen a 1 and motivate

- design of hypoallergens. *The Journal of Immunology*, 198(3), 1034–1046.
<https://doi.org/10.4049/jimmunol.1601334>
- Mihășan, M. (2012). What in silico molecular docking can do for the ‘bench-working biologists.’ *Journal of Biosciences*, 37(S1), 1089–1095. <https://doi.org/10.1007/s12038-012-9273-8>
- Mishra, M., Tiwari, S., & Gomes, A. V. (2017). Protein purification and analysis: Next Generation Western blotting techniques. *Expert Review of Proteomics*, 14(11), 1037–1053.
<https://doi.org/10.1080/14789450.2017.1388167>
- Nagarkar, D. R., et al. (2010). CD8⁺ T-cells regulate inflammation and disease in a model of allergic airway inflammation. *Journal of Immunology*, 185(10), 5901–5912.
- Negahdaripour, M., Nezafat, N., Eslami, M., Ghoshoun, M. B., Shoolian, E., Najafipour, S., Morowvat, M. H., Dehshahri, A., Erfani, N., & Ghasemi, Y. (2018). Structural vaccinology considerations for in silico designing of a multi-epitope vaccine. *Infection, Genetics and Evolution*, 58, 96–109. <https://doi.org/10.1016/j.meegid.2017.12.008>
- Nezafat, N., Ghasemi, Y., Javadi, G., Khoshnoud, M. J., & Omidinia, E. (2014). A novel multi-epitope peptide Vaccine against cancer: An in silico approach. *Journal of Theoretical Biology*, 349, 121–134. <https://doi.org/10.1016/j.jtbi.2014.01.018>
- Nielsen M, Lundegaard C, Blicher T, Lamberth K, Harndahl M, Justesen S, Røder G, Peters B, Sette A, Lund O. (2010). NetMHCIIpan-2.0 - Improved pan-specific HLA-DR predictions using a novel concurrent alignment and weight optimization training procedure. *Immunome Res*. 2010;6 Suppl 2(Suppl 2):S9. doi: 10.1186/1745-7580-6-S2-S9. Epub 2010 Oct 25. PMID: 20946649; PMCID: PMC2955768.
- Nurjanah *et al.* (2020). Overview of Shrimp Farming and Consumption in Indonesia. *Aquaculture Economics & Management*
- Pandey, R. K., Ojha, R., Aathmanathan, V. S., Krishnan, M., & Prajapati, V. K. (2018). Immunoinformatics approaches to design a novel multi-epitope subunit vaccine against HIV infection. *Vaccine*, 36(17), 2262–2272. <https://doi.org/10.1016/j.vaccine.2018.03.042>
- Parvizpour, S., Pourseif, M., Razmara, J., Rafi, M., & Omid, Y. (2020). Epitope-based vaccine design: a comprehensive overview of bioinformatics approaches. *Drug Discovery Today*, 25(6), 1034–1042. doi: 10.1016/j.drudis.2020.03.006
- Pascal, M., Grishina, G., Yang, A. C., Sánchez-García, S., Lin, J., Towle, D., Ibañez, M. D., Sastre, J., Sampson, H. A., & Ayuso, R. (2015). Molecular diagnosis of shrimp allergy: Efficiency of several allergens to predict clinical reactivity. *The Journal of Allergy and Clinical Immunology: In Practice*, 3(4). <https://doi.org/10.1016/j.jaip.2015.02.001>
- Paul, W. E. (2013). *Fundamental immunology*. Wolters Kluwer/Lippincott Williams & Wilkins.

- Pawankar, R. (2014). Allergic diseases and asthma: a global public health concern and a call to action. *World Allergy Organization Journal*, 7, 12. doi: 10.1186/1939-4551-7-12
- Potocnakova, L., Bhide, M., & Pulzova, L. B. (2016). An introduction to B-cell epitope mapping and in silico epitope prediction. *Journal of Immunology Research*, 2016, 1–11. <https://doi.org/10.1155/2016/6760830>
- Prawiningrum, A. F., Paramita, R. I., & Panigoro, S. S. (2022). Immunoinformatics approach for epitope-based vaccine design: Key steps for breast cancer vaccine. *Diagnostics*, 12(12), 2981. <https://doi.org/10.3390/diagnostics12122981>
- Prickett, S. R., Rolland, J. M., & O'Hehir, R. E. (2015). Immunoregulatory T cell epitope peptides: The New Frontier in Allergy therapy. *Clinical & Experimental Allergy*, 45(6), 1015–1026. <https://doi.org/10.1111/cea.12554>
- Reche, P. A., Fernandez-Caldas, E., Flower, D. R., Fridkis-Hareli, M., & Hoshino, Y. (2014). Peptide-based immunotherapeutics and vaccines. *Journal of Immunology Research*, 2014, 1–2. <https://doi.org/10.1155/2014/256784>
- Reese, G., Ayuso, R., & Lehrer, S. B. (1999). Tropomyosin: an Invertebrate pan-allergen. *International Archives of Allergy and Immunology*, 119(4), 247–258. <https://doi.org/10.1159/000024201>
- Reese, G., Jeoung, B.-J., Daul, C. B., & Lehrer, S. B. (1997). Characterization of recombinant shrimp allergen pen a 1 (tropomyosin). *International Archives of Allergy and Immunology*, 113(1–3), 240–242. <https://doi.org/10.1159/000237558>
- Renz, H. et al. (2018) “Food allergy,” *Nature Reviews Disease Primers*, 4(1). Available at: <https://doi.org/10.1038/nrdp.2017.98>.
- Reynisson, B., Barra, C., Kaabinejadian, S., Hildebrand, W. H., Peters, B., & Nielsen, M. (2020). Improved prediction of MHC II antigen presentation through integration and motif deconvolution of mass spectrometry MHC eluted ligand data. *Journal of Proteome Research*, 19(6), 2304–2315. <https://doi.org/10.1021/acs.jproteome.9b00874>
- Rock, K. L., & Goldberg, A. L. (1999). Degradation of cell proteins and the generation of MHC class I-presented peptides. *Annual Review of Immunology*, 17(1), 739–779. <https://doi.org/10.1146/annurev.immunol.17.1.739>
- Rubinstein, N. D., Mayrose, I., Halperin, D., Yekutieli, D., Gershoni, J. M., & Pupko, T. (2008). Computational characterization of B-cell epitopes. *Molecular Immunology*, 45(12), 3477–3489. <https://doi.org/10.1016/j.molimm.2007.10.016>
- Rossjohn, J., Gras, S., Miles, J. J., Turner, S. J., Godfrey, D. I., & McCluskey, J. (2015). T cell antigen receptor recognition of antigen-presenting molecules. *Annual Review of Immunology*, 33(1), 169–200. <https://doi.org/10.1146/annurev-immunol-032414-112334>

- Savage, J., & Johns, C. (2015). Food Allergy. *Immunology And Allergy Clinics Of North America*, 35(1), 45-59. doi: 10.1016/j.iac.2014.09.004
- Schroeder, H. W. (2015). The evolution and development of the antibody repertoire. *Frontiers in Immunology*, 6. <https://doi.org/10.3389/fimmu.2015.00033>
- Sela-Culang, I., Kunik, V., & Ofran, Y. (2013). The structural basis of antibody-antigen recognition. *Frontiers in Immunology*, 4. <https://doi.org/10.3389/fimmu.2013.00302>
- Shi, D., Liao, L., Zhang, B., Liu, R., Dou, X., Li, J., Zhu, X., Yu, L., Chen, D., & Zhao, R. C. H. (2011). Human adipose tissue-derived mesenchymal stem cells facilitate the immunosuppressive effect of cyclosporin A on T lymphocytes through jagged-1-mediated inhibition of NF-KB signaling. *Experimental Hematology*, 39(2). <https://doi.org/10.1016/j.exphem.2010.10.009>
- Slabodkin, A., Chernigovskaya, M., Mikocziova, I., Akbar, R., Scheffer, L., Pavlović, M., Bashour, H., Snapkov, I., Mehta, B. B., Weber, C. R., Gutierrez-Marcos, J., Sollid, L. M., Haff, I. H., Sandve, G. K., Robert, P. A., & Greiff, V. (2021). *Individualized VDJ Recombination Predisposes the Available IG Sequence Space*. <https://doi.org/10.1101/2021.04.19.440409>
- Song, T. W. (2016). A practical view of immunotherapy for food allergy. *Korean Journal of Pediatrics*, 59(2), 47. <https://doi.org/10.3345/kjp.2016.59.2.47>
- Stavnezer, J., Guikema, J. E. J., & Schrader, C. E. (2008). Mechanism and regulation of class switch recombination. *Annual Review of Immunology*, 26(1), 261–292. <https://doi.org/10.1146/annurev.immunol.26.021607.090248>
- Stranzl, T., Larsen, M. V., Lundegaard, C., & Nielsen, M. (2010). NetCTLpan: Pan-specific MHC class I pathway epitope predictions. *Immunogenetics*, 62(6), 357–368. <https://doi.org/10.1007/s00251-010-0441-4>
- Suprun, M., Getts, R., Raghunathan, R., Grishina, G., Witmer, M., Gimenez, G., Sampson, H. A., & Suárez-Fariñas, M. (2019). Novel bead-based epitope assay is a sensitive and reliable tool for profiling epitope-specific antibody repertoire in food allergy. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-54868-7>
- Turner, P., Ng, I., Kemp, A., & Campbell, D. (2011). Seafood allergy in children: A descriptive study. *Annals of Allergy, Asthma & Immunology*, 106(6), 494–501. <https://doi.org/10.1016/j.anai.2011.02.001>
- Valenta, R., Campana, R., & Niederberger, V. (2017). Recombinant allergy vaccines based on allergen-derived B cell epitopes. *Immunology Letters*, 189, 19–26. <https://doi.org/10.1016/j.imlet.2017.04.015>
- Vita, R., Mahajan, S., Overton, J. A., Dhanda, S. K., Martini, S., Cantrell, J. R., Wheeler, D. K., Sette, A., & Peters, B. (2018). The Immune Epitope Database (IEDB): 2018 update. *Nucleic Acids Research*, 47(D1). <https://doi.org/10.1093/nar/gky1006>

- Wai, C., Leung, N., Leung, A., Wong, G., & Leung, T. (2021). Seafood Allergy in Asia: Geographical Specificity and Beyond. *Frontiers In Allergy*, 2. doi: 10.3389/falgy.2021.676903
- Wai, C. Y., Leung, N. Y., Leung, P. S., & Chu, K. H. (2016). T cell epitope immunotherapy ameliorates allergic responses in a murine model of shrimp allergy. *Clinical & Experimental Allergy*, 46(3), 491–503. <https://doi.org/10.1111/cea.12684>
- Woodfolk, J. A. (2007). T-cell responses to allergens. *Journal of Allergy and Clinical Immunology*, 119(2), 280–294. <https://doi.org/10.1016/j.jaci.2006.11.008>
- Yang, A. C., Arruda, L. K., Santos, A. B., Barbosa, M. C. R., Chapman, M. D., Galvão, C. E. S., Kalil, J., & Morato-Castro, F. F. (2010). Measurement of IGE antibodies to shrimp tropomyosin is superior to skin prick testing with commercial extract and measurement of IGE to shrimp for predicting clinically relevant allergic reactions after shrimp ingestion. *Journal of Allergy and Clinical Immunology*, 125(4), 872–878. <https://doi.org/10.1016/j.jaci.2009.11.043>
- YY Wai, C. (2012). From molecule studies of allergens to development of immunotherapy of allergies. *Journal of Allergy & Therapy*, 03(03). <https://doi.org/10.4172/2155-6121.1000124>