

References

- Aboul-Enein, A. M., Salama, Z. A., Gaafar, A. A., Aly, H. F., Abou-Elella, F., & Ahmed, H. A. (2016). Identification of phenolic compounds from banana peel (*Musa paradaisica* L.) as antioxidant and antimicrobial agents. *Journal of chemical and pharmaceutical research*, 8(4), 46-55.
- Adam, Z., Razali, R., Arapoc, D. J., Aziz, A. H. A., & Marsiddi, N. A. (2021). DPPH Radical Scavenging and Folin-Ciocalteu Assays: Simple and Reliable Methods to Quantify Antioxidant Activity and Total Phenolic Content. *Proceedings of the Nuclear Technical Conventions, Bangi, Malaysia*, 8.
- Adeyemo, S. F., Ajao, A. B., Ajayi, O. S., Aina, M. O., Afonja, M. A., Abimbola, O. G., & Adeyemo, S. M. (2024). Isolation, characterization of ethanol-tolerant yeast from decaying oranges and pineapples for the production of bioethanol: A waste management option. *Ife Journal of Science*, 26(2), 293-309. <https://doi.org/10.4314/ij.s.v26i2.6>
- Aisyah, S. D., & Ngibad, K. (2022). Determination of flavonoid content of ethanol and ethyl acetate extract from purple passion fruit peel. *Unram.ac.id; Jurnal Pijar MIPA*.
- Akil, M., Biak, D. R. A., & Zainuddin, H. S. (2025). Production of Bacteria Cellulose from Hydrolysate of Banana, Sago, and Potato Wastes. *The Open Biotechnology Journal*, 19(1). <http://dx.doi.org/10.2174/0118740707372946250430102601>
- Akkarachaneeyakorn, S., Suwakrai, A., & Pewngam, D. (2018). Optimization of reducing sugar production from enzymatic hydrolysis of banana peels using response surface methodology. *Songklanakarin Journal of Science & Technology*, 40(1).
- Akter, B., Salleh, R. M., Bakar, M. H. A., Shun, T. J., & Hoong, C. L. (2022). Utilisation of watermelon, pineapple and banana fruit peels as prebiotics and their effect on growth of probiotic. *International Journal of Food Science and Technology*, 57(11), 7359-7367. s
- Akter, F., & Haque, M. A. (2019). Jackfruit waste: a promising source of food and feed. *Annals of Bangladesh Agriculture*, 23(1), 91-102. <https://doi.org/10.3329/aba.v23i1.51477>
- Anal, A. K., Jaisanti, S., & Noomhorm, A. (2014). Enhanced yield of phenolic extracts from banana peels (*Musa acuminata* Colla AAA) and cinnamon barks (*Cinnamomum varum*) and their

- antioxidative potentials in fish oil. *Journal of food science and technology*, 51(10), 2632-2639.
<https://doi.org/10.1007/s13197-012-0793-x>
- Anjum, S., & Sundaram, S. (2023). Comparative Analysis of Antibacterial Activity of Banana Peel at Different Stages of Ripening.
- Arekemase, M. O., Adetitun, D. O., & Ahmed, M. I. (2020). Biochemical analysis of some fruit peels and comparison of Lactic acid production by autochthonous Lactic acid bacteria using fruit peels. *Sri Lankan Journal of Biology*, 5(1). <https://doi.org/10.4038/sljb.v5i1.53>
- Astuti, R. I., Listyowati, S., & Wahyuni, W. T. (2019, July). Life span extension of model yeast *Saccharomyces cerevisiae* upon ethanol derived-clover bud extract treatment. In *IOP Conference Series: Earth and Environmental Science* (Vol. 299, No. 1, p. 012059). IOP Publishing. <https://doi.org/10.1088/1755-1315/299/1/012059>
- Ata, Ö., Rebnegger, C., Tatto, N. E., Valli, M., Mairinger, T., Hann, S., Steiger, M. G., Çalık, P., & Mattanovich, D. (2018). A single Gal4-like transcription factor activates the Crabtree effect in *Komagataella phaffii*. *Nature Communications*, 9(1).
<https://doi.org/10.1038/s41467-018-07430-4>
- Avelina, T. Y., Astuti, R. I., & Wahyuni, W. T. (2024). The extract of Cavendish banana (*Musa acuminata*) peel as antioxidant and anti-aging agents in model yeast *Schizosaccharomyces pombe*. *Menara Perkebunan*, 92(1). <https://doi.org/10.22302/iribb.jur.mp.v92i1.565>
- Avila, L. M., dos Santos, A. P. F., de Mattos, D. I. M., de Souza, C. G., de Andrade, D. F., & d'Avila, L. A. (2018). Determination of ethanol in gasoline by high-performance liquid chromatography. *Fuel*, 212, 236-239. <https://doi.org/10.1016/j.fuel.2017.10.039>
- Avram, I., Gatea, F., & Vamanu, E. (2022). Functional Compounds from Banana Peel Used to Decrease Oxidative Stress Effects. *Processes*, 10(2), 248. <https://doi.org/10.3390/pr10020248>
- Ayudia, E. I., Dewi, H., & Hardiningsih, D. T. (2025). Antioxidant activity potential of 96% ethanol extract from jackfruit (*Artocarpus integer*) peel based on IC50 value. *Proceedings Academic Universitas Jambi*, 1(2), 722-727. <https://doi.org/10.22437/proca.v1i2.50328>

- Azizan, A., Lee, A. X., Abdul Hamid, N. A., Maulidiani, M., Mediani, A., Abdul Ghafar, S. Z., Zolkeflee, N. K. Z., & Abas, F. (2020). Potentially Bioactive Metabolites from Pineapple Waste Extracts and Their Antioxidant and α -Glucosidase Inhibitory Activities by ^1H NMR. *Foods*, 9(2), 173. <https://doi.org/10.3390/foods9020173>
- Badan Pusat Statistik. (2023). *Produksi tanaman buah-buahan - tabel statistik*. www.bps.go.id.
- Bakar, M. A., Karim, F. A., & Perisamy, E. (2015). Comparison of phytochemicals and antioxidant properties of different fruit parts of selected Artocarpus species from Sabah, Malaysia. *Sains Malaysiana*, 44(3), 355-363.
- Barone, G. D., Emmerstorfer-Augustin, A., Biundo, A., Pisano, I., Coccetti, P., Mapelli, V., & Camattari, A. (2023). Industrial production of proteins with *Pichia pastoris*—*Komagataella phaffii*. *Biomolecules*, 13(3), 441. <https://doi.org/10.3390/biom13030441>
- Bashmil, Y.M.; Ali, A.; BK, A.; Dunshea, F.R.; Suleria, H.A.R. Screening and Characterization of Phenolic Compounds from Australian Grown Bananas and Their Antioxidant Capacity. *Antioxidants* 2021, 10, 1521. <https://doi.org/10.3390/antiox10101521>
- Behiry, S. I., Okla, M. K., Alamri, S. A., EL-Hefny, M., Salem, M. Z., Alaraidh, I. A., ... & Salem, A. Z. (2019). Antifungal and antibacterial activities of *Musa paradisiaca* L. peel extract: HPLC analysis of phenolic and flavonoid contents. *Processes*, 7(4), 215. <https://doi.org/10.3390/pr7040215>
- Bernauer, L., Radkohl, A., Lehmayr, L. G. K., & Emmerstorfer-Augustin, A. (2021). *Komagataella phaffii* as emerging model organism in fundamental research. *Frontiers in Microbiology*, 11, 607028. <https://doi.org/10.3389/fmicb.2020.607028>
- Brahma, R., & Ray, S. (2022). In-depth analysis on potential applications of jackfruit peel waste: a systematic approach. *Food Chemistry Advances*, 1, 100119. <https://doi.org/10.1016/j.focha.2022.100119>

- Brahma, R., Ray, S., Nayak, P. K., & Shridhar, K. (2025). Sustainable Valorization of Jackfruit Peel Waste: Bio-Functional and Structural Characterization. *Food Bioengineering*.
<https://doi.org/10.1002/fbe2.70004>
- Budhalakoti, N. (2021). Extraction of protein from banana by-product and its characterization. *Journal of Food Measurement and Characterization*, 15(3), 2202-2210.
<https://doi.org/10.1007/s11694-020-00803-8>
- Cabrera, M. N., Rossi, A., Guarino, J. I., Felissia, F. E., & Area, M. C. (2025). Alkaline Extraction and Ethanol Precipitation of High-Molecular-Weight Xylan Compounds from Eucalyptus Residues. *Polymers*, 17(12), 1589–1589. <https://doi.org/10.3390/polym17121589>
- Carating, B. D., & Agosto, N. J. (2025). Total Phenolic Content, Total Flavonoid Content, and Antioxidant Activity of Various Solvent Extracts from the Peels and Seeds of Marang (*Artocarpus odoratissimus* Blanco). *Journal of Science and Mathematics Letters*, 13, 106–115.
<https://doi.org/10.37134/jsml.vol13.1.10.2025>
- Carteni, F., Occhicone, A., Giannino, F., Vincenot, C. E., De Alteriis, E., Palomba, E., & Mazzoleni, S. (2020). A general process-based model for describing the metabolic shift in microbial cell cultures. *Frontiers in Microbiology*, 11, 521368. <https://doi.org/10.3389/fmicb.2020.521368>
- Casabar, J. T., Unpaprom, Y., & Ramaraj, R. (2019). Fermentation of pineapple fruit peel wastes for bioethanol production. *Biomass Conversion and Biorefinery*, 9(4), 761-765.
<https://doi.org/10.1007/s13399-019-00436-y>
- Chaiwarit, T., Kantrong, N., Sommano, S. R., Rachtanapun, P., Junmahasathien, T., Kumpugdee-Vollrath, M., & Jantrawut, P. (2021). Extraction of tropical fruit peels and development of HPMC film containing the extracts as an active antibacterial packaging material. *Molecules*, 26(8), 2265. <https://doi.org/10.3390/molecules26082265>
- Chaudhry, F., Ahmad, M. L., Hayat, Z., Ranjha, M. M. A. N., Chaudhry, K., Elboughdiri, N., ... & Uddin, J. (2022). Extraction and evaluation of the antimicrobial activity of polyphenols from banana

- peels employing different extraction techniques. *Separations*, 9(7), 165.
<https://doi.org/10.3390/separations9070165>
- Chaudhry, F., Ahmad, M. L., Hayat, Z., Sajid, M. W., Qamar, M. M., Zunaira Basharat, Tariq, M. R., Bibi, A., Tawfiq Alsulami, Athawab, S. A., Mugabi, R., Alohal, B. M., & Gulzar Ahmad Nayik. (2025). Exploring the anti-diabetic potential of banana peel extracts: Impact of maceration and ultrasonication on bioactive compounds and glycemic control in diabetic rabbits. *Ultrasonics Sonochemistry*, 120, 107426–107426. <https://doi.org/10.1016/j.ultsonch.2025.107426>
- de, C., Stanisic, D., & Tasic, L. (2024). Sequential extraction of hesperidin, pectin, lignin, and cellulose from orange peels: towards valorization of agro-waste. *Biofuels, Bioproducts & Biorefining*.
<https://doi.org/10.1002/bbb.2606>
- Donzella, S., Serra, I., Fumagalli, A., Pellegrino, L., Mosconi, G., Lo Scalzo, R., & Compagno, C. (2022). Recycling industrial food wastes for lipid production by oleaginous yeasts *Rhodospiridiobolus azoricus* and *Cutaneotrichosporon oleaginosum*. *Biotechnology for Biofuels and Bioproducts*, 15(1). <https://doi.org/10.1186/s13068-022-02149-3>
- Emmanuel, J. K., Mtashobya, L. A., & Mgeni, S. T. (2025). Potential Contributions of Banana Fruits and Residues to Multiple Applications: An Overview. *Natural Product Communications*, 20(2), 1934578X251320151. <https://doi.org/10.1177/1934578X251320151>
- Farida, Y. U. N. A. H. A. R. A., Qodriah, R. A. H. M. A. T. U. L., & Niles, S. A. N. A. M. (2022). Quality parameters and determination of total flavonoid levels from the highest antioxidant activity of ethanol 70% extract jackfruit peel (*Artocarpus heterophyllus* L.) by maceration, reflux, and ultrasonic methods. *Int J App Pharm*, 14, 100-3.
<https://dx.doi.org/10.22159/ijap.2022.v14s3.21>
- Farika, N., Saputra, A., Kumalasari, K., Megiyo, M., & Aldila, H. (2019, September). Pemanfaatan arang limbah kulit cempedak dan ekstrak buah karamunting sebagai bahan dasar pembuatan tinta spidol ramah lingkungan. In *Proceedings Of National Colloquium Research and Community Service* (Vol. 3, pp. 24-26). <https://doi.org/10.33019/snppm.v3i0.1305>

- Folch, P. L., Bisschops, M. M., & Weusthuis, R. A. (2021). Metabolic energy conservation for fermentative product formation. *Microbial Biotechnology*, 14(3), 829-858. <https://doi.org/10.1111/1751-7915.13746>
- Galbe, M., & Wallberg, O. (2019). Pretreatment for biorefineries: a review of common methods for efficient utilisation of lignocellulosic materials. *Biotechnology for Biofuels*, 12(1). <https://doi.org/10.1186/s13068-019-1634-1>
- Gemilang, Utama, L., Tyagita, Ita Krissanti, & Balia, R. L. (2020, July 18). STRESS TOLERANCE YEAST STRAIN FROM PAPAYA WASTES FOR BIOETHANOL PRODUCTION.
- Gulcin, İ., & Alwasel, S. H. (2023). DPPH radical scavenging assay. *Processes*, 11(8), 2248. <https://doi.org/10.3390/pr11082248>
- Ha, H. T., Mai, S. T., Mai, N. T., & Phan, D. T. A. (2023). Effects of the Ripening Time of Porcelain Banana (*Musa spp. Abb cv. Pisang awak*) on the total Polyphenol Contents and Bioactivities. *Journal of Technical Education Science*, 80, 34–42. <https://doi.org/10.54644/jte.80.2023.1397>
- Hakim, A. R., Saputri, R., Savitri, A. S., Ujuldah, A., & Sadlia, F. (2022). Aktivitas Antioksidan Kulit Buah Cempedak (*Artocarpus integer* (Thunb.) Merr.) asal Kalimantan Selatan: Antioxidant Activity of Cempedak Fruit Skin (*Artocarpus integer* (Thunb.) Merr.) from South Kalimantan. *Jurnal Surya Medika (JSM)*, 7(2), 10-13. <https://doi.org/10.33084/jsm.v7i2.2858>
- Hashim, N. H. N., Fariesha, S. N., & Abdullah, N. A. (2024). Effect of Extraction Temperature on Total Phenolic Content, Total Flavonoid Content and Antioxidant Activity of Pineapple Peel Extracts. *REVELATION AND SCIENCE*, 1(2).
- Hikal, W. M., Said-Al Ahl, H. A., Bratovcic, A., Tkachenko, K. G., Sharifi-Rad, J., Kačániová, M., ... & Atanassova, M. (2022). Banana peels: A waste treasure for human being. *Evidence-Based Complementary and Alternative Medicine*, 2022(1), 7616452. <https://doi.org/10.1155/2022/7616452>
- Ijaz, N., Afzaal, M., Niaz, B., Saeed, F., Nosheen, F., Asif Khan, M., ... & Al Jbawi, E. (2023). Structural and functional investigations of wall material extracted from banana peels. *International*

- Journal of Food Properties*, 26(1), 1636-1644.
<https://doi.org/10.1080/10942912.2023.2228509>
- Ikram, M. M. M., Ridwani, S., Putri, S. P., & Fukusaki, E. (2020). GC-MS Based Metabolite Profiling to Monitor Ripening-Specific Metabolites in Pineapple (*Ananas comosus*). *Metabolites*, 10(4), 134. <https://doi.org/10.3390/metabo10040134>
- Immawan, T. (2024). Food waste in Indonesia: Assessing readiness for valorization. *OPSI*, 17(2), 370-387. <https://doi.org/10.31315/opsi.v17i2.13307>
- Iskandar, D., Widodo, N., Warsito, M., & Rollando, Y. P. P. A. (2022). Phenolic content, antioxidant, cytotoxic of fractions of *Spatholobus littoralis* Hassk from Kalimantan, Indonesia. *Journal of Hunan University Natural Sciences*, 49(3).
- Islam, R., Kamal, M., Kabir, R., Hasan, M., Haque, A., & Hasan, S. (2023). Phenolic compounds and antioxidants activity of banana peel extracts: Testing and optimization of enzyme-assisted conditions. *Measurement: Food*. <https://doi.org/10.1016/j.meafoo.2023.100085>.
- Ismail, S. N., & Safie, S. (2025). Comparative Study of Banana, Mango and Papaya Waste as Natural Media for Microbial Growth. In *Prosiding Seminar Nasional Teknologi Komputer dan Sains* (Vol. 3, No. 1, pp. 277-280).
- Jacotet-Navarro, M., Laguerre, M., Fabiano-Tixier, A.-S., Tenon, M., Feuillère, N., Bily, A., & Chemat, F. (2018). What is the best ethanol-water ratio for the extraction of antioxidants from rosemary? Impact of the solvent on yield, composition, and activity of the extracts. *ELECTROPHORESIS*, 39(15), 1946–1956. <https://doi.org/10.1002/elps.201700397>
- Jacqueline, P. J., & Velvizhi, G. (2024). Substantial physicochemical pretreatment and rapid delignification of lignocellulosic banana, pineapple and papaya fruit peels: A study on physical-chemical characterization. *Sustainable Chemistry and Pharmacy*, 37, 101347. <https://doi.org/10.1016/j.scp.2023.101347>
- Jadid, N., Hidayati, D., Hartanti, S. R., Arraniry, B. A., Rachman, R. Y., & Wikanta, W. (2017, June). Antioxidant activities of different solvent extracts of *Piper retrofractum* Vahl. using DPPH

- assay. In *AIP conference proceedings* (Vol. 1854, No. 1, p. 020019). AIP Publishing LLC.
<https://doi.org/10.1063/1.4985410>
- Jumina, J., Siswanta, D., Zulkarnain, A. K., Triono, S., Priatmoko, P., Yuanita, E., Fatmasari, N., & Nursalim, I. (2019). Development of C-Arylcalix[4]resorcinarenes and C-Arylcalix[4]pyrogallolarenes as Antioxidant and UV-B Protector. *Indonesian Journal of Chemistry*, 19(2), 273. <https://doi.org/10.22146/ijc.26868>
- Kamaludin, N. H. I., Mun, L. S., & Sa'adi, R. A. (2016). Evaluation of antioxidant activity of some tropical fruit peel extracts: extraction conditions optimization of rambutan peel extract. *ARPN J Eng Appl Sci*, 11(3), 1623-31.
- Khamsaw, P., Sommano, S., Wongkaew, M., Willats, W., Bakshani, C., Sirilun, S., & Sunanta, P. (2024). Banana Peel (Musa ABB cv. Nam Wa Mali-Ong) as a Source of Value-Adding Components and the Functional Properties of Its Bioactive Ingredients. *Plants*, 13. <https://doi.org/10.3390/plants13050593>.
- Kim, J., & Kim, K. H. (2017). Effects of minimal media vs. complex media on the metabolite profiles of *Escherichia coli* and *Saccharomyces cerevisiae*. *Process Biochemistry*, 57, 64-71. <https://doi.org/10.1016/j.procbio.2017.04.003>
- Kishore, K., & Sahu, A. (2022). Reproductive phenology of jackfruit: a critical dimension of plant function.
- Kumakura, D., Yamaguchi, R., Hara, A., & Nakaoka, S. (2023). Disentangling the growth curve of microbial culture. *Journal of theoretical biology*, 573, 111597. <https://doi.org/10.1016/j.jtbi.2023.111597>
- Lam, H. H., Dinh, T. H., & Dang-Bao, T. (2021). Quantification of total sugars and reducing sugars of dragon fruit-derived sugar-samples by UV-Vis spectrophotometric method. In *IOP Conference Series: Earth and Environmental Science* (Vol. 947, No. 1, p. 012041). IOP Publishing. <https://doi.org/10.1088/1755-1315/947/1/012041>

- Lamuela-Raventós, R. M. (2018). Folin–Ciocalteu method for the measurement of total phenolic content and antioxidant capacity. *Measurement of antioxidant activity & capacity: recent trends and applications*, 107-115. <https://doi.org/10.1002/9781119135388.ch6>
- Larissa, S., Junior, M., Arruda, H. S., & Pereira, G. A. (2026). Integrated Extraction of Carotenoids, Pectin, and Insoluble-Bound Ferulic Acid from Banana Peel. *Processes*, 14(1), 166. <https://doi.org/10.3390/pr14010166>
- Lasunon, P., Phonkerd, N., Tettawong, P., & Sengkhamarn, N. (2022). Total phenolic compound and its antioxidant activity of by-product from pineapple. *Food Research*. [https://doi.org/10.26656/fr.2017.6\(4\).453](https://doi.org/10.26656/fr.2017.6(4).453).
- Lestari, R., Anggraeni, A., & Romdhoni, E. (2020). Keanekaragaman Morfologi Cempedak [Artocarpus Integer (Thunb.) Merr.] Di Kabupaten Bangka Tengah Dan Selatan. *Floribunda*, 6(5), 175-182. <https://doi.org/10.32556/floribunda.v6i5.2020.311>
- Letsiou, S., Pyrovolou, K., Konteles, S., Trapali, M., Krisilia, S., Kokla, V., Apostolaki, A., Founda, V., Houhoula, D., & Batrinou, A. (2024). Exploring the Antifungal Activity of Various Natural Extracts in a Sustainable *Saccharomyces cerevisiae* Model Using Cell Viability, Spot Assay, and Turbidometric Microbial Assays. *Applied Sciences*. <https://doi.org/10.3390/app14051899>.
- Liew, S. S., Ho, W. Y., Yeap, S. K., & Sharifudin, S. A. B. (2018). Phytochemical composition and in vitro antioxidant activities of *Citrus sinensis* peel extracts. *PeerJ*, 6, e5331. <https://doi.org/10.7717/peerj.5331>
- Lopes, A., Azevedo-Silva, J., Carsanba, E., Pintado, M., Oliveira, A. S., Ferreira, C., ... & Oliveira, C. (2023). Peptide extract from spent yeast improves resistance of *Saccharomyces cerevisiae* to oxidative stress. *Applied Microbiology and Biotechnology*, 107(11), 3405-3417. <https://doi.org/10.1007/s00253-023-12514-3>
- Lourenço, S. C., Campos, D. A., Gómez-García, R., Pintado, M., Oliveira, M. C., Santos, D. I., Corrêa-Filho, L. C., Moldão-Martins, M., & Alves, V. D. (2021). Optimization of Natural

- Antioxidants Extraction from Pineapple Peel and Their Stabilization by Spray Drying. *Foods*, 10(6), 1255. <https://doi.org/10.3390/foods10061255>
- Maduwanthi, S. D. T., & Marapana, R. A. U. J. (2019). Induced ripening agents and their effect on fruit quality of banana. *International journal of food science*, 2019(1), 2520179. <https://doi.org/10.1155/2019/2520179>
- Martinez-Morales, F., Alonso-Castro, A. J., Zapata-Morales, J. R., Carranza-Álvarez, C., & Aragon-Martinez, O. H. (2020). Use of standardized units for a correct interpretation of IC50 values obtained from the inhibition of the DPPH radical by natural antioxidants. *Chemical Papers*, 74(10), 3325–3334. <https://doi.org/10.1007/s11696-020-01161-x>
- Mathias, M. G., Kaale, L. D., & Kibazohi, O. (2024). Effect of banana cultivars and ripening stages on bioactive compounds and antioxidant capacity of fresh clear low-viscosity banana juice. *Applied Food Research*, 4(2), 100627. <https://doi.org/10.1016/j.afres.2024.100627>
- MC, M., R, C., NA, A., G, R., GL, B., L, R., G, T., & S, L. (2023). Studies on efficient utilization of fruit peel waste for Bio-Ethanol production. *Journal of Pharmacognosy and Phytochemistry*, 12(1), 141–145. <https://doi.org/10.22271/phyto.2023.v12.i1b.14565>
- Mgeni, S. T., Mero, H. R., Mtashobya, L. A., & Emmanuel, J. K. (2024). The prospect of fruit wastes in bioethanol production: A review. *Heliyon*, 10(19). <https://doi.org/10.1016/j.heliyon.2024.e38776>
- Mihretu, L. D., Gebru, A. G., Mekonnen, K. N., Asgedom, A. G., & Desta, Y. H. (2020). Determination of ethanol in blood using headspace gas chromatography with flameionization detector (HS-GC-FID): Validation of a method. *Cogent Chemistry*, 6(1), 1760187. <https://doi.org/10.1080/23312009.2020.1760187>
- Mishra, S., Prabhakar, B., Kharkar, P. S., & Pethe, A. M. (2022). Banana Peel Waste: An Emerging Cellulosic Material to Extract Nanocrystalline Cellulose. *ACS Omega*, 8(1), 1140–1145. <https://doi.org/10.1021/acsomega.2c06571>

- Moazzen, A., Öztinen, N., Ak-Sakalli, E., & Koşar, M. (2022). Structure-antiradical activity relationships of 25 natural antioxidant phenolic compounds from different classes. *Heliyon*, 8(9), e10467. <https://doi.org/10.1016/j.heliyon.2022.e10467>
- Mohamed, M. A., Jaafar, J., Ismail, A. F., Othman, M. H. D., & Rahman, M. A. (2017). Fourier transform infrared (FTIR) spectroscopy. In *Membrane characterization* (pp. 3-29). elsevier.<https://doi.org/10.1016/B978-0-444-63776-5.00001-2>
- Mohammed, A. H., Mohammed, A. K., Kamar, F. H., Abbas, A. A., & Nechifor, G. (2018). Determination of ethanol in fermented broth bu headspace gas chromatography using capillary column. *Revista de Chimie-Burcharest-Original Edition*, 69(11), 2969-2972.
- Nair, A., & Sarma, S. J. (2021). The impact of carbon and nitrogen catabolite repression in microorganisms. *Microbiological Research*, 251, 126831. <https://doi.org/10.1016/j.micres.2021.126831>
- Naksing, T., Teeka, J., Rattanavichai, W., Pongthai, P., Kaewpa, D., & Areesirisuk, A. (2021). Determination of bioactive compounds, antimicrobial activity, and the phytochemistry of the organic banana peel in Thailand. *Bioscience Journal*, 37, e37024. <https://doi.org/10.14393/bj-v37n0a2021-56306>
- Nirmal, N. P., Khanashyam, A. C., Mundanat, A. S., Shah, K., Babu, K. S., Thorakkattu, P., ... & Pandiselvam, R. (2023). Valorization of fruit waste for bioactive compounds and their applications in the food industry. *Foods*, 12(3), 556. <https://doi.org/10.3390/foods12030556>
- Nitisuk, P., Wanyo, P., Chamsai, T., & Charoenjit, K. (2025). Sustainable valorization of tropical fruit peels for sustainable production of natural antioxidants and functional food ingredients. *Sustainable Food Technology*, 3(4), 1189-1202.<https://doi.org/10.1039/D4FB00371C>
- Nordin, N. L., Sulaiman, R., Bakar, J., & Noranizan, M. A. (2023). Comparison of Phenolic and Volatile Compounds in MD2 Pineapple Peel and Core. *Foods*, 12(11), 2233. <https://doi.org/10.3390/foods12112233>

- Nulhakim, L., Anggo, R. R. F. B., Lukmana, H., Erriana, F., Pratiwi, A. D., & Azizah, P. N. (2019). Pembuatan bioetanol dari kulit nanas oleh *saccharomyces cerevisiae* terimobilisasi dalam butiran alginat. In *Seminar Nasional AVoER XI* (pp. 444-448).
- Nya, E., & Etukudo, O. (2023). Industrial potentials of *saccharomyces cerevisiae*. *Br J Multidiscip Adv Stud*, 4(2), 23-46. <https://doi.org/10.37745/bjmas.2022.0152>
- Okechukwu, Q. N. (2024). Phytochemical and antioxidant composition of crude water extracts of *Chlorella vulgaris* and its effects on *Saccharomyces cerevisiae* growth in an ethanolic medium. *Food Processing: Techniques and Technology*, 298–309. <https://doi.org/10.21603/2074-9414-2024-2-2509>
- Olivares-Marin, I. K., González-Hernández, J. C., Regalado-Gonzalez, C., & Madrigal-Perez, L. A. (2018). *Saccharomyces cerevisiae* exponential growth kinetics in batch culture to analyze respiratory and fermentative metabolism. *Journal of visualized experiments: JoVE*, (139), 58192. <https://doi.org/10.3791/58192>
- Oliveira, R. N., Mancini, M. C., Oliveira, F. C. S. D., Passos, T. M., Quilty, B., Thiré, R. M. D. S. M., & McGuinness, G. B. (2016). FTIR analysis and quantification of phenols and flavonoids of five commercially available plants extracts used in wound healing. *Matéria (Rio de Janeiro)*, 21(03), 767-779. <https://doi.org/10.1590/S1517-707620160003.0072>
- Pangaribuan, R. N., Tambunan, G. A., Martgrita, M. M., & Manurung, A. (2021). Kajian pustaka: potensi kulit buah untuk menghasilkan bioetanol dengan mengkaji kondisi, substrat, dan metode fermentasi. *Journal of Applied Technology and Informatics Indonesia*, 1(1).
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3), 684. <https://doi.org/10.3390/molecules30030684>
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3), 684. <https://doi.org/10.3390/molecules30030684>

- Pathak, P. D., Mandavgane, S. A., & Kulkarni, B. D. (2017). Fruit Peel Waste: Characterization and its Potential Uses. *Current Science*, 113(03), 444. <https://doi.org/10.18520/cs/v113/i03/444-454>
- Pathanibul, P., & Hongkulsup, C. (2021). Production of succinic acid from pineapple peel waste. <https://doi.org/10.21203/rs.3.rs-474844/v1>
- Paz-Arteaga, S. L., Ascacio-Valdés, J. A., Aguilar, C. N., Cadena-Chamorro, E., Serna-Cock, L., Aguilar-González, M. A., ... & Torres-León, C. (2023). Bioprocessing of pineapple waste for sustainable production of bioactive compounds using solid-state fermentation. *Innovative Food Science & Emerging Technologies*, 85, 103313. <https://doi.org/10.1016/j.ifset.2023.103313>
- Pereira, P. H. F., Arantes, V., Pereira, B., Ornaghi, H. L., de Oliveira, D. M., Santagneli, S. H., & Cioffi, M. O. H. (2022). Effect of the chemical treatment sequence on pineapple peel fiber: chemical composition and thermal degradation behavior. *Cellulose*, 29(16), 8587–8598. <https://doi.org/10.1007/s10570-022-04806-0>
- Putri, D. N., Kusno, E., Santoso, E. N., Hikmah, F., Putri, D. A., & Lestari, O. I. (2017). Pemanfaatan Kulit Sukun (*Artocarpus Altilis*) Sebagai Bahan Alternatif Pembuatan Sirup Glukosa. *Jurnal Teknologi Pertanian*, 18(2), 83-90. <https://doi.org/10.21776/ub.jtp.2017.018.02.09>
- Rahmi, A., Hardi, N., & Hevira, L. (2021). Aktivitas antioksidan ekstrak kulit pisang kepok, pisang mas dan pisang nangka menggunakan metode DPPH. *Jurnal Ilmu Farmasi dan Farmasi Klinik*, 18(2), 77-84. <https://doi.org/10.31942/jiffk.v18i2.5961>
- Râpă, M., Darie-Niță, R. N., & Coman, G. (2024, July). Valorization of fruit and vegetable waste into sustainable and value-added materials. In *Waste* (Vol. 2, No. 3, pp. 258-278). MDPI. <https://doi.org/10.3390/waste2030015>
- Ratiu, I. A., Ligor, T., Bocos-Bintintan, V., Al-Suod, H., Kowalkowski, T., Rafińska, K., & Buszewski, B. (2017). The effect of growth medium on an *Escherichia coli* pathway mirrored into GC/MS profiles. *Journal of breath research*, 11(3), 036012. <https://doi.org/10.1088/1752-7163/aa7ba2>

- Reihani, S. F. S., Ramli, S., Alkharkhi, A. F. M., & Azhar, M. E. (2012). Total phenolics, flavonoids and antioxidant activity of banana pulp and peel flours: Influence of variety and stage of ripeness. *International Food Research Journal*, 19(3), 1041–1046. https://www.researchgate.net/publication/288787685_Total_phenolics_flavonoids_and_antioxidant_activity_of_banana_pulp_and_peel_flours_Influence_of_variety_and_stage_of_ripeness
- Sah, B. N. P., Vasiljevic, T., McKechnie, S., & Donkor, O. N. (2016). Effect of pineapple waste powder on probiotic growth, antioxidant and antimutagenic activities of yogurt. *Journal of food science and technology*, 53(3), 1698-1708. <https://doi.org/10.1007/s13197-015-2100-0>
- Salafia, F., Ferracane, A., & Tropea, A. (2022). Pineapple Waste Cell Wall Sugar Fermentation by *Saccharomyces cerevisiae* for Second Generation Bioethanol Production. *Fermentation*. <https://doi.org/10.3390/fermentation8030100>.
- Sameed, N., Ahsan, S., Atif Liaqat, Farooq, M. A., Dughaim Al-Ahmari, Matteo Bordiga, & Tawfiq Alsulami. (2026). Phytochemical Profiling and Characterization of Honeydew, Cantaloupe, and Galia Melon Peel Extracts for Potential Prebiotic Activities. *Food Science & Nutrition*, 14(3), e71594–e71594. <https://doi.org/10.1002/fsn3.71594>
- Samoh .F. Teghtegh, Ikyenge .B. Aloo, Agbidye G. Isaac, & Teghtegh V. Nguemo. (2025). GC-MS Profile and Antibacterial Evaluation of the Ethanolic Extracts of Banana and Sweet Potato Peels. *ChemClass Journal*, 9(2), 660–671. <https://doi.org/10.33003/chemclass-2025-0902/187>
- Santos, D. I., Neiva, J., Maria Margarida Mateus, Saraiva, J. A., Vicente, A. A., & Margarida Moldão. (2019). Fourier Transform Infrared (FT-IR) Spectroscopy as a Possible Rapid Tool to Evaluate Abiotic Stress Effects on Pineapple By-Products. *Applied Sciences*, 9(19), 4141–4141. <https://doi.org/10.3390/app9194141>
- Saraswaty, V., Risdian, C., Primadona, I., Andriyani, R., Andayani, D. G. S., & Mozef, T. (2017, March). Pineapple peel wastes as a potential source of antioxidant compounds. In *IOP conference*

- series: earth and environmental science* (Vol. 60, No. 1, p. 012013). IOP Publishing. <https://doi.org/10.1088/1755-1315/60/1/012013>
- Sarkar, D., Poddar, K., Maity, S., Bajirao Patil, P., & Sarkar, A. (2023). Influence of antinutrients on bacterial growth and bioethanol production by *Klebsiella* sp. SWET4 through direct fermentation of fruit wastes: a novel perspective for substrate selection. *BioEnergy Research*, 16(1), 191-202. <https://doi.org/10.1007/s12155-022-10469-3>
- Sarker, A., Ahmmed, R., Ahsan, S. M., Rana, J., Ghosh, M. K., & Nandi, R. (2024). A comprehensive review of food waste valorization for the sustainable management of global food waste. *Sustainable Food Technology*, 2(1), 48-69. <https://doi.org/10.1039/D3FB00156C>
- Savitri, E. S., Rahmah, A., & Daryono, R. N. H. (2024, February). Screening and characterization of potential bioethanol production yeast from tropical fruits. In *IOP Conference Series: Earth and Environmental Science* (Vol. 1312, No. 1, p. 012037). IOP Publishing. <https://doi.org/10.1088/1755-1315/1312/1/012037>
- Shraim, A. M., Ahmed, T. A., Rahman, M. M., & Hijji, Y. M. (2021). Determination of total flavonoid content by aluminum chloride assay: A critical evaluation. *Lwt*, 150, 111932. <https://doi.org/10.1016/j.lwt.2021.111932>
- SIPSN - Sistem Informasi Pengelolaan Sampah Nasional. (2025).
- Siriamornpun, S., & Kaewseejan, N. (2017). Quality, bioactive compounds and antioxidant capacity of selected climacteric fruits with relation to their maturity. *Scientia Horticulturae*, 221, 33–42. <https://doi.org/10.1016/j.scienta.2017.04.020>
- Sofyan, K. C. T., Anjaini, J., Pramono, T. B., & Setiyaningsih, L. (2025). Effect of Different Molasses Doses in Bacterial Growth (Commercial Probiotics). *Journal of Aquaculture Science*, 10(1), 9-16. <https://doi.org/10.20473/joas.v10i1.59598>
- Souza, B. C. D., Bossardi, F. F., Furlan, G. R., Folle, A. B., Reginatto, C., Polidoro, T. A., ... & Malvessi, E. (2021). Validated high-performance liquid chromatographic (HPLC) method for the simultaneous quantification of 2, 3-butanediol, glycerol, acetoin, ethanol, and phosphate in

- microbial cultivations. *Analytical Letters*, 54(15), 2395-2410.
<https://doi.org/10.1080/00032719.2020.1869754>
- Suleria, H. A., Barrow, C. J., & Dunshea, F. R. (2020). Screening and characterization of phenolic compounds and their antioxidant capacity in different fruit peels. *Foods*, 9(9), 1206.
<https://doi.org/10.3390/foods9091206>
- Syahputra, A., Halimatussakdiah, H., & Amna, U. (2024). Testing antioxidant activity of pineapple (Ananas Comossus merr.) rinds using uv-vis spectrophotometry method. *Journal of Carbazon*, 2(1), 22-30. <https://doi.org/10.24815/jocarbazon.v21i.37830>
- T Garrison, A., & W Huigens III, R. (2017). Eradicating bacterial biofilms with natural products and their inspired analogues that operate through unique mechanisms. *Current topics in medicinal chemistry*, 17(17), 1954-1964.
- Thakur, K., & Kumar, S. (2017). Fruit maturity and ripening. *Fruit Science: Culture and Technology*, 358-373.
- Torres-Alvarez, D., León-Buitimea, A., Albalade-Ramírez, A., Rivas-García, P., Hernández-Núñez, E., & Morones-Ramírez, J. R. (2022). Conversion of banana peel into diverse valuable metabolites using an autochthonous *Rhodotorula mucilaginosa* strain. *Microbial Cell Factories*, 21(1).
<https://doi.org/10.1186/s12934-022-01834-0>
- Tseng, Y. S., Patel, A. K., Chen, C. W., Dong, C. D., & Singhania, R. R. (2023). Improved production of bacterial cellulose by *Komagataeibacter europaeus* employing fruit extract as carbon source. *Journal of Food Science and Technology*, 60(3), 1054-1064.
<https://doi.org/10.1007/s13197-022-05451-y>
- Tungmunthum, D.; Drouet, S.; Hano, C. Flavonoids from Sacred Lotus Stamen Extract Slows Chronological Aging in Yeast Model by Reducing Oxidative Stress and Maintaining Cellular Metabolism. *Cells* 2022, 11, 599. <https://doi.org/10.3390/cells11040599>
- UNEP. (2024). *Food Waste Index Report 2024*. UNEP - UN Environment Programme.

- Vallejo, M. G., Cordeiro, R., Dias, P., Moura, C. P., Henriques, M., Seabra, I. J., Cândida Malça, & Morouço, P. (2021). Recovery and evaluation of cellulose from agroindustrial residues of corn, grape, pomegranate, strawberry-tree fruit and fava. 8(1). <https://doi.org/10.1186/s40643-021-00377-3>
- Vo, T. P., Nguyen, N. T. U., Le, V. H., Phan, T. H., Nguyen, T. H. Y., & Nguyen, D. Q. (2023). Optimizing ultrasonic-assisted and microwave-assisted extraction processes to recover phenolics and flavonoids from passion fruit peels. *ACS omega*, 8(37), 33870-33882. <https://doi.org/10.1021/acsomega.3c04550>
- Wang, X., He, X., & Wang, X. (2023). FTIR Analysis of the Functional Group Composition of Coal Tar Residue Extracts and Extractive Residues. *Applied Sciences*, 13(8), 5162–5162. <https://doi.org/10.3390/app13085162>
- Woo, H., Kim, Y., Kim, D., & Yoon, S. H. (2024). Machine learning identifies key metabolic reactions in bacterial growth on different carbon sources. *Molecular Systems Biology*, 20(3), 170. <https://doi.org/10.1038/s44320-024-00017-w>
- Yuliani, H. E., Ningrum, S. A., Ulfah, A. N., Amin, H. N., Sari, G. M., Dewi, E. R. S., & Nurwahyunani, A. (2023). Utilization of Pineapple Waste As a Raw Material for Bioethanol. *International Journal of Humanities, Social Sciences and Business (INJOSS)*, 2(2), 250-261.
- Yun, Z., Li, T., Gao, H., Zhu, H., Gupta, V. K., Jiang, Y., & Duan, X. (2019). Integrated Transcriptomic, Proteomic, and Metabolomics Analysis Reveals Peel Ripening of Harvested Banana under Natural Condition. *Biomolecules*, 9(5). <https://doi.org/10.3390/biom9050167>
- Yunusa, A. K., Abdullahi, N., Rilwan, A., Abdulkadir, A. R., & Dandago, M. A. (2018). DPPH RADICAL SCAVENGING ACTIVITY AND TOTAL PHENOLIC CONTENT OF RAMBUTAN (*Nephelium lappaceum*) PEEL AND SEED. *Annals: Food Science & Technology*, 19(4).
- Zahid, H. F., Ranadheera, C. S., Fang, Z., & Ajlouni, S. (2021). Utilization of mango, apple and banana fruit peels as prebiotics and functional ingredients. *Agriculture*, 11(7), 584. <https://doi.org/10.3390/agriculture11070584>

- Zahoor, S., Anwar, F., Mehmood, T., Sultana, B., & Qadir, R. (2016). Variation in antioxidant attributes and individual phenolics of citrus fruit peels in relation to different species and extraction solvents. *Journal of the Chilean Chemical Society*, 61(2), 2884-2889.
- Zaini, H. M., Roslan, J., Saallah, S., Munsu, E., Sulaiman, N. S., & Pindi, W. (2022). Banana peels as a bioactive ingredient and its potential application in the food industry. *Journal of functional Foods*, 92, 105054. <https://doi.org/10.1016/j.jff.2022.105054>
- Zhang, J.; Wang, Y.; Yang, B.; Li, Y.; Liu, L.; Zhou, W.; Zheng, S.-J. Profiling of Phenolic Compounds of Fruit Peels of Different Ecotype Bananas Derived from Domestic and Imported Cultivars with Different Maturity. *Horticulturae* 2022, 8, 70. <https://doi.org/10.3390/horticulturae8010070>