

REFERENCES

- Ahmad, B., Serpell, C. J., Fong, I. L., & Wong, E. H. (2020). Molecular mechanisms of adipogenesis: The anti-adipogenic role of amp-activated protein kinase. *Frontiers in Molecular Biosciences*, 7. <https://doi.org/10.3389/fmolb.2020.00076>
- Ahmed, S. K., & Mohammed, R. A. (2025). Obesity: Prevalence, causes, consequences, management, preventive strategies and future research directions. *Metabolism Open*, 27, 100375. <https://doi.org/10.1016/j.metop.2025.100375>
- Ambele, M. A., Dhanraj, P., Giles, R., & Pepper, M. S. (2020). Adipogenesis: A complex interplay of multiple molecular determinants and pathways. *International Journal of Molecular Sciences*, 21(12), 4283. <https://doi.org/10.3390/ijms21124283>
- Ando, Y., Sato, F., Fukunaga, H., Iwasaki, Y., Chiba, Y., Tebakari, M., Daigo, Y., Kawashima, J., & Kamei, J. (2019). Placental extract suppresses differentiation of 3T3-L1 preadipocytes to mature adipocytes via accelerated activation of p38 MAPK during the early phase of adipogenesis. *Nutrition & Metabolism*, 16(1). <https://doi.org/10.1186/s12986-019-0361-8>
- Anggela, A., Harmayani, E., Setyaningsih, W., & Wichienchot, S. (2022). Prebiotic effect of porang oligo-glucomannan using fecal batch culture fermentation. *Food Science and Technology*, 42. <https://doi.org/10.1590/fst.06321>
- Aslantürk, Ö. S. (2018). In vitro cytotoxicity and cell viability assays: Principles, advantages, and disadvantages [Review of *In Vitro Cytotoxicity and Cell Viability Assays: Principles, Advantages, and Disadvantages*]. *Genotoxicity - A Predictable Risk to Our Actual World*. <https://doi.org/10.5772/intechopen.71923>
- Azhar, B., Gunawan, S., Setyadi, E. R. F., Majidah, L., Taufany, F., Atmaja, L., & Aparamarta, H. W. (2023). Purification and separation of glucomannan from porang tuber flour (*amorphophallus muelleri*) using microwave assisted extraction as an innovative gelatine substituent. *Heliyon*, 9(11), e21972. <https://doi.org/10.1016/j.heliyon.2023.e21972>

- Behera, S. S., & Ray, R. C. (2016). Konjac glucomannan, a promising polysaccharide of amorphophallus konjac K. koch in health care. *International Journal of Biological Macromolecules*, 92, 942–956. <https://doi.org/10.1016/j.ijbiomac.2016.07.098>
- Bharati, S., Anjaly, K., Thoidingjam, S., Tikku, A., & Bhan Tikku, A. (2022). Oil Red O based method for exosome labelling and detection. *Biochemical and Biophysical Research Communications*, 611, 179–182. <https://doi.org/10.1016/j.bbrc.2022.04.087>
- Busron, B., Wicaksono, A., Efendi, M. I., Nalita, D., Mawarni, S. A. I., Prasanty, A., Hidayat, B., Saputri, I. W., Piluharto, B., Indarti, D., & Anwar, C. (2022). Preparation and characterization of novel pan/glucomannan composite: Study of conductivity. *International Journal of Advanced Research*, 10(12), 299–309. <https://doi.org/10.21474/ijar01/15840>
- Cabrera, M. N., Rossi, A., Guarino, J. I., Felissia, F. E., & Area, M. C. (2025). Alkaline extraction and ethanol precipitation of high-molecular-weight xylan compounds from eucalyptus residues. *Polymers*, 17(12), 1589–1589. <https://doi.org/10.3390/polym17121589>
- Cave, E., & Crowther, N. J. (2018). The use of 3T3-L1 murine preadipocytes as a model of adipogenesis. *Methods in Molecular Biology*, 263–272. https://doi.org/10.1007/978-1-4939-8994-2_25
- Chamchoy, K., Pakotiprapha, D., Pumirat, P., Leartsakulpanich, U., & Boonyuen, U. (2019). Application of WST-8 based colorimetric NAD(P)H detection for quantitative dehydrogenase assays. *BMC Biochemistry*, 20(1). <https://doi.org/10.1186/s12858-019-0108-1>
- Chen, J., Zhang, M., Yang, Y., Peng, H., Zhang, J., Shou, Y., Tang, Y., Du, X., Guo, C., & Wang, X. (2025). A novel glucomannan from *dendrobium officinale* inhibits obesity and improves insulin sensitivity through regulating adipogenesis and lipid metabolism. *Journal of Agricultural and Food Chemistry*, 73(43), 27751–27770. <https://doi.org/10.1021/acs.jafc.5c11087>
- Chen, X., Wang, Y., Shen, M., Yu, Q., Chen, Y., Huang, L., & Xie, J. (2021). The water-soluble non-starch polysaccharides from natural resources against excessive oxidative stress: A potential

- health-promoting effect and its mechanisms. *International Journal of Biological Macromolecules*, 171, 320–330. <https://doi.org/10.1016/j.ijbiomac.2021.01.022>
- Choi, Y. R., Kim, Y.-S., & Kim, M. J. (2024). Cinnamyl alcohol attenuates adipogenesis in 3T3-L1 cells by arresting the cell cycle. *International Journal of Molecular Sciences*, 25(2), 693–693. <https://doi.org/10.3390/ijms25020693>
- Christofides, A., Konstantinidou, E., Jani, C., & Boussiotis, V. A. (2021). The role of peroxisome proliferator-activated receptors (PPAR) in immune responses. *Metabolism*, 114, 154338. <https://doi.org/10.1016/j.metabol.2020.154338>
- Chua, M., Chan, K., Hocking, T. J., Williams, P. A., Perry, C. J., & Baldwin, T. C. (2012). Methodologies for the extraction and analysis of konjac glucomannan from corms of *amorphophallus konjac* K. koch. *Carbohydrate Polymers*, 87(3), 2202–2210. <https://doi.org/10.1016/j.carbpol.2011.10.053>
- Deshavath, N. N., Mukherjee, G., Goud, V. V., Veeranki, V. D., & Sastri, C. V. (2020). Pitfalls in the 3, 5-dinitrosalicylic acid (DNS) assay for the reducing sugars: Interference of furfural and 5-hydroxymethylfurfural. *International Journal of Biological Macromolecules*, 156, 180–185. <https://doi.org/10.1016/j.ijbiomac.2020.04.045>
- Du, J., Zhao, L., Kang, Q., He, Y., & Bi, Y. (2023). An optimized method for Oil Red O staining with the salicylic acid ethanol solution. *Adipocyte*, 12(1). <https://doi.org/10.1080/21623945.2023.2179334>
- Enayati, A., Ghoghnejad, M., Roufogalis, B. D., Maollem, S. A., & Sahebkar, A. (2022). Impact of phytochemicals on PPAR receptors: Implications for disease treatments. *PPAR Research*, 2022, 1–43. <https://doi.org/10.1155/2022/4714914>
- Felix da Silva, D., Ogawa, C. Y. L., Sato, F., Neto, A. M., Larsen, F. H., & Matumoto-Pintro, P. T. (2019). Chemical and physical characterization of Konjac glucomannan-based powders by FTIR and ¹³C MAS NMR. *Powder Technology*. <https://doi.org/10.1016/j.powtec.2019.11.071>

- Gong, Y., Chen, X., & Wu, W. (2024). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Sample Preparation: Material Characterization and Mechanism Investigation. *Advances in Sample Preparation*, 11, 100122–100122. <https://doi.org/10.1016/j.sampre.2024.100122>
- Gordon, J., Brown, M., & Reynolds, M. (2018). Cell-Based methods for determination of efficacy for candidate therapeutics in the clinical management of cancer. *Diseases*, 6(4), 85. <https://doi.org/10.3390/diseases6040085>
- Guo, L., Li, X., & Tang, Q.-Q. (2014). Transcriptional regulation of adipocyte differentiation: A central role for ccaat/enhancer-binding protein (C/EBP) β . *Journal of Biological Chemistry*, 290(2), 755–761. <https://doi.org/10.1074/jbc.r114.619957>
- Gurusmatika, S., Nishi, K., Harmayani, E., Pranoto, Y., & Sugahara, T. (2017). Immunomodulatory activity of octenyl succinic anhydride modified porang (amorphophallus oncophyllus) glucomannan on mouse macrophage-like J774.1 cells and mouse primary peritoneal macrophages. *Molecules*, 22(7), 1187. <https://doi.org/10.3390/molecules22071187>
- Han, L., Shen, W.-J., Bittner, S., Kraemer, F. B., & Azhar, S. (2017). PPARs: regulators of metabolism and as therapeutic targets in cardiovascular disease. Part II: PPAR- β/δ and PPAR- γ . *Future Cardiology*, 13(3), 279–296. <https://doi.org/10.2217/fca-2017-0019>
- Harjadi, K. R., Ishida, M., Nishi, K., Sugahara, T., & Putra, A. B. N. (2022). Water and ethanol extracts of tamarind (tamarindus indica) suppress lipid accumulation in 3T3-L1 cells. *Canrea Journal: Food Technology, Nutritions, and Culinary Journal*, 1–11. <https://doi.org/10.20956/canrea.v5i1.630>
- He, Y., Li, Y., Zhao, T., Wang, Y., & Sun, C. (2013). Ursolic acid inhibits adipogenesis in 3T3-L1 adipocytes through LKB1/AMPK pathway. *PLoS ONE*, 8(7), e70135. <https://doi.org/10.1371/journal.pone.0070135>
- Hirose, Y., Kurimoto, M., Yuda, N., & Tanaka, M. (2024). Identification of whey protein-derived anti-obesity peptides through 3t3-l1 adipocyte differentiation assay. *Food Science & Nutrition*, 12(11), 9641–9650. <https://doi.org/10.1002/fsn3.4529>

- Hong, T., Yin, J.-Y., Nie, S.-P., & Xie, M.-Y. (2021). Applications of infrared spectroscopy in polysaccharide structural analysis: Progress, challenge and perspective. *Food Chemistry: X*, 12, 100168. <https://doi.org/10.1016/j.fochx.2021.100168>
- Horwitz, A., & Birk, R. (2023). Adipose tissue hyperplasia and hypertrophy in common and syndromic obesity—the case of BBS obesity. *Nutrients*, 15(15), 3445. <https://doi.org/10.3390/nu15153445>
- Hou, X., Lv, S., Chen, Z., & Xiao, F. (2018). Applications of Fourier transform infrared spectroscopy technologies on asphalt materials. *Measurement*, 121, 304–316. <https://doi.org/10.1016/j.measurement.2018.03.001>
- Huang, X.-J., Ai, C., Yao, H., Zhao, C., Xiang, C., Hong, T., & Xiao, J. (2022). Guideline for the extraction, isolation, purification, and structural characterization of polysaccharides from natural resources. *EFood*, 3(6). <https://doi.org/10.1002/efd2.37>
- Ji, S. B., & Ra, C. H. (2023). Effect of solid-state fermented brown rice extracts on 3T3-L1 adipocyte differentiation. *Journal of Microbiology and Biotechnology*, 33(7), 926–933. <https://doi.org/10.4014/jmb.2301.01041>
- Jian, X., Jian, S., & Deng, B. (2024). Konjac glucomannan: A functional food additive for preventing metabolic syndrome. *Journal of Functional Foods*, 115, 106108–106108. <https://doi.org/10.1016/j.jff.2024.106108>
- Jiang, M., Li, H., Shi, J., & Xu, Z. (2018). Depolymerized konjac glucomannan: Preparation and application in health care. *Journal of Zhejiang University-SCIENCE B*, 19(7), 505–514. <https://doi.org/10.1631/jzus.b1700310>
- Jiang, T., Shi, X., Yan, Z., Wang, X., & Gun, S. (2019). Isoimperatorin enhances 3T3-L1 preadipocyte differentiation by regulating ppar γ and c/ebp α through the akt signaling pathway. *Experimental and Therapeutic Medicine*, 16(3). <https://doi.org/10.3892/etm.2019.7820>

- Kaczmarek, I., Suchý, T., Strnadová, M., & Thor, D. (2024). Qualitative and quantitative analysis of lipid droplets in mature 3T3-L1 adipocytes using oil red O. *STAR Protocols*, 5(2), 102977. <https://doi.org/10.1016/j.xpro.2024.102977>
- Kaczmarek-Szczepańska, B., Zasada, L., D'Amora, U., Pałubicka, A., Michno, A., Ronowska, A., & Marcin Wekwejt. (2024). Bioactivation of konjac glucomannan films by tannic acid and gluconolactone addition. *ACS Applied Materials & Interfaces*, 16(35), 46102–46112. <https://doi.org/10.1021/acsami.4c09909>
- Kamiloglu, S., Sari, G., Ozdal, T., & Capanoglu, E. (2020). Guidelines for cell viability assays. *Food Frontiers*, 1(3), 332–349. <https://doi.org/10.1002/fft2.44>
- Kanda, K., Nishi, K., Kadota, A., Nishimoto, S., Liu, M.-C., & Sugahara, T. (2012). Nobiletin suppresses adipocyte differentiation of 3T3-L1 cells by an insulin and IBMX mixture induction. *Biochimica et Biophysica Acta (BBA) - General Subjects*, 1820(4), 461–468. <https://doi.org/10.1016/j.bbagen.2011.11.015>
- Kapoor, D. U., Sharma, H., Maheshwari, R., Pareek, A., Gaur, M., Prajapati, B. G., Castro, G. R., Thanawuth, K., Suttiruengwong, S., & Sriamornsak, P. (2024). Konjac glucomannan: A comprehensive review of its extraction, health benefits, and pharmaceutical applications. *Carbohydrate Polymers*, 122266–122266. <https://doi.org/10.1016/j.carbpol.2024.122266>
- Kesharwani, D., & Brown, A. C. (2024). Navigating the adipocyte precursor niche: Cell-Cell interactions, regulatory mechanisms and implications for adipose tissue homeostasis. *Journal of Cellular Signaling*, 5(2), 65–86. <https://doi.org/10.33696/signaling.5.114>
- Kim, H.-Y., Jang, H.-J., Muthamil, S., Shin, U. C., Lyu, J.-H., Kim, S.-W., Go, Y., Park, S.-H., Lee, H. G., & Park, J. H. (2024). Novel insights into regulators and functional modulators of adipogenesis. *Biomedicine & Pharmacotherapy*, 177, 117073. <https://doi.org/10.1016/j.biopha.2024.117073>

- Kim, I. S., Silwal, P., & Jo, E.-K. (2023). Peroxisome proliferator-activated receptor-targeted therapies: Challenges upon infectious diseases. *Cells*, 12(4), 650–650. <https://doi.org/10.3390/cells12040650>
- Kurzyna-Szklarek, M., Cybulska, J., & Zdunek, A. (2022). Analysis of the chemical composition of natural carbohydrates – an overview of methods. *Food Chemistry*, 394, 133466. <https://doi.org/10.1016/j.foodchem.2022.133466>
- Kusema, B. T., Tönnov, T., Mäki-Arvela, P., Salmi, T., Willför, S., Holmbom, B., & Murzin, D. Yu. (2013). Acid hydrolysis of O-acetyl-galactoglucomannan. *Catal. Sci. Technol.*, 3(1), 116–122. <https://doi.org/10.1039/c2cy20314f>
- Latifah, M., Pranoto, Y., & Harmayani, E. (2026). *Prebiotic activity score of rice analogue containing porang (Amorphophallus onchophyllus) glucomannan for bifidobacterium longum FNCC 0210 and lactobacillus acidophilus FNCC 0051*. <https://doi.org/10.22146/ifnp.%2072416>
- Lee, J., Kim, B.-R., Park, K., Kim, E., Jeong, J.-W., Kim, J. J., Suh, S.-S., & Seo, J. B. (2025). *Zanthoxylum schinifolium* extracts enhance 3T3-L1 adipocyte differentiation via CHOP inhibition and ppar γ activation. *Animal Cells and Systems*, 29(1), 469–487. <https://doi.org/10.1080/19768354.2025.2536022>
- Lee, J.-E., Cho, Y.-W., Deng, C.-X., & Ge, K. (2020). MLL3/MLL4-Associated PAGR1 regulates adipogenesis by controlling induction of c/ebp β and c/ebp δ . *Molecular and Cellular Biology*, 40(17), e00209-20. <https://doi.org/10.1128/MCB.00209-20>
- Li, X., Zeng, S., Chen, L., Zhang, Y., Li, X., Zhang, B., Su, D., Du, Q., Zhang, J., Wang, H., Zhong, Z., Zhang, J., Li, P., Jiang, A., Long, K., Li, M., & Ge, L. (2023). An intronic enhancer of *Cebpa* regulates adipocyte differentiation and adipose tissue development via long-range loop formation. *Cell Proliferation*, 53(3). <https://doi.org/10.1111/cpr.13552>
- Li, X., Zhu, R., Liu, Q., Sun, H., Sheng, H., & Zhu, L. (2024). Effects of traditional Chinese medicine polysaccharides on chronic diseases by modulating gut microbiota: A review. *International*

- Journal of Biological Macromolecules*, 282(Pt 2), 136691–136691.
<https://doi.org/10.1016/j.ijbiomac.2024.136691>
- Lin, W., Ni, Y., Wang, L., Liu, D., Wu, C., & Pang, J. (2019). Physicochemical properties of degraded konjac glucomannan prepared by laser assisted with hydrogen peroxide. *International Journal of Biological Macromolecules*, 129, 78–83. <https://doi.org/10.1016/j.ijbiomac.2019.02.035>
- Liu, S.-S., Fang, X., Wen, X., Liu, J.-S., Alip, M., Sun, T., Wang, Y.-Y., & Chen, H.-W. (2024). How mesenchymal stem cells transform into adipocytes: Overview of the current understanding of adipogenic differentiation. *World Journal of Stem Cells*, 16(3), 245–256. <https://doi.org/10.4252/wjsc.v16.i3.245>
- Liu, Y., Chen, Q., Fang, F., Liu, J., Wang, Z., Chen, H., & Zhang, F. (2021). The influence of konjac glucomannan on the physicochemical and rheological properties and microstructure of canna starch. *Foods*, 10(2), 422. <https://doi.org/10.3390/foods10020422>
- Lu, X., Han, L., & Deng, Y. (2025). Structural characterization and protective effects of polysaccharides isolated from berberis dasystachya M. fruits on h₂O₂-induced oxidative damage in rinm5f pancreatic β -cells. *Frontiers in Nutrition*, 12. <https://doi.org/10.3389/fnut.2025.1643051>
- Madsen, M. S., Siersbæk, R., Boergesen, M., Nielsen, R., & Mandrup, S. (2014). Peroxisome proliferator-activated receptor γ and c/ebp α synergistically activate key metabolic adipocyte genes by assisted loading. *Molecular and Cellular Biology*, 34(6), 939–954. <https://doi.org/10.1128/mcb.01344-13>
- Manuel, A. M., Walla, M. D., Dorn, M. T., Tanis, R. M., Piroli, G. G., & Frizzell, N. (2020). Fumarate and oxidative stress synergize to promote stability of C/EBP homologous protein in the adipocyte. *Free Radical Biology and Medicine*, 148, 70–82. <https://doi.org/10.1016/j.freeradbiomed.2019.12.037>
- Merrett, J. E., Bo, T., Psaltis, P. J., & Proud, C. G. (2020). Identification of DNA response elements regulating expression of ccaat/enhancer-binding protein (C/EBP) β and δ and MAP

- kinase-interacting kinases during early adipogenesis. *Adipocyte*, 9(1), 427–442.
<https://doi.org/10.1080/21623945.2020.1796361>
- Młynarska, E., Bojdo, K., Bulicz, A., Frankenstein, H., Gąsior, M., Kustosik, N., Rysz, J., & Franczyk, B. (2025). Obesity as a multifactorial chronic disease: Molecular mechanisms, systemic impact, and emerging digital interventions. *Current Issues in Molecular Biology*, 47(10), 787–787.
<https://doi.org/10.3390/cimb47100787>
- Moreno-Navarrete, J. M., Petrov, P., Serrano, M., Ortega, F., García-Ruiz, E., Oliver, P., Ribot, J., Ricart, W., Palou, A., Bonet, M. L., & Fernández-Real, J. M. (2013). Decreased RB1 mRNA, protein, and activity reflect obesity-induced altered adipogenic capacity in human adipose tissue. *Diabetes*, 62(6), 1923–1931. <https://doi.org/10.2337/db12-0977>
- Moseti, D., Regassa, A., & Kim, W.-K. (2016). Molecular regulation of adipogenesis and potential anti-adipogenic bioactive molecules. *International Journal of Molecular Sciences*, 17(1), 124.
<https://doi.org/10.3390/ijms17010124>
- Nandiyanto, A. B. D., Ragadhita, R., & Fiandini, M. (2022). Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. *Indonesian Journal of Science and Technology*, 8(1), 113–126.
<https://doi.org/10.17509/ijost.v8i1.53297>
- Nishi, K., Ito, T., Kadota, A., Ishida, M., Nishiwaki, H., Fukuda, N., Kanamoto, N., Nagata, Y., & Sugahara, T. (2021). Aqueous extract from leaves of citrus unshiu attenuates lipopolysaccharide-induced inflammatory responses in a mouse model of systemic inflammation. *Plants*, 10(8), 1708. <https://doi.org/10.3390/plants10081708>
- Nunn, E. R., Shinde, A. B., & Zaganjor, E. (2022). Weighing in on adipogenesis. *Frontiers in Physiology*, 13. <https://doi.org/10.3389/fphys.2022.821278>
- Nurlela, N., Andriani, D., & Arizal, R. (2020). Ekstraksi glucomannan dari tepung porang (*Amorphophallus muelleri* blume) dengan etanol. *Jurnal Sains Dan Terapan Kimia*, 14(2), 88.
<https://doi.org/10.20527/jstk.v14i2.8330>

- Nurlela, N., Ariesta, N., Laksono, D. S., Santosa, E., & Muhandri, T. (2021). Characterization of glucomannan extracted from fresh porang tubers using ethanol technical grade. *Molekul*, 16(1). <http://dx.doi.org/10.20884/1.jm.2021.16.1.632>
- Odeniyi, I. A., Ahmed, B., Anbiah, B., Hester, G., Abraham, P. T., Lipke, E. A., & Greene, M. W. (2024). An improved *in vitro* 3T3-L1 adipocyte model of inflammation and insulin resistance. *Adipocyte*, 13(1). <https://doi.org/10.1080/21623945.2024.2414919>
- Orçati, M. Z., de Moraes, M. A., & Beppu, M. M. (2026). Unraveling sterilization effects on konjac glucomannan: Insights into a natural biopolymer for biomedical applications. *ACS Omega*, 11(4), 6550–6559. <https://doi.org/10.1021/acsomega.5c11597>
- Pareek, A., Sahu, A., Malani, P., Chuturgoon, A., & Pareek, A. (2026). Recent advances in konjac glucomannan-based self-healing hydrogels for effective wound management. *Carbohydrate Polymer Technologies and Applications*, 13, 101106. <https://doi.org/10.1016/j.carpta.2026.101106>
- Preciado-Ortiz, M. E., Martínez-López, E., García-Iglesias, T., Gembe-Olivarez, G., Torres-Castillo, N., Llamas-Covarrubias, I. M., & Rivera-Valdés, J. J. (2024). 10-Gingerol reduces cytoplasmic lipid droplets and induces lipolysis in 3T3-L1 adipocytes. *Adipocyte*, 13(1), 2411453. <https://doi.org/10.1080/21623945.2024.2411453>
- Ramírez-Hernández, A., Aguilar-Flores, C., & Aparicio-Saguilán, A. (2019). Fingerprint analysis of FTIR spectra of polymers containing vinyl acetate. *DYNA*, 86(209), 198–205. <https://doi.org/10.15446/dyna.v86n209.77513>
- Redondo, M., Presa, R., Granja, P. L., Araújo, M., & Sousa, A. (2023). Konjac glucomannan photocrosslinked hydrogels for in vitro 3D cell culture. *Materials Today Chemistry*, 34, 101761. <https://doi.org/10.1016/j.mtchem.2023.101761>
- Richard, A. J., White, U., Elks, C. M., & Stephens, J. M. (2020, April 4). *Adipose Tissue: Physiology to Metabolic Dysfunction*. PubMed; MDText.com, Inc. <https://www.ncbi.nlm.nih.gov/books/NBK555602/>

- Ringseis, R., & Eder, K. (2025). Peroxisome proliferator-activated receptors. *Encyclopedia of Exercise Medicine in Health and Disease*, 1–4. https://doi.org/10.1007/978-3-642-27830-3_161-1
- Riptanti, E. W., Irianto, H., & Mujiyo, N. (2022). Strategy to improve the sustainability of “porang” (*Amorphophallus muelleri* Blume) farming in support of the triple export movement policy in Indonesia. *Open Agriculture*, 7(1), 566–580. <https://doi.org/10.1515/opag-2022-0121>
- Riss, T. L., Moravec, R. A., Niles, A. L., Duellman, S., Benink, H. A., Worzella, T. J., & Minor, L. (2016). *Cell viability assays*. Nih.gov; Eli Lilly & Company and the National Center for Advancing Translational Sciences. <https://www.ncbi.nlm.nih.gov/books/NBK144065/>
- Riss, T., Niles, A., Moravec, R., Karassina, N., & Vidugiriene, J. (2019). *Cytotoxicity assays: In vitro methods to measure dead cells* (G. S. Sittampalam, A. Grossman, K. Brimacombe, M. Arkin, D. Auld, C. P. Austin, J. Baell, B. Bejcek, J. M. M. Caaveiro, T. D. Y. Chung, N. P. Coussens, J. L. Dahlin, V. Devanaryan, T. L. Foley, M. Glicksman, M. D. Hall, J. V. Haas, S. R. J. Hoare, J. Inglese, & P. W. Iversen, Eds.). PubMed; Eli Lilly & Company and the National Center for Advancing Translational Sciences. <https://www.ncbi.nlm.nih.gov/books/NBK540958/>
- Safitri, A. H., Tyagita, N., & Nasihun, T. (2017). Porang glucomannan supplementation improves lipid profile in metabolic syndrome induced rats. *Journal of Natural Remedies*, 17(4), 1–12. <https://doi.org/10.18311/jnr/2017/18125>
- Singh, S., Singh, G., & Arya, S. K. (2018). Mannans: An overview of properties and application in food products. *International Journal of Biological Macromolecules*, 119, 79–95. <https://doi.org/10.1016/j.ijbiomac.2018.07.130>
- Sinha, R. A., Rajak, S., Singh, B. K., & Yen, P. M. (2020). Hepatic lipid catabolism via ppara-lysosomal crosstalk. *International Journal of Molecular Sciences*, 21(7), 2391–2391. <https://doi.org/10.3390/ijms21072391>
- Sun, Y., Xu, X., Zhang, Q., Zhang, D., Xie, X., Zhou, H., Wu, Z., Liu, R., & Pang, J. (2023). Review of konjac glucomannan structure, properties, gelation mechanism, and application in medical biology. *Polymers*, 15(8), 1852. <https://doi.org/10.3390/polym15081852>

- Tena, J., Díaz, E., de Diego, R., & Fueyo, N. (2025). Sample preparation for sugar and melanoidin measurement during the maillard reaction. *Food Chemistry*, 493, 145623. <https://doi.org/10.1016/j.foodchem.2025.145623>
- Tiernan, H., Byrne, B., & Kazarian, S. G. (2020). ATR-FTIR spectroscopy and spectroscopic imaging for the analysis of biopharmaceuticals. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 241, 118636. <https://doi.org/10.1016/j.saa.2020.118636>
- Uhliariková, I., Matulová, M., & Capek, P. (2021). Optimizing acid hydrolysis for monosaccharide compositional analysis of Nostoc cf. linckia acidic exopolysaccharide. *Carbohydrate Research*, 508, 108400. <https://doi.org/10.1016/j.carres.2021.108400>
- Utami, N. N., Lestari, L. A., Nurliyani, N., & Harmayani, E. (2021). Consumption of jelly dessert containing porang (*Amorphophallus oncophyllus*) glucomannan and inulin along with low-calorie diet contributes to glycemic control of obese adults: A randomized clinical trial. *Food Research*, 5(3), 152–162. [https://doi.org/10.26656/fr.2017.5\(3\).461](https://doi.org/10.26656/fr.2017.5(3).461)
- Vingtdeux, V., Chandakkar, P., Zhao, H., Davies, P., & Marambaud, P. (2011). Small-Molecule activators of amp-activated protein kinase (AMPK), RSVA314 and RSVA405, inhibit adipogenesis. *Molecular Medicine*, 17(9-10), 1022–1030. <https://doi.org/10.2119/molmed.2011.00163>
- Vishvanath, L., & Gupta, R. K. (2019). Contribution of adipogenesis to healthy adipose tissue expansion in obesity. *Journal of Clinical Investigation*, 129(10), 4022–4031. <https://doi.org/10.1172/jci129191>
- Wang, Q., Sun, J., Liu, M., Zhou, Y., Zhang, L., & Li, Y. (2021). The new role of amp-activated protein kinase in regulating fat metabolism and energy expenditure in adipose tissue. *Biomolecules*, 11(12), 1757. <https://doi.org/10.3390/biom11121757>
- Wang, Z., Xu, Q., Hou, L., He, Z., Christian, M., & Dai, X. (2025). Food-derived polysaccharides and anti-obesity effects through enhancing adipose thermogenesis: structure-activity relationships, mechanisms, and regulation of gut microecology. *Critical Reviews in Food Science and Nutrition*, 65(33), 8425–8446. <https://doi.org/10.1080/10408398.2025.2500675>

- Wardani, N. E., Subaidah, W. A., & Muliasari, H. (2021). Ekstraksi dan penetapan kadar glukomanan dari umbi porang (*amorphophallus muelleri blume*) menggunakan metode DNS. *Jurnal Sains Dan Kesehatan*, 3(3), 383–391. <https://jsk.ff.unmul.ac.id/index.php/JSK/article/view/200>
- Widjanarko, S. B., Jamil, S. N. A., Ni'maturohmah, E., & Putri, W. D. R. (2023). The potential of porang (*amorphophallus muelleri blume*) flour and porang flour formulation as an anti-diabetes type-2 agent. *HAYATI Journal of Biosciences*, 30(5), 855–863. <https://doi.org/10.4308/hjb.30.5.855-863>
- Widjanarko, S. B., Mubarak, A. Z., Hermanto, M. B., Nuriyanto, A. F. P., & Sianturi, M. T. (2024). Comparative analysis of glucomannan properties from wet and dry-extractions of porang (*amorphophallus muelleri blume*) and commercial konjac glucomannan. *Trends in Sciences*, 22(2). <https://doi.org/10.48048/tis.2025.8278>
- Witkamp, R. F. (2010). Biologically Active Compounds in Food Products and Their Effects on Obesity and Diabetes. *Comprehensive Natural Products II*, 509–545. <https://doi.org/10.1016/b978-008045382-8.00063-0>
- Wu, L., Zhang, L., Li, B., Jiang, H., Duan, Y., Xie, Z., Shuai, L., Li, J., & Li, J. (2018). AMP-Activated protein kinase (AMPK) regulates energy metabolism through modulating thermogenesis in adipose tissue. *Frontiers in Physiology*, 9. <https://doi.org/10.3389/fphys.2018.00122>
- Xu, M., Du, H., Dhanasekaran, S., Jia, Y., Ren, Y., Chen, H., & Xu, W. (2026). Regulation of microstructure and properties of konjac glucomannan gels via ethanol under low-alkali conditions. *Gels*, 12(1), 83. <https://doi.org/10.3390/gels12010083>
- Xu, R., Zheng, X., Chen, C., Li, M., Li, J., Zhou, H., Gong, Y., Yan, X., & Wang, C. (2024). Effects of different substrates on the growth and yield of *Amorphophallus muelleri*. *Heliyon*, 10(10), e31501. <https://doi.org/10.1016/j.heliyon.2024.e31501>
- Xu, W., Wang, S., Ye, T., Jin, W., Liu, J., Lei, J., Li, B., & Wang, C. (2014). A simple and feasible approach to purify konjac glucomannan from konjac flour – temperature effect. *Food Chemistry*, 158, 171–176. <https://doi.org/10.1016/j.foodchem.2014.02.093>

- Xue, Z., Huang, F., Liu, J., Ke, Y., Wei, H., Gao, P., Qi, Y., & Yu, L. (2022). A high trans-zeatin nucleoside concentration in corms may promote the multileaf growth of *Amorphophallus muelleri*. *Frontiers in Plant Science*, 13. <https://doi.org/10.3389/fpls.2022.964003>
- Yanuriati, A., Marseno, D. W., Rochmadi, & Harmayani, E. (2017). Characteristics of glucomannan isolated from fresh tuber of Porang (*Amorphophallus muelleri* Blume). *Carbohydrate Polymers*, 156, 56–63. <https://doi.org/10.1016/j.carbpol.2016.08.080>
- Yasunaga, S., Domen, M., Nishi, K., Kadota, A., & Sugahara, T. (2016). Nobiletin suppresses monocyte chemoattractant protein-1 (MCP-1) expression by regulating MAPK signaling in 3T3-L1 cells. *Journal of Functional Foods*, 27, 406–415. <https://doi.org/10.1016/j.jff.2016.09.025>
- Ye, J., Gao, C., Liang, Y., Hou, Z., Shi, Y., & Wang, Y. (2023). Characteristic and fate determination of adipose precursors during adipose tissue remodeling. *Cell Regeneration*, 12(1). <https://doi.org/10.1186/s13619-023-00157-8>
- Yilmaz, P., Demirhan, E., & Ozbek, B. (2022). Development of *Ficus carica* Linn leaves extract incorporated chitosan films for active food packaging materials and investigation of their properties. *Food Bioscience*, 46, 101542. <https://doi.org/10.1016/j.fbio.2021.101542>
- Yoshikawa, H., Hirano, A., Arakawa, T., & Shiraki, K. (2012). Mechanistic insights into protein precipitation by alcohol. *International Journal of Biological Macromolecules*, 50(3), 865–871. <https://doi.org/10.1016/j.ijbiomac.2011.11.005>
- Zendrato, D. P., Hanafi, N. D., Julianti, E., & Tafsin, M. (2025). Porang glucomannan as a prebiotic and cholesterol reducer in broiler chickens: Effects on carcass quality, meat cholesterol, and immune response. *Advances in Animal and Veterinary Sciences*, 13(9). <https://doi.org/10.17582/journal.aavs/2025/13.9.1900.1911>
- Zhao, X., Hu, H., Wang, C., Bai, L., Wang, Y., Wang, W., & Wang, J. (2019). A comparison of methods for effective differentiation of the frozen-thawed 3T3-L1 cells. *Analytical Biochemistry*, 568, 57–64. <https://doi.org/10.1016/j.ab.2018.12.020>

- Zhou, Y., Wu, L., Tian, Y., Li, R., Zhu, C., Zhao, G., & Cheng, Y. (2020). A novel low-alkali konjac gel induced by ethanol to modulate sodium release. *Food Hydrocolloids*, 103, 105653. <https://doi.org/10.1016/j.foodhyd.2020.105653>
- Zou, Y., Yuan, C., Cui, B., Liu, P., Wu, Z., & Zhao, H. (2020). Formation of high amylose corn starch/konjac glucomannan composite film with improved mechanical and barrier properties. *Carbohydrate Polymers*, 251, 117039–117039. <https://doi.org/10.1016/j.carbpol.2020.117039>
- Zulfiqar, S., Blando, F., Orfila, C., Marshall, L., & Boesch, C. (2023). Chromogenic assay is more efficient in identifying α -Amylase inhibitory properties of anthocyanin-rich samples when compared to the 3,5-dinitrosalicylic acid (DNS) assay. *Molecules*, 28(17), 6399–6399. <https://doi.org/10.3390/molecules28176399>