

REFERENCES

- Alikhan, A., Felsten, L., Daly, M., & Petronic-Rosic, V. (2011). Vitiligo: A comprehensive overview. *Journal Of The American Academy Of Dermatology*, *65*(3), 473-491. doi: 10.1016/j.jaad.2010.11.061
- Allam, M., & Riad, H. (2013). Concise review of recent studies in vitiligo. *Qatar Medical Journal*, *2013*(2), 10. doi: 10.5339/qmj.2013.10
- Alonso, L., & Fuchs, E. (2006). The hair cycle. *Journal of Cell Science*, *119*(3), 391–393. doi: 10.1242/jcs.02793
- Ando, H., Niki, Y., Ito, M., Akiyama, K., Matsui, M., Yarosh, D., & Ichihashi, M. (2012). Melanosomes Are Transferred from Melanocytes to Keratinocytes through the Processes of Packaging, Release, Uptake, and Dispersion. *Journal Of Investigative Dermatology*, *132*(4), 1222-1229. doi: 10.1038/jid.2011.413
- Bae, J., Jung, H., Hong, B., Lee, J., Choi, W., Lee, J., & Kim, G. (2017). Phototherapy for
- Bologna, J., Jorizzo, J., Schaffer, J., & Callen, J. (2013). *Dermatology* (3rd ed., pp. 1075-1092). [S.l.]: Elsevier/Saunders.
- Botchkarev, V. A., & Paus, R. (2003). Molecular biology of hair morphogenesis: development and cycling. *Journal of Experimental Zoology. Part B, Molecular and Developmental Evolution*, *298*(1), 164–180. doi:10.1002/jez.b.33
- Buffoli, B., Rinaldi, F., Labanca, M., Sorbellini, E., Trink, A., & Guanziroli, E. et al. (2013). The human hair: from anatomy to physiology. *International Journal Of Dermatology*, *53*(3), 331-341. doi: 10.1111/ijd.12362
- Chen, D., Zhao, M., & Mundy, G. (2004). Bone Morphogenetic Proteins. *Growth Factors*, *22*(4), 233-241. doi: 10.1080/08977190412331279890
- Choi, D., Isedeh, P., & Hamzavi, I. H. (2014). Vitiligo: A review of the pathogenesis. *Journal of the Egyptian Women's Dermatologic Society*, *11*(3), 145. 10.1097/01.EWX.0000450307.76457.a3
- Cichorek, M., Wachulska, M., Stasiewicz, A., & Tymińska, A. (2013). Skin melanocytes: biology and development. *Advances In Dermatology And Allergology*, *1*, 30-41. doi: 10.5114/pdia.2013.33376

- Clavel, C., Quek, D., Lim, J., & Teo, S. (2017). BMP signaling in the hair follicle stem cell niche regulates hair growth and skin pigmentation. *Journal Of Dermatological Science*, *86*(2), e60. doi: 10.1016/j.jdermsci.2017.02.175
- Clavel, C., Grisanti, L., Zemla, R., Rezza, A., Barros, R., Sennett, R., ... Rendl, M. (2012). Sox2 in the Dermal Papilla Niche Controls Hair Growth by Fine-Tuning BMP Signaling in Differentiating Hair Shaft Progenitors. *Developmental Cell*, *23*(5), 981–994. 10.1016/j.devcel.2012.10.013
- Cui J, Shen L.Y, Wang G.C (1991). Role of hair follicles in the repigmentation of vitiligo. *J Invest Dermatol*. 1991;97:410–416.
- D’Mello, S. A. N., Finlay, G. J., Baguley, B. C., & Askarian-Amiri, M. E. (2016). Signaling Pathways in Melanogenesis. *International Journal of Molecular Sciences*, *17*(7). doi:10.3390/ijms17071144
- Delevoeye, C. (2014). Melanin Transfer: The Keratinocytes Are More than Gluttons. *Journal Of Investigative Dermatology*, *134*(4), 877-879. doi: 10.1038/jid.2013.487
- Dillon, A. B., Sideris, A., Hadi, A., & Elbuluk, N. (2017). Advances in Vitiligo: An Update on Medical and Surgical Treatments. *The Journal of clinical and aesthetic dermatology*, *10*(1), 15-28.
- Driskell, R. R., Clavel, C., Rendl, M., & Watt, F. M. (2011). Hair follicle dermal papilla cells at a glance. *Journal of Cell Science*, *124*(8), 1179–1182. doi:10.1242/jcs.082446
- Erdoğan, B. (2017). Anatomy and Physiology of Hair. In Z. Kutlubay & S. Serdaroglu (Eds.), *Hair and Scalp Disorders*. doi:10.5772/67269
- Ezzedine, K., Lim, H., Suzuki, T., Katayama, I., Hamzavi, I., & Lan, C. et al. (2012). Revised classification/nomenclature of vitiligo and related issues: the Vitiligo Global Issues Consensus Conference. *Pigment Cell & Melanoma Research*, *25*(3), E1-E13. doi: 10.1111/j.1755-148x.2012.00997.x
- Falabella, R. (2009). Vitiligo and the melanocyte reservoir. *Indian Journal Of Dermatology*, *54*(4), 313. doi: 10.4103/0019-5154.57604
- Falabella, R., & Barona, M. (2009). Update on skin repigmentation therapies in vitiligo. *Pigment Cell & Melanoma Research*, *22*(1), 42-65. doi: 10.1111/j.1755-148x.2008.00528.x

- Farvolden, D., & Mahalingam, M. (2007). The structure of the human hair follicle. *Journal of the American Academy of Dermatology*, 56(4), 717. doi:10.1016/j.jaad.2006.04.083
- Felsten, L., Alikhan, A., & Petronic-Rosic, V. (2011). Vitiligo: A comprehensive overview. *Journal Of The American Academy Of Dermatology*, 65(3), 493-514. doi: 10.1016/j.jaad.2010.10.043
- Greco, V., Chen, T., Rendl, M., Schober, M., Pasolli, H. A., Stokes, N., ... Fuchs, E. (2009). A Two-Step Mechanism for Stem Cell Activation during Hair Regeneration. *Cell Stem Cell*, 4(2), 155–169. doi:10.1016/j.stem.2008.12.009
- Hardy, M. H. (1992). The secret life of the hair follicle. *Trends in Genetics*, 8(2), 55–61. doi:10.1016/0168-9525(92)90350-d
- Iannella, G., Greco, A., Didona, D., Didona, B., Granata, G., & Manno, A. et al. (2016). Vitiligo: Pathogenesis, clinical variants and treatment approaches. *Autoimmunity Reviews*, 15(4), 335-343. doi: 10.1016/j.autrev.2015.12.006
- Jill Feetham, H., Chan, J., & Pandya, A. (2012). Characterization of Clinical Response in Patients with Vitiligo Undergoing Autologous Epidermal Punch Grafting. *Dermatologic Surgery*, 38(1), 14-19. doi: 10.1111/j.1524-4725.2011.02171.x
- Juan Du, X. (2014). The Epidemiology and Treatment of Vitiligo: A Chinese Perspective. *Journal Of Pigmentary Disorders*, 01(06). doi: 10.4172/2376-0427.1000148
- Kaiser, S., Schirmacher, P., Philipp, A., Protschka, M., Moll, I., Nicol, K., & Blessing, M. (1998). Induction of bone morphogenetic protein-6 in skin wounds. Delayed reepitheliazation and scar formation in BMP-6 overexpressing transgenic mice. *The Journal of Investigative Dermatology*, 111(6), 1145–1152. doi:10.1046/j.1523-1747.1998.00407.x
- Katare, O., Garg, B., Saraswat, A., & Bhatia, A. (2010). Topical treatment in vitiligo and the potential uses of new drug delivery systems. *Indian Journal Of Dermatology, Venereology, And Leprology*, 76(3), 231. doi: 10.4103/0378-6323.62961

- Kawakami, T., Kimura, S., Kawa, Y., Kato, M., Mizoguchi, M., & Soma, Y. (2008). BMP-4 upregulates Kit expression in mouse melanoblasts prior to the Kit-dependent cycle of melanogenesis. *The Journal of Investigative Dermatology*, *128*(5), 1220–1226. doi:10.1038/sj.jid.5701136
- Kolarsick, P., Kolarsick, M., & Goodwin, C. (2011). Anatomy and Physiology of the Skin. *Journal Of The Dermatology Nurses' Association*, *3*(4), 203-213. doi: 10.1097/jdn.0b013e3182274a98
- Kretschmar, M., Liu, F., Hata, A., Doody, J., & Massagué, J. (1997). The TGF-beta family mediator Smad1 is phosphorylated directly and activated functionally by the BMP receptor kinase. *Genes & Development*, *11*(8), 984–995. doi:10.1101/gad.11.8.984
- Kwinter, J., Pelletier, J., Khambalia, A., & Pope, E. (2007). High-potency steroid use in children with vitiligo: A retrospective study. *Journal Of The American Academy Of Dermatology*, *56*(2), 236-241. doi: 10.1016/j.jaad.2006.08.017
- Lai-Cheong, J., & McGrath, J. (2017). Structure and function of skin, hair and nails. *Medicine*, *45*(6), 347-351. doi: 10.1016/j.mpmed.2017.03.004
- Liu, F., Hata, A., Baker, J. C., Doody, J., Cárcamo, J., Harland, R. M., & Massagué, J. (1996). A human Mad protein acting as a BMP-regulated transcriptional activator. *Nature*, *381*(6583), 620–623. doi:10.1038/381620a0
- Manga, P., Elbuluk, N., & Orlow, S. J. (2016). Recent advances in understanding vitiligo. *F1000Research*, *5*. 10.12688/f1000research.8976.1
- McElwee, K., & Hoffmann, R. (2000). Growth factors in early hair follicle morphogenesis. *European Journal of Dermatology: EJD*, *10*(5), 341–350.
- McGrath, J., Eady, R., & Pope, F (2004). Anatomy and Organization of Human Skin. *Rook's Textbook Of Dermatology*, 45-128. doi: 10.1002/9780470750520.ch3
- Mulekar, S., & Isedeh, P. (2013). Surgical interventions for vitiligo: an evidence-based review. *British Journal Of Dermatology*, *169*, 57-66. doi: 10.1111/bjd.12532
- Nafisi, S., & Maibach, H. (2018). Skin penetration of nanoparticles. *Emerging Nanotechnologies In Immunology*, 47-88. doi: 10.1016/b978-0-323-40016-9.00003-8

- Oh, J. W., Kloepper, J., Langan, E. A., Kim, Y., Yeo, J., Kim, M. J., ... Plikus, M. V. (2016). A guide to studying human hair follicle cycling in vivo. *The Journal of Investigative Dermatology*, 136(1), 34–44. doi:10.1038/jid.2015.354
- Osawa M. Melanocyte stem cells. 2009 Jun 30. In: StemBook [Internet]. Cambridge (MA): Harvard Stem Cell Institute; 2008-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK27077/doi:10.3824/stembook.1.46.1>
- Pacifico, A., & Leone, G. (2011). Photo(chemo)therapy for vitiligo. *Photodermatology, Photoimmunology & Photomedicine*, 27(5), 261-277. doi: 10.1111/j.1600-0781.2011.00606.x
- Panteleyev, A. A. (2018). Functional anatomy of the hair follicle: The Secondary Hair Germ. *Experimental Dermatology*, 27(7), 701–720. doi:10.1111/exd.13666
- Park, H., Wu, C., Yaar, M., Stachur, C., Kosmadaki, M., & Gilchrist, B. (2009). Role of BMP-4 and Its Signaling Pathways in Cultured Human Melanocytes. *International Journal Of Cell Biology*, 2009, 1-11. doi: 10.1155/2009/750482
- Paus, R., & Foitzik, K. (2004). In search of the “hair cycle clock”: a guided tour. *Differentiation*, 72(9–10), 489–511. doi:10.1111/j.1432-0436.2004.07209004.x
- Phototherapy Treatment. (2018). Retrieved from https://www.vitiligosupport.org/treatments_and_research/phototherapy.cfm
- Plonka, P., Passeron, T., Brenner, M., Tobin, D., Shibahara, S., & Thomas, A. et al. (2009). What are melanocytesreallydoing all day long...?. *Experimental Dermatology*, 18(9), 799-819. doi: 10.1111/j.1600-0625.2009.00912.x
- Ramos, M., Ramos, D., & Ramos, C. (2017). Evaluation of treatment response to autologous transplantation of noncultured melanocyte/keratinocyte cell suspension in patients with stable vitiligo. *Anais Brasileiros De Dermatologia*, 92(3), 312-318. doi: 10.1590/abd1806-4841.20175700
- Richmond, J. M., Frisoli, M. L., & Harris, J. E. (2013). Innate immune mechanisms in vitiligo: Danger from within. *Current Opinion in Immunology*, 25(6), 676–682. 10.1016/j.coi.2013.10.010

- Rodrigues, M., Ezzedine, K., Hamzavi, I., Pandya, A., & Harris, J. (2017). Current and emerging treatments for vitiligo. *Journal Of The American Academy Of Dermatology*, 77(1), 17-29. doi: 10.1016/j.jaad.2016.11.010
- Sahni, K., Parsad, D., Kanwar, A., & Mehta, S. (2011). Autologous Noncultured Melanocyte Transplantation for Stable Vitiligo: Can Suspending Autologous Melanocytes in the Patients' Own Serum Improve Repigmentation and Patient Satisfaction?. *Dermatologic Surgery*, 37(2), 176-182. doi: 10.1111/j.1524-4725.2010.01847.x
- Schallreuter, K. U., Moore, J., Wood, J. M., Beazley, W. D., Gaze, D. C., Tobin, D. J., ... Hibberts, N. A. (1999). In vivo and in vitro evidence for hydrogen peroxide (H₂O₂) accumulation in the epidermis of patients with vitiligo and its successful removal by a UVB-activated pseudocatalase. *The Journal of Investigative Dermatology. Symposium Proceedings*, 4(1), 91-96.
- Schallreuter, K. U., Bahadoran, P., Picardo, M., Slominski, A., Elasiuty, Y. E., Kemp, E. H., ... Westerhof, W. (2008). Vitiligo pathogenesis: Autoimmune disease, genetic defect, excessive reactive oxygen species, calcium imbalance, or what else? *Experimental Dermatology*, 17(2), 139-140; discussion 141-160. doi: 10.1111/j.1600-0625.2007.00666_1.x
- Singh, S., Abbas, W., & Tobin, D. (2012). Bone morphogenetic proteins differentially regulate pigmentation in human skin cells. *Journal Of Cell Science*, 125(18), 4306-4319. doi: 10.1242/jcs.102038
- Slominski, A., Wortsman, J., Plonka, P., Schallreuter, K., Paus, R., & Tobin, D. (2005). Hair Follicle Pigmentation. *Journal Of Investigative Dermatology*, 124(1), 13-21. doi: 10.1111/j.0022-202x.2004.23528.x
- Tang, L., Wu, W., Fu, W., & Hu, Y. (2018). The effects of phototherapy and melanocytes on keratinocytes. *Experimental And Therapeutic Medicine*. doi: 10.3892/etm.2018.5807
- Van Den Bossche, K., Naeyaert, J.-M., & Lambert, J. (2006). The Quest for the Mechanism of Melanin Transfer: Revelations of the Pigmentation Synapse. *Traffic*, 7(7), 769-778. doi:10.1111/j.1600-0854.2006.00425.x

- Videira, I. F. dos S., Moura, D. F. L., Magina, S., Videira, I. F. dos S., Moura, D. F. L., & Magina, S. (2013). Mechanisms regulating melanogenesis*. *Anais Brasileiros de Dermatologia*, *88*(1), 76–83. doi:10.1590/s0365-05962013000100009
- Vitiligo. *JAMA Dermatology*, *153*(7), 666. doi: 10.1001/jamadermatol.2017.0002
- Westerhof, W. (1997). Treatment of Vitiligo With UV-B Radiation vs Topical Psoralen Plus UV-A. *Archives Of Dermatology*, *133*(12), 1525. doi: 10.1001/archderm.1997.03890480045006
- Wickett, R., & Visscher, M. (2006). Structure and function of the epidermal barrier. *American Journal Of Infection Control*, *34*(10), S98-S110. doi: 10.1016/j.ajic.2006.05.295
- Wu, C., Lan, C., Wang, L., Chen, G., Wu, C., & Yu, H. (2007). Effects of psoralen plus ultraviolet A irradiation on cultured epidermal cells in vitro and patients with vitiligo in vivo. *British Journal Of Dermatology*, *156*(1), 122-129. doi: 10.1111/j.1365-2133.2006.07584.x
- Wu, C., Yu, C., Wu, C., Lan, C., & Yu, H. (2004). Narrow-band ultraviolet-B stimulates proliferation and migration of cultured melanocytes. *Experimental Dermatology*, *13*(12), 755-763. doi: 10.1111/j.0906-6705.2004.00221.x
- Xiao, Y., Xiang, L., & Shao, J. (2007). Bone morphogenetic protein. *Biochemical And Biophysical Research Communications*, *362*(3), 550-553. doi: 10.1016/j.bbrc.2007.08.045
- Yaar, M., Wu, C., Park, H., Panova, I., Schutz, G., & Gilchrist, B. (2006). Bone Morphogenetic Protein-4, a Novel Modulator of Melanogenesis. *Journal Of Biological Chemistry*, *281*(35), 25307-25314. doi: 10.1074/jbc.m600580200
- Zhang, J., & Li, L. (2005). BMP signaling and stem cell regulation. *Developmental Biology*, *284*(1), 1-11. doi: 10.1016/j.ydbio.2005.05.009