

References

- Albalawneh, A., Hasan, H., Alarsan, S. F., Diab, M., Abu Znaimah, S., Sweity, A., Aladwan, M. M., Sharman, B., Alalwan, A. M., AlBalawnah, Y., Dayyeh, M. A., & Alnaimat, E. (2024). Evaluating the Influence of Nutrient-Rich Substrates on the Growth and Waste Reduction Efficiency of Black Soldier Fly Larvae. *Sustainability*, 16(22), 9730. <https://doi.org/10.3390/su16229730>
- Amrul, N. F., Ahmad, I. K., Basri, N. E. A., Suja, F., Jalil, N. A. A., & Azman, N. A. (2022). A Review of Organic Waste Treatment Using Black Soldier Fly (*Hermetia illucens*). *Sustainability*, 14(8), 4565. <https://doi.org/10.3390/su14084565>
- Ardiatma, D., Lestari, P., & Chaerul, M. (2024). Real data mapping of DKI Jakarta waste generation using the K-mean Clustering method at final disposal Bantargebang. *E3S Web of Conferences*, 485, 02015–02015. <https://doi.org/10.1051/e3sconf/202448502015>
- Asghar, A., Afzaal, M., Saeed, F., Ahmed, A., Ateeq, H., Shah, Y. A., Islam, F., Hussain, M., Akram, N., & Shah, M. A. (2023). Valorization and Food Applications of Okara (soybean residue): a Concurrent Review. *Food Science & Nutrition*, 11(7). <https://doi.org/10.1002/fsn3.3363>
- Barragan-Fonseca, K. B., Dicke, M., & van Loon, J. J. A. (2017). Nutritional value of the black soldier fly (*Hermetia illucens* L.) and its suitability as animal feed – a review. *Journal of Insects as Food and Feed*, 3(2), 105–120. <https://doi.org/10.3920/jiff2016.0055>
- Bekker, N. S., Heidelberg, S., Vestergaard, S. Z., Nielsen, M. E., Riisgaard-Jensen, M., Zeuner, E. J., Bahrndorff, S., & Eriksen, N. T. (2021). Impact of substrate moisture content on growth and metabolic performance of black soldier fly larvae. *Waste Management*, 127, 73–79. <https://doi.org/10.1016/j.wasman.2021.04.028>

- Belghit, I., Liland, N. S., Gjesdal, P., Biancarosa, I., Menchetti, E., Li, Y., Waagbø, R., Krogdahl, Å., & Lock, E.-J. (2019). Black soldier fly larvae meal can replace fish meal in diets of sea-water phase Atlantic salmon (*Salmo salar*). *Aquaculture*, 503, 609–619. <https://doi.org/10.1016/j.aquaculture.2018.12.032>
- Biasato, I., Renna, M., Gai, F., Dabbou, S., Meneguz, M., Perona, G., Martinez, S., Lajusticia, A. C. B., Bergagna, S., Sardi, L., Capucchio, M. T., Bressan, E., Dama, A., Schiavone, A., & Gasco, L. (2019). Partially defatted black soldier fly larva meal inclusion in piglet diets: effects on the growth performance, nutrient digestibility, blood profile, gut morphology and histological features. *Journal of Animal Science and Biotechnology*, 10(1). <https://doi.org/10.1186/s40104-019-0325-x>
- Broeckx, L., Frooninckx, L., Slegers, L., Berrens, S., Noyens, I., Goossens, S., Verheyen, G., Wuyts, A., & Van Miert, S. (2021). Growth of Black Soldier Fly Larvae Reared on Organic Side-Streams. *Sustainability*, 13(23), 12953. <https://doi.org/10.3390/su132312953>
- Budiarto, A., Clarke, B., & Ross, K. (2024). Overview of Waste Bank Application in Indonesian Regencies. *Waste Management & Research*, 43(3). <https://doi.org/10.1177/0734242x241242697>
- Cattaneo, A., Belperio, S., Sardi, L., Martelli, G., Nannoni, E., Sihem Dabbou, & Meneguz, M. (2024). Black Soldier Fly Larvae's Optimal Feed Intake and Rearing Density: A Welfare Perspective (Part II). *Insects*, 16(1), 5–5. <https://doi.org/10.3390/insects16010005>
- Chen, X., Liu, X., Mao, Z., Fan, D., Deng, Z., Wang, Y., Zhu, Y., Yu, Z., & Zhou, S. (2023). Black soldier fly pretreatment promotes humification and phosphorus activation during food waste composting. *Waste Management*, 169, 137–146. <https://doi.org/10.1016/j.wasman.2023.06.032>

- Choe, U. (2025). Valorization of Spent Coffee Grounds and Their Applications in Food Science. *Current Research in Food Science*, 10, 101010–101010. <https://doi.org/10.1016/j.crfs.2025.101010>
- Deen, S. N. E., Rozen, K. van, Elissen, H., Wikselaar, P. van, Fodor, I., Weide, R. van der, Hil, E. F. H. den, Far, A. R., & Veldkamp, T. (2023). Bioconversion of Different Waste Streams of Animal and Vegetal Origin and Manure by Black Soldier Fly Larvae *Hermetia illucens* L. (Diptera: Stratiomyidae). *Insects*, 14(2), 204. <https://doi.org/10.3390/insects14020204>
- Diener, S., Zurbrügg, C., & Tockner, K. (2015). Bioaccumulation of heavy metals in the black soldier fly, *Hermetia illucens* and effects on its life cycle. *Journal of Insects as Food and Feed*, 1(4), 261–270. <https://doi.org/10.3920/jiff2015.0030>
- Ebeneezar, S., Prabu, D. Linga., Tejpal, C. S., Jeena, N. S., Summaya, R., Chandrasekar, S., Sayooj, P., & Vijayagopal, P. (2021). Nutritional evaluation, bioconversion performance and phylogenetic assessment of black soldier fly (*Hermetia illucens*, Linn. 1758) larvae valorized from food waste. *Environmental Technology & Innovation*, 23, 101783. <https://doi.org/10.1016/j.eti.2021.101783>
- Eggink, K. M., Lund, I., Pedersen, P. B., Hansen, B. W., & Dalsgaard, J. (2022). Biowaste and by-products as rearing substrates for black soldier fly (*Hermetia illucens*) larvae: Effects on larval body composition and performance. *PLOS ONE*, 17(9), e0275213. <https://doi.org/10.1371/journal.pone.0275213>
- Elmadfa, I., & Meyer, A. L. (2017). Animal Proteins as Important Contributors to a Healthy Human Diet. *Annual Review of Animal Biosciences*, 5(1), 111–131. <https://doi.org/10.1146/annurev-animal-022516-022943>

- Ewald, N., Vidakovic, A., Langeland, M., Kiessling, A., Sampels, S., & Lalander, C. (2020). Fatty acid composition of black soldier fly larvae (*Hermetia illucens*) – Possibilities and limitations for modification through diet. *Waste Management*, 102, 40–47. <https://doi.org/10.1016/j.wasman.2019.10.014>
- Febrian, P. A., & Ismail, M. Y. (2021). The Study of Liquid Fertilizer from Ground Coffee. *Journal of Environmental Engineering and Waste Management*, 6(2), 111. <https://doi.org/10.33021/jenv.v6i2.1512>
- Fikawati, S., Syafiq, A., Ririyanti, R. K., & Gemily, S. C. (2021). Energy and protein intakes are associated with stunting among preschool children in Central Jakarta, Indonesia: a case-control study. *Malaysian Journal of Nutrition*, 27(1), 081–091. <https://doi.org/10.31246/mjn-2020-0074>
- Fischer, H., Romano, N., & Sinha, A. K. (2021). Conversion of Spent Coffee and Donuts by Black Soldier Fly (*Hermetia illucens*) Larvae into Potential Resources for Animal and Plant Farming. *Insects*, 12(4), 332. <https://doi.org/10.3390/insects12040332>
- Ginting, E., Adi, D., Khamidah, A., Rinaldi, J., Ambarsari, I., & Antarlina, S. S. (2024). The nutritional and economic potential of tofu dreg (okara) and its utilization for high protein food products in Indonesia. *Journal of Agriculture and Food Research*, 16, 101175. <https://agris.fao.org/search/en/providers/122436/records/6759780fc7a957febdf7eb42>
- Gold, M., Cassar, C. M., Zurbrügg, C., Kreuzer, M., Boulos, S., Diener, S., & Mathys, A. (2020). Biowaste treatment with black soldier fly larvae: Increasing performance through the formulation of biowastes based on protein and carbohydrates. *Waste Management*, 102, 319–329. <https://doi.org/10.1016/j.wasman.2019.10.036>

- Horne, P. M., Stür, W., Phengsavanh, P., Gabunada, F., & Roothaert, R. (2019). *New Forages for Smallholder Livestock Systems in Southeast Asia: Recent Developments, Impacts and Opportunities*. 357–382. <https://doi.org/10.1201/9780429187872-15>
- Hosseindoust, A., Ha, S. H., Mun, J. Y., & Kim, J. S. (2023). Quality Characteristics of Black Soldier Flies Produced by Different Substrates. *Insects (2075-4450)*, 14(6), 500. <https://doi.org/10.3390/insects14060500>
- Ilmani, D. A., & Fikawati, S. (2023). Nutrition Intake as a Risk Factor of Stunting in Children Aged 25–30 Months in Central Jakarta, Indonesia. *Jurnal Gizi Dan Pangan*, 18(2), 117–126. <https://doi.org/10.25182/jgp.2023.18.2.117-126>
- Indexmundi. (2025). *Indonesia Green Coffee Production by Year (1000 60 KG BAGS)*. Indexmundi.com. <https://www.indexmundi.com/agriculture/?country=id&commodity=green-coffee&graph=production>
- Jiang, S., Tang, X., Wang, H., Henawy, A. R., Zhang, Q., Shen, K., Li, G., Xiang, F., & Zhang, Z. (2025). Biofertilizer derived from black soldier fly (*Hermetia illucens* L.) larval frass promotes tomato growth and suppresses bacterial wilt disease. *Bioresource Technology*, 440, 133408. <https://doi.org/10.1016/j.biortech.2025.133408>
- Joosten, L., Lecocq, A., Jensen, A. B., Haenen, O., Schmitt, E., & Eilenberg, J. (2020). Review of insect pathogen risks for the black soldier fly (*Hermetia illucens*) and guidelines for reliable production. *Entomologia Experimentalis et Applicata*, 168(6-7), 432–447. <https://doi.org/10.1111/eea.12916>
- Khaekratoke, K., Laksanawimol, P., & Thancharoen, A. (2022). Use of fermented spent coffee grounds as a substrate supplement for rearing black soldier fly larvae, *Hermetia*

- illucens* (L), (Diptera: Stratiomyidae). *PeerJ*, 10, e14340.
<https://doi.org/10.7717/peerj.14340>
- Kinasih, I., Sawitri, L. W. A., & Putra, R. E. (2023). Effects of feeding mixed tofu dregs and fish waste at various compositions and feeding time on the growth of black soldier fly (*Hermetia illucens*) larvae. *AIP Conference Proceedings*, 2646, 020009–020009.
<https://doi.org/10.1063/5.0112729>
- Kofsoh, R. M., Hapsari, A., Al-Irsyad, M., & Kustono, D. (2023). Efektivitas pengelolaan sampah organik dengan larva black soldier fly / Rakhel Maulidinatul Kofsoh - Repositori Universitas Negeri Malang. *Um.ac.id*.
<https://doi.org/10.17977/um062v6i92024p955-967>
- Lemme, A., & Klüber, P. (2024). Rethinking Amino Acid Nutrition of Black Soldier Fly Larvae (*Hermetia illucens*) Based on Insights from an Amino Acid Reduction Trial. *Insects*, 15(11), 862. <https://doi.org/10.3390/insects15110862>
- Lonnie, M., Hooker, E., Brunstrom, J., Corfe, B., Green, M., Watson, A., Williams, E., Stevenson, E., Penson, S., & Johnstone, A. (2018). Protein for Life: Review of Optimal Protein Intake, Sustainable Dietary Sources and the Effect on Appetite in Ageing Adults. *Nutrients*, 10(3), 360. <https://doi.org/10.3390/nu10030360>
- Lopes, I. G., Yong, J. W., & Lalander, C. (2022). Frass derived from black soldier fly larvae treatment of biodegradable wastes. A critical review and future perspectives. *Waste Management*, 142, 65–76. <https://doi.org/10.1016/j.wasman.2022.02.007>
- Lu, S., Taethaisong, N., Meethip, W., Surakhunthod, J., Sinpru, B., Sroichak, T., Archa, P., Thongpea, S., Paengkoum, S., Purba, R. A. P., & Paengkoum, P. (2022). Nutritional Composition of Black Soldier Fly Larvae (*Hermetia illucens* L.) and Its Potential Uses as

- Alternative Protein Sources in Animal Diets: A Review. *Insects*, 13(9), 831.
<https://doi.org/10.3390/insects13090831>
- MacroTrends. (2024). *Jakarta, Indonesia Metro Area Population 1950-2024*.
 MacroTrends.net.
<https://www.macrotrends.net/global-metrics/cities/21454/jakarta/population>
- Martin, Salazar, N. C., Mahecha, F. C., Cuesta-Parra, D. M., & García-Trejo, J. F. (2024). Valorization of Organic Wastes by Biotransformation with Black Soldier Fly Larvae: Prospecting of Agricultural Fertilizers. *Chemical Engineering Transactions*, 109, 343–348. <https://doi.org/10.3303/CET24109058>
- Maulidiana, A. R., & Sutjiati, E. (2021). Low intake of essential amino acids and other risk factors of stunting among under-five children in Malang City, East Java, Indonesia. *Journal of Public Health Research*, 10(2). <https://doi.org/10.4081/jphr.2021.2161>
- Mwaniki, Z., Shoveller, A. K., Huber, L.-A., & Kiarie, E. G. (2020). Complete replacement of soybean meal with defatted black soldier fly larvae meal in Shaver White hens feeding program (28–43 wks of age): impact on egg production, egg quality, organ weight, and apparent retention of components. *Poultry Science*, 99(2), 959–965. <https://doi.org/10.1016/j.psj.2019.10.032>
- Navajas-Porras, B., Delgado-Osorio, A., Hinojosa-Nogueira, D., Pastoriza, S., Carmen, del, José Ángel Rufián-Henares, & Fernandez-Bayo, J. D. (2024). Improved nutritional and antioxidant properties of black soldier fly larvae reared on spent coffee grounds and blood meal by-products. *Food Research International*, 115151–115151. <https://doi.org/10.1016/j.foodres.2024.115151>
- Nyakeri, E. M., Ogola, H. J., Ayieko, M. A., & Amimo, F. A. (2017). An open system for farming black soldier fly larvae as a source of proteins for smallscale poultry and fish

- production. *Journal of Insects as Food and Feed*, 3(1), 51–56.
<https://doi.org/10.3920/jiff2016.0030>
- Okpoko, O., Ebenebe, C. I., Okeke, J. J., Amobi, M. I., & Umeaniebue, A. C. (2024). Effect of Substrate Moisture on the Growth Performance and Survivability of the Black Soldier Fly (*Hermetia illucens* L.) Larva. *International Journal of Research and Innovation in Applied Science*, IX(V), 1–8. <https://doi.org/10.51584/ijrias.2024.905001>
- Palma, L., Fernandez-Bayo, J., Niemeier, D., Pitesky, M., & VanderGheynst, J. S. (2019). Managing high fiber food waste for the cultivation of black soldier fly larvae. *Npj Science of Food*, 3(1). <https://doi.org/10.1038/s41538-019-0047-7>
- Rizaty, M. A. (2021, February 18). *Masyarakat Jakarta Paling Tinggi Mengonsumsi Protein*. Katadata.co.id; Databoks.
<https://databoks.katadata.co.id/produk-konsumen/statistik/5f4d3de3dcf8172/masyarakat-jakarta-paling-tinggi-mengonsumsi-protein>
- Rohrer, K., Whitfield, F., Aussanasuwannakul, A., Ningrum, A., Hugi, C., & Breitenmoser, L. (2025). Comparative Screening Life Cycle Assessments of Okara Valorisation Scenarios. *Environments*, 12(3), 93. <https://doi.org/10.3390/environments12030093>
- Schiavone, A., De Marco, M., Martínez, S., Dabbou, S., Renna, M., Madrid, J., Hernandez, F., Rotolo, L., Costa, P., Gai, F., & Gasco, L. (2017). Nutritional value of a partially defatted and a highly defatted black soldier fly larvae (*Hermetia illucens* L.) meal for broiler chickens: apparent nutrient digestibility, apparent metabolizable energy and apparent ileal amino acid digestibility. *Journal of Animal Science and Biotechnology*, 8(1). <https://doi.org/10.1186/s40104-017-0181-5>
- Schneider, L., Kisinga, B., Stöhr, N., Stiem, T., Cord-Landwehr, S., Schulte-Geldermann, E., Moerschbacher, B. M., Jha, R., Eder, K., Lambertz, C., & Dusel, G. (2025). Performance

- and nutrient composition of black soldier fly larvae fed diets with various protein concentrations throughout the life cycle. *Animal*, 101637. <https://doi.org/10.1016/j.animal.2025.101637>
- Seyedalmoosavi, M. M., Mielenz, M., Veldkamp, T., Daş, G., & Metges, C. C. (2022). Growth efficiency, intestinal biology, and nutrient utilization and requirements of black soldier fly (*Hermetia illucens*) larvae compared to monogastric livestock species: a review. *Journal of Animal Science and Biotechnology*, 13(1). <https://doi.org/10.1186/s40104-022-00682-7>
- Sonntag, W. I., Spiller, A., & von Meyer-Höfer, M. (2019). Discussing modern poultry farming systems—insights into citizen’s lay theories. *Poultry Science*, 98(1), 209–216. <https://doi.org/10.3382/ps/pey292>
- Su, H., Zhang, B., Shi, J., He, S., Dai, S., Zhao, Z., Wu, D., & Li, J. (2025). Black Soldier Fly Larvae as a Novel Protein Feed Resource Promoting Circular Economy in Agriculture. *Insects*, 16(8), 830–830. <https://doi.org/10.3390/insects16080830>
- Sumner, C. L., von Keyserlingk, M. A. G., & Weary, D. M. (2018). Perspectives of farmers and veterinarians concerning dairy cattle welfare. *Animal Frontiers*, 8(1), 8–13. <https://doi.org/10.1093/af/vfx006>
- Surendra, K. C., Olivier, R., Tomberlin, J. K., Jha, R., & Khanal, S. K. (2016). Bioconversion of organic wastes into biodiesel and animal feed via insect farming. *Renewable Energy*, 98, 197–202. <https://doi.org/10.1016/j.renene.2016.03.022>
- Tacon, A. G. J., & Metian, M. (2015). Feed Matters: Satisfying the Feed Demand of Aquaculture. *Reviews in Fisheries Science & Aquaculture*, 23(1), 1–10. <https://doi.org/10.1080/23308249.2014.987209>

- Wang, Y.-S., & Shelomi, M. (2017). Review of Black Soldier Fly (*Hermetia illucens*) as Animal Feed and Human Food. *Foods*, 6(10), 91. <https://doi.org/10.3390/foods6100091>
- Yulianto, M. H., Ferdiansyah, E., & Wastumirad, A. W. (2024). Rancang Bangun Sistem Monitoring Gas CH₄ dan CO₂ Berbasis Internet of Things Studi Kasus TPST Bantar Gebang. *Jurnal JTik (Jurnal Teknologi Informasi Dan Komunikasi)*, 8(2), 247–254. <https://doi.org/10.35870/jtik.v8i2.1484>
- Zandi-Sohani, N., & Tomberlin, J. K. (2024). Comparison of Growth and Composition of Black Soldier Fly (*Hermetia illucens* L.) Larvae Reared on Sugarcane By-Products and Other Substrates. *Insects*, 15(10), 771. <https://doi.org/10.3390/insects15100771>