

References

- Abd El Wahed, A., Patel, P., Faye, O., Thaloengsok, S., Heidenreich, D., Matangkasombut, P., Manopwisedjaroen, K., Sakuntabhai, A., Sall, A. A., Hufert, F. T., & Weidmann, M. (2015). Recombinase Polymerase Amplification Assay for Rapid Diagnostics of Dengue Infection. *PLOS ONE*, 10(6), e0129682. <https://doi.org/10.1371/journal.pone.0129682>
- Adrianto, H. A., Subekti, S. S., Arwati, H. A., Tantular, I. S., Dinata, Y. M., Tanzilia, M. F., Lindarto, W. W., Goein, A. M., & Andriani, N. D. A. (2022). Penguatan Pengetahuan Tentang Fauna Nyamuk Pada MGMP Guru Biologi SMA. *JURNAL KREATIVITAS PENGABDIAN KEPADA MASYARAKAT (PKM)*, 5(2), 358–364. <https://doi.org/10.33024/jkpm.v5i2.4596>
- Aneta Cierzniak, Małgorzata Małodobra-Mazur, & Tokarski, M. (2025). A new approach for the detection of genetic alterations utilizing modified loop-mediated isothermal amplification reaction (LAMP). *Scientific Reports*, 15(1). <https://doi.org/10.1038/s41598-025-93086-2>
- Angella Magdalene George, Rashid Ansumana, de, K., Muhammed, K., Alimuddin Zumla, & Bockarie, M. J. (2023). Climate change and the rising incidence of vector-borne diseases globally. *International Journal of Infectious Diseases*. <https://doi.org/10.1016/j.ijid.2023.12.004>
- Arkell, P., Dumrong Mairiang, Adisak Songjaeng, Malpartida-Cardenas, K., Hill-Cawthorne, K., Panisadee Avirutnan, Georgiou, P., Holmes, A., & Rodriguez-Manzano, J. (2023). Analytical and diagnostic performance characteristics of reverse-transcriptase loop-mediated isothermal amplification assays for dengue virus serotypes 1–4: A scoping review to inform potential use in portable molecular diagnostic devices. *PLOS Global Public Health*, 3(8), e0002169–e0002169. <https://doi.org/10.1371/journal.pgph.0002169>

Arslan, M., Tezcan, E., Camci, H., & Avci, M. K. (2021). Effect of DNA Concentration on Band Intensity and Resolution in Agarose Gel Electrophoresis. *Van Sağlık Bilimleri Dergisi*, 14(3), 326–333. <https://doi.org/10.52976/vansaglik.969547>

Aryati, A., Wrahatnala, B. J., Yohan, B., Fanny, M., Hakim, F. K. N., Sunari, E. P., Zuroidah, N., Wardhani, P., Santoso, M. S., Husada, D., Rohman, A., Tarmizi, S. N., Sievers, J. T. O., & Sasmono, R. T. (2020). Dengue Virus Serotype 4 Is Responsible for the Outbreak of Dengue in East Java City of Jember, Indonesia. *Viruses*, 12(9), 913. <https://doi.org/10.3390/v12090913>

Augustine, R., Hasan, A., Das, S., Ahmed, R., Mori, Y., Notomi, T., Kevadiya, B. D., & S. Thakor, A. (2020). Loop-Mediated Isothermal Amplification (LAMP): A Rapid, Sensitive, Specific, and Cost-Effective Point-of-Care Test for Coronaviruses in the Context of COVID-19 Pandemic. *Biology*, 9(8). <https://doi.org/10.3390/biology9080182>

Bagchi, P., Speckhart, K., Kennedy, A., Tai, A. W., & Tsai, B. (2022). A specific EMC subunit supports Dengue virus infection by promoting virus membrane fusion essential for cytosolic genome delivery. *PLOS Pathogens*, 18(7), e1010717. <https://doi.org/10.1371/journal.ppat.1010717>

Ball, C. S., Light, Y. K., Koh, C.-Y., Wheeler, S. S., Coffey, L. L., & Meagher, R. J. (2016). Quenching of Unincorporated Amplification Signal Reporters in Reverse-Transcription Loop-Mediated Isothermal Amplification Enabling Bright, Single-Step, Closed-Tube, and Multiplexed Detection of RNA Viruses. *Analytical Chemistry*, 88(7), 3562–3568. <https://doi.org/10.1021/acs.analchem.5b04054>

Bhatnagar, P., Sreekanth, G. P., Murali-Krishna, K., Chandele, A., & Sitaraman, R. (2021). Dengue Virus Non-Structural Protein 5 as a Versatile, Multi-Functional Effector in Host–Pathogen Interactions. *Frontiers in Cellular and Infection Microbiology*, 11. <https://doi.org/10.3389/fcimb.2021.574067>

- Byk, L. A., Iglesias, N. G., De Maio, F. A., Gebhard, L. G., Rossi, M., & Gamarnik, A. V. (2016). Dengue Virus Genome Uncoating Requires Ubiquitination. *MBio*, 7(3). <https://doi.org/10.1128/mbio.00804-16>
- Colombo, T. E., Versiani, A. F., Dutra, K. R., Guimarães, J., Galvão, T. M., Negri, F., & Nogueira, M. L. (2019). Performance of CDC Trioplex qPCR during a dengue outbreak in Brazil. *Journal of Clinical Virology*, 121, 104208–104208. <https://doi.org/10.1016/j.jcv.2019.104208>
- Cruz-Oliveira, C., Freire, J. M., Conceição, T. M., Higa, L. M., Castanho, M. A. R. B., & Da Poian, A. T. (2015). Receptors and routes of dengue virus entry into the host cells. *FEMS Microbiology Reviews*, 39(2), 155–170. <https://doi.org/10.1093/femsre/fuu004>
- da Silva, S. J. R., Pardee, K., Balasuriya, U. B. R., & Pena, L. (2021). Development and validation of a one-step reverse transcription loop-mediated isothermal amplification (RT-LAMP) for rapid detection of ZIKV in patient samples from Brazil. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-83371-1>
- de, V., Goulart, R., & Adriana Freitas Neves. (2024). Aptamer-associated colorimetric reverse transcription loop-mediated isothermal amplification assay for detection of dengue virus. *Microbiology Spectrum*. <https://doi.org/10.1128/spectrum.03583-23>
- Dejarnac, O., Hafirassou, M. L., Chazal, M., Versapuech, M., Gaillard, J., Perera-Lecoin, M., Umana-Diaz, C., Bonnet-Madin, L., Carnec, X., Tinevez, J.-Y., Delaugerre, C., Schwartz, O., Roingeard, P., Jouvenet, N., Berlioz-Torrent, C., Meertens, L., & Amara, A. (2018). TIM-1 Ubiquitination Mediates Dengue Virus Entry. *Cell Reports*, 23(6), 1779–1793. <https://doi.org/10.1016/j.celrep.2018.04.013>
- Fisher, R., Lustig, Y., Sklan, E. H., & Schwartz, E. (2023). The Role of NS1 Protein in the Diagnosis of Flavivirus Infections. *Viruses*, 15(2), 572. <https://doi.org/10.3390/v15020572>

- Gadkar, V. J., Goldfarb, D. M., Gantt, S., & Tilley, P. A. G. (2018). Real-time Detection and Monitoring of Loop Mediated Amplification (LAMP) Reaction Using Self-quenching and De-quenching Fluorogenic Probes. *Scientific Reports*, 8(1), 5548. <https://doi.org/10.1038/s41598-018-23930-1>
- Ghosh, A., Soumi Sukla, Nath, H., Saha, R., De, A., & Biswas, S. (2022). Non-structural protein 1 (NS1) variants from dengue virus clinical samples revealed mutations that influence NS1 production and secretion. *European Journal of Clinical Microbiology & Infectious Diseases*, 41(5), 803–814. <https://doi.org/10.1007/s10096-022-04441-4>
- Grammatikos, S., Svoliantopoulos, I., & Gizeli, E. (2023). *Naked-Eye Detection of LAMP-Produced Nucleic Acids in Saliva using Chitosan-capped AuNPs in a Single-Tube Assay*. <https://doi.org/10.1101/2023.06.09.23291198>
- Gularte, J. S., Strottmann, D. M., Spilki, F. R., & Zanluca, C. (2025). Diagnostic Techniques for Dengue Virus. *Current Topics in Microbiology and Immunology*. https://doi.org/10.1007/82_2025_307
- Guzman, M. G., & Harris, E. (2015). Dengue. *The Lancet*, 385(9966), 453–465. [https://doi.org/10.1016/s0140-6736\(14\)60572-9](https://doi.org/10.1016/s0140-6736(14)60572-9)
- Harapan, H., Michie, A., Sasmono, R. T., & Imrie, A. (2020). Dengue: A Minireview. *Viruses*, 12(8), 829. <https://doi.org/10.3390/v12080829>
- Hassan, M. M., Grist, L. F., Poirier, A. C., & La Ragione, R. M. (2022). JMM profile: Loop-mediated isothermal amplification (LAMP): for the rapid detection of nucleic acid targets in resource-limited settings. *Journal of Medical Microbiology*, 71(5). <https://doi.org/10.1099/jmm.0.001522>
- Hee, J.-R., Cheng, D., Chen, Y.-H., Wang, S.-H., Chao, C.-H., Huang, S.-W., Ling, P., Wan, S.-W., Chang, C.-P., Jang, J., Yeh, T.-M., & Wang, J.-R. (2025). A non-structural protein 1 substitution

of dengue virus enhances viral replication by interfering with the antiviral signaling pathway. *Journal of Biomedical Science*, 32(1). <https://doi.org/10.1186/s12929-024-01116-4>

Herrera-Moro Huitron, L., Cruz-Holguin, V. J., Ulloa-Aguilar, J. M., De Jesús-González, L. A., Osuna-Ramos, J. F., Guzmán-Huerta, M., de León-Bautista, M. P., León-Reyes, G., García-Cordero, J., Cedillo-Barrón, L., Cerna-Cortes, J. F., & León-Juárez, M. (2025). Beyond Infection: The Role of Secreted Viral Proteins in Pathogenesis, Disease Severity and Diagnostic Applications. *Cells*, 14(9), 624. <https://doi.org/10.3390/cells14090624>

Kim, J.-G., Baek, S. H., Kim, S., Kim, H. I., Lee, S. W., Phan, L. M. T., Kailasa, S. K., & Park, T. J. (2018). Rapid discriminative detection of dengue viruses via loop mediated isothermal amplification. *Talanta*, 190, 391–396. <https://doi.org/10.1016/j.talanta.2018.08.019>

Kumar, S., Sharma, S., Bhardwaj, N., Pande, V., Savargaonkar, D., & Anvikar, A. R. (2021). Advanced Lyophilised Loop Mediated Isothermal Amplification (L-LAMP) based point of care technique for the detection of dengue virus. *Journal of Virological Methods*, 293, 114168. <https://doi.org/10.1016/j.jviromet.2021.114168>

Lau, Y.-L., Lai, M.-Y., Teoh, B.-T., Abd-Jamil, J., Johari, J., Sam, S.-S., Tan, K.-K., & AbuBakar, S. (2015). Colorimetric Detection of Dengue by Single Tube Reverse-Transcription-Loop-Mediated Isothermal Amplification. *PLOS ONE*, 10(9), e0138694. <https://doi.org/10.1371/journal.pone.0138694>

Leidy Hurtado-Gómez, Escorcía-Lindo, K., Rosero, J. S., Llanos, N. S., Camilo Barrios Sánchez, Pérez, A. D., Yirys Díaz-Olmos, García, J., Yesit Bello-Lemus, Pacheco-Londoño, L. C., Acosta, A. J., & Pacheco-Lugo, L. A. (2025). Development and Validation of a Combined RT-LAMP Assay for the Rapid and Sensitive Detection of Dengue Virus in Clinical Samples from Colombia. *Diagnostics*, 15(5), 570–570. <https://doi.org/10.3390/diagnostics15050570>

Leta, S., Beyene, T. J., De Clercq, E. M., Amenu, K., Kraemer, M. U. G., & Revie, C. W. (2018). Global risk mapping for major diseases transmitted by *Aedes aegypti* and *Aedes albopictus*. *International Journal of Infectious Diseases*, 67, 25–35. <https://doi.org/10.1016/j.ijid.2017.11.026>

Loop-Mediated Isothermal Amplification (LAMP) | Thermo Fisher Scientific - US. (2025). Thermofisher.com. <https://www.thermofisher.com/id/en/home/life-science/pcr/isothermal-nucleic-acid-amplification/loop-mediated-isothermal-amplification.html>

Lopez-Jimena, B., Bekaert, M., Bakheit, M., Frischmann, S., Patel, P., Simon-Loriere, E., Lambrechts, L., Duong, V., Dussart, P., Harold, G., Fall, C., Faye, O., Sall, A. A., & Weidmann, M. (2018). Development and validation of four one-step real-time RT-LAMP assays for specific detection of each dengue virus serotype. *PLOS Neglected Tropical Diseases*, 12(5), e0006381. <https://doi.org/10.1371/journal.pntd.0006381>

Mautner, L., Baillie, C.-K., Herold, H. M., Volkwein, W., Guertler, P., Eberle, U., Ackermann, N., Sing, A., Pavlovic, M., Goerlich, O., Busch, U., Wassill, L., Huber, I., & Baiker, A. (2020). Rapid point-of-care detection of SARS-CoV-2 using reverse transcription loop-mediated isothermal amplification (RT-LAMP). *Virology Journal*, 17(1). <https://doi.org/10.1186/s12985-020-01435-6>

May Khat Nwe, Nisachon Jangpromma, & Lapatrada Taemaitree. (2024). Evaluation of molecular inhibitors of loop-mediated isothermal amplification (LAMP). *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-55241-z>

Mummah, R. O., Gomez, A. C. R., Guglielmino, A. H., Borremans, B., Galloway, R. L., Prager, K. C., & Lloyd-Smith, J. O. (2024). Navigating cross-reactivity and host species effects in a serological assay: A case study of the microscopic agglutination test for *Leptospira* serology.

PLoS Neglected Tropical Diseases, 18(10), e0012042–e0012042.
<https://doi.org/10.1371/journal.pntd.0012042>

Nadjib, M., Setiawan, E., Putri, S., Nealon, J., Beucher, S., Hadinegoro, S. R., Permanasari, V. Y., Sari, K., Wahyono, T. Y. M., Kristin, E., Wirawan, D. N., & Thabrany, H. (2019). Economic burden of dengue in Indonesia. *PLOS Neglected Tropical Diseases*, 13(1), e0007038.
<https://doi.org/10.1371/journal.pntd.0007038>

Nam, D., Kim, S., Jung Ho Kim, Lee, S., Kim, D., Son, J., Kim, D., Byung Seok Cha, Eun Sung Lee, & Ki Soo Park. (2023). Low-Temperature Loop-Mediated Isothermal Amplification Operating at Physiological Temperature. *Biosensors*, 13(3), 367–367.
<https://doi.org/10.3390/bios13030367>

Nanaware, N., Banerjee, A., Mullick Bagchi, S., Bagchi, P., & Mukherjee, A. (2021). Dengue Virus Infection: A Tale of Viral Exploitations and Host Responses. *Viruses*, 13(10), 1967.
<https://doi.org/10.3390/v13101967>

Neufeldt, C. J., Cortese, M., Scaturro, P., Cerikan, B., Wideman, J. G., Tabata, K., Moraes, T., Oleksiuk, O., Pichlmair, A., & Bartenschlager, R. (2019). ER-shaping atlastin proteins act as central hubs to promote flavivirus replication and virion assembly. *Nature Microbiology*, 4(12), 2416–2429. <https://doi.org/10.1038/s41564-019-0586-3>

Notomi, T., Mori, Y., Tomita, N., & Kanda, H. (2015). Loop-mediated isothermal amplification (LAMP): principle, features, and future prospects. *Journal of Microbiology (Seoul, Korea)*, 53(1), 1–5. <https://doi.org/10.1007/s12275-015-4656-9>

Nurfadillah Alwi, None Nurul Hikmah B, & None Ella Andayanie. (2025). Faktor Yang Berhubungan Terhadap Akses Pelayanan Kesehatan Di Puskesmas Seko Desa Padang Raya. *Window of Public Health Journal*, 6(2), 330–341. <https://doi.org/10.33096/woph.v6i2.2150>

O'Reilly, K. M., Hendrickx, E., Kharisma, D. D., Wilastonegoro, N. N., Carrington, L. B., Elyazar, I. R. F., Kucharski, A. J., Lowe, R., Flasche, S., Pigott, D. M., Reiner, R. C., Edmunds, W. J., Hay, S. I., Yakob, L., Shepard, D. S., & Brady, O. J. (2019). Estimating the burden of dengue and the impact of release of wMel Wolbachia-infected mosquitoes in Indonesia: a modelling study. *BMC Medicine*, 17(1). <https://doi.org/10.1186/s12916-019-1396-4>

Odiwuor, N., Xiong, J., Ogolla, F., Hong, W., Li, X., Khan, F. M., Wang, N., Yu, J., & Wei, H. (2022). A point-of-care SARS-CoV-2 test based on reverse transcription loop-mediated isothermal amplification without RNA extraction with diagnostic performance same as RT-PCR. *Analytica Chimica Acta*, 339590. <https://doi.org/10.1016/j.aca.2022.339590>

Pillay, K., Keddie, S. H., Fitchett, E., Akinde, C., Bärenbold, O., Bradley, J., Falconer, J., Keogh, R. H., Lim, Z. N., Nezafat Maldonado, B., Maynard-Smith, L., Sugrue, E., Taylor, O., Hopkins, H., & Dubot-Pérès, A. (2025). Evaluating the performance of common reference laboratory tests for acute dengue diagnosis: a systematic review and meta-analysis of RT-PCR, NS1 ELISA, and IgM ELISA. *The Lancet Microbe*, 101088. <https://doi.org/10.1016/j.lanmic.2025.101088>

Plaszczycza, A., Scaturro, P., Neufeldt, C. J., Cortese, M., Cerikan, B., Ferla, S., Brancale, A., Pichlmair, A., & Bartenschlager, R. (2019). A novel interaction between dengue virus nonstructural protein 1 and the NS4A-2K-4B precursor is required for viral RNA replication but not for formation of the membranous replication organelle. *PLOS Pathogens*, 15(5), e1007736. <https://doi.org/10.1371/journal.ppat.1007736>

Rahim, R., Hasan, A., Phadungsombat, J., Hasan, N., Ara, N., Biswas, S. M., Nakayama, E. E., Rahman, M., & Shioda, T. (2023). Genetic Analysis of Dengue Virus in Severe and Non-Severe Cases in Dhaka, Bangladesh, in 2018–2022. *Viruses*, 15(5), 1144. <https://doi.org/10.3390/v15051144>

- Renner, M., Wanwisa Dejnirattisai, L. Carrique, I. Serna Martin, Karia, D., S.L. Ilca, Shu Fen Ho, Kotecha, A., Keown, J. R., Juthathip Mongkolsapaya, Screaton, G., & Grimes, J. M. (2021). Flavivirus maturation leads to the formation of an occupied lipid pocket in the surface glycoproteins. *Nature Communications*, 12(1). <https://doi.org/10.1038/s41467-021-21505-9>
- Roy, S. K., & Bhattacharjee, S. (2021). Dengue virus: epidemiology, biology, and disease aetiology. *Canadian Journal of Microbiology*, 67(10), 687–702. <https://doi.org/10.1139/cjm-2020-0572>
- Sasmono, R. T., Santoso, M. S., Pamai, Y. W. B., Yohan, B., Afida, A. M., Denis, D., Hutagalung, I. A., Johar, E., Hayati, R. F., Yudhaputri, F. A., Haryanto, S., Stubbs, S. C. B., Blacklaws, B. A., Myint, K. S. A., & Frost, S. D. W. (2020). Distinct Dengue Disease Epidemiology, Clinical, and Diagnosis Features in Western, Central, and Eastern Regions of Indonesia, 2017–2019. *Frontiers in Medicine*, 7. <https://doi.org/10.3389/fmed.2020.582235>
- Sasmono, R. T., Taurel, A.-F., Prayitno, A., Sitompul, H., Yohan, B., Hayati, R. F., Bouckenooghe, A., Hadinegoro, S. R., & Nealon, J. (2018). Dengue virus serotype distribution based on serological evidence in pediatric urban population in Indonesia. *PLOS Neglected Tropical Diseases*, 12(6), e0006616. <https://doi.org/10.1371/journal.pntd.0006616>
- Shabbir, M. N., & Linh, T. (2024). Immune Response to Dengue Virus Infection: Mechanisms and Implications. *Pakistan Armed Forces Medical Journal*, 74(6), 1763–1771. <https://doi.org/10.51253/pafmj.v74i6.12887>
- Sinha, S., Singh, K., Ravi, S., Roy, R., Phadnis, S., Meena, V., Bhattacharyya, S., & Verma, B. (2024). Dengue virus pathogenesis and host molecular machineries. *Journal of Biomedical Science*, 31(1). <https://doi.org/10.1186/s12929-024-01030-9>

Soroka, M., Wasowicz, B., & Rymaszewska, A. (2021). Loop-Mediated Isothermal Amplification (LAMP): The Better Sibling of PCR? *Cells*, 10(8), 1931. <https://doi.org/10.3390/cells10081931>

Sri Masyeni, Made, I., & Firzan Nainu. (2024). Cytokine profiles in dengue fever and dengue hemorrhagic fever: A study from Indonesia. *Narra J*, 4(1), e309–e309. <https://doi.org/10.52225/narra.v4i1.309>

Subali, A. D., & Wiyono, L. (2021). Reverse Transcriptase Loop Mediated Isothermal Amplification (RT-LAMP) for COVID-19 diagnosis: a systematic review and meta-analysis. *Pathogens and Global Health*, 1–11. <https://doi.org/10.1080/20477724.2021.1933335>

Tan, T. Y., Fibriansah, G., & Lok, S.-M. (2020). Capsid protein is central to the birth of flavivirus particles. *PLOS Pathogens*, 16(5), e1008542. <https://doi.org/10.1371/journal.ppat.1008542>

Tsai, J.-J., Liu, W.-L., Lin, P.-C., Huang, B.-Y., Tsai, C.-Y., Chou, P.-H., Lee, F.-C., Ping, C.-F., Lee, P.-Y. A., Liu, L.-T., & Chen, C.-H. (2019). An RT-PCR panel for rapid serotyping of dengue virus serotypes 1 to 4 in human serum and mosquito on a field-deployable PCR system. *PLOS ONE*, 14(3), e0214328. <https://doi.org/10.1371/journal.pone.0214328>

Utama, I. M. S., Lukman, N., Sukmawati, D. D., Alisjahbana, B., Alam, A., Murniati, D., Utama, I. M. G. D. L., Puspitasari, D., Kosasih, H., Laksono, I., Karyana, M., Karyanti, M. R., Hapsari, M. M. D. E. A. H., Meutia, N., Liang, C. J., Wulan, W. N., Lau, C.-Y., & Parwati, K. T. M. (2019). Dengue viral infection in Indonesia: Epidemiology, diagnostic challenges, and mutations from an observational cohort study. *PLOS Neglected Tropical Diseases*, 13(10), e0007785. <https://doi.org/10.1371/journal.pntd.0007785>

Villalaín, J. (2022). Envelope E protein of dengue virus and phospholipid binding to the late endosomal membrane. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1864(5), 183889. <https://doi.org/10.1016/j.bbamem.2022.183889>

- Wegman, A. D., Waldran, M. J., Bahr, L. E., Lu, J. Q., Baxter, K. E., Thomas, S. J., & Waickman, A. T. (2023). DENV-specific IgA contributes protective and non-pathologic function during antibody-dependent enhancement of DENV infection. *BioRxiv (Cold Spring Harbor Laboratory)*. <https://doi.org/10.1101/2023.04.01.535210>
- Witari, N. P. D., Fadhilah, A., Johar, E., Dewi, Y. P., Lestarini, A., Ratnadi, I. G. A. A., Sriyani, I. Y., Dhenni, R., Antonjaya, U., Yudhaputri, F. A., Artika, I. M., Powers, A. M., & Myint, K. S. A. (2025). Application of a Dengue NS1 antigen based rapid diagnostic test to screen dengue virus infection in clinical settings in Indonesia. *Journal of Public Health Research*, 14(2). <https://doi.org/10.1177/22799036251343652>
- Wongsawat, E., Suputtamongkol, Y., Assanasaen, S., Silpasakorn, S., Avirutnan, P., Puttikhunt, C., Angkasekwinai, N., Yamasmith, E., Prommool, T., & Niwattayakul, K. (2021). Performance of a New Microfluidic Dengue NS1 Immuno-magnetic Agglutination Assay for the Rapid Diagnosis of Dengue Infection in Adults. *Performance of a New Microfluidic Dengue NS1 Immuno-Magnetic Agglutination Assay for the Rapid Diagnosis of Dengue Infection in Adults*, 105(3). <https://doi.org/10.4269/ajtmh.20-1558>
- Yang, N., Zhang, H., Han, X., Liu, Z., & Lu, Y. (2024). Advancements and applications of loop-mediated isothermal amplification technology: a comprehensive overview. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1406632>
- Yoshihiro Samune, Saito, A., Sasaki, T., Ritsuko Koketsu, Narinee Srimark, Juthamas Phadungsombat, Yokoyama, M., Kotani, O., Sato, H., Yamanaka, A., Haga, S., Okamoto, T., Kurosu, T., Nakayama, E. E., & Tatsuo Shioda. (2024). Genetic regions affecting the replication and pathogenicity of dengue virus type 2. *PLoS Neglected Tropical Diseases*, 18(1), e0011885–e0011885. <https://doi.org/10.1371/journal.pntd.0011885>

Zhou, Y., Wan, Z., Yang, S., Li, Y., Li, M., Wang, B., Hu, Y., Xia, X., Jin, X., Yu, N., & Zhang, C. (2019). A Mismatch-Tolerant Reverse Transcription Loop-Mediated Isothermal Amplification Method and Its Application on Simultaneous Detection of All Four Serotype of Dengue Viruses. *Frontiers in Microbiology*, 10. <https://doi.org/10.3389/fmicb.2019.01056>