

References

- Abbasi, A., & Alexandrov, L. B. (2021). Significance and limitations of the use of next-generation sequencing technologies for detecting mutational signatures. *DNA Repair*, 107, 103200. <https://doi.org/10.1016/j.dnarep.2021.103200>
- Abdelaziz, H., Elgawhary, S., Mohammed, M., Younis, A., & Eid, Mohammed M. A. (2021). A1 and A2 subtypes of blood group A: a reflection of their prevalence in Fayoum University Hospital Blood Bank. *The Egyptian Journal of Haematology*, 46(1), 7. https://doi.org/10.4103/ejh.ejh_51_20
- Aguinis, H., Vassar, M., & Wayant, C. (2019). On reporting and interpreting statistical significance and p values in medical research. *BMJ Evidence-Based Medicine*, 26(2), bmjebm-2019-111264. <https://doi.org/10.1136/bmjebm-2019-111264>
- Andrade, C. (2019). The P Value and Statistical Significance: Misunderstandings, Explanations, Challenges, and Alternatives. *Indian Journal of Psychological Medicine*, 41(3), 210–215. https://doi.org/10.4103/ijpsym.ijpsym_193_19
- Atul Sonker, Dubey, A., & Mohan, Y. (2023). A comparison of serological phenotyping and molecular genotyping for Kell, Kidd, and Duffy antigens in multi-transfused thalassemia patients. *PubMed*, 17(1), 53–57. https://doi.org/10.4103/ajts.ajts_115_22
- Biyani, R., Sharma, K., Kojima, K., Biyani, M., Sharma, V., Kumawat, T., Juma, K. M., Yanagihara, I., Fujiwara, S., Kodama, E., Takamura, Y., Takagi, M., Yasukawa, K., & Biyani, M. (2021). Development of robust isothermal RNA amplification assay for lab-free testing of RNA viruses. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-95411-x>
- Bodmer, W. (2015). Genetic Characterization of Human Populations: From ABO to a Genetic Map of the British People. *Genetics*, 199(2), 267–279. <https://doi.org/10.1534/genetics.114.173062>

- Bustin, S. A., Mueller, R., & Nolan, T. (2019). Parameters for Successful PCR Primer Design. *Methods in Molecular Biology*, 2065, 5–22. https://doi.org/10.1007/978-1-4939-9833-3_2
- Bustin, S., & Huggett, J. (2017). qPCR primer design revisited. *Biomolecular Detection and Quantification*, 14(1), 19–28. <https://doi.org/10.1016/j.bdq.2017.11.001>
- Chang, D., Tram, K., Li, B., Feng, Q., Shen, Z., Lee, C. H., Salena, B. J., & Li, Y. (2017). Detection of DNA Amplicons of Polymerase Chain Reaction Using Litmus Test. *Scientific Reports*, 7(1), 3110. <https://doi.org/10.1038/s41598-017-03009-z>
- Chaouch, M. (2021). Loop-mediated isothermal amplification (LAMP): An effective molecular point-of-care technique for the rapid diagnosis of coronavirus SARS-CoV-2. *Reviews in Medical Virology*, 31(6). <https://doi.org/10.1002/rmv.2215>
- Chaurasia, R., Rout, D., Dogra, K., Coshic, P., & Chatterjee, K. (2017). Discrepancy in Blood Grouping: Subgroups of B—Challenges and Dilemma. *Indian Journal of Hematology & Blood Transfusion*, 33(4), 628–629. <https://doi.org/10.1007/s12288-017-0788-x>
- Chicco, D., Warrens, M. J., & Jurman, G. (2021). The Coefficient of Determination R-squared Is More Informative than SMAPE, MAE, MAPE, MSE and RMSE in Regression Analysis Evaluation. *PeerJ Computer Science*, 7(5), e623. ncbi. <https://doi.org/10.7717/peerj-cs.623>
- Chopra, G., Kataria, M., Batra, A., kaur, G., & Kumar, R. (2022). Detection of a weaker subgroup of A in ABO blood group system. *Asian Journal of Transfusion Science*, 16(1), 132. https://doi.org/10.4103/ajts.ajts_66_21
- Dangerfield, T. L., Paik, I., Sanchita Bhadra, Johnson, K. A., & Ellington, A. (2022). Kinetics of elementary steps in loop-mediated isothermal amplification (LAMP) show that strand invasion during initiation is rate-limiting. *Nucleic Acids Research*, 51(1), 488–499. <https://doi.org/10.1093/nar/gkac1221>
- Dean, L. (2012). *ABO Blood Group* (V. M. Pratt, H. L. McLeod, W. S. Rubinstein, S. A. Scott, L. C. Dean, B. L. Kattman, & A. J. Malheiro, Eds.). PubMed; National Center for Biotechnology Information (US). <https://www.ncbi.nlm.nih.gov/books/NBK100894/>

- Dean, L. (2025). *ABO Blood Group* (V. M. Pratt, H. L. McLeod, W. S. Rubinstein, S. A. Scott, L. C. Dean, B. L. Kattman, & A. J. Malheiro, Eds.). PubMed; National Center for Biotechnology Information (US). <https://www.ncbi.nlm.nih.gov/books/NBK100894/>
- Fábio Ferreira Carlos, Veigas, B., Matias, A. S., Gonçalves Dória, Flores, O., & Baptista, P. V. (2017). Allele specific LAMP- gold nanoparticle for characterization of single nucleotide polymorphisms. *Biotechnology Reports*, 16, 21–25. <https://doi.org/10.1016/j.btre.2017.10.003>
- Farrokh Habibzadeh. (2025). The *P* Value: What It Is and What It Is Not. *Journal of Korean Medical Science*, 40(44), e321–e321. <https://doi.org/10.3346/jkms.2025.40.e321>
- Fathima, S., & Killeen, R. B. (2025). *ABO Typing Discrepancies*. PubMed; StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK585061/>
- Folland, C., Monahan, G., Breen, J., Johari, M., Patel, H. R., & Ravenscroft, G. (2026). Rare disease genomics in an era of human pangenomics and telomere-to-telomere genome references. *European Journal of Human Genetics*. <https://doi.org/10.1038/s41431-026-02125-7>
- Franchini, M., & Bonfanti, C. (2015). Evolutionary aspects of ABO blood group in humans. *Clinica Chimica Acta*, 444, 66–71. <https://doi.org/10.1016/j.cca.2015.02.016>
- Gao, J., Chen, Y.-H., & Peterson, L. C. (2015). GATA family transcriptional factors: emerging suspects in hematologic disorders. *Experimental Hematology & Oncology*, 4(1). <https://doi.org/10.1186/s40164-015-0024-z>
- Golovkina, L. L., Kalandarov, R. S., Pshenichnikova, O. S., Surin, V. L., Stremoukhova, A. G., Pushkina, T. D., Atroshchenko, G. V., Kalmykova, O. S., & Khasigova, B. B. (2021). Polymorphism of ABO*O alleles and its clinical significance. *Oncohematology*, 16(4). <https://doi.org/10.17650/1818-8346-2021-16-4-83-89>
- GraphPad. (2018). *GraphPad QuickCalcs: Linear Regression Calculator*. Graphpad.com. <https://www.graphpad.com/quickcalcs/linear1/>
- Gudiseva, H. V., Hansen, M., Gutierrez, L., Collins, D. W., He, J., Verkuil, L. D., Danford, I. D., Sagaser, A., Bowman, A. S., Salowe, R., Sankar, P. S., Miller-Ellis, E., Lehman, A., & O'Brien, J. M.

- (2016). Saliva DNA quality and genotyping efficiency in a predominantly elderly population. *BMC Medical Genomics*, 9(1). <https://doi.org/10.1186/s12920-016-0172-y>
- Gueuning, M., Gian Andri Thun, Wittig, M., Galati, A.-L., Meyer, S., Trost, N., Gourri, E., Fuss, J., Sigurdardottir, S., Merki, Y., Neuenschwander, K., Busch, Y., Trojok, P., Schäfer, M., Gottschalk, J., Franke, A., Gassner, C., Peter, W., Frey, B. M., & Maja Patricia Mattle-Greminger. (2023a). Haplotype sequence collection of *ABO* blood group alleles by long-read sequencing reveals putative *A1*-diagnostic variants. *Blood Advances*, 7(6), 878–892. <https://doi.org/10.1182/bloodadvances.2022007133>
- Gueuning, M., Gian Andri Thun, Wittig, M., Galati, A.-L., Meyer, S., Trost, N., Gourri, E., Fuss, J., Sigurdardottir, S., Merki, Y., Neuenschwander, K., Busch, Y., Trojok, P., Schäfer, M., Gottschalk, J., Franke, A., Gassner, C., Peter, W., Frey, B. M., & Maja Patricia Mattle-Greminger. (2023b). Haplotype sequence collection of *ABO* blood group alleles by long-read sequencing reveals putative *A1*-diagnostic variants. *Blood Advances*, 7(6), 878–892. <https://doi.org/10.1182/bloodadvances.2022007133>
- Hardinge, P., & Murray, J. A. H. (2019). Reduced False Positives and Improved Reporting of Loop-Mediated Isothermal Amplification using Quenched Fluorescent Primers. *Scientific Reports*, 9(1), 1–13. <https://doi.org/10.1038/s41598-019-43817-z>
- Hartle-Mougiou, K., Chrysoula Gubili, Panagiota Xanthopoulou, Panagiotis Kasapidis, Valiadi, M., & Electra Gizeli. (2024). Development of a quantitative colorimetric LAMP assay for fast and targeted molecular detection of the invasive lionfish *Pterois miles* from environmental DNA. *Frontiers in Marine Science*, 11. <https://doi.org/10.3389/fmars.2024.1358793>
- He, M., Zhou, X., & Wang, X. (2024). Glycosylation: mechanisms, biological functions and clinical implications. *Signal Transduction and Targeted Therapy*, 9(1). <https://doi.org/10.1038/s41392-024-01886-1>
- Hoffman, R., J. E., Silberstein, L. E., Heslop, H. E., Weitz, J. I., Anastasi, J., & Salama, M. E. (2018). *Hematology : basic principles and practice* (7th ed.). Elsevier.

- Höglund, J., Karlsson, T., Johansson, T., Ek, W. E., & Johansson, Å. (2021). Characterization of the human *ABO* genotypes and their association to common inflammatory and cardiovascular diseases in the UK Biobank. *American Journal of Hematology*, 96(11), 1350–1362. <https://doi.org/10.1002/ajh.26307>
- Huang, K., Zhang, J., Li, J., Qiu, H., Wei, L., Yang, Y., & Wang, C. (2024). Exploring the Impact of Primer–Template Mismatches on PCR Performance of DNA Polymerases Varying in Proofreading Activity. *Genes*, 15(2), 215–215. <https://doi.org/10.3390/genes15020215>
- Jacob, E. A. (2023). Significant of Molecular Genotyping over Serological Phenotyping Techniques in Determination of Blood Group Systems among Multiple Transfused Patients and Blood Donors to Prevent Alloimmunization. *Journal of Hematology and Transfusion*, 10(1), 1–7. <https://doi.org/10.47739/2333-6684/1111>
- Jadhao, S., Davison, C. L., Roulis, E. V., Schoeman, E. M., Divate, M., Haring, M., Williams, C., Shankar, A. J., Lee, S., Pecheniuk, N. M., Irving, D. O., Hyland, C. A., Flower, R. L., & Nagaraj, S. H. (2022). RBCeq: A robust and scalable algorithm for accurate genetic blood typing. *EBioMedicine*, 76, 103759. <https://doi.org/10.1016/j.ebiom.2021.103759>
- Jain, R., Rawat, A., Ranjan, R., Tanushree Gahlot, Gill, J., Gaur, S., Sharma, P., Geetika Nautiyal, Kumari, S., & Manish Teotia. (2025). Optimizing SARS-CoV-2 Detection: A Rapid, Cost-Effective Reverse Transcription Polymerase Chain Reaction (RT-PCR) Method Without RNA Extraction. *Cureus*. <https://doi.org/10.7759/cureus.88654>
- Jalali, M., Zaborowska, J., & Jalali, M. (2017). The Polymerase Chain Reaction. *Basic Science Methods for Clinical Researchers*, 1–18. <https://doi.org/10.1016/b978-0-12-803077-6.00001-1>
- Jang, M., & Kim, S. (2022). Inhibition of Non-specific Amplification in Loop-Mediated Isothermal Amplification via Tetramethylammonium Chloride. *BioChip Journal*, 16(3), 326–333. <https://doi.org/10.1007/s13206-022-00070-3>
- JASP. (2025). *JASP - A Fresh Way to Do Statistics*. JASP - Free and User-Friendly Statistical Software. <https://jasp-stats.org/>

- Javadzadeh Shahshahani, H., & Hayati, A. (2020). Blood Group Discrepancies at a Regional Blood Center. *International Journal of Hematology-Oncology and Stem Cell Research*, 14(1), 38–44. <https://pubmed.ncbi.nlm.nih.gov/32337013/>
- Jennifer Ricci Hagman, Hult, A. K., Hellberg, Å., & Olsson, M. L. (2023). Truncated glycosyltransferase coding regions in novel ABO alleles give rise to weak A or B blood group expression and discrepant typing results. *Transfusion*, 63(10), 1951–1961. <https://doi.org/10.1111/trf.17534>
- Jesús Marín-Sáez, Rosalía López-Ruiz, Sobral, M., Romero-González, R., Antonia Garrido Frenich, & Isabel M.P.L.V.O. Ferreira. (2023). Analytical methods for biomonitoring organic chemical hazards in saliva: A systematic review. *TrAC Trends in Analytical Chemistry*, 158, 116853–116853. <https://doi.org/10.1016/j.trac.2022.116853>
- Jian, M.-J., Chen, C.-S., Chung, H.-Y., Chang, C.-K., Perng, C.-L., & Shang, H.-S. (2023). Clinical Evaluation of Direct Reverse Transcription PCR for Detection of SARS-CoV-2 Compared to Conventional RT-PCR in Patients with Positive Rapid Antigen Test Results during Circulation of Emerging Viral Variants. *Diagnostics*, 13(24), 3668–3668. <https://doi.org/10.3390/diagnostics13243668>
- Kalendar, R., Shevtsov, A., Otarbay, Z., & Ismailova, A. (2024). *In silico* PCR analysis: a comprehensive bioinformatics tool for enhancing nucleic acid amplification assays. *Frontiers in Bioinformatics*, 4, 1464197. <https://doi.org/10.3389/fbinf.2024.1464197>
- Kim, T. Y., Yu, H., Phan, M.-T. T., Jang, J.-H., & Cho, D. (2021). Application of Blood Group Genotyping by Next-Generation Sequencing in Various Immunohaematology Cases. *Transfusion Medicine and Hemotherapy*, 49(2), 1–9. <https://doi.org/10.1159/000517565>
- Kralik, P., & Ricchi, M. (2017). A Basic Guide to Real Time PCR in Microbial Diagnostics: Definitions, Parameters, and Everything. *Frontiers in Microbiology*, 8(1). <https://doi.org/10.3389/fmicb.2017.00108>
- Kräuchi, R., Henny, C., Schimanski, B., Niederhauser, C., & Lejon Crottet, S. (2025). Identification of five novel ABO blood group alleles. *Transfusion*, 65(5), 858–862. <https://doi.org/10.1111/trf.18247>

- Kumaragurubaran Karthik, Rathore, R., Thomas, P., Viswas Konasagara Nagaleekar, Agarwal, R. K., V. Bhanu Rekha, Jagapur, R. V., & Kuldeep Dhama. (2016). Rapid and visual loop mediated isothermal amplification (LAMP) test for the detection of *Brucella* spp. and its applicability in epidemiology of bovine brucellosis. *Hrčak Portal of Scientific Journals of Croatia (University Computing Centre)*, 86(1), 35–47.
- Lang, K., Wagner, I., Schöne, B., Schöfl, G., Birkner, K., Hofmann, J. A., Sauter, J., Pingel, J., Böhme, I., Schmidt, A. H., & Lange, V. (2016). ABO allele-level frequency estimation based on population-scale genotyping by next generation sequencing. *BMC Genomics*, 17. <https://doi.org/10.1186/s12864-016-2687-1>
- Laufer, V. A., Glover, T. W., & Wilson, T. E. (2023). Applications of advanced technologies for detecting genomic structural variation. *Mutation Research - Reviews in Mutation Research*, 792, 108475. <https://doi.org/10.1016/j.mrrev.2023.108475>
- Li, H.-Y., & Guo, K. (2022). Blood Group Testing. *Frontiers in Medicine*, 9(827619). <https://doi.org/10.3389/fmed.2022.827619>
- Liu, M., Huang, J., Ma, S., Yu, G., Liao, A., Pan, L., & Hou, Y. (2023). Allergenicity of wheat protein in diet: Mechanisms, modifications and challenges. *Food Research International*, 169, 112913–112913. <https://doi.org/10.1016/j.foodres.2023.112913>
- Ľubica Janovičová, Dominika Holániová, Barbora Vlková, & Celec, P. (2024). Pre-Analytical Factors Affecting Extracellular DNA in Saliva. *Diagnostics*, 14(3), 249–249. <https://doi.org/10.3390/diagnostics14030249>
- Matzhold, E. M., Drexler, C., Wagner, A., Bernecker, C., Pessentheiner, A., Bogner-Strauß, J. G., Helmberg, W., & Wagner, T. (2020). A 24-base pair deletion in the ABO gene causes a hereditary splice site defect: a novel mechanism underlying ABO blood group O. *Transfusion*, 60(7), 1564–1572. <https://doi.org/10.1111/trf.15907>
- Matzhold, E. M., Drexler-Helmberg, C., Helmberg, W., Wagner, A., & Wagner, T. (2023). Allele-specific long-range sequencing as a method for ABO haplotyping in clinical blood group diagnosis and

- immunohematology research. *Molecular Genetics & Genomic Medicine*, 12(1), e2286.
<https://doi.org/10.1002/mgg3.2286>
- Milligan, J. N., Shroff, R., Garry, D. J., & Ellington, A. D. (2018). Evolution of a Thermophilic Strand-Displacing Polymerase Using High-Temperature Isothermal Compartmentalized Self-Replication. *Biochemistry*, 57(31), 4607–4619.
<https://doi.org/10.1021/acs.biochem.8b00200>
- Mishra, P., Pandey, C. M., Singh, U., Sahu, C., Keshri, A., & Gupta, A. (2019). Descriptive Statistics and Normality Tests for Statistical Data. *Annals of Cardiac Anaesthesia*, 22(1), 67–72.
https://doi.org/10.4103/aca.ACA_157_18
- Mohamed, A. B. O., Hindawi, S. I., Al-harathi, S., Alam, Q., Alam, M. Z., Haque, A., Ahmad, W., & Damanhour, G. A. (2016). Allelic variance among ABO blood group genotypes in a population from the western region of Saudi Arabia. *Blood Research*, 51(4), 274.
<https://doi.org/10.5045/br.2016.51.4.274>
- Mohammadali Safavieh, Manoj Kumar Kanakasabapathy, Farhang Tarlan, Minhaz Uddin Ahmed, Zourob, M., Asghar, W., & Hadi Shafiee. (2016). Emerging Loop-Mediated Isothermal Amplification-Based Microchip and Microdevice Technologies for Nucleic Acid Detection. *ACS Biomaterials Science & Engineering*, 2(3), 278–294.
<https://doi.org/10.1021/acsbiomaterials.5b00449>
- Mok, E., Wee, E., Wang, Y., & Trau, M. (2016). Comprehensive evaluation of molecular enhancers of the isothermal exponential amplification reaction. *Scientific Reports*, 6(1), 37837.
<https://doi.org/10.1038/srep37837>
- Möller, M., Jöud, M., Storry, J. R., & Olsson, M. L. (2016). ErythroGene: a database for in-depth analysis of the extensive variation in 36 blood group systems in the 1000 Genomes Project. *Blood Advances*, 1(3), 240–249. <https://doi.org/10.1182/bloodadvances.2016001867>
- Moore, K. J. M., Cahill, J., Aidelberg, G., Aronoff, R., Bektaş, A., Bezdan, D., Butler, D. J., Chittur, S. V., Codyre, M., Federici, F., Tanner, N. A., Tighe, S. W., True, R., Ware, S. B., Wyllie, A. L., Afshin, E.

- E., Bendesky, A., Chang, C. B., Dela Rosa, R., & Elhaik, E. (2021). Loop-Mediated Isothermal Amplification Detection of SARS-CoV-2 and Myriad Other Applications. *Journal of Biomolecular Techniques : JBT*, 32(3), 228–275. <https://doi.org/10.7171/jbt.21-3203-017>
- Mountain, K. E., MacIntyre, D. A., Lee, Y. S., Tajadura-Ortega, V., Dell, A., Haslam, S. M., Wu, G., Grassi, P., Feizi, T., Liu, Y., Chai, W., Marchesi, J. R., Roberts, L. A., Chan, D., Gimeno-Molina, B., Brown, R. G., Lewis, H. V., Hyde, A. K. C., Pasint-Magyar, J., & Green, A. (2025). ABO blood group antigens influence host–microbe interactions and risk of early spontaneous preterm birth. *Npj Biofilms and Microbiomes*, 11(1). <https://doi.org/10.1038/s41522-025-00783-x>
- Mujahid, A., & Dickert, F. (2018). Blood Group Typing: From Classical Strategies to the Application of Synthetic Antibodies Generated by Molecular Imprinting. *Sensors*, 16(1), 51. <https://doi.org/10.3390/s16010051>
- Nam, D., Kim, S., Jung Ho Kim, Lee, S., Kim, D., Son, J., Kim, D., Byung Seok Cha, Eun Sung Lee, & Ki Soo Park. (2023). Low-Temperature Loop-Mediated Isothermal Amplification Operating at Physiological Temperature. *Biosensors*, 13(3), 367–367. <https://doi.org/10.3390/bios13030367>
- Nieuwkerk, D. M., Asja Korajkic, Valdespino, E. L., Herrmann, M. P., & Harwood, V. J. (2020). Critical review of methods for isothermal amplification of nucleic acids for environmental analysis. *Journal of Microbiological Methods*, 179, 106099–106099. <https://doi.org/10.1016/j.mimet.2020.106099>
- Nojavan, M., Karrim Shamsasenjan, Movassaghpour, A. A., Parvin Akbarzadehlaleh, Torabi, S. E., & Morteza Ghojzadeh. (2012). Allelic Prevalence of ABO Blood Group Genes in Iranian Azari Population. *BiolImpacts : BI*, 2(4), 207. <https://doi.org/10.5681/bi.2012.016>
- Ogasawara, K., Sano, R., & Yoshihiko Kominato. (2024). Review of ABO Expression and Variations based on Transcriptional Regulation of the ABO Blood Group Gene. *Transfusion Medicine and Hemotherapy*, 51(4), 210–224. <https://doi.org/10.1159/000536556>

- Oscorbin, I. P., & Филипенко, М. Л. (2023). Bst polymerase — a humble relative of Taq polymerase. *Computational and Structural Biotechnology Journal*, 21, 4519–4535. <https://doi.org/10.1016/j.csbj.2023.09.008>
- Panno, S., Matić, S., Tiberini, A., Caruso, A. G., Bella, P., Torta, L., Stassi, R., & Davino, S. (2020). Loop Mediated Isothermal Amplification: Principles and Applications in Plant Virology. *Plants*, 9(4), 461. <https://doi.org/10.3390/plants9040461>
- Papadakis, G., Pantazis, A. K., Fikas, N., Chatziioannidou, S., Tsiakalou, V., Michaelidou, K., Pogka, V., Megariti, M., Vardaki, M., Giarentis, K., Heaney, J., Nastouli, E., Karamitros, T., Mentis, A., Zafiropoulos, A., Sourvinos, G., Agelaki, S., & Gizeli, E. (2022). Portable real-time colorimetric LAMP-device for rapid quantitative detection of nucleic acids in crude samples. *Scientific Reports*, 12(1). <https://doi.org/10.1038/s41598-022-06632-7>
- Park, J.-W. (2022). Principles and Applications of Loop-Mediated Isothermal Amplification to Point-of-Care Tests. *Biosensors*, 12(10), 857. <https://doi.org/10.3390/bios12100857>
- Pedro, M. (2024). In silico Thermodynamic Evaluation of the Effectiveness of RT-LAMP Primers for SARS-CoV-2 Variants Detection. *The Open COVID Journal*, 4(1). <https://opencovidjournal.com/VOLUME/4/ELOCATOR/e26669587279780/FULLTEXT/>
- Poehls, U. G., Hack, C. C., Ekici, A. B., Beckmann, M. W., Fasching, P. A., Ruebner, M., & Huebner, H. (2018). Saliva samples as a source of DNA for high throughput genotyping: an acceptable and sufficient means in improvement of risk estimation throughout mammographic diagnostics. *European Journal of Medical Research*, 23(1). <https://doi.org/10.1186/s40001-018-0318-9>
- Quraishy, N., & Sapatnekar, S. (2016). Advances in Blood Typing. *Advances in Clinical Chemistry*, 77, 221–269. <https://doi.org/10.1016/bs.acc.2016.06.006>
- Rostami, N., Shields, R. C., Serrage, H. J., Lawler, C., Brittan, J. L., Yassin, S., Ahmed, H., Treumann, A., Thompson, P., Waldron, K. J., Nobbs, A. H., & Jakubovics, N. S. (2022). Interspecies competition in oral biofilms mediated by *Streptococcus gordonii* extracellular

- deoxyribonuclease SsnA. *Npj Biofilms and Microbiomes*, 8(1), 1–13.
<https://doi.org/10.1038/s41522-022-00359-z>
- Samson, C. A., Whitford, W., Snell, R. G., Jacobsen, J. C., & Lehnert, K. (2020). Contaminating DNA in human saliva alters the detection of variants from whole genome sequencing. *Scientific Reports*, 10(1). <https://doi.org/10.1038/s41598-020-76022-4>
- Sano, R., Takahashi, Y., Fukuda, H., Harada, M., Hayakawa, A., Okawa, T., Kubo, R., Takeshita, H., Tsukada, J., & Yoshihiko Kominato. (2021). A cell-specific regulatory region of the human ABO blood group gene regulates the neighborhood gene encoding odorant binding protein 2B. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-86843-6>
- Shi, Y., Xu, M., Duan, X., Li, S., Ding, J., & Chen, L. (2021). WarmStart colorimetric loop-mediated isothermal amplification for the one-tube, contamination-free and visualization detection of *Shigella flexneri*. *International Journal of Infectious Diseases*, 112, 55–62.
<https://doi.org/10.1016/j.ijid.2021.09.015>
- Silva, C. S., Nascimento, G. R., Cruz, P. E. O., Arancibia, R. H., Andrade Belitardo, E. M. M., Castro, T. L. P., Villar, L. M., & Pacheco, L. G. C. (2026). Design principles for LAMP–CRISPR molecular diagnostics. *Methods*, 251, 1–22. <https://doi.org/10.1016/j.ymeth.2026.03.014>
- Soroka, M., Wasowicz, B., & Rymaszewska, A. (2021). Loop-Mediated Isothermal Amplification (LAMP): The Better Sibling of PCR? *Cells*, 10(8), 1931. <https://doi.org/10.3390/cells10081931>
- Thi Nguyen, N. A., Thi Bui, H., Thi-Huong Pham, Q., Thi Thao Hoang, L., Xuan Ta, H., Heikkinen, T., Van Le, D., Dinh Van, T., Quoc Ngo, N., Thi Hong Huynh, P., Thi Huyen Tran, T., Quoc Phan, H., Van Hoang, L., van Doorn, H. Rogier., Thi Ngoc Nguyen, D., Thi Nguyen, T., Sy Vo, N., Viet Vo, C., Khac Trinh, S., & The Pham, T. (2022). Semi-nested RT-PCR enables sensitive and high-throughput detection of SARS-CoV-2 based on melting analysis. *Clinica Chimica Acta*, 531, 309–317. <https://doi.org/10.1016/j.cca.2022.04.997>
- Tombuloglu, H., Sabit, H., Al-Khallaf, H., Kabanja, J. H., Alsaeed, M., Al-Saleh, N., & Al-Suhaimi, E. (2022). Multiplex real-time RT-PCR method for the diagnosis of SARS-CoV-2 by targeting viral

- N, RdRP and human RP genes. *Scientific Reports*, 12(1).
<https://doi.org/10.1038/s41598-022-06977-z>
- Vargas, D. Y., Marras, S. A. E., Tyagi, S., & Kramer, F. R. (2018). Suppression of Wild-Type Amplification by Selectivity Enhancing Agents in PCR Assays that Utilize SuperSelective Primers for the Detection of Rare Somatic Mutations. *The Journal of Molecular Diagnostics*, 20(4), 415–427.
<https://doi.org/10.1016/j.jmoldx.2018.03.004>
- Wang, D. (2016). Effect of internal primer–template mismatches on loop-mediated isothermal amplification. *Biotechnology & Biotechnological Equipment*, 30(2), 314–318.
<https://doi.org/10.1080/13102818.2015.1125765>
- Wang, M., Gao, J., Liu, J., Zhao, X., & Lei, Y. (2021). Genomic Association vs. Serological Determination of ABO Blood Types in a Chinese Cohort, with Application in Mendelian Randomization. *Genes*, 12(7), 959. <https://doi.org/10.3390/genes12070959>
- Wong, Y.-N., Hau, P.-T., Chau, E. C.-T., Ng, L.-C., Murillo, M., Fung, J., Po, W.-W., Yu, R. C.-W., Kam, M. K.-T., Tam, E. W.-T., Tsang, C.-C., & Chow, F. W.-N. (2024). Enhanced Specificity in Colorimetric LAMP Assay for *Sarocladium kiliense* Detection Using a Combination of Two Additives. *Journal of Fungi*, 10(12), 857–857. <https://doi.org/10.3390/jof10120857>
- Yamamoto, F. (2021a). A historical overview of advances in molecular genetic/genomic studies of the ABO blood group system. *Glycoconjugate Journal*, 39(2), 207–218.
<https://doi.org/10.1007/s10719-021-10028-6>
- Yamamoto, F. (2021b). Molecular genetics and genomics of the ABO blood group system. *Annals of Blood*, 0. <https://doi.org/10.21037/aob-20-71>
- Yang, D., Kim, B., Song, D. Y., Kim, T. Y., Kim, M. J., Cho, S. I., Kim, H., Seong, M.-W., & Park, S. S. (2019). Pitfalls of ABO Genotyping Based on Targeted Single Nucleotide Variant Analysis Due to a Nondeletional O Allele Lacking c.261delG: First Report of ABO*O.09.01 in Korea. *Annals of Laboratory Medicine*, 39(6), 599–601. <https://doi.org/10.3343/alm.2019.39.6.599>

- Yang, J., Hu, X., Wang, W., Yang, Y., Zhang, X., Fang, W., Zhang, L., Li, S., & Gu, B. (2022). RT-LAMP assay for rapid detection of the R203M mutation in SARS-CoV-2 Delta variant. *Emerging Microbes & Infections*, 11(1), 978–987. <https://doi.org/10.1080/22221751.2022.2054368>
- Yang, N., Zhang, H., Han, X., Liu, Z., & Lu, Y. (2024a). Advancements and applications of loop-mediated isothermal amplification technology: a comprehensive overview. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1406632>
- Yang, N., Zhang, H., Han, X., Liu, Z., & Lu, Y. (2024b). Advancements and applications of loop-mediated isothermal amplification technology: a comprehensive overview. *Frontiers in Microbiology*, 15. <https://doi.org/10.3389/fmicb.2024.1406632>
- Yoon, J., Youk, H.-J., Chang, J. H., Jang, M.-A., Choi, J. H., Nam, M.-H., Choi, J. S., & Lim, C. S. (2016). Identification of the ABO*cis-AB04 Allele With a Unique Substitution C796A: The First Case in Korea. *Annals of Laboratory Medicine*, 36(6), 620–622. <https://doi.org/10.3343/alm.2016.36.6.620>
- ZHANG, C., ZHU, J., YANG, J., WAN, Y., MA, T., & CUI, Y. (2015). Determination of ABO blood group genotypes using the real-time loop-mediated isothermal amplification method. *Molecular Medicine Reports*, 12(4), 5963–5966. <https://doi.org/10.3892/mmr.2015.4144>
- Zhu, Y., Liang, Y., Abdul Haseeb Khan, Dong, M., Wan, Y., Sun, Z., Zeng, Y., Nie, C., & Tian, X.-L. (2020). Allelic distribution of ABOgene in Chinese centenarians. *Aging Medicine*, 3(3), 195–204. <https://doi.org/10.1002/agm2.12122>
- Zhuang, L., Gong, J., Zhang, P., Zhang, D., Zhao, Y., Yang, J., Liu, G., Zhang, Y., & Shen, Q. (2024). Research progress of loop-mediated isothermal amplification in the detection of Salmonella for food safety applications. *Discover Nano*, 19(1). <https://doi.org/10.1186/s11671-024-04075-9>