

REFERENCES

- Al-Maslamani, N. A., Oldershaw, R., Tew, S., Curran, J., D'Hooghe, P., Yamamoto, K., & Horn, H. F. (2022). Chondrocyte de-differentiation: Biophysical cues to nuclear alterations. *Cells*, 11(24), 4011. <https://doi.org/10.3390/cells11244011>
- Alamán-Díez, P., García-Gareta, E., Arruebo, M., & Pérez, M. Á. (2022). A bone-on-a-chip collagen hydrogel-based model using pre-differentiated adipose-derived stem cells for personalized bone tissue engineering. *Journal of Biomedical Materials Research Part A*, 111(1), 88–105. <https://doi.org/10.1002/jbm.a.37448>
- Alizadeh, E., Xu, W., Castle, J., Foss, J., & Prasad, A. (2019). TISMorph: A tool to quantify texture, irregularity and spreading of single cells. *PLOS ONE*, 14(6), e0217346. <https://doi.org/10.1371/journal.pone.0217346>
- Alubaidi, G. T., & Hasan, S. M. (2022). Stem cells: Biology, types, polarity, and asymmetric cell division: A review. *Medical Journal of Babylon*, 19(3), 318–323. https://doi.org/10.4103/mjbl.mjbl_34_22
- Arra, M., & Abu-Amer, Y. (2023). Cross-talk of inflammation and chondrocyte intracellular metabolism in osteoarthritis. *Osteoarthritis and Cartilage*, 31(8). <https://doi.org/10.1016/j.joca.2023.04.003>
- Biniazan, F., Stoian, A., & Haykal, S. (2024). Adipose-Derived stem cells: Angiogenetic potential and utility in tissue engineering. *International Journal of Molecular Sciences*, 25(4), 2356. <https://doi.org/10.3390/ijms25042356>
- Bouzekri, A., Esch, A., & Ornatsky, O. (2019). Multidimensional profiling of drug-treated cells by imaging mass cytometry. *FEBS Open Bio*, 9(9), 1652–1669. <https://doi.org/10.1002/2211-5463.12692>
- Cui, S.-H., Yan, Y., Lu, A., Dou, Y., Li, Z.-W., Zhu, Z.-H., Du, M.-Z., Zhu, Y.-F., Chen, X., Wang, X., Jiang, L.-X., Shi, Y., Liu, X., Zhu, Y., Jiang, D., & Wang, J.-C. (2024). Nanomedicines promote cartilage

- regeneration in osteoarthritis by synergistically enhancing chondrogenesis of mesenchymal stem cells and regulating inflammatory environment. *ACS Nano*, 18(11). <https://doi.org/10.1021/acsnano.3c11848>
- Czech, E., Aksoy, B. A., Aksoy, P., & Hammerbacher, J. (2019). Cytokit: a single-cell analysis toolkit for high dimensional fluorescent microscopy imaging. *BMC Bioinformatics*, 20(1). <https://doi.org/10.1186/s12859-019-3055-3>
- Ding, S., Zhao, X., Xiong, W., Ji, L., Jia, M., Liu, Y., Guo, H., Qu, F., Cui, W., Gu, Q., & Zhang, M. (2023). Cartilage lacuna-inspired microcarriers drive hyaline neocartilage regeneration. *Advanced Materials*, 35(30). <https://doi.org/10.1002/adma.202212114>
- Duan, W., Zhao, Y., Ren, X., Zhao, R., Li, Q., Sun, Z., Song, W., Yang, Y., Li, P., & Wei, X. (2021). Combination of chondrocytes and chondrons improves extracellular matrix production to promote the repairs of defective knee cartilage in rabbits. *Journal of Orthopaedic Translation*, 28, 47–54. <https://doi.org/10.1016/j.jot.2021.01.004>
- Eirin, A., Thaler, R., Glasstetter, L. M., Xing, L., Zhu, X.-Y., Osborne, A. C., Mondesir, R., Bhagwate, A. V., Lerman, A., Andre, & Lerman, L. O. (2024). Obesity-driven mitochondrial dysfunction in human adipose tissue-derived mesenchymal stem/stromal cells involves epigenetic changes. *Cell Death and Disease*, 15(6). <https://doi.org/10.1038/s41419-024-06774-8>
- Fan, X.-L., Zhang, Y., Li, X., & Fu, Q.-L. (2020). Mechanisms underlying the protective effects of mesenchymal stem cell-based therapy. *Cellular and Molecular Life Sciences*, 77(14), 2771–2794. <https://doi.org/10.1007/s00018-020-03454-6>
- Galderisi, S., Cicaloni, V., Milella, M. S., Millucci, L., Geminiani, M., Salvini, L., Tinti, L., Tinti, C., Vieira, O. V., Alves, L. S., Crevenna, A. H., Spiga, O., & Santucci, A. (2021). Homogentisic acid induces cytoskeleton and extracellular matrix alteration in alkaptonuric cartilage. *Journal of Cellular Physiology*, 236(8), 6011–6024. <https://doi.org/10.1002/jcp.30284>
- Geng, R., & Kidder, B. L. (2025). Automated image-based profiling of pluripotent stem cell colonies. *BioRxiv (Cold Spring Harbor Laboratory)*. <https://doi.org/10.1101/2025.09.16.676586>

- Hajdowska, K., Student, S., & Borys, D. (2022). Graph based method for cell segmentation and detection in live-cell fluorescence microscope imaging. *Biomedical Signal Processing and Control*, 71, 103071. <https://doi.org/10.1016/j.bspc.2021.103071>
- Hoang, D. M., Pham, P. T., Bach, T. Q., Ngo, A. T. L., Nguyen, Q. T., Phan, T. T. K., Nguyen, G. H., Le, P. T. T., Hoang, V. T., Forsyth, N. R., Heke, M., & Nguyen, L. T. (2022). Stem cell-based therapy for human diseases. *Signal Transduction and Targeted Therapy*, 7(1), 1–41. <https://doi.org/10.1038/s41392-022-01134-4>
- Huethorst, E., Mortensen, P., Simitev, R. D., Gao, H., Pohjolainen, L., Talman, V., Ruskoaho, H., Burton, F. L., Gadegaard, N., & Smith, G. L. (2021). Conventional rigid 2D substrates cause complex contractile signals in monolayers of human induced pluripotent stem cell-derived cardiomyocytes. *Journal of Physiology*, 600(3), 483–507. <https://doi.org/10.1113/jp282228>
- Jafarinia, M., Alsahebhosoul, F., Salehi, H., Eskandari, N., Azimzadeh, M., Mahmoodi, M., Asgary, S., & Ganjalikhani Hakemi, M. (2020). Therapeutic effects of extracellular vesicles from human adipose-derived mesenchymal stem cells on chronic experimental autoimmune encephalomyelitis. *Journal of Cellular Physiology*, 235(11), 8779–8790. <https://doi.org/10.1002/jcp.29721>
- Kenry. (2024). Machine-learning-guided quantitative delineation of cell morphological features and responses to nanomaterials. *Nanoscale*, 16(42), 19656–19668. <https://doi.org/10.1039/d4nr02466d>
- Kosno, M., Currie, S. L., Kumar, A., Xing, C., & Rosen, M. K. (2023). Molecular features driving condensate formation and gene expression by the BRD4-NUT fusion oncoprotein are overlapping but distinct. *Scientific Reports*, 13(1), 11907. <https://doi.org/10.1038/s41598-023-39102-9>
- Kurade, C., Meenu, M., Kalra, S., Miglani, A., Neelapu, B. C., Yu, Y. C., & Ramaswamy, H. S. (2023). An Automated Image Processing Module for Quality Evaluation of Milled Rice. *Foods*, 12(6), 1273–1273. <https://doi.org/10.3390/foods12061273>

- Laan, S. N. J., Dirven, R. J., Bürgisser, P. E., Eikenboom, J., & Bierings, R. (2023). Automated segmentation and quantitative analysis of organelle morphology, localization and content using CellProfiler. *PloS One*, 18(6), e0278009–e0278009. <https://doi.org/10.1371/journal.pone.0278009>
- Lau, Y. S., Xu, L., Gao, Y., & Han, R. (2018). Automated muscle histopathology analysis using CellProfiler. *Skeletal Muscle*, 8(1). <https://doi.org/10.1186/s13395-018-0178-6>
- Liu, J., Ding, Y., Liu, Z., & Liang, X. (2020). Senescence in mesenchymal stem cells: Functional alterations, molecular mechanisms, and rejuvenation strategies. *Frontiers in Cell and Developmental Biology*, 8. <https://doi.org/10.3389/fcell.2020.00258>
- Liu, P., Li, J., Chang, J., Hu, P., Sun, Y., Jiang, Y., Zhang, F., & Shao, H. (2024). Software Tools for 2D Cell Segmentation. *Cells*, 13(4), 352. <https://doi.org/10.3390/cells13040352>
- Manik, F. Y., Br Ginting, D. S., & Aldeena, M. I. (2021). Extraction analysis of texture and morphological features as characteristics of cabbage images. *2021 International Conference on Data Science, Artificial Intelligence, and Business Analytics (DATABIA)*, 88–92. <https://doi.org/10.1109/databia53375.2021.9650095>
- Mazini, L., Ezzoubi, M., & Malka, G. (2021). Overview of current adipose-derived stem cell (ADSCs) processing involved in therapeutic advancements: Flow chart and regulation updates before and after COVID-19. *Stem Cell Research & Therapy*, 12(1). <https://doi.org/10.1186/s13287-020-02006-w>
- Panusatid, C., Thangsiriskul, N., & Peerapittayamongkol, C. (2022). Methods for mitochondrial health assessment by high content imaging system. *MethodsX*, 101685. <https://doi.org/10.1016/j.mex.2022.101685>
- Richardson, B. M., Walker, C. J., Macdougall, L. J., Hoye, J. W., Randolph, M. A., Bryant, S. J., & Anseth, K. S. (2020). Viscoelasticity of hydrazone crosslinked poly(ethylene glycol) hydrogels directs chondrocyte morphology during mechanical deformation. *Biomaterials Science*, 8(14), 3804–3811. <https://doi.org/10.1039/d0bm00860e>

- Rim, Y. A., Nam, Y., & Ju, J. H. (2020). The role of chondrocyte hypertrophy and senescence in osteoarthritis initiation and progression. *International Journal of Molecular Sciences*, 21(7). <https://doi.org/10.3390/ijms21072358>
- Schüssele, D. S., Haller, P. K., Haas, M. L., Hunter, C., Sporbeck, K., & Proikas-Cezanne, T. (2022). Autophagy profiling in single cells with open source CellProfiler-based image analysis. *Autophagy*, 19(1), 1–14. <https://doi.org/10.1080/15548627.2022.2065617>
- Shen, H., He, Y., Wang, N., Fritch, M. R., Li, X., Lin, H., & Tuan, R. S. (2021). Enhancing the potential of aged human articular chondrocytes for high-quality cartilage regeneration. *The FASEB Journal*, 35(3). <https://doi.org/10.1096/fj.202002386r>
- Vaca-González, J. J., Clara-Trujillo, S., Guillot-Ferriols, M., Ródenas-Rochina, J., Sanchis, M. J., Ribelles, J. L. G., Garzón-Alvarado, D. A., & Ferrer, G. G. (2020). Effect of electrical stimulation on chondrogenic differentiation of mesenchymal stem cells cultured in hyaluronic acid – Gelatin injectable hydrogels. *Bioelectrochemistry*, 134, 107536. <https://doi.org/10.1016/j.bioelechem.2020.107536>
- Vadori, V., Peruffo, A., Graïe, J.-M., Finos, L., & Grisan, E. (2025). Automated classification of cell shapes: A comparative evaluation of shape descriptors. *2025 IEEE 22nd International Symposium on Biomedical Imaging (ISBI)*, 1–4. <https://doi.org/10.1109/isbi60581.2025.10980998>
- van Tol, N., Rolloos, M., van Loon, P., & van der Zaal, B. J. (2018). MeioSeed: A cellprofiler-based program to count fluorescent seeds for crossover frequency analysis in arabidopsis thaliana. *Plant Methods*, 14(1). <https://doi.org/10.1186/s13007-018-0298-3>
- Vinod, E., Johnson, N. N., Kumar, S., Amirtham, S. M., James, J. V., Livingston, A., Rebekah, G., Daniel, A. J., Ramasamy, B., & Sathishkumar, S. (2021). Migratory chondroprogenitors retain superior intrinsic chondrogenic potential for regenerative cartilage repair as compared to human fibronectin derived chondroprogenitors. *Scientific Reports*, 11(1). <https://doi.org/10.1038/s41598-021-03082-5>

- Wang, G., An, Y., Zhang, X., Ding, P., Bi, H., & Zhao, Z. (2021). Chondrocyte spheroids laden in gelma/hama hybrid hydrogel for tissue-engineered cartilage with enhanced proliferation, better phenotype maintenance, and natural morphological structure. *Gels*, 7(4), 247. <https://doi.org/10.3390/gels7040247>
- Wang, P., Zhu, P., Yu, C., & Wu, J. (2022). The proliferation and stemness of peripheral blood-derived mesenchymal stromal cells were enhanced by hypoxia. *Frontiers in Endocrinology*, 13, 873662–873662. <https://doi.org/10.3389/fendo.2022.873662>
- Yi, K., Li, H., Xu, C., Zhong, G., Ding, Z., Zhang, G., Guan, X., Zhong, M., Li, G., Jiang, N., & Zhang, Y. (2023). Morphological feature recognition of different differentiation stages of induced ADSCs based on deep learning. *Computers in Biology and Medicine*, 159, 106906. <https://doi.org/10.1016/j.compbiomed.2023.106906>
- Yu, Y., & Li, H. (2022). Comparative characterization of frozen-thawed CD146+ and CD146- subsets of CD73+CD90+CD105+CD34+ human asc. *Journal of Stem Cells and Regenerative Medicine*, 18(2). <https://doi.org/10.46582/jsrm.1802007>
- Yuan, X., Li, W., Yuan, Y., Zhu, X., Meng, Y., Wu, Q., Yan, Q., & Zhang, P. (2024). Characterization of neuronal differentiation in human adipose-derived stromal cells: morphological, molecular, and ultrastructural insights. *Journal of Neuroscience Methods*, 412, 110296–110296. <https://doi.org/10.1016/j.jneumeth.2024.110296>
- Zaccarelli, A., Saleri, R., Angelis, E. D., Ravanetti, F., Corradi, A., & Paolo Borghetti. (2025). 2D chitosan-based films: A proteomic mass spectrometry study of chondrocyte phenotype as a function of cell–biomaterial interactions. *International Journal of Molecular Sciences*, 26(21), 10291–10291. <https://doi.org/10.3390/ijms262110291>
- Zanata, F., Curley, L., Martin, E., Bowles, A., Bunnell, B. A., Wu, X., Ferreira, L. M., & Gimble, J. M. (2021). Comparative analysis of human adipose-derived stromal/stem cells and dermal fibroblasts. *Stem Cells and Development*, 30(23). <https://doi.org/10.1089/scd.2021.0164>

- Zhou, X., Hong, Y., Zhang, H., & Li, X. (2020). Mesenchymal Stem Cell Senescence and Rejuvenation: Current Status and Challenges. *Frontiers in Cell and Developmental Biology*, 8. <https://doi.org/10.3389/fcell.2020.00364>
- Zhou, Y., Zhang, X.-L., Lu, S., Zhang, N., Zhang, H., Zhang, J., & Zhang, J. (2022). Human adipose-derived mesenchymal stem cells-derived exosomes encapsulated in pluronic F127 hydrogel promote wound healing and regeneration. *Stem Cell Research & Therapy*, 13(1). <https://doi.org/10.1186/s13287-022-02980-3>
- Zhou, Y., Zhao, B., Zhang, X.-L., Lu, Y., Lu, S.-T., Cheng, J., Fu, Y., Lin, L., Zhang, N.-Y., Li, P.-X., Zhang, J., & Zhang, J. (2021). Combined topical and systemic administration with human adipose-derived mesenchymal stem cells (hADSC) and hADSC-derived exosomes markedly promoted cutaneous wound healing and regeneration. *Stem Cell Research & Therapy*, 12(1). <https://doi.org/10.1186/s13287-021-02287-9>