

7. REFERENCES

- Addgene: Lentiviral Guide. Retrieved from <https://www.addgene.org/viral-vectors/lentivirus/lenti-guide/#resources>
- Addgene: pLKO.1 – TRC Cloning Vector. (2006). Retrieved 2 August 2019, from <https://www.addgene.org/tools/protocols/plko/>
- Beck, B., & Blanpain, C. (2013). Unravelling cancer stem cell potential. *Nature Reviews Cancer*, 13(10), 727-738. doi: 10.1038/nrc3597
- Bishayee, A. (2014). The Inflammation and Liver Cancer. *Advances In Experimental Medicine And Biology*, 401-435. doi: 10.1007/978-3-0348-0837-8_16
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R., Torre, L., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal For Clinicians*, 68(6), 394-424. doi: 10.3322/caac.21492
- Bruix, J., Qin, S., Merle, P., Granito, A., Huang, Y., & Bodoky, G. et al. (2017). Regorafenib for patients with hepatocellular carcinoma who progressed on sorafenib treatment (RESORCE): a randomised, double-blind, placebo-controlled, phase 3 trial. *The Lancet*, 389(10064), 56-66. doi: 10.1016/s0140-6736(16)32453-9
- Broutier, L., Mastrogiovanni, G., Verstegen, M., Francies, H., Gavarró, L., & Bradshaw, C. et al. (2017). Human primary liver cancer-derived organoid cultures for disease modeling and drug screening. *Nature Medicine*, 23(12), 1424-1435. doi: 10.1038/nm.4438
- Bu, Y., Li, X., He, Y., Huang, C., Shen, Y., & Cao, Y. et al. (2015). A phosphomimetic mutant of RelA/p65 at Ser536 induces apoptosis and senescence: An implication for tumor-suppressive role of Ser536 phosphorylation. *International Journal Of Cancer*, 138(5), 1186-1198. doi: 10.1002/ijc.29852
- Burrell, R., McGranahan, N., Bartek, J., & Swanton, C. (2013). The causes and consequences of genetic heterogeneity in cancer evolution. *Nature*, 501(7467), 338-345. doi: 10.1038/nature12625
- Cabarcas, S., Mathews, L., & Farrar, W. (2011). The cancer stem cell niche-there goes the neighborhood?. *International Journal Of Cancer*, 129(10), 2315-2327. doi: 10.1002/ijc.26312
- Campeau, E., Ruhl, V., Rodier, F., Smith, C., Rahmberg, B., & Fuss, J. et al. (2009). A Versatile Viral System for Expression and Depletion of Proteins in Mammalian Cells. *Plos ONE*, 4(8), e6529. doi: 10.1371/journal.pone.0006529
- Carmeliet, P., & Jain, R. (2011). Molecular mechanisms and clinical applications of angiogenesis. *Nature*, 473(7347), 298-307. doi: 10.1038/nature10144
- Chang, T., Chen, C., Wu, Y., Liu, J., Kuo, Y., & Lee, K. et al. (2016). Inflammation Promotes Expression of Stemness-Related Properties in HBV-Related Hepatocellular Carcinoma. *PLOS ONE*, 11(2), e0149897. doi: 10.1371/journal.pone.0149897
- Chen, B., Sirota, M., Fan-Minogue, H., Hadley, D., & Butte, A. (2015). Relating hepatocellular carcinoma tumor samples and cell lines using gene expression data in translational research. *BMC Medical Genomics*, 8(S2). doi: 10.1186/1755-8794-8-s2-s5
- Chen, F., Beezhold, K., & Castranova, V. (2008). Tumor Promoting or Tumor Suppressing of NF- κ B, a Matter of Cell Context Dependency. *International Reviews Of Immunology*, 27(4), 183-204. doi: 10.1080/08830180802130327

- Chen, H., Xu, Q., Dong, R., Yang, S., Miao, M., & Jiao, B. (2010). Nuclear factor κ B participates in liver regeneration through regulating immediate early response 2. *Academic Journal Of Second Military Medical University*, 30(2), 123-127. doi: 10.3724/sp.j.1008.2010.00123
- Chen, J., Li, Y., Yu, T., McKay, R., Burns, D., Kernie, S., & Parada, L. (2012). A restricted cell population propagates glioblastoma growth after chemotherapy. *Nature*, 488(7412), 522-526. doi: 10.1038/nature11287
- Chen, L., & Greene, W. (2004). Shaping the nuclear action of NF- κ B. *Nature Reviews Molecular Cell Biology*, 5(5), 392-401. doi: 10.1038/nrm1368
- Chen, S., Zhu, J., Wang, F., Guan, Z., Ge, Y., Yang, X., & Cai, J. (2017). LncRNAs and their role in cancer stem cells. *Oncotarget*, 8(66). doi: 10.18632/oncotarget.22161
- Chew, J., Biswas, S., Shreeram, S., Humaidi, M., Wong, E., & Dhillon, M. et al. (2009). WIP1 phosphatase is a negative regulator of NF- κ B signalling. *Nature Cell Biology*, 11(5), 659-666. doi: 10.1038/ncb1873
- Christian, F., Smith, E., & Carmody, R. (2016). The Regulation of NF- κ B Subunits by Phosphorylation. *Cells*, 5(1), 12. doi: 10.3390/cells5010012
- Dai, W., Wu, J., Zhang, S., Shi, B., Xu, X., Wang, D., & Wang, J. (2017). Genes directly regulated by NF- κ B in human hepatocellular carcinoma HepG2. *The International Journal Of Biochemistry & Cell Biology*, 89, 157-170. doi: 10.1016/j.biocel.2017.05.031
- Das, M., & Law, S. (2018). Role of tumor microenvironment in cancer stem cell chemoresistance and recurrence. *The International Journal Of Biochemistry & Cell Biology*, 103, 115-124. doi: 10.1016/j.biocel.2018.08.011
- DiDonato, J., Mercurio, F., Rosette, C., Wu-Li, J., Suyang, H., Ghosh, S., & Karin, M. (1996). Mapping of the inducible I κ B phosphorylation sites that signal its ubiquitination and degradation. *Molecular And Cellular Biology*, 16(4), 1295-1304. doi: 10.1128/mcb.16.4.1295
- Dirks, P. (2010). Invitation to a second round. *Nature*, 466(7302), 40-41. doi: 10.1038/466040a
- Ding, B., Lou, W., Xu, L., & Fan, W. (2018). Non-coding RNA in drug resistance of hepatocellular carcinoma. *Bioscience Reports*, 38(5), BSR20180915. doi: 10.1042/bsr20180915
- Dull, T., Zufferey, R., Kelly, M., Mandel, R. J., Nguyen, M., Trono, D., & Naldini, L. (1998). A third-generation lentivirus vector with a conditional packaging system. *Journal of virology*, 72(11), 8463-8471.
- El-Serag, H., & Rudolph, K. (2007). Hepatocellular Carcinoma: Epidemiology and Molecular Carcinogenesis. *Gastroenterology*, 132(7), 2557-2576. doi: 10.1053/j.gastro.2007.04.061
- Eun, J., Jung, Y., Zhang, Y., Zhang, Y., Tschudy-Seney, B., & Ramsamooj, R. et al. (2014). Hepatoma SK Hep-1 Cells Exhibit Characteristics of Oncogenic Mesenchymal Stem Cells with Highly Metastatic Capacity. *Plos ONE*, 9(10), e110744. doi: 10.1371/journal.pone.0110744
- Fattovich, G., Stroffolini, T., Zagni, I., & Donato, F. (2004). Hepatocellular carcinoma in cirrhosis: Incidence and risk factors. *Gastroenterology*, 127(5), S35-S50. doi: 10.1053/j.gastro.2004.09.014
- Finco, T., & Baldwin, A. (1995). Mechanistic aspects of NF- κ B regulation: The emerging role of phosphorylation and proteolysis. *Immunity*, 3(3), 263-272. doi: 10.1016/1074-7613(95)90112-4
- Finco, T., Westwick, J., Norris, J., Beg, A., Der, C., & Baldwin, A. (1997). Oncogenic Ha-Ras-induced Signaling Activates NF- κ B Transcriptional Activity, Which Is Required for Cellular Transformation. *Journal Of Biological Chemistry*, 272(39), 24113-24116. doi: 10.1074/jbc.272.39.24113

- Forner, A., Llovet, J., & Bruix, J. (2012). Hepatocellular carcinoma. *The Lancet*, 379(9822), 1245-1255. doi: 10.1016/s0140-6736(11)61347-0
- Frank, N., Schatton, T., & Frank, M. (2010). The therapeutic promise of the cancer stem cell concept. *Journal Of Clinical Investigation*, 120(1), 41-50. doi: 10.1172/jci41004
- Fuchs, E., Tumber, T., & Guasch, G. (2004). Socializing with the Neighbors. *Cell*, 116(6), 769-778. doi: 10.1016/s0092-8674(04)00255-7
- Galle, P., Forner, A., Llovet, J., Mazzaferro, V., Piscaglia, F., & Raoul, J. et al. (2018). EASL Clinical Practice Guidelines: Management of hepatocellular carcinoma. *Journal Of Hepatology*, 69(1), 182-236. doi: 10.1016/j.jhep.2018.03.019
- Garner, J., Fan, M., Yang, C., Du, Z., Sims, M., Davidoff, A., & Pfeffer, L. (2013). Constitutive Activation of Signal Transducer and Activator of Transcription 3 (STAT3) and Nuclear Factor κ B Signaling in Glioblastoma Cancer Stem Cells Regulates the Notch Pathway. *Journal Of Biological Chemistry*, 288(36), 26167-26176. doi: 10.1074/jbc.m113.477950
- Ghosh, S., & Hayden, M. (2008). New regulators of NF- κ B in inflammation. *Nature Reviews Immunology*, 8(11), 837-848. doi: 10.1038/nri2423
- Gilmore, A. (2005). Anoikis. *Cell Death & Differentiation*, 12(S2), 1473-1477. doi: 10.1038/sj.cdd.4401723
- Gish, R., Porta, C., Lazar, L., Ruff, P., Feld, R., & Croitoru, A. et al. (2007). Phase III Randomized Controlled Trial Comparing the Survival of Patients With Unresectable Hepatocellular Carcinoma Treated With Nilotrexed or Doxorubicin. *Journal Of Clinical Oncology*, 25(21), 3069-3075. doi: 10.1200/jco.2006.08.4046
- Gomi, K., & Kajiyama, N. (2001). Oxyluciferin, a Luminescence Product of Firefly Luciferase, Is Enzymatically Regenerated into Luciferin. *Journal Of Biological Chemistry*, 276(39), 36508-36513. doi: 10.1074/jbc.m105528200
- Graham, F., Russell, W., Smiley, J., & Nairn, R. (1977). Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5. *Journal Of General Virology*, 36(1), 59-72. doi: 10.1099/0022-1317-36-1-59
- Guo, J., Li, L., Guo, B., Liu, D., Shi, J., & Wu, C. et al. (2018). Mechanisms of resistance to chemotherapy and radiotherapy in hepatocellular carcinoma. *Translational Cancer Research*, 7(3), 765-781. doi: 10.21037/tcr.2018.05.20
- Gupta, P., Chaffer, C., & Weinberg, R. (2009). Cancer stem cells: mirage or reality?. *Nature Medicine*, 15(9), 1010-1012. doi: 10.1038/nm0909-1010
- He, G., Dhar, D., Nakagawa, H., Font-Burgada, J., Ogata, H., & Jiang, Y. et al. (2013). Identification of Liver Cancer Progenitors Whose Malignant Progression Depends on Autocrine IL-6 Signaling. *Cell*, 155(2), 384-396. doi: 10.1016/j.cell.2013.09.031
- He, G., & Karin, M. (2010). NF- κ B and STAT3 – key players in liver inflammation and cancer. *Cell Research*, 21(1), 159-168. doi: 10.1038/cr.2010.183
- Ho, D., Yang, Z., Yi, K., Lam, C., Ng, M., & Yu, W. et al. (2012). Gene Expression Profiling of Liver Cancer Stem Cells by RNA-Sequencing. *Plos ONE*, 7(5), e37159. doi: 10.1371/journal.pone.0037159
- Hoffmann, A., Natoli, G., & Ghosh, G. (2006). Transcriptional regulation via the NF- κ B signaling module. *Oncogene*, 25(51), 6706-6716. doi: 10.1038/sj.onc.1209933
- Hoffmann, A., & Baltimore, D. (2006). Circuitry of nuclear factor kappaB signaling. *Immunological Reviews*, 210(1), 171-186. doi: 10.1111/j.0105-2896.2006.00375.x

- Iliopoulos, D., Hirsch, H., & Struhl, K. (2009). An Epigenetic Switch Involving NF- κ B, Lin28, Let-7 MicroRNA, and IL6 Links Inflammation to Cell Transformation. *Cell*, *139*(4), 693-706. doi: 10.1016/j.cell.2009.10.014
- Jia, D., Li, L., Andrew, S., Allan, D., Li, X., & Lee, J. et al. (2017). An autocrine inflammatory forward-feedback loop after chemotherapy withdrawal facilitates the repopulation of drug-resistant breast cancer cells. *Cell Death & Disease*, *8*(7), e2932-e2932. doi: 10.1038/cddis.2017.319
- Jiang, Y., Zhu, Y., Wang, X., Gong, J., Hu, C., & Guo, B. et al. (2015). Temporal regulation of HIF-1 and NF- κ B in hypoxic hepatocarcinoma cells. *Oncotarget*, *6*(11). doi: 10.18632/oncotarget.3352
- Karin, M., & Lin, A. (2002). NF- κ B at the crossroads of life and death. *Nature Immunology*, *3*(3), 221-227. doi: 10.1038/ni0302-221
- Kim, D., Talati, C., & Kim, R. (2017). Hepatocellular carcinoma (HCC): beyond sorafenib—chemotherapy. *Journal Of Gastrointestinal Oncology*, *8*(2), 256-265. doi: 10.21037/jgo.2016.09.07
- Klingenberg, M., Matsuda, A., Diederichs, S., & Patel, T. (2017). Non-coding RNA in hepatocellular carcinoma: Mechanisms, biomarkers and therapeutic targets. *Journal Of Hepatology*, *67*(3), 603-618. doi: 10.1016/j.jhep.2017.04.009
- Kudo-Saito, C. (2015). Cancer-associated mesenchymal stem cells aggravate tumor progression. *Frontiers In Cell And Developmental Biology*, *3*. doi: 10.3389/fcell.2015.00023
- Kulik, L., & El-Serag, H. (2019). Epidemiology and Management of Hepatocellular Carcinoma. *Gastroenterology*, *156*(2), 477-491.e1. doi: 10.1053/j.gastro.2018.08.065
- Kumari, N., Dwarakanath, B., Das, A., & Bhatt, A. (2016). Role of interleukin-6 in cancer progression and therapeutic resistance. *Tumor Biology*, *37*(9), 11553-11572. doi: 10.1007/s13277-016-5098-7
- Kohno, K., Uchiumi, T., Niina, I., Wakasugi, T., Igarashi, T., & Momii, Y. et al. (2005). Transcription factors and drug resistance. *European Journal Of Cancer*, *41*(16), 2577-2586. doi: 10.1016/j.ejca.2005.08.007
- Lemma, S., Avnet, S., Salerno, M., Chano, T., & Baldini, N. (2016). Identification and Validation of Housekeeping Genes for Gene Expression Analysis of Cancer Stem Cells. *PLOS ONE*, *11*(2), e0149481. doi: 10.1371/journal.pone.0149481
- Li, J., Chen, J., Zeng, T., He, F., Chen, S., & Ma, S. et al. (2016). CD133+ liver cancer stem cells resist interferon-gamma-induced autophagy. *BMC Cancer*, *16*(1). doi: 10.1186/s12885-016-2050-6
- Li, M., Yu, X., Li, W., Liu, T., Deng, G., & Liu, W. et al. (2017). Deguelin suppresses angiogenesis in human hepatocellular carcinoma by targeting HGF-c-Met pathway. *Oncotarget*, *9*(1). doi: 10.18632/oncotarget.22077
- Liu, M., Sakamaki, T., Casimiro, M., Willmarth, N., Quong, A., & Ju, X. et al. (2010). The Canonical NF- κ B Pathway Governs Mammary Tumorigenesis in Transgenic Mice and Tumor Stem Cell Expansion. *Cancer Research*, *70*(24), 10464-10473. doi: 10.1158/0008-5472.can-10-0732
- Llovet, J., Schwartz, M., & Mazzaferro, V. (2005). Resection and Liver Transplantation for Hepatocellular Carcinoma. *Seminars In Liver Disease*, *25*(02), 181-200. doi: 10.1055/s-2005-871198
- Llovet, J., Ricci, S., Mazzaferro, V., Hilgard, P., Gane, E., & Blanc, J. et al. (2008). Sorafenib in Advanced Hepatocellular Carcinoma. *New England Journal Of Medicine*, *359*(4), 378-390. doi: 10.1056/nejmoa0708857
- Llovet, J., Montal, R., Sia, D., & Finn, R. (2018). Molecular therapies and precision medicine for hepatocellular carcinoma. *Nature Reviews Clinical Oncology*, *15*(10), 599-616. doi: 10.1038/s41571-018-0073-4
- Lopez-Castejon, G., & Brough, D. (2011). Understanding the mechanism of IL-1 β secretion. *Cytokine & Growth Factor Reviews*, *22*(4), 189-195. doi: 10.1016/j.cytogfr.2011.10.001

- Lowe, J., Cha, H., Yang, Q., & Fornace, A. (2009). Nuclear Factor- κ B (NF- κ B) Is a Novel Positive Transcriptional Regulator of the Oncogenic Wip1 Phosphatase. *Journal Of Biological Chemistry*, 285(8), 5249-5257. doi: 10.1074/jbc.m109.034579
- Luedde, T., & Schwabe, R. (2011). NF- κ B in the liver—linking injury, fibrosis and hepatocellular carcinoma. *Nature Reviews Gastroenterology & Hepatology*, 8(2), 108-118. doi: 10.1038/nrgastro.2010.213
- Majumdar, R., Rajasekaran, K., & Cary, J. (2017). RNA Interference (RNAi) as a Potential Tool for Control of Mycotoxin Contamination in Crop Plants: Concepts and Considerations. *Frontiers In Plant Science*, 8. doi: 10.3389/fpls.2017.00200
- Mantovani, A., Allavena, P., Sica, A., & Balkwill, F. (2008). Cancer-related inflammation. *Nature*, 454(7203), 436-444. doi: 10.1038/nature07205
- Marrero, J., Kudo, M., Venook, A., Ye, S., Bronowicki, J., & Chen, X. et al. (2016). Observational registry of sorafenib use in clinical practice across Child-Pugh subgroups: The GIDEON study. *Journal Of Hepatology*, 65(6), 1140-1147. doi: 10.1016/j.jhep.2016.07.020
- Mathes, E., O'Dea, E., Hoffmann, A., & Ghosh, G. (2008). NF- κ B dictates the degradation pathway of I κ B α . *The EMBO Journal*, 27(9), 1357-1367. doi: 10.1038/emboj.2008.73
- Mayo, M., Wang, C., Cogswell, P., Rogers-Graham, K., Lowe, S., Der, C., & Baldwin, A. (1997). Requirement of NF- κ B Activation to Suppress p53-Independent Apoptosis Induced by Oncogenic Ras. *Science*, 278(5344), 1812-1815. doi: 10.1126/science.278.5344.1812
- Meacham, C., & Morrison, S. (2013). Tumour heterogeneity and cancer cell plasticity. *Nature*, 501(7467), 328-337. doi: 10.1038/nature12624
- Mehner, C., Hockla, A., Miller, E., Ran, S., Radisky, D., & Radisky, E. (2014). Tumor cell-produced matrix metalloproteinase 9 (MMP-9) drives malignant progression and metastasis of basal-like triple negative breast cancer. *Oncotarget*, 5(9). doi: 10.18632/oncotarget.1932
- Mercurio, F. (1997). IKK-1 and IKK-2: Cytokine-Activated I κ B Kinases Essential for NF- κ B Activation. *Science*, 278(5339), 860-866. doi: 10.1126/science.278.5339.860
- Myant, K., Cammareri, P., McGhee, E., Ridgway, R., Huels, D., & Cordero, J. et al. (2013). ROS Production and NF- κ B Activation Triggered by RAC1 Facilitate WNT-Driven Intestinal Stem Cell Proliferation and Colorectal Cancer Initiation. *Cell Stem Cell*, 12(6), 761-773. doi: 10.1016/j.stem.2013.04.006
- Nathan, C., & Ding, A. (2010). Nonresolving Inflammation. *Cell*, 140(6), 871-882. doi: 10.1016/j.cell.2010.02.029
- Nguyen, L., Vanner, R., Dirks, P., & Eaves, C. (2012). Cancer stem cells: an evolving concept. *Nature Reviews Cancer*, 12(2), 133-143. doi: 10.1038/nrc3184
- Oeckinghaus, A., & Ghosh, S. (2009). The NF- κ B Family of Transcription Factors and Its Regulation. *Cold Spring Harbor Perspectives In Biology*, 1(4), a000034-a000034. doi: 10.1101/cshperspect.a000034
- O'Keefe, E. (2013). siRNAs and shRNAs: Tools for Protein Knockdown by Gene Silencing. *Materials And Methods*, 3. doi: 10.13070/mm.en.3.197
- Pahl, H. (1999). Activators and target genes of Rel/NF- κ B transcription factors. *Oncogene*, 18(49), 6853-6866. doi: 10.1038/sj.onc.1203239
- Pawlowski, J., & Kraft, A. (2000). Bax-induced apoptotic cell death. *Proceedings Of The National Academy Of Sciences*, 97(2), 529-531. doi: 10.1073/pnas.97.2.529

- Peng, S., Wang, Y., Peng, H., Chen, D., Shen, S., & Peng, B. et al. (2014). Autocrine vascular endothelial growth factor signaling promotes cell proliferation and modulates sorafenib treatment efficacy in hepatocellular carcinoma. *Hepatology*, 60(4), 1264-1277. doi: 10.1002/hep.27236
- Plaks, V., Kong, N., & Werb, Z. (2015). The Cancer Stem Cell Niche: How Essential Is the Niche in Regulating Stemness of Tumor Cells?. *Cell Stem Cell*, 16(3), 225-238. doi: 10.1016/j.stem.2015.02.015
- Rao, D., Vorhies, J., Senzer, N., & Nemunaitis, J. (2009). siRNA vs. shRNA: Similarities and differences. *Advanced Drug Delivery Reviews*, 61(9), 746-759. doi: 10.1016/j.addr.2009.04.004
- Richmond, A. (2002). NF- κ B, chemokine gene transcription and tumour growth. *Nature Reviews Immunology*, 2(9), 664-674. doi: 10.1038/nri887
- Richmond, A., & Yang, J. (2015). The role of NF- κ B in modulating antitumor immunity. *Oncoimmunology*, 5(1), e1005522. doi: 10.1080/2162402x.2015.1005522
- Rinkenbaugh, A., & Baldwin, A. (2016). The NF- κ B Pathway and Cancer Stem Cells. *Cells*, 5(2), 16. doi: 10.3390/cells5020016
- Ryschich, E., Lizdenis, P., Ittrich, C., Benner, A., Stahl, S., & Hamann, A. et al. (2006). Molecular Fingerprinting and Autocrine Growth Regulation of Endothelial Cells in a Murine Model of Hepatocellular Carcinoma. *Cancer Research*, 66(1), 198-211. doi: 10.1158/0008-5472.can-05-1636
- Sarbassov, D. (2005). Phosphorylation and Regulation of Akt/PKB by the Rictor-mTOR Complex. *Science*, 307(5712), 1098-1101. doi: 10.1126/science.1106148
- Senftleben, U. (2001). Activation by IKK α of a Second, Evolutionary Conserved, NF- κ B Signaling Pathway. *Science*, 293(5534), 1495-1499. doi: 10.1126/science.1062677
- Singal, A., & El-Serag, H. (2015). Hepatocellular Carcinoma From Epidemiology to Prevention: Translating Knowledge into Practice. *Clinical Gastroenterology And Hepatology*, 13(12), 2140-2151. doi: 10.1016/j.cgh.2015.08.014
- Singh, A., Arya, R., Maheshwari, S., Singh, A., Meena, S., & Pandey, P. et al. (2014). Tumor heterogeneity and cancer stem cell paradigm: Updates in concept, controversies and clinical relevance. *International Journal Of Cancer*, 136(9), 1991-2000. doi: 10.1002/ijc.28804
- Smale, S. (2011). Hierarchies of NF- κ B target-gene regulation. *Nature Immunology*, 12(8), 689-694. doi: 10.1038/ni.2070
- Stewart, S. (2003). Lentivirus-delivered stable gene silencing by RNAi in primary cells. *RNA*, 9(4), 493-501. doi: 10.1261/rna.2192803
- Tafari, M., Pucci, B., Russo, A., Schito, L., Pellegrini, L., & Perrone, G. et al. (2013). Modulators of HIF1 α and NF κ B in Cancer Treatment: Is it a Rational Approach for Controlling Malignant Progression?. *Frontiers In Pharmacology*, 4. doi: 10.3389/fphar.2013.00013
- Tam, A., Mercado, E., Hoffmann, A., & Niwa, M. (2012). ER Stress Activates NF- κ B by Integrating Functions of Basal IKK Activity, IRE1 and PERK. *Plos ONE*, 7(10), e45078. doi: 10.1371/journal.pone.0045078
- Tang, C., Ang, B., & Pervaiz, S. (2007). Cancer stem cell: target for anti-cancer therapy. *The FASEB Journal*, 21(14), 3777-3785. doi: 10.1096/fj.07-8560rev
- Taniguchi, K., & Karin, M. (2018). NF- κ B, inflammation, immunity and cancer: coming of age. *Nature Reviews Immunology*, 18(5), 309-324. doi: 10.1038/nri.2017.142

- Taxman, D., Moore, C., Guthrie, E., & Huang, M. (2010). Short Hairpin RNA (shRNA): Design, Delivery, and Assessment of Gene Knockdown. *Methods In Molecular Biology*, 139-156. doi: 10.1007/978-1-60761-657-3_10
- Tetef, M., Doroshow, J., Akman, S., Coluzzi, P., Leong, L., & Margolin, K. et al. (1995). 5-Fluorouracil and High-Dose Calcium Leucovorin for Hepatocellular Carcinoma: A Phase II Trial. *Cancer Investigation*, 13(5), 460-463. doi: 10.3109/07357909509024907
- Thomas, P., & Smart, T. (2005). HEK293 cell line: A vehicle for the expression of recombinant proteins. *Journal Of Pharmacological And Toxicological Methods*, 51(3), 187-200. doi: 10.1016/j.vascn.2004.08.014
- Wang, X., & Lin, Y. (2008). Tumor necrosis factor and cancer, buddies or foes?. *Acta Pharmacologica Sinica*, 29(11), 1275-1288. doi: 10.1111/j.1745-7254.2008.00889.x
- Wang, Y., He, L., Du, Y., Zhu, P., Huang, G., & Luo, J. et al. (2015). The Long Noncoding RNA lncTCF7 Promotes Self-Renewal of Human Liver Cancer Stem Cells through Activation of Wnt Signaling. *Cell Stem Cell*, 16(4), 413-425. doi: 10.1016/j.stem.2015.03.003
- Weis, S., & Cheresch, D. (2011). Tumor angiogenesis: molecular pathways and therapeutic targets. *Nature Medicine*, 17(11), 1359-1370. doi: 10.1038/nm.2537
- Wilhelm, S., Dumas, J., Adnane, L., Lynch, M., Carter, C., & Schütz, G. et al. (2011). Regorafenib (BAY 73-4506): A new oral multikinase inhibitor of angiogenic, stromal and oncogenic receptor tyrosine kinases with potent preclinical antitumor activity. *International Journal Of Cancer*, 129(1), 245-255. doi: 10.1002/ijc.25864
- Xie, K. (2001). Interleukin-8 and human cancer biology. *Cytokine & Growth Factor Reviews*, 12(4), 375-391. doi: 10.1016/s1359-6101(01)00016-8
- Xia, Y., Shen, S., & Verma, I. (2014). NF- κ B, an Active Player in Human Cancers. *Cancer Immunology Research*, 2(9), 823-830. doi: 10.1158/2326-6066.cir-14-0112
- Yaron, A., Hatzubai, A., Davis, M., Lavon, I., Amit, S., & Manning, A. et al. (1998). Identification of the receptor component of the I κ B α -ubiquitin ligase. *Nature*, 396(6711), 590-594. doi: 10.1038/25159
- Yakes, F., Chen, J., Tan, J., Yamaguchi, K., Shi, Y., & Yu, P. et al. (2011). Cabozantinib (XL184), a Novel MET and VEGFR2 Inhibitor, Simultaneously Suppresses Metastasis, Angiogenesis, and Tumor Growth. *Molecular Cancer Therapeutics*, 10(12), 2298-2308. doi: 10.1158/1535-7163.mct-11-0264
- Yan, X., Jia, Y., Chen, L., Zeng, Q., Zhou, J., & Fu, C. et al. (2013). Hepatocellular carcinoma-associated mesenchymal stem cells promote hepatocarcinoma progression: Role of the S100A4-miR155-SOCS1-MMP9 axis. *Hepatology*, 57(6), 2274-2286. doi: 10.1002/hep.26257
- Yeh, D., Huang, L., Chen, Y., Huang, C., & Chuang, T. (2016). Interplay between Inflammation and Stemness in Cancer Cells: The Role of Toll-Like Receptor Signaling. *Journal Of Immunology Research*, 2016, 1-14. doi: 10.1155/2016/4368101
- Yu, D., Chen, J., & Ding, Y. (2010). Hypoxic and Highly Angiogenic Non-Tumor Tissues Surrounding Hepatocellular Carcinoma: The 'Niche' of Endothelial Progenitor Cells. *International Journal Of Molecular Sciences*, 11(8), 2901-2909. doi: 10.3390/ijms11082901
- Yu, L., Ling, Y., & Wang, H. (2018). Role of nonresolving inflammation in hepatocellular carcinoma development and progression. *Npj Precision Oncology*, 2(1). doi: 10.1038/s41698-018-0048-z
- Zhao, J. (2016). Cancer stem cells and chemoresistance: The smartest survives the raid. *Pharmacology & Therapeutics*, 160, 145-158. doi: 10.1016/j.pharmthera.2016.02.008

Zhu, Z., Hao, X., Yan, M., Yao, M., Ge, C., Gu, J., & Li, J. (2009). Cancer stem/progenitor cells are highly enriched in CD133+CD44+population in hepatocellular carcinoma. *International Journal Of Cancer*, 2067–2078. doi: 10.1002/ijc.24868