

REFERENCES

- Balakrishnan, B., Henare, K., Thorstensen, E. B., Ponnampalam, A. P., & Mitchell, M. D. (2010). Transfer of bisphenol A across the human placenta. *American journal of obstetrics and gynecology*, 202(4), 393-e1.
- Bayatti, N., Moss, J. A., Sun, L., Ambrose, P., Ward, J. F., Lindsay, S., & Clowry, G. J. (2007). A molecular neuroanatomical study of the developing human neocortex from 8 to 17 postconceptional weeks revealing the early differentiation of the subplate and subventricular zone. *Cerebral cortex*, 18(7), 1536-1548.
- Becerra, V., & Odermatt, J. (2012). Detection and quantification of traces of bisphenol A and bisphenol S in paper samples using analytical pyrolysis-GC/MS. *Analyst*, 137(9), 2250-2259.
- Braun, J. M., Yolton, K., Dietrich, K. N., Hornung, R., Ye, X., Calafat, A. M., & Lanphear, B. P. (2009). Prenatal bisphenol A exposure and early childhood behavior. *Environmental health perspectives*, 117(12), 1945.
- Chen, V. S., Morrison, J. P., Southwell, M. F., Foley, J. F., Bolon, B., & Elmore, S. A. (2017). Histology Atlas of the developing prenatal and postnatal mouse central nervous system, with emphasis on prenatal days E7. 5 to E18. 5. *Toxicologic pathology*, 45(6), 705-744.
- Clancy, B., Finlay, B. L., Darlington, R. B., & Anand, K. J. S. (2007). Extrapolating brain development from experimental species to humans. *Neurotoxicology*, 28(5), 931-937.
- Del Río, J. A., Martínez, A., Auladell, C., & Soriano, E. (2000). Developmental history of the subplate and developing white matter in the murine neocortex. Neuronal organization and relationship with the main afferent systems at embryonic and perinatal stages. *Cerebral Cortex*, 10(8), 784-801.
- Eladak, S., Grisin, T., Moison, D., Guerquin, M. J., N'Tumba-Byn, T., Pozzi-Gaudin, S., ... & Habert, R. (2015). A new chapter in the bisphenol A story: bisphenol S and bisphenol F are not safe alternatives to this compound. *Fertility and sterility*, 103(1), 11-21.
- Gallart-Ayala, H., Moyano, E., & Galceran, M. T. (2011). Analysis of bisphenols in soft drinks by on-line solid phase extraction fast liquid chromatography–tandem mass spectrometry. *Analytica Chimica Acta*, 683(2), 227-233.
- Geueke, B. (2014). Dossier - Bisphenol S. *Food Packaging Forum*.
- Gilbert, S. F., & Barresi, M. J. (2016). *Developmental biology* (11th ed.). Sunderland, MA: Sinauer Associates.

- Gu, J., Zhang, J., Chen, Y., Wang, H., Guo, M., Wang, L., ... & Ji, G. (2019). Neurobehavioral effects of bisphenol S exposure in early life stages of zebrafish larvae (*Danio rerio*). *Chemosphere*, 217, 629-635.
- Honma, S., Suzuki, A., Buchanan, D. L., Katsu, Y., Watanabe, H., & Iguchi, T. (2002). Low dose effect of in utero exposure to bisphenol A and diethylstilbestrol on female mouse reproduction. *Reproductive Toxicology*, 16(2), 117-122.
- Huang, H., Zhang, J., Wakana, S., Zhang, W., Ren, T., Richards, L. J., ... & Mori, S. (2006). White and gray matter development in human fetal, newborn and pediatric brains. *Neuroimage*, 33(1), 27-38.
- Kanold, P. O., & Luhmann, H. J. (2010). The subplate and early cortical circuits. *Annual review of neuroscience*, 33, 23-48.
- Kinch, C. D., Ibhazehiebo, K., Jeong, J. H., Habibi, H. R., & Kurrasch, D. M. (2015). Low-dose exposure to bisphenol A and replacement bisphenol S induces precocious hypothalamic neurogenesis in embryonic zebrafish. *Proceedings of the National Academy of Sciences*, 112(5), 1475-1480.
- Kitraki, E., Nalvarte, I., Alavian-Ghavanini, A., & Ruegg, J. (2016). Effects of pre-and post-natal exposure to bisphenol A on the stress system. *Endocrine Disruptors*, 4(1), e1184775.
- Komada, M., Asai, Y., Morii, M., Matsuki, M., Sato, M., & Nagao, T. (2012). Maternal bisphenol A oral dosing relates to the acceleration of neurogenesis in the developing neocortex of mouse fetuses. *Toxicology*, 295(1-3), 31-38.
- Le, H. H., Carlson, E. M., Chua, J. P., & Belcher, S. M. (2008). Bisphenol A is released from polycarbonate drinking bottles and mimics the neurotoxic actions of estrogen in developing cerebellar neurons. *Toxicology letters*, 176(2), 149-156.
- Liao, C., Liu, F., Alomirah, H., Loi, V. D., Mohd, M. A., Moon, H. B., ... & Kannan, K. (2012). Bisphenol S in urine from the United States and seven Asian countries: occurrence and human exposures. *Environmental science & technology*, 46(12), 6860-6866.
- Ling, W., Endo, T., Kubo, K. I., Nakajima, K., Kakeyama, M., & Tohyama, C. (2016). In utero bisphenol A exposure induces abnormal neuronal migration in the cerebral cortex of mice. *Frontiers in endocrinology*, 7, 7.
- Liscovitch, N., & Chechik, G. (2013). Specialization of gene expression during mouse brain development. *PLoS computational biology*, 9(9), e1003185.
- Michałowicz, J. (2014). Bisphenol A—sources, toxicity and biotransformation. *Environmental toxicology and pharmacology*, 37(2), 738-758.

- Miyata, T., Kawaguchi, A., Saito, K., Kawano, M., Muto, T., & Ogawa, M. (2004). Asymmetric production of surface-dividing and non-surface-dividing cortical progenitor cells. *Development*, 131(13), 3133-3145.
- Molnár, Z., Métin, C., Stoykova, A., Tarabykin, V., Price, D. J., Francis, F., ... & Kennedy, H. (2006). Comparative aspects of cerebral cortical development. *European Journal of Neuroscience*, 23(4), 921-934.
- Molnár, Z., Vasistha, N. A., & Garcia-Moreno, F. (2011). Hanging by the tail: progenitor populations proliferate. *Nature neuroscience*, 14(5), 538.
- Molyneaux, B. J., Arlotta, P., Menezes, J. R., & Macklis, J. D. (2007). Neuronal subtype specification in the cerebral cortex. *Nature reviews neuroscience*, 8(6), 427.
- Nakamura, K., Itoh, K., Yaoi, T., Fujiwara, Y., Sugimoto, T., & Fushiki, S. (2006). Murine neocortical histogenesis is perturbed by prenatal exposure to low doses of bisphenol A. *Journal of neuroscience research*, 84(6), 1197-1205.
- Ortega, J. A., Memi, F., Radonjic, N., Filipovic, R., Bagasrawala, I., Zecevic, N., & Jakovcevski, I. (2018). The subventricular zone: A key player in human neocortical development. *The Neuroscientist*, 24(2), 156-170.
- Richter, C. A., Birnbaum, L. S., Farabollini, F., Newbold, R. R., Rubin, B. S., Talsness, C. E., ... & vom Saal, F. S. (2007). In vivo effects of bisphenol A in laboratory rodent studies. *Reproductive toxicology*, 24(2), 199-224.
- Rochester, J. R., & Bolden, A. L. (2015). Bisphenol S and F: a systematic review and comparison of the hormonal activity of bisphenol A substitutes. *Environmental health perspectives*, 123(7), 643-650.
- Saili, K. S., Corvi, M. M., Weber, D. N., Patel, A. U., Das, S. R., Przybyla, J., ... & Tanguay, R. L. (2012). Neurodevelopmental low-dose bisphenol A exposure leads to early life-stage hyperactivity and learning deficits in adult zebrafish. *Toxicology*, 291(1-3), 83-92.
- Schambra, U. (2008). *Prenatal Mouse Brain Atlas: Color images and annotated diagrams of: Gestational Days 12, 14, 16 and 18 Sagittal, coronal and horizontal section*. Springer Science & Business Media.
- Stenman, J., Toresson, H., & Campbell, K. (2003). Identification of two distinct progenitor populations in the lateral ganglionic eminence: implications for striatal and olfactory bulb neurogenesis. *Journal of Neuroscience*, 23(1), 167-174.

- Susiarjo, M., Hassold, T. J., Freeman, E., & Hunt, P. A. (2007). Bisphenol A exposure in utero disrupts early oogenesis in the mouse. *PLoS genetics*, 3(1), e5.
- Tabata, H., & Nakajima, K. (2003). Multipolar migration: the third mode of radial neuronal migration in the developing cerebral cortex. *Journal of Neuroscience*, 23(31), 9996-10001.
- Takahashi, T., Nowakowski, R. S., & Caviness, V. S. (1995). Early ontogeny of the secondary proliferative population of the embryonic murine cerebral wall. *Journal of Neuroscience*, 15(9), 6058-6068.
- Vandenberg, L. N., Hauser, R., Marcus, M., Olea, N., & Welshons, W. V. (2007). Human exposure to bisphenol A (BPA). *Reproductive toxicology*, 24(2), 139-177.
- Vandenberg, L. N., Chahoud, I., Heindel, J. J., Padmanabhan, V., Paumgartten, F. J., & Schoenfelder, G. (2010). Urinary, circulating, and tissue biomonitoring studies indicate widespread exposure to bisphenol A. *Environmental health perspectives*, 118(8), 1055-1070.
- Viñas, P., Campillo, N., Martínez-Castillo, N., & Hernández-Córdoba, M. (2010). Comparison of two derivatization-based methods for solid-phase microextraction-gas chromatography-mass spectrometric determination of bisphenol A, bisphenol S and biphenol migrated from food cans. *Analytical and bioanalytical chemistry*, 397(1), 115-125.
- WHO. (2009, November 27). *BISPHENOL A (BPA) - Current state of knowledge and future actions by WHO and FAO*. Geneva.
- Yaşar, P., Ayaz, G., User, S. D., Güpür, G., & Muyan, M. (2017). Molecular mechanism of estrogen-estrogen receptor signaling. *Reproductive medicine and biology*, 16(1), 4-20.
- Yeo, M., Berglund, K., Hanna, M., Guo, J. U., Kittur, J., Torres, M. D., ... & Liedtke, W. B. (2013). Bisphenol A delays the perinatal chloride shift in cortical neurons by epigenetic effects on the Kcc2 promoter. *Proceedings of the National Academy of Sciences*, 110(11), 4315-4320.
- Zielińska, M., Wojnowska-Baryła, I., & Cydzik-Kwiatkowska, A. (2019). *Bisphenol A Removal from Water and Wastewater*. Cham: Springer International Publishing AG.