

## References

- Agarwal, E., Brattain, M. G., & Chowdhury, S. (2013). Cell survival and metastasis regulation by Akt signaling in colorectal cancer. *Cellular signalling*, 25(8), 1711-1719.
- Altomare, D. A., & Testa, J. R. (2005). Perturbations of the AKT signaling pathway in human cancer. *Oncogene*, 24(50), 7455.
- Arora, R. A. J. E. S. H., Malhotra, P. O. O. N. A. M., Chawla, R. A. M. A. N., Gupta, D. A. M. O. D. A. R., Juneja, M., Kumar, R., ... & Tripathi, R. P. (2010). Herbal drugs for oncology: current status and future directions in cancer chemoprevention. *Herbal Medicine A Cancer Chemopreventive and Therapeutic Perspective*, Jaypee Brothers Medical Publishers, New Delhi, India, 2-41.
- Asiatic acid attenuates malignancy of human metastatic ovarian cancer cells via inhibition of epithelial-to-mesenchymal transition
- Banes, L., Eveson, J. W., Reichart, P., & Sidransky, D. (2005). World Health Organization classification of tumors. Pathology and genetics of head and neck tumors. *World Health Organization, New York*, p130-131.
- Bei, J. X., Li, Y., Jia, W. H., Feng, B. J., Zhou, G., Chen, L. Z., ... & Tai, E. S. (2010). A genome-wide association study of nasopharyngeal carcinoma identifies three new susceptibility loci. *Nature genetics*, 42(7), 599.
- Bensouda, Y., Kaikani, W., Ahbeddou, N., Rahhal, R., Jabri, M., Mrabti, H., ... & Errihani, H. (2011). Treatment for metastatic nasopharyngeal carcinoma. *European annals of otorhinolaryngology, head and neck diseases*, 128(2), 79-85.
- Bonfill, M., Mangas, S., Cusidó, R. M., Osuna, L., Piñol, M. T., & Palazón, J. (2006). Identification of triterpenoid compounds of Centella asiatica by thin-layer chromatography and mass spectrometry. *Biomedical Chromatography*, 20(2), 151-153.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R. L., Torre, L. A., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians*, 68(6), 394-424.
- Brennan, B. (2006). Nasopharyngeal carcinoma. *Orphanet journal of rare diseases*, 1(1), 23.
- Brinkhaus, B., Lindner, M., Schuppan, D., & Hahn, E. G. (2000). Chemical, pharmacological and clinical profile of the East Asian medical plant Centella asiatica. *Phytomedicine*, 7(5), 427-448.
- Cao, S. M., Liu, Z., Jia, W. H., Huang, Q. H., Liu, Q., Guo, X., ... & Hong, M. H. (2011). Fluctuations of Epstein-Barr virus serological antibodies and risk for nasopharyngeal carcinoma: a prospective screening study with a 20-year follow-up. *PloS one*, 6(4), e19100.
- Chan, A. S. C., To, K. F., Lo, K. W., Ding, M., Li, X., Johnson, P., & Huang, D. P. (2002). Frequent chromosome 9p losses in histologically normal nasopharyngeal epithelia from southern Chinese. *International journal of cancer*, 102(3), 300-303.

Chan, A. S. C., To, K. F., Lo, K. W., Mak, K. F., Pak, W., Chiu, B., ... & Huang, D. P. (2000). High frequency of chromosome 3p deletion in histologically normal nasopharyngeal epithelia from southern Chinese. *Cancer research*, 60(19), 5365-5370.

Chan, K. A. (2014). Plasma Epstein-Barr virus DNA as a biomarker for nasopharyngeal carcinoma. *Chinese journal of cancer*, 33(12), 598.

Chen, B., Zhou, S., Zhan, Y., Ke, J., Wang, K., Liang, Q., ... & Xiao, J. (2019). Dioscin Inhibits the Invasion and Migration of Hepatocellular Carcinoma HepG2 Cells by Reversing TGF- $\beta$ 1-Induced Epithelial-Mesenchymal Transition. *Molecules*, 24(12), 2222.

Chen, H. C. (2005). Boyden chamber assay. In *Cell migration*(pp. 15-22). Humana Press.

Chen, J. (2012). Roles of the PI3K/Akt pathway in Epstein-Barr virus-induced cancers and therapeutic implications. *World journal of virology*, 1(6), 154.

Chen, W., Wu, S., Zhang, G., Wang, W., & Shi, Y. (2013). Effect of AKT inhibition on epithelial-mesenchymal transition and ZEB1-potentiated radiotherapy in nasopharyngeal carcinoma. *Oncology letters*, 6(5), 1234-1240.

Chua, M. L., Wee, J. T., Hui, E. P., & Chan, A. T. (2016). Nasopharyngeal carcinoma. *The Lancet*, 387(10022), 1012-1024.

Coghill, A. E., Hsu, W. L., Pfeiffer, R. M., Juwana, H., Kelly, J. Y., Lou, P. J., ... & Hildesheim, A. (2014). Epstein-Barr virus serology as a potential screening marker for nasopharyngeal carcinoma among high-risk individuals from multiplex families in Taiwan. *Cancer Epidemiology and Prevention Biomarkers*, 23(7), 1213-1219.

Cory, G. (2011). Scratch-wound assay. In *Cell Migration* (pp. 25-30). Humana Press.

Cui, Q., Ren, J., Zhou, Q., Yang, Q., & Li, B. (2019). Effect of asiatic acid on epithelial-mesenchymal transition of human alveolar epithelium A549 cells induced by TGF- $\beta$ 1. *Oncology Letters*, 17(5), 4285-4292.

Dhawan, P., Singh, A. B., Deane, N. G., No, Y., Shiou, S. R., Schmidt, C., ... & Beauchamp, R. D. (2005). Claudin-1 regulates cellular transformation and metastatic behavior in colon cancer. *The Journal of clinical investigation*, 115(7), 1765-1776.

Fortier, A. M., Asselin, E., & Cadrin, M. (2013). Keratin 8 and 18 loss in epithelial cancer cells increases collective cell migration and cisplatin sensitivity through claudin1 up-regulation. *Journal of Biological Chemistry*, 288(16), 11555-11571.

Gkretsi, V., & Stylianopoulos, T. (2018). Cell adhesion and matrix stiffness: coordinating cancer cell invasion and metastasis. *Frontiers in oncology*, 8, 145.

Hao, Y., Huang, J., Ma, Y., Chen, W., Fan, Q., Sun, X., ... & Cai, H. (2018). Asiatic acid inhibits proliferation, migration and induces apoptosis by regulating Pdcd4 via the PI3K/Akt/mTOR/p70S6K signaling pathway in human colon carcinoma cells. *Oncology letters*, 15(6), 8223-8230.

Hao, Y., Huang, J., Ma, Y., Chen, W., Fan, Q., Sun, X., ... & Cai, H. (2018). Asiatic acid inhibits proliferation, migration and induces apoptosis by regulating Pdcd4 via the PI3K/Akt/mTOR/p70S6K signaling pathway in human colon carcinoma cells. *Oncology letters*, 15(6), 8223-8230.

Henle, W., Henle, G., Ho, H. C., Burtin, P., Cachin, Y., Clifford, P., ... & Klein, G. (1970). Antibodies to Epstein-Barr virus in nasopharyngeal carcinoma, other head and neck neoplasms, and control groups. *Journal of the National Cancer Institute*, 44(1), 225-231.

HogenEsch, H., & Nikitin, A. Y. (2012). Challenges in pre-clinical testing of anti-cancer drugs in cell culture and in animal models. *Journal of controlled release*, 164(2), 183-186.

Hsu, W. L., Yu, K. J., Chien, Y. C., Chiang, C. J., Cheng, Y. J., Chen, J. Y., ... & Lou, P. J. (2010). Familial tendency and risk of nasopharyngeal carcinoma in taiwan: effects of covariates on risk. *American journal of epidemiology*, 173(3), 292-299.

Hsu, Y. L., Kuo, P. L., Lin, L. T., & Lin, C. C. (2005). Asiatic acid, a triterpene, induces apoptosis and cell cycle arrest through activation of extracellular signal-regulated kinase and p38 mitogen-activated protein kinase pathways in human breast cancer cells. *Journal of Pharmacology and Experimental Therapeutics*, 313(1), 333-344.

Hu, S. P., Day, N. E., Li, D. R., Luben, R. N., Cai, K. L., Ou-Yang, T., ... & Ponder, B. A. J. (2005). Further evidence for an HLA-related recessive mutation in nasopharyngeal carcinoma among the Chinese. *British journal of cancer*, 92(5), 967.

Hu, S. P., Day, N. E., Li, D. R., Luben, R. N., Cai, K. L., Ou-Yang, T., ... & Ponder, B. A. J. (2005). Further evidence for an HLA-related recessive mutation in nasopharyngeal carcinoma among the Chinese. *British journal of cancer*, 92(5), 967.

Huang, S., Tsao, S., & Tsang, C. (2018). Interplay of viral infection, host cell factors and tumor microenvironment in the pathogenesis of nasopharyngeal carcinoma. *Cancers*, 10(4), 106.

Jha, H. C., Pei, Y., & Robertson, E. S. (2016). Epstein–Barr virus: diseases linked to infection and transformation. *Frontiers in microbiology*, 7, 1602.

Jia, W. H., Collins, A., Zeng, Y. X., Feng, B. J., Yu, X. J., Huang, L. X., ... & Shugart, Y. Y. (2005). Complex segregation analysis of nasopharyngeal carcinoma in Guangdong, China: evidence for a multifactorial mode of inheritance (complex segregation analysis of NPC in China). *European Journal of Human Genetics*, 13(2), 248.

Jia, W. H., Feng, B. J., Xu, Z. L., Zhang, X. S., Huang, P., Huang, L. X., ... & Zeng, Y. X. (2004). Familial risk and clustering of nasopharyngeal carcinoma in Guangdong, China. *Cancer*, 101(2), 363-369.

Jing, Y., Wang, G., Ge, Y., Xu, M., Tang, S., & Gong, Z. (2016). AA-PMe, a novel asiatic acid derivative, induces apoptosis and suppresses proliferation, migration, and invasion of gastric cancer cells. *Oncotargets and therapy*, 9, 1605.

Jonkman, J. E., Cathcart, J. A., Xu, F., Bartolini, M. E., Amon, J. E., Stevens, K. M., & Colarusso, P. (2014). An introduction to the wound healing assay using live-cell microscopy. *Cell adhesion & migration*, 8(5), 440-451.

Justus, C. R., Leffler, N., Ruiz-Echevarria, M., & Yang, L. V. (2014). In vitro cell migration and invasion assays. *JoVE (Journal of Visualized Experiments)*, (88), e51046.

Kavitha, C. V., Agarwal, C., Agarwal, R., & Deep, G. (2011). Asiatic acid inhibits pro-angiogenic effects of VEGF and human gliomas in endothelial cell culture models. *PloS one*, 6(8), e22745.

Kelly, J. Y., Hsu, W. L., Pfeiffer, R. M., Chiang, C. J., Wang, C. P., Lou, P. J., ... & Chen, C. J. (2011). Prognostic utility of anti-EBV antibody testing for defining NPC risk among individuals from high-risk NPC families. *Clinical Cancer Research*, 17(7), 1906-1914.

Kuete, V., Karaosmanoğlu, O., & Sivas, H. (2017). Anticancer Activities of African Medicinal Spices and Vegetables. In *Medicinal Spices and Vegetables from Africa* (pp. 271-297). Academic Press.

Kumar, S., Bajaj, S., & Bodla, R. B. (2016). Preclinical screening methods in cancer. *Indian journal of pharmacology*, 48(5), 481.

Kwon, M. (2013). Emerging roles of claudins in human cancer. *International journal of molecular sciences*, 14(9), 18148-18180.

Lam, K. O., Lee, A. W., Choi, C. W., Sze, H. C., Zietman, A. L., Hopkins, K. I., & Rosenblatt, E. (2016). Global pattern of nasopharyngeal cancer: correlation of outcome with access to radiation therapy. *International Journal of Radiation Oncology\* Biology\* Physics*, 94(5), 1106-1112.

Lambert, A. W., Pattabiraman, D. R., & Weinberg, R. A. (2017). Emerging biological principles of metastasis. *Cell*, 168(4), 670-691.

Lamouille, S., Xu, J., & Deryck, R. (2014). Molecular mechanisms of epithelial-mesenchymal transition. *Nature reviews Molecular cell biology*, 15(3), 178.

Lee, J. W., Hsiao, W. T., Chen, H. Y., Hsu, L. P., Chen, P. R., Lin, M. D., ... & Hsu, Y. C. (2009). Upregulated claudin-1 expression confers resistance to cell death of nasopharyngeal carcinoma cells. *International journal of cancer*, 126(6), 1353-1366.

Lee, Y. S., Jin, D. Q., Kwon, E. J., Park, S. H., Lee, E. S., Jeong, T. C., ... & Kim, J. A. (2002). Asiatic acid, a triterpene, induces apoptosis through intracellular Ca<sup>2+</sup> release and enhanced expression of p53 in HepG2 human hepatoma cells. *Cancer letters*, 186(1), 83-91.

Leotlela, P. D., Wade, M. S., Duray, P. H., Rhode, M. J., Brown, H. F., Rosenthal, D. T., ... & Taub, D. D. (2007). Claudin-1 overexpression in melanoma is regulated by PKC and contributes to melanoma cell motility. *Oncogene*, 26(26), 3846.

Li, J. F., Huang, R. Z., Yao, G. Y., Ye, M. Y., Wang, H. S., Pan, Y. M., & Xiao, J. T. (2014). Synthesis and biological evaluation of novel aniline-derived asiatic acid derivatives as potential anticancer agents. *European journal of medicinal chemistry*, 86, 175-188.

Li, Z., & Zong, Y. S. (2014). Review of the histological classification of nasopharyngeal carcinoma. *Journal of NasoPharyngeal Carcinoma*, 1(15).

Liu, Z., Xu, C., Jiang, R., Liu, G., Liu, Q., Zhou, J., ... & Jiang, W. (2019). Treatment of Locally Advanced Nasopharyngeal Carcinoma by Helical Tomotherapy: An Observational, Prospective Analysis. *Translational oncology*, 12(5), 757-763.

Lv, J., Sharma, A., Zhang, T., Wu, Y., & Ding, X. (2018). Pharmacological review on Asiatic acid and its derivatives: A potential compound. *SLAS TECHNOLOGY: Translating Life Sciences Innovation*, 23(2), 111-127.

Mahdavifar, N., Towhidi, F., Makhsoси, B. R., Pakzad, R., Moini, A., Ahmadi, A., Lotfi, S. & Salehiniya, H. (2016). Incidence and mortality of nasopharynx cancer and its relationship with human development index in the world in 2012. *World journal of oncology*, 7(5-6), 109.

Martini, M., De Santis, M. C., Braccini, L., Gulluni, F., & Hirsch, E. (2014). PI3K/AKT signaling pathway and cancer: an updated review. *Annals of medicine*, 46(6), 372-383.

Massagué, J., & Obenauf, A. C. (2016). Metastatic colonization by circulating tumour cells. *Nature*, 529(7586), 298.

Mato, L., Wattanathorn, J., Muchimapura, S., Tongun, T., Piyawatkul, N., Yimtae, K., ... & Sripanidkulchai, B. (2011). Centella asiatica improves physical performance and health-related quality of life in healthy elderly volunteer. *Evidence-Based Complementary and Alternative Medicine*, 2011.

Meeran, M. F. N., Goyal, S. N., Suchal, K., Sharma, C., Patil, C. R., & Ojha, S. K. (2018). Pharmacological properties, molecular mechanisms, and pharmaceutical development of asiatic acid: a pentacyclic triterpenoid of therapeutic promise. *Frontiers in pharmacology*, 9.

Mimi, C. Y., & Yuan, J. M. (2002, December). Epidemiology of nasopharyngeal carcinoma. In *Seminars in cancer biology*(Vol. 12, No. 6, pp. 421-429). Academic Press.

Molinie, N., & Gautreau, A. (2018). Directional Collective Migration in Wound Healing Assays. In *Cell Migration* (pp. 11-19). Humana Press, New York, NY.

National Center for Biotechnology Information. PubChem Database. Asiatic acid, CID=119034, <https://pubchem.ncbi.nlm.nih.gov/compound/Asiatic-acid> (accessed on June 22, 2019)

Ng, W. T., Choi, C. W., Lee, M. C., Chan, S. H., Yau, T. K., & Lee, A. W. (2009). Familial nasopharyngeal carcinoma in Hong Kong: epidemiology and implication in screening. *Familial cancer*, 8(2), 103-108.

Niamnuy, C., Charoenchaitrakool, M., Mayachiew, P., & Devahastin, S. (2013). Bioactive compounds and bioactivities of Centella asiatica (L.) urban prepared by different drying methods and conditions. *Drying Technology*, 31(16), 2007-2015.

Niedobitek, G. (2000). Epstein-Barr virus infection in the pathogenesis of nasopharyngeal carcinoma. *Molecular Pathology*, 53(5), 248.

Olajos, J., Füle, E., Erfán, J., Krenács, L., Stelkovics, É., Francz, M., ... & Ésik, O. (2005). Familial clustering of nasopharyngeal carcinoma in a non-endemic geographical region. Report of two Hungarian cases and a review of the literature. *Acta oto-laryngologica*, 125(9), 1008-1013.

Paiar, F., Di Cataldo, V., Zei, G., Pasquetti, E. M., Cecchini, S., Meattini, I., ... & Biti, G. (2012). Role of chemotherapy in nasopharyngeal carcinoma. *Oncology reviews*, 6(1).

Paredes-Durán, L. M., del Barco-Morillo, E., Baldeón-Conde, M. J., Medina-Valdivieso, S., Guillen-Sacoto, M. C., & Cruz-Hernández, J. J. (2017). Familial Clustering of Nasopharyngeal Carcinoma in Non-Endemic Area. Report of Three Families. *Acta Otorrinolaringologica (English Edition)*, 68(3), 164-168.

Park, B. C., Bosire, K. O., Lee, E. S., Lee, Y. S., & Kim, J. A. (2005). Asiatic acid induces apoptosis in SK-MEL-2 human melanoma cells. *Cancer letters*, 218(1), 81-90.

Parkin, D. M., Bray, F., Ferlay, J., & Pisani, P. (2005). Global cancer statistics, 2002. *CA: a cancer journal for clinicians*, 55(2), 74-108.

Pathmanathan, R., Prasad, U., Chandrika, G., Sadler, R., Flynn, K., & Raab-Traub, N. (1995). Undifferentiated, nonkeratinizing, and squamous cell carcinoma of the nasopharynx. Variants of Epstein-Barr virus-infected neoplasia. *The American journal of pathology*, 146(6), 1355.

Pender, M. P. (2011). The essential role of Epstein-Barr virus in the pathogenesis of multiple sclerosis. *The Neuroscientist*, 17(4), 351-367.

Peterson, B. R., & Nelson, B. L. (2013). Nonkeratinizing undifferentiated nasopharyngeal carcinoma. *Head and neck pathology*, 7(1), 73-75.

Qian, C. N., Mei, Y., & Zhang, J. (2017). Cancer metastasis: issues and challenges.

Rafehi, H., Orlowski, C., Georgiadis, G. T., Ververis, K., El-Osta, A., & Karagiannis, T. C. (2011). Clonogenic assay: adherent cells. *JoVE (Journal of Visualized Experiments)*, (49), e2573.

Ren, J. T., Li, M. Y., Wang, X. W., Xue, W. Q., Ren, Z. F., & Jia, W. H. (2017). Potential factors associated with clinical stage of nasopharyngeal carcinoma at diagnosis: a case-control study. *Chinese journal of cancer*, 36(1), 71.

Ren, L., Cao, Q. X., Zhai, F. R., Yang, S. Q., & Zhang, H. X. (2016). Asiatic acid exerts anticancer potential in human ovarian cancer cells via suppression of PI3K/Akt/mTOR signalling. *Pharmaceutical biology*, 54(11), 2377-2382.

Robinson, M. M., & Zhang, X. (2011). The world medicines situation 2011, traditional medicines: Global situation, issues and challenges. *World Health Organization, Geneva*, 1-12.

Sakonsinsiri, C., Kaewlert, W., Aramartmuntree, N., Thanan, R., & Pakdeechote, P. (2018). Anti-cancer activity of asiatic acid against human cholangiocarcinoma cells through inhibition of proliferation and induction of apoptosis. *Cell Mol Biol (Noisy le Grand)*, 64(10).

Sam, C. K., Brooks, L. A., Niedobitek, G., Young, L. S., Rickinson, A. B., & Prasad, U. (1993). Analysis of Epstein-Barr virus infection in nasopharyngeal biopsies from a group at high risk of nasopharyngeal carcinoma. *International journal of cancer*, 53(6), 957-962.

Schwartzmann, G., Winograd, B., & Pinedo, H. M. (1988). The main steps in the development of anticancer agents. *Radiotherapy and oncology*, 12(4), 301-313.

Seyfried, T. N., & Huysentruyt, L. C. (2013). On the origin of cancer metastasis. *Critical reviews in oncogenesis*, 18(1-2), 43.

Shah, K. M., & Young, L. S. (2009). Epstein-Barr virus and carcinogenesis: beyond Burkitt's lymphoma. *Clinical Microbiology and Infection*, 15(11), 982-988.

Shin, S. A., Moon, S., Kim, W. Y., Paek, S. M., Park, H., & Lee, C. (2018). Structure-Based Classification and Anti-Cancer Effects of Plant Metabolites. *International journal of molecular sciences*, 19(9), 2651.

Sinha, S., & Bhimji, S. S. (2018). Cancer, Nasopharynx. In *StatPearls [Internet]*. StatPearls Publishing.

Stone, R. C., Pastar, I., Ojeh, N., Chen, V., Liu, S., Garzon, K. I., & Tomic-Canic, M. (2016). Epithelial-mesenchymal transition in tissue repair and fibrosis. *Cell and tissue research*, 365(3), 495-506.

Suh, Y., Yoon, C. H., Kim, R. K., Lim, E. J., Oh, Y. S., Hwang, S. G., ... & Kim, M. J. (2013). Claudin-1 induces epithelial–mesenchymal transition through activation of the c-Abl-ERK signaling pathway in human liver cells. *Oncogene*, 32(41), 4873.

Tang, L. Q., Li, C. F., Li, J., Chen, W. H., Chen, Q. Y., Yuan, L. X., ... & Wen, S. H. (2016). Establishment and validation of prognostic nomograms for endemic nasopharyngeal carcinoma. *JNCI: Journal of the National Cancer Institute*, 108(1).

Tang, M., Zeng, Y., Poisson, A., Marti, D., Guan, L., Zheng, Y., ... & Nelson, G. (2010). Haplotype-dependent HLA susceptibility to nasopharyngeal carcinoma in a Southern Chinese population. *Genes and immunity*, 11(4), 334.

Tsang, C. M., Deng, W., Yip, Y. L., Zeng, M. S., Lo, K. W., & Tsao, S. W. (2014). Epstein-Barr virus infection and persistence in nasopharyngeal epithelial cells. *Chinese journal of cancer*, 33(11), 549.

Tsang, C. M., Yip, Y. L., Lo, K. W., Deng, W., To, K. F., Hau, P. M., ... & Chen, H. (2012). Cyclin D1 overexpression supports stable EBV infection in nasopharyngeal epithelial cells. *Proceedings of the National Academy of Sciences*, 109(50), E3473-E3482.

Tsao, S. W., Tsang, C. M., & Lo, K. W. (2017). Epstein-Barr virus infection and nasopharyngeal carcinoma. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 372(1732), 20160270.

Tse, K. P., Su, W. H., Chang, K. P., Tsang, N. M., Yu, C. J., Tang, P., ... & Li, H. Y. (2009). Genome-wide association study reveals multiple nasopharyngeal carcinoma-associated loci within the HLA region at chromosome 6p21. 3. *The American Journal of Human Genetics*, 85(2), 194-203.

Tulalamba, W., & Janvilisri, T. (2012). Nasopharyngeal carcinoma signaling pathway: an update on molecular biomarkers. *International journal of cell biology*, 2012.

Van Meerloo, J., Kaspers, G. J., & Cloos, J. (2011). Cell sensitivity assays: the MTT assay. In *Cancer cell culture* (pp. 237-245). Humana Press.

Wang, C. Q., & He, J. (2016). Ubiquitous distribution of Epstein–Barr virus and the highly uneven distribution of nasopharyngeal carcinoma. *Chinese medical journal*, 129(20), 2506.

Wang, H. Y., Chang, Y. L., To, K. F., Hwang, J. S., Mai, H. Q., Feng, Y. F., ... & Lee, M. (2016). A new prognostic histopathologic classification of nasopharyngeal carcinoma. *Chinese journal of cancer*, 35(1), 41.

Wang, K. H., Austin, S. A., Chen, S. H., Sonne, D. C., & Gurushanthaiah, D. (2017). Nasopharyngeal Carcinoma Diagnostic Challenge in a Nonendemic Setting: Our Experience with 101 Patients. *The Permanente journal*, 21.

Wang, L., Xu, J., Zhao, C., Zhao, L., & Feng, B. (2013). Antiproliferative, cell-cycle dysregulation effects of novel asiatic acid derivatives on human non-small cell lung cancer cells. *Chemical and Pharmaceutical Bulletin*, c13-00328.

Wang, T., Liu, H., Chen, Y., Liu, W., Yu, J., & Wu, G. (2009). Methylation associated inactivation of RASSF1A and its synergistic effect with activated K-Ras in nasopharyngeal carcinoma. *Journal of experimental & clinical cancer research*, 28(1), 160.

Wee, J. T. S., Ha, T. C., Loong, S., & Qian, C. N. (2010). Is nasopharyngeal cancer really a "Cantonese cancer"?.

Wei, W. I., & Kwong, D. L. (2010). Current management strategy of nasopharyngeal carcinoma. *Clinical and experimental otorhinolaryngology*, 3(1), 1.

Wei, W. I., & Sham, J. S. (2005). Nasopharyngeal carcinoma. *The Lancet*, 365(9476), 2041-2054.

Wu, L., Li, C., & Pan, L. (2018). Nasopharyngeal carcinoma: A review of current updates. *Experimental and therapeutic medicine*, 15(4), 3687-3692.

Wu, Q., Lv, T., Chen, Y., Wen, L., Zhang, J., Jiang, X., & Liu, F. (2015). Apoptosis of HL-60 human leukemia cells induced by Asiatic acid through modulation of B-cell lymphoma 2 family proteins and the mitogen-activated protein kinase signaling pathway. *Molecular medicine reports*, 12(1), 1429-1434.

Wu, T., Geng, J., Guo, W., Gao, J., & Zhu, X. (2017). Asiatic acid inhibits lung cancer cell growth in vitro and in vivo by destroying mitochondria. *Acta pharmaceutica sinica B*, 7(1), 65-72.

Wu, X., Xiao, J., Zhao, C., Zhao, C., Han, Z., Wang, F., ... & Fang, F. (2018). Claudin1 promotes the proliferation, invasion and migration of nasopharyngeal carcinoma cells by upregulating the expression and nuclear entry of  $\beta$ -catenin. *Experimental and therapeutic medicine*, 16(4), 3445-3451.

Xu, Z. J., Zheng, R. S., Zhang, S. W., Zou, X. N., & Chen, W. Q. (2013). Nasopharyngeal carcinoma incidence and mortality in China in 2009. *Chinese journal of cancer*, 32(8), 453.

Yasurin, P., Sriariyanun, M., & Phusantisampan, T. (2016). the Bioavailability Activity of Centella asiatica. *KMUTNB Int J Appl Sci Technol*, 9(1), 1-9.

Young, L. S., & Dawson, C. W. (2014). Epstein-Barr virus and nasopharyngeal carcinoma. *Chinese journal of cancer*, 33(12), 581.

Yu, Fenggang & Lu, Yanan & K Tay, Joshua & Yoshiyam, Hironori & Seng Loh, Kwok. (2018). Establishment of EBV latency in nasopharyngeal tumor epithelial cells by in vivo cell-mediated transfer infection. *Otorhinolaryngology-Head and Neck Surgery*. 3. 10.15761/OHNS.1000174.

Zeng, M. S., Li, D. J., Liu, Q. L., Song, L. B., Li, M. Z., Zhang, R. H., Yu, X. J., Wang, H. M., Ernberg, I. & Zeng, Y. X. (2005). Genomic sequence analysis of Epstein-Barr virus strain GD1 from a nasopharyngeal carcinoma patient. *Journal of virology*, 79(24), 15323-15330.

Zhang, J., Ai, L., Lv, T., Jiang, X., & Liu, F. (2013). Asiatic acid, a triterpene, inhibits cell proliferation through regulating the expression of focal adhesion kinase in multiple myeloma cells. *Oncology letters*, 6(6), 1762-1766.

Zhang, L., Chen, Q. Y., Liu, H., Tang, L. Q., & Mai, H. Q. (2013). Emerging treatment options for nasopharyngeal carcinoma. *Drug design, development and therapy*, 7, 37.

Zhang, X. M., Wang, T., Hu, P., Li, B., Liu, H., & Cheng, Y. F. (2019). SERPINB2 overexpression inhibited cell proliferation, invasion and migration, led to G2/M arrest, and increased radiosensitivity in nasopharyngeal carcinoma cells. *Journal of radiation research*.

Zhang, L., Yang, L., Li, J. J., & Sun, L. (2012). Potential use of nucleic acid-based agents in the sensitization of nasopharyngeal carcinoma to radiotherapy. *Cancer letters*, 323(1), 1-10.