

REFERENCE

Akoh, C., & Min, D. (2008). *Food lipids*. Boca Raton: CRC Press

Al-Khudairy, L., Hartley, L., Clar, C., Flowers, N., Hooper, L., & Rees, K. (2015). Omega 6 fatty acids for the primary prevention of cardiovascular disease. *Cochrane Database Of Systematic Reviews*. doi: 10.1002/14651858.cd011094.pub2

Bergheanu, S., Bodde, M., & Jukema, J. (2017). Pathophysiology and treatment of atherosclerosis. *Netherlands Heart Journal*, 25(4), 231-242. doi: 10.1007/s12471-017-0959-2

Bloor, W., R. (1944). Biochemistry of the Fatty Acids. *Journal Of The American Pharmaceutical Association (Scientific Ed.)*, 33(5), 160. doi: 10.1002/jps.3030330512

Bowen, K., Harris, W., & Kris-Etherton, P. (2016). Omega-3 Fatty Acids and Cardiovascular Disease: Are There Benefits?. *Current Treatment Options In Cardiovascular Medicine*, 18(11). doi: 10.1007/s11936-016-0487-1

Chowdhury, R., Warnakula, S., Kunutsor, S., Crowe, F., Ward, H., & Johnson, L. et al. (2014). Association of Dietary, Circulating, and Supplement Fatty Acids With Coronary Risk. *Annals Of Internal Medicine*, 160(6), 398. doi: 10.7326/m13-1788

Delgado, I., Huet, L., Dexpert, S., Beau, C., Forestier, D., & Ledaguenel, P. et al. (2018). Depressive symptoms in obesity: Relative contribution of low-grade inflammation and metabolic health. *Psychoneuroendocrinology*, 91, 55-61. doi: 10.1016/j.psyneuen.2018.02.030

Dhingra, R., Gona, P., Nam, B., D'Agostino, R., Wilson, P., Benjamin, E., & O'Donnell, C. (2007). C-Reactive Protein, Inflammatory Conditions, and Cardiovascular Disease Risk. *The American Journal Of Medicine*, 120(12), 1054-1062. doi: 10.1016/j.amjmed.2007.08.037

FAO (2010). Dietary Recommendation daily intake.

Galkina, E., & Ley, K. (2009). Immune and Inflammatory Mechanisms of Atherosclerosis. *Annual Review Of Immunology*, 27(1), 165-197. doi: 10.1146/annurev.immunol.021908.132620

George, J. M., Bhat, R., Pai, K. M., S, A., & Jeganathan, J. (2013). The carotid intima media thickness: a predictor of the clincal coronary events. *Journal of clinical and diagnostic research : JCDR*, 7(6), 1082–1085. doi:10.7860/JCDR/2013/4767.3029

Gómez-Marcos, M., Recio-Rodríguez, J., Patino-Alonso, M., Agudo-Conde, C., Gómez-Sánchez, L., & Gomez-Sanchez, M. et al. (2015). Cardio-ankle vascular index is associated with cardiovascular target organ damage and vascular structure and function in patients with diabetes or metabolic syndrome, LOD-DIABETES study: a case series report. *Cardiovascular Diabetology*, 14(1), 7. doi: 10.1186/s12933-014-0167-y

Griffin, B. A., & Cunnane, S. C (2009). Nutrition and metabolism of lipids. In Gibney, M. (2009). *Introduction to human nutrition*. Chichester: Wiley-Blackwell.

Harris, W., & Shearer, G. (2014). Omega-6 Fatty Acids and Cardiovascular disease. *Circulation*, 130(18), 1562-1564. doi: 10.1161/circulationaha.114.012534

Hirano, M., Nakamura, T., Kitta, Y., Takishima, I., Deyama, J., & Kobayashi, T. et al. (2011). Short-term progression of maximum intima-media thickness of carotid plaque is associated with future coronary events in patients with coronary artery disease. *Atherosclerosis*, 215(2), 507-512. doi: 10.1016/j.atherosclerosis.2011.01.014

Iso, H. (2011). Lifestyle and Cardiovascular Disease in Japan. *Journal Of Atherosclerosis And Thrombosis*, 18(2), 83-88. doi: 10.5551/jat.6866

Japanese Ministry of Health (2015). Dietary reference intake for Japanese

Jones and Kubow (2006). High sensitivity C reactive protein. [Http:// 10.1006/rwgn.2001.1708](http://10.1006/rwgn.2001.1708)

Kawabata, *et al.*, (2012). Intima media Thickness and cardiovascular.

Laura., L., et al., (2012). Protective effect of the N3 polyunsaturated fatty acids: Eicosapentaenoic acid/Docosahexaenoic acid 1:1 ratio on cardiovascular disease risk markers in rats. *Journal of Lipids in Health and Diseases*

Lee, D., Jang, H., Choe, E., Kim, B., Lee, S., & Kim, S. et al. (2004). Characterization of lipid. Applied And Environmental Microbiology, 70(3), 1397-1404. doi: 10.1128/aem.70.3.1397-1404.2004

Libby, P., & Ridker, P. (2004). Inflammation and atherosclerosis: role of C-Reactive protein in risk assessment. *The American Journal Of Medicine*, 116(6), 9-16. doi: 10.1016/j.amjmed.2004.02.006

Mann, J., & Truswell, A. S. (2012). *Essentials of Human nutrition. 4th Edition*. Australia: Eleanor Beck.

Mensink, R., & Katan, M. (1990). Effect of Dietary trans Fatty Acids on High-Density and Low-Density Lipoprotein Cholesterol Levels in Healthy Subjects. *New England Journal Of Medicine*, 323(7), 439-445. doi: 10.1056/nejm199008163230703

Mita, T., Watada, H., Ogihara, T., Nomiyama, T., Ogawa, O., & Kinoshita, J. et al. (2007). Eicosapentaenoic acid reduces the progression of carotid intima-media thickness in patients with type 2 diabetes. *Atherosclerosis*, 191(1), 162-167. doi: 10.1016/j.atherosclerosis.2006.03.005

Mohebi-Nejad, A., & Bikdeli, B. (2014). Omega-3 supplements and cardiovascular diseases. *Tanaffos*, 13(1), 6-14.

Patterson, E., Wall, R., Fitzgerald, G., Ross, R., & Stanton, C. (2012). Health Implications of High Dietary Omega-6 Polyunsaturated Fatty Acids. *Journal Of Nutrition And Metabolism*, 2012, 1-16. doi: 10.1155/2012/539426

Rafieian-Kopaei, M., Setorki, M., Doudi, M., Baradaran, A., & Nasri, H. (2014). Atherosclerosis: process, indicators, risk factors and new hopes. *International journal of preventive medicine*, 5(8), 927–946.

Sabikhi, L., & Sathish Kumar, M. (2012). Fatty Acid Profile of Unconventional Oilseeds. *Advances In Food And Nutrition Research Volume* 67, 141-184. doi: 10.1016/b978-0-12-394598-3.00004-6

Shimazu, T., Kuriyama, S., Hozawa, A., Ohmori, K., Sato, Y., & Nakaya, N. et al. (2007). Dietary patterns and cardiovascular disease mortality in Japan: a prospective cohort study. *International Journal Of Epidemiology*, 36(3), 600-609. doi: 10.1093/ije/dym005

Shim, J. S., Oh, K., & Kim, H. C. (2014). Dietary assessment methods in epidemiologic studies. *Epidemiology and health*, 36, e2014009. doi:10.4178/epih/e2014009

Simopoulos, A.P (2002) .The importance of the ratio of N6/N3 essential fatty acids. *Journal of Biomedicine & Pharmacotherapy*.

Simopoulos, A.P (2016) . The current trends of ratio of om3ga-6/N3 acids. *Journal of Biomedicine & Pharmacotherapy*

Skulas-Ray, A., Kris-Etherton, P., Harris, W., Vanden Heuvel, J., Wagner, P., & West, S. (2010). Dose-response effects of omega-3 fatty acids on triglycerides, inflammation, and endothelial function in healthy persons with moderate hypertriglyceridemia. *The American Journal Of Clinical Nutrition*, 93(2), 243-252. doi: 10.3945/ajcn.110.003871

Toon City, (2017), <http://Ehime.toon.city.jp.id>

WHO, (2013). Dietary Lipid guidelines.