

## REFERENCES

- Aguilera, J. (2005). Why food microstructure?. *Journal Of Food Engineering*, 67(1-2), 3-11. doi: 10.1016/j.jfoodeng.2004.05.050
- Ağcam, E., Akyıldız, A., & Dündar, B. (2018). Thermal pasteurization and microbial inactivation of fruit juices. In *Fruit Juices* (pp. 309-339). Academic Press.
- Alda, L. M., Gogoasa, I., Bordean, D. M., Gergen, I., Alda, S., Moldovan, C., & Nita, L. (2009). Lycopene content of tomatoes and tomato products. *Journal of Agroalimentary Processes and technologies*, 15(4), 540-542.
- Almeida, A., Pagani, C., Oliveira, M., Xavier, A., Morais, A., Nunes, T., & Silva, G. (2014). Study of the Process of Getting the Drops of Papaya (*Carica papaya* L.) Per Basic Spherification. *International Journal Of Engineering And Innovative Technology (IJEIT)*, 4(6).
- Anal, A. K., & Singh, H. (2007). Recent advances in microencapsulation of probiotics for industrial applications and targeted delivery. *Trends in food science & technology*, 18(5), 240-251.
- Anal, A. K., & Stevens, W. F. (2005). Chitosan-alginate multilayer beads for controlled release of ampicillin. *International journal of pharmaceutics*, 290(1-2), 45-54.
- Ardyaningtyas, D. (2012). *Aplikasi Teknik Spherification Dalam Pembuatan Ravioli Semangka Merah (Citrullus vulgaris Schard)* (Undergraduate). Bogor Agricultural University.
- Ashebir, D., Jezik, K., Weingartemann, H., & Gretzmacher, R. (2009). Change in color and other fruit quality characteristics of tomato cultivars after hot-air drying at low final-moisture content. *International Journal Of Food Sciences And Nutrition*, 60(sup7), 308-315. doi: 10.1080/09637480903114128
- Azzi, J., Danjou, P. E., Landy, D., Ruellan, S., Auezova, L., Greige-Gerges, H., & Fourmentin, S. (2017). The effect of cyclodextrin complexation on the solubility and photostability of nerolidol as pure compound and as main constituent of cabreuva essential oil. *Beilstein journal of organic chemistry*, 13, 835.
- Bamidele, O. P., & Fasogbon, M. B. (2017). Chemical and antioxidant properties of snake tomato (*Trichosanthes cucumerina*) juice and Pineapple (*Ananas comosus*) juice blends and their changes during storage. *Food chemistry*, 220, 184-189.
- Burke, R., This, H., & Kelly, A. (2016). Molecular gastronomy.
- Caporaso, N., & Formisano, D. (2015). Developments, applications, and trends of molecular gastronomy among food scientists and innovative chefs. *Food Reviews International*, 32(4), 417-435. doi: 10.1080/87559129.2015.1094818
- Cevallos, P. A. P., Buera, M. P., & Elizalde, B. E. (2010). Encapsulation of cinnamon and thyme essential oils components (cinnamaldehyde and thymol) in β-cyclodextrin: Effect of interactions with water on complex stability. *Journal of Food Engineering*, 99(1), 70-75.
- Considine, J. A., & Frankish, E. (2013). *A complete guide to quality in small-scale wine making*. Academic Press.
- De Farias, Y., & Zapata Noreña, C. (2019). Reverse encapsulation using double controlled gelification for the production of spheres with liquid light soy sauce-core. *International Journal Of Gastronomy And Food Science*, 16, 100137. doi: 10.1016/j.ijgfs.2019.100137
- Deng, Z., Wang, F., Zhou, B., Li, J., Li, B., & Liang, H. (2019). Immobilization of pectinases into calcium alginate microspheres for fruit juice application. *Food Hydrocolloids*, 89, 691-699. doi: 10.1016/j.foodhyd.2018.11.031
- Elgailani, I. E. H., Gad-Elkareem, M. A., Noh, E. A., Adam, O. E., & Alghamdi, A. M. (2017). Comparison of two methods for the determination of vitamin C (ascorbic acid) in some fruits. *American Journal of Chemistry*, 2(1), 1-7.
- Ephrem, E., Najjar, A., Charcosset, C., & Greige-Gerges, H. (2018). Encapsulation of natural active compounds, enzymes, and probiotics for fruit juice fortification, preservation, and processing: An overview. *Journal Of Functional Foods*, 48, 65-84. doi: 10.1016/j.jff.2018.06.021
- Fu, H., Liu, Y., Adrià, F., Shao, X., Cai, W., & Chipot, C. (2014). From material science to avant-garde

- cuisine. The art of shaping liquids into spheres. *The Journal of Physical Chemistry B*, 118(40), 11747-11756.
- Gahler, S., Otto, K., & Böhm, V. (2003). Alterations of vitamin C, total phenolics, and antioxidant capacity as affected by processing tomatoes to different products. *Journal of Agricultural and Food Chemistry*, 51(27), 7962-7968.
- Galicia-Cabrera, R. (2007). Tomato Processing. *Handbook Of Food Products Manufacturing*, 1091-1107. doi: 10.1002/9780470113554.ch96
- Goodman, C. L., Fawcett, S., & Barringer, S. A. (2002). Flavor, viscosity, and color analyses of hot and cold break tomato juices. *Journal of Food Science*, 67(1), 404-408.
- Goula, A. M., & Adamopoulos, K. G. (2006). *Retention of Ascorbic Acid during Drying of Tomato Halves and Tomato Pulp. Drying Technology*, 24(1), 57-64. doi:10.1080/07373930500538709
- Gould, W. (1992). *Tomato production, processing & technology* (3rd ed., pp. 201 - 215). USA: CTI Publications inc.
- Gupta, R., Balasubramaniam, V. M., Schwartz, S. J., & Francis, D. M. (2010). Storage Stability of Lycopene in Tomato Juice Subjected to Combined Pressure- Heat Treatments. *Journal of agricultural and food chemistry*, 58(14), 8305-8313.
- Haile, A., & Safawo, T. (2018). Shelf life and quality of tomato (*Lycopersicon esculentum* Mill.) fruits as affected by different Packaging Materials. *African Journal of Food Science*, 12(2), 21-27.
- Hein, K., Jaeger, S., Tom Carr, B., & Delahunty, C. (2008). Comparison of five common acceptance and preference methods. *Food Quality And Preference*, 19(7), 651-661. doi: 10.1016/j.foodqual.2008.06.001
- Hsu, K.-C., Tan, F.-J., & Chi, H.-Y. (2008). *Evaluation of microbial inactivation and physicochemical properties of pressurized tomato juice during refrigerated storage. LWT - Food Science and Technology*, 41(3), 367-375. doi:10.1016/j.lwt.2007.03.030
- Jaeger, S., Jørgensen, A., Aaslyng, M., & Bredie, W. (2008). Best-worst scaling: An introduction and initial comparison with monadic rating for preference elicitation with food products. *Food Quality And Preference*, 19(6), 579-588. doi: 10.1016/j.foodqual.2008.03.002
- Lee, P., & Rogers, M. (2012). Effect of calcium source and exposure-time on basic caviar spherification using sodium alginate. *International Journal Of Gastronomy And Food Science*, 1(2), 96-100. doi: 10.1016/j.ijgfs.2013.06.003
- Leskova, A. S. M. M. E. (2006). Vitamin C degradation during storage of fortified foods. *Journal of food and nutrition research*, 45(2), 55-61.
- Ley, J. P. (2008). Masking bitter taste by molecules. *Chemosensory Perception*, 1(1), 58-77.
- Marsh, A. J., Hill, C., Ross, R. P., & Cotter, P. D. (2014). Fermented beverages with health-promoting potential: past and future perspectives. *Trends in Food Science & Technology*, 38(2), 113-124.
- McGee, H. (2007). *On food and cooking: the science and lore of the kitchen*. Simon and Schuster.
- Mielby, L. H., & Frost, M. B. (2010). Expectations and surprise in a molecular gastronomic meal. *Food quality and preference*, 21(2), 213-224.
- Motamedzadegan, A., & Tabarestani, H. S. (2011). Tomato processing, quality, and nutrition. *Handbook of Vegetables and Vegetables processing*. Blackwell Publishing Ltd, Iowa, USA, 739-757.
- Nakagawa, K., & Nishimoto, N. (2011). Cryotropic gel formation for food nutrients encapsulation-A controllable processing of hydrogel by freezing. *Procedia Food Science*, 1, 1968-1972.
- Navarro, R., Arancibia, C., Herrera, M., & Matiacevich, S. (2016). Effect of type of encapsulating agent on physical properties of edible films based on alginate and thyme oil. *Food And Bioproducts Processing*, 97, 63-75. doi: 10.1016/j.fbp.2015.11.001
- NPCS Board of Consultants & Engineers. (2017). *The Complete Book on Tomato & Tomato Products Manufacturing (Cultivation & Processing) (2nd Revised Edition)* (2nd ed., pp. 150-152). Niir Project Consultancy Services.
- Odriozola-Serrano, I., Aguiló-Aguayo, I., Soliva-Fortuny, R., Gimeno-Añó, V., & Martín-Belloso, O.

- (2007). Lycopene, vitamin C, and antioxidant capacity of tomato juice as affected by high-intensity pulsed electric fields critical parameters. *Journal of Agricultural and Food Chemistry*, 55(22), 9036-9042.
- Odriozola-Serrano, I., Oms-Oliu, G., & Martín-Belloso, O. (2014). Nanoemulsion-based delivery systems to improve functionality of lipophilic components. *Frontiers in nutrition*, 1, 24.
- Pathare, P. B., Opara, U. L., & Al-Said, F. A. J. (2013). Colour measurement and analysis in fresh and processed foods: a review. *Food and bioprocess technology*, 6(1), 36-60.
- Parris, N., Cooke, P. H., & Hicks, K. B. (2005). Encapsulation of essential oils in zein nanospherical particles. *Journal of agricultural and food chemistry*, 53(12), 4788-4792.
- Pimentel, T., Gomes da Cruz, A., & Deliza, R. (2016). Sensory Evaluation: Sensory Rating and Scoring Methods. *Encyclopedia Of Food And Health*, 4, 744-749. doi: 10.1016/b978-0-12-384947-2.00617-6
- Rana, J., & Paul, J. (2017). Consumer behavior and purchase intention for organic food: A review and research agenda. *Journal of Retailing and Consumer Services*, 38, 157-165.
- Rodríguez-Sánchez, J. A., Cuatzo-Lozano, M. I., Pérez-Loredo, M. G., Abarca-Sarro, D. I., & Navarro, Y. G. (2017). Alginate Encapsulation as a Preservation Method of Pitaya Fruit Juice (*Stenocereus* spp.). *Journal of Food Science and Engineering*, 7, 127-134.
- Rojas, A. M., & Gerschenson, L. N. (2001). Ascorbic acid destruction in aqueous model systems: an additional discussion. *Journal of the Science of Food and Agriculture*, 81(15), 1433-1439.
- Riaz, Q. U. A., & Masud, T. (2013). Recent trends and applications of encapsulating materials for probiotic stability. *Critical reviews in food science and nutrition*, 53(3), 231-244.
- Sánchez-Moreno, C., Plaza, L., de Ancos, B., & Cano, M. P. (2006). Nutritional characterisation of commercial traditional pasteurised tomato juices: carotenoids, vitamin C and radical-scavenging capacity. *Food Chemistry*, 98(4), 749-756.
- Sen, D. J. (2017). Cross linking of calcium ion in alginate produce spherification in molecular gastronomy by pseudoplastic flow. *World Journal of Pharmaceutical Sciences*, 5(1), 1-10.
- Sharma, S. K., & Le Maguer, M. (1996). Lycopene in tomatoes and tomato pulp fractions. *Italian journal of food science: IJFS= Rivista italiana di scienza degli alimenti*.
- Shi, J., & Maguer, M. L. (2000). Lycopene in tomatoes: chemical and physical properties affected by food processing. *Critical reviews in food science and nutrition*, 40(1), 1-42.
- Shi, J., Maguer, M. L., Kakuda, Y., Liptay, A., & Niekamp, F. (1999). Lycopene degradation and isomerization in tomato dehydration. *Food Research International*, 32(1), 15-21.
- Silva, D., Abreu, F., Caliman, F., Antonio, A., & Patel, V. (2008). *Tomatoes and Tomato Products* (pp. 3-4). Enfield, N.H: Science Publishers.
- Sivakumaran, K., & Prabodhani, W. (2018). An Overview of the Applications Molecular Gastronomy in Food Industry. *International Journal Of Food Science And Nutrition*, 3(3), 35-40.)
- Speranza, B., Petruzzi, L., Bevilacqua, A., Gallo, M., Campaniello, D., Sinigaglia, M., & Corbo, M. R. (2017). Encapsulation of active compounds in fruit and vegetable juice processing: current state and perspectives. *Journal of food science*, 82(6), 1291-1301.
- Strassburger, K., Startup, W., Levey, V., Mattingly, T., Briggs, J., Harrison, J., & Wilson, T. (2010). Enhanced stability of citral in juice beverages by applying cyclodextrin micro emulsion technology. *Flavors in noncarbonated beverages*, 143-158.
- Tapia, M. S., Rojas-Graü, M. A., Carmona, A., Rodríguez, F. J., Soliva-Fortuny, R., & Martin-Belloso, O. (2008). Use of alginate-and gellan-based coatings for improving barrier, texture and nutritional properties of fresh-cut papaya. *Food Hydrocolloids*, 22(8), 1493-1503
- Tareen, H., Ahmed, S., Mengal, F., Masood, Z., Bibi, S., Mengal, R., & Taj, R. (2015). Estimation of Vitamin C Content in Artificially Packed Juices of Two Commercially Attracted Companies in Relation to Their Significance for Human Health. In *Biological Forum* (Vol. 7, No. 2, p. 682). Research Trend.
- Tsai, F., Kitamura, Y., & Kokawa, M. (2017). Liquid-core alginate hydrogel beads loaded with functional

- compounds of radish by-products by reverse spherification: Optimization by response surface methodology. *International Journal Of Biological Macromolecules*, 96, 600-610. doi: 10.1016/j.ijbiomac.2016.12.056
- USDA. (2005). *Shipping Point and Market Inspection Instruction for Tomatoes* (pp. 26 -27). United State.
- Vallverdú-Queralt, A., Medina-Remón, A., Casals-Ribes, I., & Lamuela-Raventos, R. M. (2012). Is there any difference between the phenolic content of organic and conventional tomato juices?. *Food Chemistry*, 130(1), 222-227.
- Vega, C., & Ubbink, J. (2008). Molecular gastronomy: a food fad or science supporting innovative cuisine?. *Trends In Food Science & Technology*, 19(7), 372-382. doi: 10.1016/j.tifs.2008.01.006
- Wichchukit, S., & O'Mahony, M. (2014). The 9-point hedonic scale and hedonic ranking in food science: some reappraisals and alternatives. *Journal Of The Science Of Food And Agriculture*, 95(11), 2167-2178. doi: 10.1002/jsfa.6993
- Zee, J. A., Carmichael, L., Codère, D., Poirier, D., & Fournier, M. (1991). Effect of storage conditions on the stability of vitamin C in various fruits and vegetables produced and consumed in Quebec. *Journal of Food Composition and Analysis*, 4(1), 77–86. doi:10.1016/0889-1575(91)90050-g