

REFERENCES

- Abdelwahed, W., Degobert, G., Stainmesse, S., & Fessi, H. (2006). Freeze-drying of nanoparticles: Formulation, process and storage considerations ☆. *Advanced Drug Delivery Reviews*, 58(15), 1688-1713.
- Alvim, I., & Grosso, C. (2010). Microparticles obtained by complex coacervation: influence of the type of reticulation and the drying process on the release of the core material. *Ciência E Tecnologia De Alimentos*, 30(4), 1069-1076.
- Amorati, R., & Valgimigli, L. (2015). Advantages and limitations of common testing methods for antioxidants. *Free Radical Research*, 49(5), 633-649.
- Anova, I., & Kamsina, K. (2013). Efek Perbedaan Jenis Alpukat dan Gula Terhadap Mutu Selai Buah. *Jurnal Litbang Industri*, 3(2), 91.
- Apak, R., Özyürek, M., Güçlü, K., & Çapanoğlu, E. (2016). Antioxidant Activity/Capacity Measurement. 2. Hydrogen Atom Transfer (HAT)-Based, Mixed-Mode (Electron Transfer (ET)/HAT), and Lipid Peroxidation Assays. *Journal Of Agricultural And Food Chemistry*, 64(5), 1028-1045.
- Astoricchio, E., Alfano, C., Rajendran, L., Temussi, P., & Pastore, A. (2020). The Wide World of Coacervates: From the Sea to Neurodegeneration. *Trends In Biochemical Sciences*, 45(8), 706-717.
- Ayala Silva, T., & Ledesma, N. (2014). Avocado History, Biodiversity and Production. *Sustainable Horticultural Systems*, 157–205.
- Bae, E., & Lee, S. (2008). Microencapsulation of avocado oil by spray drying using whey protein and maltodextrin. *Journal Of Microencapsulation*, 25(8), 549-560.
- Ballantyne, A., & Davis, S. (2019). *Modelling the charge across pH and isoelectric point of bovine collagen during leather manufacture*. 1-10. Paper presented at IULTCS Congress 2019, Dresden, Germany.

- Bakry, A., Abbas, S., Ali, B., Majeed, H., Abouelwafa, M., Mousa, A., & Liang, L. (2015). Microencapsulation of Oils: A Comprehensive Review of Benefits, Techniques, and Applications. *Comprehensive Reviews In Food Science And Food Safety*, 15(1), 143-182.
- Baracat, M., Nakagawa, A., Casagrande, R., Georgetti, S., Verri, W., & de Freitas, O. (2012). Preparation and Characterization of Microcapsules Based on Biodegradable Polymers: Pectin/Casein Complex for Controlled Drug Release Systems. *AAPS Pharmscitech*, 13(2), 364-372.
- Blackstock, J. (1989). The physical chemistry of aqueous systems. *Guide To Biochemistry*, 11-19.
- Bozec, L., & Odlyha, M. (2011). Thermal Denaturation Studies of Collagen by Microthermal Analysis and Atomic Force Microscopy. *Biophysical Journal*, 101(1), 228–236.
- Brownlee, I. A., Seal, C. J., Wilcox, M., Dettmar, P. W., & Pearson, J. P. (2009). Applications of Alginates in Food. *Alginates: Biology and Applications*, 211–228.
- Bruschi, M. (2015). Main mechanisms to control the drug release. *Strategies To Modify The Drug Release From Pharmaceutical Systems*, 37-62. doi: 10.1016/b978-0-08-100092-2.00004-7
- Calderón-Oliver, M., Escalona-Buendía, H., Medina-Campos, O., Pedraza-Chaverri, J., Pedroza-Islas, R., & Ponce-Alquicira, E. (2016). Optimization of the antioxidant and antimicrobial response of the combined effect of nisin and avocado byproducts. *LWT - Food Science And Technology*, 65, 46-52.
- Calderón-Oliver, M., Pedroza-Islas, R., Escalona-Buendía, H., Pedraza-Chaverri, J., & Ponce-Alquicira, E. (2017). Comparative study of the microencapsulation by complex coacervation of nisin in combination with an avocado antioxidant extract. *Food Hydrocolloids*, 62, 49-57.
- Crary, E., & McCarty, M. (1984). Potential Clinical Applications for High-dose Nutritional Antioxidants. *Medical Hypotheses*, 13(1), 77–98.
- Csepregi, K., Neugart, S., Schreiner, M., & Hideg, É. (2016). Comparative Evaluation of Total Antioxidant Capacities of Plant Polyphenols. *Molecules*, 21(2), 208.

- de Oliveira, E., Paula, H., & Paula, R. (2014). Alginate/cashew gum nanoparticles for essential oil encapsulation. *Colloids And Surfaces B: Biointerfaces*, *113*, 146-151.
- Devi, N., Hazarika, D., Deka, C., & Kakati, D. (2012). Study of Complex Coacervation of Gelatin A and Sodium Alginate for Microencapsulation of Olive Oil. *Journal Of Macromolecular Science, Part A*, *49*(11), 936-945.
- Dirim, S., & Çalışkan, G. (2012). Determination of the effect of freeze drying process on the production of pumpkin (*Cucurbita moschata*) paste powder and the powder properties. *GIDA/ The Journal Of FOOD*, *37*(4).
- Durazzo, A. (2017). Study Approach of Antioxidant Properties in Foods: Update and Considerations. *Foods*, *6*(3), 17.
- Eghbal, N., & Choudhary, R. (2018). Complex coacervation: Encapsulation and controlled release of active agents in food systems. *LWT*, *90*, 254-264.
- Eghbal, N., Yarmand, M., Mousavi, M., Degraeve, P., Oulahal, N., & Gharsallaoui, A. (2016). Complex coacervation for the development of composite edible films based on LM pectin and sodium caseinate. *Carbohydrate Polymers*, *151*, 947-956.
- El-Messery, T., El-Said, M., Demircan, E., & Ozçelik, B. (2019). Microencapsulation of natural polyphenolic compounds extracted from apple peel and its application in yoghurt [pdf]. *Acta Scientiarum Polonorum Technologia Alimentaria*, *18*(1), 25-34.
- Fazaeli, M., Emam-Djomeh, Z., Kalbasi Ashtari, A., & Omid, M. (2012). Effect of spray drying conditions and feed composition on the physical properties of black mulberry juice powder. *Food and Bioproducts Processing*, *90*(4), 667–675.
- Feng, M., & Betti, M. (2017). Transepithelial transport efficiency of bovine collagen hydrolysates in a human Caco-2 cell line model. *Food Chemistry*, *224*, 242-250.
- Ficai, A., Albu, M., Birsan, M., Sonmez, M., Ficai, D., Trandafir, V., & Andronescu, E. (2013). Collagen Hydrolysate based Collagen/Hydroxyapatite Composite Materials. *Journal of Molecular Structure*, *1037*, 154–159.

- Food and Agriculture Organization of the United Nations. (2019). FAOSTAT Database. Rome, Italy: FAO. Retrieved January 22, 2021 from <http://www.fao.org/faostat/en/#data/QC>
- Friedman, M., & Jürgens, H. (2000). Effect of pH on the Stability of Plant Phenolic Compounds. *Journal Of Agricultural And Food Chemistry*, 48(6), 2101-2110.
- Gaidhani, K., Harwalkar, M., Bhambere, D., & Nirgude, P. (2015). Lyophilization / Freeze Drying – A Review. *World Journal Of Pharmaceutical Research*, 4(8), 516-543.
- Garti, N., & Benichou, A. (2004). Recent developments in double emulsions for food applications. *Food Emulsions*, 353-412
- Ghorbani Gorji, E., Waheed, A., Ludwig, R., Toca-Herrera, J., Schleining, G., & Ghorbani Gorji, S. (2018). Complex Coacervation of Milk Proteins with Sodium Alginate. *Journal Of Agricultural And Food Chemistry*, 66(12), 3210-3220.
- Gómez, F., Sánchez, S., Iradi, M., Azman, N., & Almajano, M. (2014). Avocado Seeds: Extraction Optimization and Possible Use as Antioxidant in Food. *Antioxidants*, 3(2), 439-454.
- Harnsilawat, T., Pongsawatmanit, R., & McClements, D. (2006). Characterization of β -lactoglobulin–Sodium Alginate Interactions in Aqueous Solutions : A Calorimetry, Light Scattering, Electrophoretic Mobility and Solubility Study. *Food Hydrocolloids*, 20(5), 577–585.
- Hanefeld, A., Schmidt, M., Geissler, S., & Langguth, P. (2011). Lyophilized Nanoemulsion (U.S. Patent No. 0015266A1). Arlington, VA: U.S. Patent and Trademark Office.
- Heckert Bastos, L., Vicente, J., Corrêa dos Santos, C., Geraldo de Carvalho, M., & Garcia-Rojas, E. (2020). Encapsulation of black pepper (*Piper nigrum* L.) essential oil with gelatin and sodium alginate by complex coacervation. *Food Hydrocolloids*, 102, 105605.
- Ioannou, I., Chaaban, H., Slimane, M., & Ghoul, M. (2015). Origin of the Variability of the Antioxidant Activity Determination of Food Material. *Biotechnology*.
- i3L Laboratory Protocol. (2019). Antioxidant activity in different food products (DPPH method). Retrieved 18 March 2021.

- Joshi, N., Rawat, K., & Bohidar, H. (2018). pH and ionic strength induced complex coacervation of Pectin and Gelatin A. *Food Hydrocolloids*, 74, 132-138.
- Jyothi, N., Prasanna, P., Sakarkar, S., Prabha, K., Ramaiah, P., & Srawan, G. (2010). Microencapsulation techniques, factors influencing encapsulation efficiency. *Journal Of Microencapsulation*, 27(3), 187-197.
- Kedare, S., & Singh, R. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal Of Food Science And Technology*, 48(4), 412-422.
- Klemmer, K., Waldner, L., Stone, A., Low, N., & Nickerson, M. (2012). Complex coacervation of pea protein isolate and alginate polysaccharides. *Food Chemistry*, 130(3), 710-715.
- Kosińska, A., Karamać, M., Estrella, I., Hernández, T., Bartolomé, B., & Dykes, G. (2012). Phenolic Compound Profiles and Antioxidant Capacity of *Persea americana* Mill. Peels and Seeds of Two Varieties. *Journal Of Agricultural And Food Chemistry*, 60(18), 4613-4619.
- Król, Ż., Marycz, K., Kulig, D., Marędziak, M., & Jarmoluk, A. (2017). Cytotoxicity, Bactericidal, and Antioxidant Activity of Sodium Alginate Hydrosols Treated with Direct Electric Current. *International Journal Of Molecular Sciences*, 18(3), 678.
- León-López, A., Morales-Peñaloza, A., Martínez-Juárez, V., Vargas-Torres, A., Zeugolis, D., & Aguirre-Álvarez, G. (2019). Hydrolyzed Collagen—Sources and Applications. *Molecules*, 24(22), 4031.
- Lestari, R., Sukamto, L., Aprilianti, P., Wahyuni, S., & Putri, W. (2016). Selection of Avocado Plants Based on Fruit Characters, Fat Content, and Continual Harvest along The Year in West Java-Indonesia. *International Journal On Advanced Science, Engineering And Information Technology*, 6(1), 77.
- Liang, N., & Kitts, D. (2014). Antioxidant Property of Coffee Components: Assessment of Methods that Define Mechanisms of Action. *Molecules*, 19(11), 19180-19208.

- Lima, F., Lescano, C., Oliveira, E., Fakhouri, F., Moraes, I., Kassuya, C., & Sanjinez-Argandoña, E. (2019). *Characterization and optimization of oil microcapsules from Attalea phalerata Mart. for the preservation of bioactive compounds.*
- Li, W., Gamlath, C., Pathak, R., Martin, G., & Ashokkumar, M. (2021). Ultrasound – The Physical and Chemical Effects Integral to Food Processing. *Innovative Food Processing Technologies*, 329-358.
- Li, W., Wu, G., Chen, H., & Wang, M. (2009). Preparation and characterization of gelatin/SDS/NaCMC microcapsules with compact wall structure by complex coacervation. *Colloids And Surfaces A: Physicochemical And Engineering Aspects*, 333(1-3), 133-137.
- Lu, W., Kelly, A., & Miao, S. (2016). Emulsion-based encapsulation and delivery systems for polyphenols. *Trends In Food Science & Technology*, 47, 1-9.
- Macías-Cortés, E., Gallegos-Infante, J., Rocha-Guzmán, N., Moreno-Jiménez, M., Medina-Torres, L., & González-Laredo, R. (2019). Microencapsulation of phenolic compounds: Technologies and novel polymers. *Revista Mexicana De Ingeniería Química*, 19(2), 491-521.
- Manaf, M., Subuki, I., Jai, J., Raslan, R., & Mustapa, A. (2018). Encapsulation of Volatile Citronella Essential Oil by Coacervation: Efficiency and Release Study. *IOP Conference Series: Materials Science And Engineering*, 358, 012072.
- Manaf, Y., Rahardjo, A., Yusof, Y., Desa, M., & Nusantoro, B. (2018). Lipid characteristics and tocopherol content of the oils of native avocado cultivars grown in Indonesia. *International Journal Of Food Properties*, 21(1), 2758-2771.
- Marsigit, W. (2016). MORPHOMETRIC CHARACTERISTICS, PROPORITION, TOTAL FENOL CONTENT AND PROFIL PHENOLICS OF AVOCADO (*Persea americana*, Mill) PULP, SEED AND PEEL VARIETY OF IJO PANJANG AND IJO BUNDAR. *Jurnal Agroindustri*, 6(1), 18-27.
- Mendanha, D., Molina Ortiz, S., Favaro-Trindade, C., Mauri, A., Monterrey-Quintero, E., & Thomazini, M. (2009). Microencapsulation of casein hydrolysate by complex coacervation with SPI/pectin. *Food Research International*, 42(8), 1099-1104.

- Morais, A., Alencar, É., Xavier Júnior, F., Oliveira, C., Marcelino, H., & Barratt, G. et al. (2016). Freeze-drying of emulsified systems: A review. *International Journal Of Pharmaceutics*, 503(1-2), 102-114.
- Mudrić, J., Šavikin, K., Ibrić, S., & Đuriš, J. (2019). Double emulsions (W/O/W emulsions): Encapsulation of plant bioactives. *Lekovite Sirovine*, (39), 76-83.
- Muhoza, B., Xia, S., Cai, J., Zhang, X., Duhoranimana, E., & Su, J. (2019). Gelatin and pectin complex coacervates as carriers for cinnamaldehyde: Effect of pectin esterification degree on coacervate formation, and enhanced thermal stability. *Food Hydrocolloids*, 87, 712-722.
- Okada, J., Kusai, A., & Ueda, S. (1985). Factors affecting microencapsulability in simple gelatin coacervation method. *Journal Of Microencapsulation*, 2(3), 163-173.
- Olszowy-Tomczyk, M. (2020). Synergistic, antagonistic and additive antioxidant effects in the binary mixtures. *Phytochemistry Reviews*, 19(1), 63-103.
- Perrier, E., & Hart, J. (2005). Smart Vectorization. *Delivery System Handbook For Personal Care And Cosmetic Products*, 797-816.
- Piacentini, E. (2016). Encapsulation Efficiency. *Encyclopedia Of Membranes*, 706-707.
- Prabha, T., & Patwardhan, M. (1980). Polyphenols of avocado (*Persea americana*) and their endogenous oxidation. *Journal of Food Science and Technology*, 17(5), 215-217.
- Prior, R., Wu, X., & Schaich, K. (2005). Standardized Methods for the Determination of Antioxidant Capacity and Phenolics in Foods and Dietary Supplements. *Journal Of Agricultural And Food Chemistry*, 53(10), 4290-4302.
- Qin, Y., Jiang, J., Zhao, L., Zhang, J., & Wang, F. (2018). Applications of Alginate as a Functional Food Ingredient. *Biopolymers for Food Design*, 409–429.
- Raj, A., Ranganathan, T., Rubila, S., & Jayabalan, R. (2012). A Review on Pectin: Chemistry due to General Properties of Pectin and its Pharmaceutical Uses. *Open Access Scientific Reports*, 1(12).

- Rohman, A., Antasionas, I., & Riyanto, S. (2017). Antioxidant Activities and Phenolics Contents of Avocado(*Persea americana* Mill.) Peel in vitro. *Research Journal Of Medicinal Plants*, 11(2), 55-61.
- Rohman, A., Indriyani, L., & Riyanto, S. (2016). Physico-Chemical Characterization of Avocado (*Persea americana* Mill.) Oil from Three Indonesian Avocado Cultivars. *Research Journal Of Medicinal Plant*, 10(1), 67-78.
- Rohman, A., Antasionas, I., & Riyanto, S. (2017). Antioxidant Activities and Phenolics Contents of Avocado(*Persea americana* Mill.) Peel in vitro. *Research Journal Of Medicinal Plants*, 11(2),
- Rojas-Moreno, S., Osorio-Revilla, G., Gallardo-Velázquez, T., Cárdenas-Bailón, F., & Meza-Márquez, G. (2018). Effect of the cross-linking agent and drying method on encapsulation efficiency of orange essential oil by complex coacervation using whey protein isolate with different polysaccharides. *Journal Of Microencapsulation*, 35(2), 165-180.
- Rue, E., Rush, M., & van Breemen, R. (2017). Procyanidins: a comprehensive review encompassing structure elucidation via mass spectrometry. *Phytochemistry Reviews*, 17(1), 1-16.
- Rutz, J., Borges, C., Zambiasi, R., Crizel-Cardozo, M., Kuck, L., & Noreña, C. (2017). Microencapsulation of palm oil by complex coacervation for application in food systems. *Food Chemistry*, 220, 59-66.
- Santana, R. C., Perrechil, F. A., Sato, A. C. K., & Cunha, R. L. (2011). Emulsifying Properties of Collagen Fibers : Effect of pH , Protein Concentration and Homogenization Pressure. *Food Hydrocolloids*, 25(4), 604–612.
- Schmitt, C., & Turgeon, S. (2011). Protein/polysaccharide complexes and coacervates in food systems. *Advances In Colloid And Interface Science*, 167(1-2), 63-70.
- Segovia, F., Corral-Pérez, J., & Almajano, M. (2016). Avocado seed: Modeling extraction of bioactive compounds. *Industrial Crops And Products*, 85, 213-220.

- Segovia, F., Hidalgo, G., Villasante, J., Ramis, X., & Almajano, M. (2018). Avocado Seed: A Comparative Study of Antioxidant Content and Capacity in Protecting Oil Models from Oxidation. *Molecules*, 23(10), 2421.
- Šeregelj, V., Četković, G., Čanadanović-Brunet, J., Šaponjac, V., Vulić, J., & Lević, S. et al. (2021). Encapsulation of carrot waste extract by freeze and spray drying techniques: An optimization.
- Shimamura, T., Sumikura, Y., Yamazaki, T., Tada, A., Kashiwagi, T., & Ishikawa, H. et al. (2014). Applicability of DPPH Assay for Evaluating the Antioxidant Capacity of Food Additives - Inter-laboratory Evaluation Study. *The Japan Society For Analytical Chemistry*, 30, 717-721.
- Sindhi, V., Gupta, V., Sharma, K., Bhatnagar, S., Kumari, R., & Neeti, D. (2013). Potential Applications of Antioxidants - A review. *JOPR: Journal of Pharmacy Research*, 7(9), 828–835.
- Singh, J., Kaur, K., & Kumar, P. (2018). Optimizing microencapsulation of α -tocopherol with pectin and sodium alginate. *Journal Of Food Science And Technology*, 55(9), 3625-3631.
- Smalheiser, N. (2017). ANOVA. *Data Literacy*, 149-155.
- Soares, J., Santos, J., Chierice, G., & Cavalheiro, E. (2004). Thermal Behavior of Alginic Acid and Its Sodium Salt. *Eclética Química*, 29(2), 53–56.
- Souza, C., da Costa, A., Souza, C., Tosin, F., & Garcia-Rojas, E. (2018). Complex coacervation between lysozyme and pectin: Effect of pH, salt, and biopolymer ratio. *International Journal Of Biological Macromolecules*, 107, 1253-1260.
- Sun-Waterhouse, D., Penin-Peyta, L., Wadhwa, S., & Waterhouse, G. (2011). Storage Stability of Phenolic-Fortified Avocado Oil Encapsulated Using Different Polymer Formulations and Co-extrusion Technology. *Food And Bioprocess Technology*, 5(8), 3090-3102.
- Sun, X., Cameron, R., & Bai, J. (2020). Effect of spray-drying temperature on physicochemical, antioxidant and antimicrobial properties of pectin/sodium alginate microencapsulated carvacrol. *Food Hydrocolloids*, 100, 105420.

- Syarifuddin, A., Hasmiyani, Dirpan, A., & Mahendradatta, M. (2017). Physical, mechanical, and barrier properties of sodium alginate/gelatin emulsion based-films incorporated with canola oil. *IOP Conference Series: Earth And Environmental Science*, 101, 012019.
- Vargas-Muñoz, D., & Kurozawa, L. (2020). Influence of combined hydrolyzed collagen and maltodextrin as carrier agents in spray drying of cocona pulp. *Brazilian Journal Of Food Technology*, 23.
- Wang, M., Yu, P., Chittiboyina, A., Chen, D., Zhao, J., & Avula, B. et al. (2020). Characterization, Quantification and Quality Assessment of Avocado (*Persea americana* Mill.) Oils. *Molecules*, 25(6), 1453.
- Wang, S., Meckling, K., Marcone, M., Kakuda, Y., & Tsao, R. (2011). Synergistic, Additive, and Antagonistic Effects of Food Mixtures on Total Antioxidant Capacities. *Journal Of Agricultural And Food Chemistry*, 59(3), 960-968.
- Wang, W., Bostic, T., & Gu, L. (2010). Antioxidant capacities, procyanidins and pigments in avocados of different strains and cultivars. *Food Chemistry*, 122(4), 1193-1198.
- Wathoni, N., Yuan Shan, C., Yi Shan, W., Rostinawati, T., Indradi, R., Pratiwi, R., & Muchtaridi, M. (2019). Characterization and antioxidant activity of pectin from Indonesian mangosteen (*Garcinia mangostana* L.) rind. *Heliyon*, 5(8), e02299.
- Xiao, Z., Liu, W., Zhu, G., Zhou, R., & Niu, Y. (2013). A review of the preparation and application of flavour and essential oils microcapsules based on complex coacervation technology. *Journal Of The Science Of Food And Agriculture*, 94(8), 1482-1494.
- Zhao, C., Lei, D., Song, G., Zhang, H., Xu, H., & Yu, L. (2015). Characterisation of water-soluble proanthocyanidins of *Pyracantha fortuneana* fruit and their improvement in cell bioavailable antioxidant activity of quercetin. *Food Chemistry*, 169, 484-491.