

REFERENCES

- Aguilar Diaz De Leon, J., & Borges, C. R. (2020). Evaluation of oxidative stress in biological samples using the thiobarbituric acid reactive substances assay. *Journal of Visualized Experiments*.
- A. Kosenko, E., Aliev, G., A. Tikhonova, L., Li, Y., C. Poghosyan, A., & G. Kaminsky, Y. (2013). Antioxidant Status and Energy State of Erythrocytes in Alzheimer Dementia: Probing for Markers. *CNS & Neurological Disorders - Drug Targets*.
- Auld, D. S., Kornecook, T. J., Bastianetto, S., & Quirion, R. (2002). Alzheimer's disease and the basal forebrain cholinergic system: Relations to β -amyloid peptides, cognition, and treatment strategies. In *Progress in Neurobiology*.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. In *Oxidative Medicine and Cellular Longevity* (Vol. 2014).
- Barbagallo, M., Marotta, F., & Dominguez, L. J. (2015). Oxidative stress in patients with Alzheimer's disease: Effect of extracts of fermented papaya powder. In *Mediators of Inflammation*.
- Barden, A. E., Mas, E., Croft, K. D., Phillips, M., & Mori, T. A. (2014). Minimizing artifactual elevation of lipid peroxidation products (F 2-isoprostanes) in plasma during collection and storage. *Analytical Biochemistry*, 449(1).
- Bekris, L. M., Yu, C. E., Bird, T. D., & Tsuang, D. W. (2010). Genetics of Alzheimer disease. *Journal of geriatric psychiatry and neurology*, 23(4), 213–227.
- Berman, T., & Bayati, A. (2018). What are Neurodegenerative Diseases and How Do They Affect the Brain? *Frontiers for Young Minds*.
- Bezprozvanny, I., & Mattson, M. P. (2008). Neuronal calcium mishandling and the pathogenesis of Alzheimer's disease. *Trends in neurosciences*, 31(9), 454–463.
- Bhuiyan, M. N. I., Begum, J., & Sultana, M. (2009). Chemical composition of leaf and seed essential oil of *Coriandrum sativum* L. from Bangladesh. *Bangladesh Journal of Pharmacology*.

- Blaney, C. E., Gunn, R. K., Stover, K. R., & Brown, R. E. (2013). Maternal genotype influences behavioral development of 3×Tg-AD mouse pups. *Behavioural Brain Research*, 252.
- Brown, R. C., Lockwood, A. H., & Sonawane, B. R. (2005). Neurodegenerative diseases: an overview of environmental risk factors. *Environmental health perspectives*, 113(9), 1250–1256.
- Budzynska, B., Boguszewska-Czubara, A., Kruk-Slomka, M., Skalicka-Wozniak, K., Michalak, A., Musik, I., & Biala, G. (2015). Effects of imperatorin on scopolamine-induced cognitive impairment and oxidative stress in mice. *Psychopharmacology*, 232(5), 931–942.
- Cacabelos R. (2007). Donepezil in Alzheimer's disease: From conventional trials to pharmacogenetics. *Neuropsychiatric disease and treatment*, 3(3), 303–333.
- Castellani, R. J., Plascencia-Villa, G., & Perry, G. (2019). The amyloid cascade and Alzheimer's disease therapeutics: theory versus observation. In *Laboratory Investigation*.
- Catalán, V., Frühbeck, G., & Gómez-Ambrosi, J. (2018). Inflammatory and oxidative stress markers in skeletal muscle of obese subjects. In *Obesity: Oxidative Stress and Dietary Antioxidants*.
- Chen, X. Q., & Mobley, W. C. (2019). Exploring the pathogenesis of Alzheimer disease in basal forebrain cholinergic neurons: Converging insights from alternative hypotheses. In *Frontiers in Neuroscience*.
- Chen Y. G. (2018). Research Progress in the Pathogenesis of Alzheimer's Disease. *Chinese medical journal*, 131(13), 1618–1624.
- Christensen, K., Doblhammer, G., Rau, R., & Vaupel, J. W. (2009). Ageing populations: the challenges ahead. *Lancet (London, England)*, 374(9696), 1196–1208.
- Cioanca, O., Hritcu, L., Mihasan, M., & Hancianu, M. (2013). Cognitive-enhancing and antioxidant activities of inhaled coriander volatile oil in amyloid β (1-42) rat model of Alzheimer's disease. *Physiology and Behavior*.
- Colović, M. B., Krstić, D. Z., Lazarević-Pašti, T. D., Bondžić, A. M., & Vasić, V. M. (2013). Acetylcholinesterase inhibitors: pharmacology and toxicology. *Current neuropharmacology*, 11(3), 315–335.

- Dasgupta, A., & Klein, K. (2014). Methods for Measuring Oxidative Stress in the Laboratory. In *Antioxidants in Food, Vitamins and Supplements*.
- Di Paolo, M., Papi, L., Gori, F., & Turillazzi, E. (2019). Natural products in neurodegenerative diseases: A great promise but an ethical challenge. *International Journal of Molecular Sciences*.
- Dong, H., Yuede, C. M., Coughlan, C. A., Murphy, K. M., & Csernansky, J. G. (2009). Effects of donepezil on amyloid-beta and synapse density in the Tg2576 mouse model of Alzheimer's disease. *Brain research*, 1303, 169–178.
- Eidi, M., Eidi, A., Saeidi, A., Molanaei, S., Sadeghipour, A., Bahar, M., & Bahar, K. (2009). Effect of coriander seed (*Coriandrum sativum* L.) ethanol extract on insulin release from pancreatic beta cells in streptozotocin-induced diabetic rats. *Phytotherapy Research*.
- Elahdadi-Salmani, M., Khorshidi, M., & Ozbaki, J. (2015). Reversal Effect of *Coriandrum sativum* Leaves Extract on Learning and Memory Deficits Induced by Epilepsy in Male Rat. *Zahedan Journal of Research in Medical Sciences*, 17(3).
- El-Sherbiny, D. A., Khalifa, A. E., Attia, A. S., & Eldenshary, E. E. D. S. (2003). Hypericum perforatum extract demonstrates antioxidant properties against elevated rat brain oxidative status induced by amnestic dose of scopolamine. *Pharmacology Biochemistry and Behavior*.
- Francis, P. T., Palmer, A. M., Snape, M., & Wilcock, G. K. (1999). The cholinergic hypothesis of Alzheimer's disease: A review of progress. In *Journal of Neurology Neurosurgery and Psychiatry*.
- Gaugler, J. (2020). *2020 Alzheimer's disease facts and figures* (pp. 391-460, Rep.). © 2020 the Alzheimer's Association.
- Giridharan, V. V., Thandavarayan, R. A., Sato, S., Ko, K. M., & Konishi, T. (2011). Prevention of scopolamine-induced memory deficits by schisandrin B, an antioxidant lignan from *Schisandra chinensis* in mice. *Free Radical Research*.
- Goedert, M. (2015). Alzheimer's and Parkinson's diseases: The prion concept in relation to assembled A β , tau, and α -synuclein. In *Science*.

- Goschorska, M., Gutowska, I., Baranowska-Bosiacka, I., Piotrowska, K., Metryka, E., Safranow, K., & Chlubek, D. (2019). Influence of acetylcholinesterase inhibitors used in Alzheimer's disease treatment on the activity of antioxidant enzymes and the concentration of glutathione in THP-1 macrophages under fluoride-induced oxidative stress. *International Journal of Environmental Research and Public Health*, *16*(1).
- Goverdhan, P., Sravanthi, A., & Mamatha, T. (2012). Neuroprotective effects of Meloxicam and Selegiline in scopolamine-induced cognitive impairment and oxidative stress. *International Journal of Alzheimer's Disease*.
- Grotto, D., Santa Maria, L., Valentini, J., Paniz, C., Schmitt, G., Garcia, S. C., Pomblum, V. J., Rocha, J. B. T., & Farina, M. (2009). Importance of the lipid peroxidation biomarkers and methodological aspects for malondialdehyde quantification. In *Quimica Nova* (Vol. 32, Issue 1).
- Haass, C., & Selkoe, D. J. (2007). Soluble protein oligomers in neurodegeneration: Lessons from the Alzheimer's amyloid β -peptide. In *Nature Reviews Molecular Cell Biology*.
- Hiramatsu, M., Takiguchi, O., Nishiyama, A., & Mori, H. (2010). Cilostazol prevents amyloid β peptide(25-35)-induced memory impairment and oxidative stress in mice. *British journal of pharmacology*, *161*(8), 1899–1912.
- Huh, E., Kim, H. G., Park, H., Kang, M. S., Lee, B., & Oh, M. S. (2014). *Houttuynia cordata* improves cognitive deficits in cholinergic dysfunction Alzheimer's disease-like models. *Biomolecules and Therapeutics*.
- Iqbal, M. J., Butt, M. S., & Suleria, H. A. (2019). Coriander (*Coriandrum sativum* L.): BIOACTIVE molecules and health effects. *Bioactive Molecules in Food*, 2199-2235.
- Jasira, M., Sailesh, K. S., & Mukkadan, J. (2017). Effect of Oral Administration of Coriander Extract on Memory Boosting & Regaining in Wistar Albino Rats. *KYAMC Journal*.
- Jefferies, J. W., Ferdosi, S., Yassine, H. N., & Borges, C. R. (2017). Ex vivo instability of glycated albumin: A role for autoxidative glycation. *Archives of Biochemistry and Biophysics*, *629*.

- Jeon, S. J., Kim, B., Ryu, B., Kim, E., Lee, S., Jang, D. S., & Ryu, J. H. (2017). Biflorin ameliorates memory impairments induced by cholinergic blockade in mice. *Biomolecules and Therapeutics*, 25(3).
- Jeon, S. J., Kim, B., Park, H. J., Zhang, J., Kwon, Y., Kim, D. H., & Ryu, J. H. (2017). The ameliorating effect of 1-palmitoyl-2-linoleoyl-3-acetyl-glycerol on scopolamine-induced memory impairment via acetylcholinesterase inhibition and LTP activation. *Behavioural Brain Research*, 324.
- Jeong, E. J., Ma, C. J., Lee, K. Y., Kim, S. H., Sung, S. H., & Kim, Y. C. (2009). KD-501, a standardized extract of *Scrophularia buergeriana* has both cognitive-enhancing and antioxidant activities in mice given scopolamine. *Journal of Ethnopharmacology*.
- Jo, C., & Ahn, D. U. (1998). Fluorometric Analysis of 2-Thiobarbituric Acid Reactive Substances in Turkey. *Poultry Science*, 77(3).
- Khoubnasabjafari, M., Ansarin, K., & Jouyban, A. (2015). Reliability of malondialdehyde as a biomarker of oxidative stress in psychological disorders. *BioImpacts : BI*, 5(3), 123–127.
- Kilbourn, M. R., Kemmerer, E. S., Desmond, T. J., Sherman, P. S., & Frey, K. A. (2004). Differential effects of scopolamine on in vivo binding of dopamine transporter and vesicular monoamine transporter radioligands in rat brain. *Experimental Neurology*, 188(2).
- Kim, Y. S., Jung, H. M., & Yoon, B. E. (2018). Exploring glia to better understand Alzheimer's disease. *Animal cells and systems*, 22(4), 213–218.
- Kim, M. S., Lee, D. Y., Lee, J., Kim, H. W., Sung, S. H., Han, J. S., & Jeon, W. K. (2018). Terminalia chebula extract prevents scopolamine-induced amnesia via cholinergic modulation and anti-oxidative effects in mice. *BMC Complementary and Alternative Medicine*, 18(1).
- Kirouac, L., Rajic, A. J., Cribbs, D. H., & Padmanabhan, J. (2017). Activation of Ras-ERK Signaling and GSK-3 by Amyloid Precursor Protein and Amyloid Beta Facilitates Neurodegeneration in Alzheimer's Disease. *eNeuro*, 4(2), ENEURO.0149-16.2017.
- Knowles J. (2006). Donepezil in Alzheimer's disease: an evidence-based review of its impact on clinical and economic outcomes. *Core evidence*, 1(3), 195–219.

- Kraeuter, A. K., Guest, P. C., & Sarnyai, Z. (2019). The Y-Maze for Assessment of Spatial Working and Reference Memory in Mice. In *Methods in Molecular Biology*.
- Kumar, A., Prakash, A., & Pahwa, D. (2011). Galantamine potentiates the protective effect of rofecoxib and caffeic acid against intrahippocampal Kainic acid-induced cognitive dysfunction in rat. *Brain Research Bulletin, 85*(3–4).
- Kumar A, Sidhu J, Goyal A, *et al.* Alzheimer Disease. [Updated 2020 Aug 11]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK499922/>
- Landau, G., Kodali, V. K., Malhotra, J. D., & Kaufman, R. J. (2013). Detection of Oxidative Damage in Response to Protein Misfolding in the Endoplasmic Reticulum. Hydrogen Peroxide and Cell Signaling, Part A, 231–250.
- Lee, K. H., Cha, M., & Lee, B. H. (2020). Neuroprotective effect of antioxidants in the brain. In *International Journal of Molecular Sciences* (Vol. 21, Issue 19).
- Lee, G. Y., Lee, C., Park, G. H., & Jang, J. H. (2017). Amelioration of Scopolamine-Induced Learning and Memory Impairment by α -Pinene in C57BL/6 Mice. *Evidence-based complementary and alternative medicine : eCAM, 2017*, 4926815.
- Lee, M. S., Kao, S. C., Lemere, C. A., Xia, W., Tseng, H. C., Zhou, Y., Neve, R., Ahlijanian, M. K., & Tsai, L. H. (2003). APP processing is regulated by cytoplasmic phosphorylation. *Journal of Cell Biology, 2003*.
- Lee, Y., Kim, S., Oh, Y., Kim, Y. M., Chin, Y. W., & Cho, J. (2019). Inhibition of oxidative neurotoxicity and scopolamine-induced memory impairment by γ -mangostin: In vitro and in vivo evidence. *Oxidative Medicine and Cellular Longevity, 2019*.
- Li, X. L., Hu, N., Tan, M. S., Yu, J. T., & Tan, L. (2014). Behavioral and psychological symptoms in Alzheimer's disease. *BioMed research international, 2014*, 927804.
- Li, X., Zhao, X., Xu, X., Mao, X., Liu, Z., Li, H., Guo, L., Bi, K., & Jia, Y. (2014). Schisantherin A recovers $A\beta$ -induced neurodegeneration with cognitive decline in mice. *Physiology and Behavior, 132*.

- Liu, Q. F., Jeong, H., Lee, J. H., Hong, Y. K., Oh, Y., Kim, Y. M., Suh, Y. S., Bang, S., Yun, H. S., Lee, K., Cho, S. M., Lee, S. B., Jeon, S., Chin, Y. W., Koo, B. S., & Cho, K. S. (2016). Coriandrum sativum Suppresses A β 42-Induced ROS Increases, Glial Cell Proliferation, and ERK Activation. *American Journal of Chinese Medicine*.
- Lorente, L., Martín, M. M., Abreu-González, P., Domínguez-Rodríguez, A., Labarta, L., Díaz, C., Solé-Violán, J., Ferreres, J., Cabrera, J., Igeño, J. C., & Jiménez, A. (2013). Sustained high serum malondialdehyde levels are associated with severity and mortality in septic patients. *Critical Care*, 17(6).
- Lu, C., Wang, Y., Xu, T., Li, Q., Wang, D., Zhang, L., Fan, B., Wang, F., & Liu, X. (2018). Genistein Ameliorates Scopolamine-Induced Amnesia in Mice Through the Regulation of the Cholinergic Neurotransmission, Antioxidant System and the ERK/CREB/BDNF Signaling. *Frontiers in pharmacology*, 9, 1153.
- Mani, V., Parle, M., Ramasamy, K., & Abdul Majeed, A. B. (2011). Reversal of memory deficits by Coriandrum sativum leaves in mice. *Journal of the Science of Food and Agriculture*, 91(1), 186-192.
- Mathur, A., Shandarin, A., Laviolette, S. R., Parker, J., & Yeomans, J. S. (1997). Locomotion and stereotypy induced by scopolamine: Contributions of muscarinic receptors near the pedunclopontine tegmental nucleus. *Brain Research*, 775(1–2).
- Manoharan, S., Guillemin, G. J., Abiramasundari, R. S., Essa, M. M., Akbar, M., & Akbar, M. D. (2016). The Role of Reactive Oxygen Species in the Pathogenesis of Alzheimer's Disease, Parkinson's Disease, and Huntington's Disease: A Mini Review. In *Oxidative Medicine and Cellular Longevity* (Vol. 2016).
- Maridass, M., & De Britto, A. J. (2008). Origins of Plant Derived Medicines. *Ethnobotanical Leaflets*.
- Miedel, C. J., Patton, J. M., Miedel, A. N., Miedel, E. S., & Levenson, J. M. (2017). Assessment of spontaneous alternation, novel object recognition and limb claspings in transgenic mouse models of amyloid- β and tau neuropathology. *Journal of Visualized Experiments*.

- Msaada K, Jemia MB, Salem N, Bachrouch O, Sriti J, Tammar S, Bettaieb I, Jabri I, Kefi S, Limam F, Marzouk B (2017) Antioxidant activity of methanolic extracts from three coriander (*Coriandrum sativum* L.) fruit varieties. *Arab J Chem* 10(2):S3176-S3183
- Neugroschl, J., & Wang, S. (2011). Alzheimer's disease: diagnosis and treatment across the spectrum of disease severity. *The Mount Sinai journal of medicine, New York*, 78(4), 596–612.
- Nhut, P. T., Quyen, N. T. N., Truc, T. T., Minh, L. V., An, T. N. T., & Anh, N. H. T. (2020). Preliminary study on phytochemical, phenolic content, flavonoids and antioxidant activity of *Coriandrum Sativum* l. originating in Vietnam. *IOP Conference Series: Materials Science and Engineering*, 991(1).
- Nirmal, S. A., Pal, S. C., Otimenyin, S., Aye, T., Elachouri, M., Kundu, S. K., Thandavarayan, R. A., & Mandal, S. C. (2014). Contribution of herbal products in global market. *The Pharma Review*.
- Nagababu, E., Rifkind, J. M., Boindala, S., & Nakka, L. (2010). Assessment of antioxidant activity of eugenol in vitro and in vivo. *Methods in molecular biology (Clifton, N.J.)*, 610, 165–180.
- Nasution, S. (2019). Determination of Total Phenolic and Total Flavonoid Content of Coriander Leaves Extract (*Coriandrum Sativum* L). University of Sumatera Utara, Medan, Indonesia.
- Nambiar, V. S., Daniel, M., & Guin, P. (2010). Characterization of Polyphenols From Coriander Leaves (*Coriandrum Sativum*), Red Amaranthus (a . *Paniculatus*) and Green Amaranthus and Their Health Implications. *Health Promotion*.
- Ohkawa, H., Ohishi, N., & Yagi, K. (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Analytical Biochemistry*.
- Pandya, K., Ray, C. A., Brunner, L., Wang, J., Lee, J. W., & DeSilva, B. (2010). Strategies to minimize variability and bias associated with manual pipetting in ligand binding assays to assure data quality of protein therapeutic quantification. *Journal of Pharmaceutical and Biomedical Analysis*, 53(3).
- Parihar, M. S., & Hemnani, T. (2004). Alzheimer's disease pathogenesis and therapeutic interventions. In *Journal of Clinical Neuroscience*.

- Perry, G., Cash, A. D., & Smith, M. A. (2002). Alzheimer disease and oxidative stress. In *Journal of Biomedicine and Biotechnology*.
- Pohl, F., & Lin, P. K. (2018). The Potential Use of Plant Natural Products and Plant Extracts with Antioxidant Properties for the Prevention/Treatment of Neurodegenerative Diseases: In Vitro, In Vivo and Clinical Trials. *Molecules*, 23(12), 3283.
- Prior, M., Dargusch, R., Ehren, J. L., Chiruta, C., & Schubert, D. (2013). The neurotrophic compound J147 reverses cognitive impairment in aged Alzheimer's disease mice. *Alzheimer's Research and Therapy*, 5(3).
- Rebecca, J. (2020). *Herbal Medicine Development for Neurodegenerative Diseases*. Indonesia International Institute for Life Sciences, Jakarta, Indonesia.
- Richter, S. H., Garner, J. P., & Würbel, H. (2009). Environmental standardization: Cure or cause of poor reproducibility in animal experiments? *Nature Methods*, 6(4).
- Ru, M., & Liu, H. (2018). Association between Y-Maze Acquisition Learning and Major Histocompatibility Complex Class II Polymorphisms in Mice. *BioMed research international*, 2018, 6381932.
- Ruszkiewicz, J., & Albrecht, J. (2015). Changes in the mitochondrial antioxidant systems in neurodegenerative diseases and acute brain disorders. In *Neurochemistry International* (Vol. 88).
- Salim S. (2017). Oxidative Stress and the Central Nervous System. *The Journal of pharmacology and experimental therapeutics*, 360(1), 201–205.
- Saré, R. M., Lemons, A., & Smith, C. B. (2021). Behavior testing in rodents: Highlighting potential confounds affecting variability and reproducibility. In *Brain Sciences* (Vol. 11, Issue 4).
- Sarnyai, Z., Sibille, E. L., Pavlides, C., Fenster, R. J., McEwen, B. S., & Toth, M. (2006). Functional Abnormalities in the Hippocampus and Impaired Hippocampal-dependent Learning in Mice Lacking the 5HT1A Receptors. *CNS Drug Reviews*, 6.

- Schachter, A. S., & Davis, K. L. (2000). Alzheimer's disease. *Dialogues in clinical neuroscience*, 2(2), 91–100.
- Shahwar, M. K., El-Ghorab, A. H., Anjum, F. M., Butt, M. S., Hussain, S., & Nadeem, M. (2012). Characterization of coriander (*Coriandrum sativum* L.) seeds and leaves: Volatile and non-volatile extracts. *International Journal of Food Properties*, 15(4).
- Shigeta, M., & Homma, A. (2001). Donepezil for Alzheimer's disease: Pharmacodynamic, pharmacokinetic, and clinical profiles. In *CNS Drug Reviews*.
- Shin, C. Y., Kim, H. S., Cha, K. H., Won, D. H., Lee, J. Y., Jang, S. W., & Sohn, U. D. (2018). The Effects of Donepezil, an Acetylcholinesterase Inhibitor, on Impaired Learning and Memory in Rodents. *Biomolecules & therapeutics*, 26(3), 274–281.
- Smarr, B. L., Jennings, K. J., Driscoll, J. R., & Kriegsfeld, L. J. (2014). A time to remember: The role of circadian clocks in learning and memory. *Behavioral Neuroscience*, 128(3).
- Sonnen, J. A., Breitner, J. C., Lovell, M. A., Markesbery, W. R., Quinn, J. F., & Montine, T. J. (2008). Free radical-mediated damage to brain in Alzheimer's disease and its transgenic mouse models. *Free radical biology & medicine*, 45(3), 219–230.
- Swerdlow, R. H. (2007). Pathogenesis of Alzheimer's disease. In *Clinical interventions in aging*.
- Tang, K. S. (2019). The cellular and molecular processes associated with scopolamine-induced memory deficit: A model of Alzheimer's biomarkers. In *Life Sciences* (Vol. 233).
- Thei, L., Imm, J., Kaisis, E., Dallas, M. L., & Kerrigan, T. L. (2018). Microglia in Alzheimer's Disease: A Role for Ion Channels. *Frontiers in Neuroscience*.
- Thomsen M. (2014). Locomotor activating effects of cocaine and scopolamine combinations in rats: isobolographic analysis. *Behavioural pharmacology*, 25(4), 259–266.
- Troublesome variability in mouse studies. (2009). In *Nature Neuroscience*.
- Tsikis, D., Rothmann, S., Schneider, J. Y., Suchy, M. T., Trettin, A., Modun, D., Stuke, N., Maassen, N., & Frölich, J. C. (2016). Development, validation and biomedical applications of stable-isotope dilution GC-MS and GC-MS/MS techniques for circulating malondialdehyde (MDA) after

- pentafluorobenzyl bromide derivatization: MDA as a biomarker of oxidative stress and its relation to 15(S)-8-iso-prostaglandin F₂ α and nitric oxide (NO). *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1019.
- Tsikakos, D., Rothmann, S., Schneider, J. Y., Gutzki, F. M., Beckmann, B., & Frölich, J. C. (2017). Simultaneous GC-MS/MS measurement of malondialdehyde and 4-hydroxy-2-nonenal in human plasma: Effects of long-term L-arginine administration. *Analytical Biochemistry*, 524.
- Tsukada, H., Nishiyama, S., Ohba, H., Sato, K., Harada, N., & Kakiuchi, T. (2001). Cholinergic neuronal modulations affect striatal dopamine transporter activity: PET studies in the conscious monkey brain. *Synapse*, 42(3).
- Umukoro, S., Adewole, F. A., Eduviere, A. T., Aderibigbe, A. O., & Onwuchekwa, C. (2014). Free radical scavenging effect of donepezil as the possible contribution to its memory enhancing activity in mice. *Drug Research*, 64(5).
- Upreti, G. C., Davis, C., & Oliver, J. (1991). Preparation of representative homogenates of biological tissues: Effect of salt on protein extraction. *Analytical Biochemistry*.
- Vasanthi, H. R., & Parameswari, R. P. (2010). Indian spices for healthy heart - an overview. *Current cardiology reviews*, 6(4), 274–279.
- Walrave, L., Vinken, M., Albertini, G., De Bundel, D., Leybaert, L., & Smolders, I. J. (2016). Inhibition of Connexin43 Hemichannels Impairs Spatial Short-Term Memory without Affecting Spatial Working Memory. *Frontiers in Cellular Neuroscience*, 10(DEC2016).
- Wang, D., Liu, L., Zhu, X., Wu, W., & Wang, Y. (2014). Hesperidin Alleviates Cognitive Impairment, Mitochondrial Dysfunction and Oxidative Stress in a Mouse Model of Alzheimer's Disease. *Cellular and Molecular Neurobiology*, 34(8).
- Wangsten, H., Samuelsen, A. B., & Malterud, K. E. (2004). Antioxidant activity in extracts from coriander. *Food Chemistry*, 88(2).
- Weller, J., & Budson, A. (2018). Current understanding of Alzheimer's disease diagnosis and treatment. *F1000Research*, 7, F1000 Faculty Rev-1161.

- Wong-Guerra, M., Jiménez-Martin, J., Pardo-Andreu, G. L., Fonseca-Fonseca, L. A., Souza, D. O., de Assis, A. M., Ramirez-Sanchez, J., del Valle, R. M. S., & Nuñez-Figueredo, Y. (2017). Mitochondrial involvement in memory impairment induced by scopolamine in rats. *Neurological Research, 39*(7).
- Zahra W. et al. (2020) The Global Economic Impact of Neurodegenerative Diseases: Opportunities and Challenges. In: Keswani C. (eds) Bioeconomy for Sustainable Development. Springer, Singapore.
- Zaki, H. F., Abd-El-Fattah, M. A., & Attia, A. S. (2014). Naringenin protects against scopolamine-induced dementia in rats. *Bulletin of Faculty of Pharmacy, Cairo University, 52*(1).
- Zhai, P., Ding, Y., Wu, X., Long, J., Zhong, Y., & Li, Y. (2020). The epidemiology, diagnosis and treatment of COVID-19. *International Journal of Antimicrobial Agents*.
- Zhang, J., Wang, J., Zhou, G. S., Tan, Y. J., Tao, H. J., Chen, J. Q., Pu, Z. J., Ma, J. Y., She, W., Kang, A., Zhu, Y., Liu, P., Zhu, Z. H., Shi, X. Q., Tang, Y. P., & Duan, J. A. (2019). Studies of the Anti-amnesic Effects and Mechanisms of Single and Combined Use of Donepezil and Ginkgo Ketoester Tablet on Scopolamine-Induced Memory Impairment in Mice. *Oxidative Medicine and Cellular Longevity, 2019*.
- Zhang, S. J., Luo, D., Li, L., Tan, R. R., Xu, Q. Q., Qin, J., Zhu, L., Luo, N. C., Xu, T. T., Zhang, R., Yang, L., & Wang, Q. (2017). Ethyl Acetate Extract Components of Bushen-Yizhi Formula Provides Neuroprotection against Scopolamine-induced Cognitive Impairment. *Scientific Reports, 7*(1).