

REFERENCES

- Abou-Taleb, K., Ebeed, N., Abdel-Salam, S., & Amin, S. (2017). Antimicrobial and antiproliferative, pro-apoptotic actions of kombucha fermented solutions against colon and hepato cancer cell lines. *World Journal of Pharmaceutical and Life Sciences*, 3(8), 120-132.
- Abshenas, J., Derakhshanfar, A., Ferdosi, M., & Hasanzadeh, S. (2011). Protective effect of kombucha tea against acetaminophen-induced hepatotoxicity in mice: a biochemical and histopathological study. *Comparative Clinical Pathology*, 21(6), 1243-1248. doi: 10.1007/s00580-011-1273-9
- Adachi, S., Nagao, T., Ingolfsson, H., Maxfield, F., Andersen, O., Kopelovich, L., & Weinstein, I. (2007). The Inhibitory Effect of (-)-Epigallocatechin Gallate on Activation of the Epidermal Growth Factor Receptor Is Associated with Altered Lipid Order in HT29 Colon Cancer Cells. *Cancer Research*, 67(13), 6493-6501. doi: 10.1158/0008-5472.can-07-0411
- Adriani, L., Mayasari, N., Angga, A., & Kartasudjana, R. (2011). The effect of feeding fermented kombucha tea on HLD, LDL and total cholesterol levels in the duck bloods. *Biotehnologija U Stocarstvu*, 27(4), 1749-1755. doi: 10.2298/bah1104749a
- Ahmed, D., Eide, P., Eilertsen, I., Danielsen, S., Eknæs, M., & Hektoen, M. et al. (2013). Epigenetic and genetic features of 24 colon cancer cell lines. *Oncogenesis*, 2(9), e71-e71. doi: 10.1038/oncsis.2013.35
- Ahmed, R., Hikal, M., & Abou-Taleb, K. (2020). Biological, chemical and antioxidant activities of different types Kombucha. *Annals Of Agricultural Sciences*, 65(1), 35-41. doi: 10.1016/j.aos.2020.04.001
- Aloulou, A., Hamden, K., Elloumi, D., Ali, M., Hargafi, K., & Jaouadi, B. et al. (2012). Hypoglycemic and antilipidemic properties of kombucha tea in alloxan-induced diabetic rats. *BMC Complementary And Alternative Medicine*, 12(1). doi: 10.1186/1472-6882-12-63
- Amarasinghe, H., Weerakkody, N., & Waisundara, V. (2018). Evaluation of physicochemical properties and antioxidant activities of kombucha "Tea Fungus" during extended periods of fermentation. *Food Science & Nutrition*, 6(3), 659-665. doi: 10.1002/fsn3.605
- Angela, C., Young, J., Kordayanti, S., Devanthi, P., & Katherine. (2020). Isolation and Screening of Microbial Isolates from Kombucha Culture for Bacterial Cellulose Production in Sugarcane Molasses Medium. *Kne Life Sciences*. doi: 10.18502/kls.v5i2.6444
- Ashokkumar, P., Divya, T., Kumar, K., Dineshbabu, V., Velavan, B., & Sudhandiran, G. (2018). Colorectal carcinogenesis: Insights into the cell death and signal transduction pathways: A review. *World Journal Of Gastrointestinal Oncology*, 10(9), 244-259. doi: 10.4251/wjgo.v10.i9.244
- Ataie, A., Ataie, R., & Shadifar, M. (2016). Polyphenolic Antioxidants and Neuronal Regeneration. *Basic And Clinical Neuroscience Journal*, 7(2). doi: 10.15412/j.bcn.03070201
- Ayed, L., Ben Abid, S., & Hamdi, M. (2016). Development of a beverage from red grape juice fermented with the Kombucha consortium. *Annals Of Microbiology*, 67(1), 111-121. doi: 10.1007/s13213-016-1242-2
- Battikh, H., Chaieb, K., Bakhrouf, A., & Ammar, E. (2012). Antibacterial and antifungal activities of black and green kombucha teas. *Journal of Food Biochemistry*, 37(2), 231-236. doi: 10.1111/j.1745-4514.2011.00629.x
- Bhattacharya, S., Gachhui, R., & Sil, P. (2013). The prophylactic role of d-saccharic acid-1,4-lactone against hyperglycemia-induced hepatic apoptosis via inhibition of both extrinsic and intrinsic pathways in diabetic rats. *Food Funct.*, 4(2), 283-296. doi: 10.1039/c2fo30145h
- Bauer-Petrovska, B., & Petrushevska-Tozi, L. (2000). Mineral and water soluble vitamin content in the Kombucha drink. *International Journal Of Food Science And Technology*, 35(2), 201-205. doi: 10.1046/j.1365-2621.2000.00342.x
- BC CDC. (2020). Food Safety Assessment of Kombucha Tea Recipe and Food Safety Plan. *BC Centre for Disease Control: Environmental Health Services*.

- Bhattacharya, S., Gachhui, R., & Sil, P. (2011). Hepatoprotective properties of kombucha tea against TBHP-induced oxidative stress via suppression of mitochondria dependent apoptosis. *Pathophysiology*, *18*(3), 221-234. doi: 10.1016/j.pathophys.2011.02.001
- Biswas, I., Mitra, D., Bandyopadhyay, A., & Das Mohapatra, P. (2020). Contributions of protein microenvironment in tannase industrial applicability: An in-silico comparative study of pathogenic and non-pathogenic bacterial tannase. *Heliyon*, *6*(11), e05359. doi: 10.1016/j.heliyon.2020.e05359
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R., Torre, L., & Jemal, A. (2018). Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: A Cancer Journal For Clinicians*, *68*(6), 394-424. doi: 10.3322/caac.21492
- Butt, M., Imran, A., Sharif, M., Ahmad, R., Xiao, H., Imran, M., & Rsool, H. (2014). Black Tea Polyphenols: A Mechanistic Treatise. *Critical Reviews In Food Science And Nutrition*, *54*(8), 1002-1011. doi: 10.1080/10408398.2011.623198
- Cardoso, R., Neto, R., dos Santos D'Almeida, C., do Nascimento, T., Pressete, C., & Azevedo, L. et al. (2020). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, *128*, 108782. doi: 10.1016/j.foodres.2019.108782
- Cerezo-Guisado, M., Zur, R., Lorenzo, M., Risco, A., Martín-Serrano, M., & Alvarez-Barrientos, A. et al. (2015). Implication of Akt, ERK1/2 and alternative p38MAPK signalling pathways in human colon cancer cell apoptosis induced by green tea EGCG. *Food And Chemical Toxicology*, *84*, 125-132. doi: 10.1016/j.fct.2015.08.017
- Cetojevic-Simin, D., Bogdanovic, G., Cvetkovic, D., & Velicanski, A. (2008). Antiproliferative and antimicrobial activity of traditional Kombucha and Satureja montana L. Kombucha. *Journal of BUON*, *13*(3), 395-401.
- Četojević-Simin, D., Velićanski, A., Cvetković, D., Markov, S., Mrđanović, J., Bogdanović, V., & Šolajić, S. (2010). Bioactivity of Lemon Balm Kombucha. *Food And Bioprocess Technology*, *5*(5), 1756-1765. doi: 10.1007/s11947-010-0458-6
- Chakravorty, S., Bhattacharya, S., Bhattacharya, D., Sarkar, S., & Gachhui, R. (2019). Kombucha: a promising functional beverage prepared from tea. In *Non-alcoholic beverages* (pp. 285-327). Woodhead Publishing.
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakraborty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal Of Food Microbiology*, *220*, 63-72. doi: 10.1016/j.ijfoodmicro.2015.12.015
- Chambré, D., Idrıoiu, C., & Szabo, M. (2007). The reaction conditions influence on sucrose acid hydrolysis studied by means of DSC method. *Journal Of Thermal Analysis And Calorimetry*, *88*(3), 681-686. doi: 10.1007/s10973-006-8043-y
- Chen, C., Shen, G., Hebbar, V., Hu, R., Owuor, E., & Kong, A. (2003). Epigallocatechin-3-gallate-induced stress signals in HT-29 human colon adenocarcinoma cells. *Carcinogenesis*, *24*(8), 1369-1378. doi: 10.1093/carcin/bgg091
- Chu, S., & Chen, C. (2006). Effects of origins and fermentation time on the antioxidant activities of kombucha. *Food Chemistry*, *98*(3), 502-507. doi: 10.1016/j.foodchem.2005.05.080
- Clarke, R., Lund, E., Johnson, I., & Pinder, A. (2000). Apoptosis can be detected in attached colonic adenocarcinoma HT29 cells using annexin V binding, but not by TUNEL assay or sub-G0 DNA content. *Cytometry*, *39*(2), 141-150. doi: 10.1002/(sici)1097-0320(20000201)39:2<141::aid-cyto7>3.0.co;2-o
- Coton, M., Pawtowski, A., Taminiau, B., Burgaud, G., Deniel, F., & Coulloume-Labarthe, L. et al. (2017). Unraveling microbial ecology of industrial-scale Kombucha fermentations by metabarcoding and culture-based methods. *FEMS Microbiology Ecology*, *93*(5). doi: 10.1093/femsec/fix048
- Daaboul, H., & El-Sibai, M. (2018). Treatment Strategies in Colorectal Cancer. *Colorectal Cancer - Diagnosis, Screening And Management*. doi: 10.5772/intechopen.71620

- Dayem, A., Choi, H., Yang, G., Kim, K., Saha, S., & Cho, S. (2016). The Anti-Cancer Effect of Polyphenols against Breast Cancer and Cancer Stem Cells: Molecular Mechanisms. *Nutrients*, *8*(9), 581. doi: 10.3390/nu8090581
- De Filippis, F., Troise, A., Vitaglione, P., & Ercolini, D. (2018). Different temperatures select distinctive acetic acid bacteria species and promotes organic acids production during Kombucha tea fermentation. *Food Microbiology*, *73*, 11-16. doi: 10.1016/j.fm.2018.01.008
- Deghrigue, M., Chriaa, J., Battikh, H., Abid, K., & Bakhrouf, A. (2013). Antiproliferative and antimicrobial activities of kombucha tea. *African Journal Of Microbiology Research*, *7*(27), 3466-3470.
- Dehnavi, E., Arjmand, M., Haji Hosseini, R., Zamani, Z., & Nasri, S. (2020). Evaluation of Anti-Proliferative and Anti-Effects of Kombucha Tea Solvent Fraction on Colorectal Cancer Cell Line (HT-29). *Journal of Animal Biology*, *13*(1), 85-100.
- Dey, G. (2018). Non-dairy Probiotic Foods: Innovations and Market Trends. *Innovations In Technologies For Fermented Food And Beverage Industries*, 159-173. doi: 10.1007/978-3-319-74820-7_9
- Dipti, P., Yogesh, B., Kain, A. K., Pauline, T., Anju, B., Sairam, M., & Selvamurthy, W. et al. (2003). Lead induced oxidative stress: beneficial effects of Kombucha tea. *Biomedical and environmental sciences: BES*, *16*(3), 276-282.
- Dufresne, C., & Farnworth, E. (2000). Tea, Kombucha, and health: a review. *Food Research International*, *33*(6), 409-421. doi: 10.1016/s0963-9969(00)00067-3
- Dutta, H., & Paul, S. (2019). Kombucha Drink: Production, Quality, and Safety Aspects. *Production And Management Of Beverages*, 259-288. doi: 10.1016/b978-0-12-815260-7.00008-0
- Fang, X., Du, M., Liu, T., Fang, Q., Liao, Z., & Zhong, Q. et al. (2019). Changes in the Biotransformation of Green Tea Catechins Induced by Different Carbon and Nitrogen Sources in *Aspergillus niger* RAF106. *Frontiers In Microbiology*, *10*. doi: 10.3389/fmicb.2019.02521
- Fatfat, M., Merhi, R., Rahal, O., Stoyanovsky, D., Zaki, A., & Haidar, H. et al. (2014). Copper chelation selectively kills colon cancer cells through redox cycling and generation of reactive oxygen species. *BMC Cancer*, *14*(1). doi: 10.1186/1471-2407-14-527
- FDA. (2009). *Food Code*. U.S. Public Health Service: Food and Drug Administration.
- Fernández-Gallardo, J., Elie, B., Sulzmaier, F., Sanaú, M., Ramos, J., & Contel, M. (2014). Organometallic Titanocene–Gold Compounds as Potential Chemotherapeutics in Renal Cancer. Study of their Protein Kinase Inhibitory Properties. *Organometallics*, *33*(22), 6669-6681. doi: 10.1021/om500965k
- Flis, S., & Splawinski, J. (2009). Inhibitory effects of 5-fluorouracil and oxaliplatin on human colorectal cancer cell survival are synergistically enhanced by sulindac sulfide. *Anticancer research*, *29*(1), 435-441.
- Florescu-Tenea, R., Kamal, A., Mitrut, P., Mitrut, R., Ilie, D., Nicolaescu, A., & Mogoanta, L. (2019). Colorectal cancer: an update on treatment options and future perspectives. *Current health sciences journal*, *45*(2), 134.
- Fraga, C., Croft, K., Kennedy, D., & Tomás-Barberán, F. (2019). The effects of polyphenols and other bioactives on human health. *Food & Function*, *10*(2), 514-528. doi: 10.1039/c8fo01997e
- Fogh, J., & Trempe, G. (1975). New Human Tumor Cell Lines. *Human Tumor Cells In Vitro*, 115-159. doi: 10.1007/978-1-4757-1647-4_5
- Gaggìa, F., Baffoni, L., Galiano, M., Nielsen, D., Jakobsen, R., & Castro-Mejía, J. et al. (2018). Kombucha Beverage from Green, Black and Rooibos Teas: A Comparative Study Looking at Microbiology, Chemistry and Antioxidant Activity. *Nutrients*, *11*(1), 1. doi: 10.3390/nu11010001
- Goh, W., Rosma, A., Kaur, B., Fazilah, A., Karim, A., & Bhat, R. (2012). Fermentation of black tea broth (Kombucha): I. Effects of sucrose concentration and fermentation time on the yield of microbial cellulose. *International Food Research Journal*, *19*(1), 109.

- Gossiau, A., En Jao, D., Huang, M., Ho, C., Evans, D., Rawson, N., & Chen, K. (2011). Effects of the black tea polyphenol theaflavin-2 on apoptotic and inflammatory pathways in vitro and in vivo. *Molecular Nutrition & Food Research*, 55(2), 198-208. doi: 10.1002/mnfr.201000165
- Gramza-Michałowska, A., Kulczyński, B., Xindi, Y., & Gumienna, M. (2016). Research on the effect of culture time on the kombucha tea beverages: antiradical capacity and sensory value. *Acta Scientiarum Polonorum Technologia Alimentaria*, 15(4), 447-457. doi: 10.17306/j.afs.2016.4.43
- Hammel, R., Karakilic, V., & Shaw, F. (2016). The affect of temperature and pH on the food safety of kombucha tea. *BCIT Environmental Public Health Journal*.
- Harada, S., & Morlote, D. (2019). Molecular Pathology of Colorectal Cancer. *Advances In Anatomic Pathology*, 27(1), 20-26. doi: 10.1097/pap.0000000000000247
- Healey, E., Stillfried, G., Eckermann, S., Dawber, J., Clingan, P., & Ranson, M. (2013). Comparative effectiveness of 5-fluorouracil with and without oxaliplatin in the treatment of colorectal cancer in clinical practice. *Anticancer research*, 33(3), 1053-1060.
- Hu, F., Wei, F., Wang, Y., Wu, B., Fang, Y., & Xiong, B. (2015). EGCG synergizes the therapeutic effect of cisplatin and oxaliplatin through autophagic pathway in human colorectal cancer cells. *Journal Of Pharmacological Sciences*, 128(1), 27-34. doi: 10.1016/j.jphs.2015.04.003
- Hunyadi, A. (2019). The mechanism(s) of action of antioxidants: From scavenging reactive oxygen/nitrogen species to redox signaling and the generation of bioactive secondary metabolites. *Medicinal Research Reviews*, 39(6), 2505-2533. doi: 10.1002/med.21592
- Imran, A., Butt, M., Xiao, H., Imran, M., Rauf, A., Mubarak, M., & Ramadan, M. (2019). Inhibitory effect of black tea (*Camellia sinensis*) theaflavins and thearubigins against HCT 116 colon cancer cells and HT 460 lung cancer cells. *Journal Of Food Biochemistry*, 43(5), e12822. doi: 10.1111/jfbc.12822
- Ismail, A., Bassyouni, R., Kamel, Z., & Gabr, S. (2015). Detoxification of Patulin by Kombucha tea culture. *Cyta - Journal Of Food*, 14(2), 271-279. doi: 10.1080/19476337.2015.1096828
- Jakob, F., Quintero, Y., Musacchio, A., Estrada-de los Santos, P., Hernández, L., & Vogel, R. (2019). Acetic acid bacteria encode two levansucrase types of different ecological relationship. *Environmental Microbiology*, 21(11), 4151-4165. doi: 10.1111/1462-2920.14768
- Jakubczyk, K., Piotrowska, G., & Janda, K. (2020). Characteristics and biochemical composition of kombucha – fermented tea. *Medycyna Ogólna I Nauki O Zdrowiu*, 26(2), 94-96. doi: 10.26444/monz/118887
- Jayabalan, R., Chen, P., Hsieh, Y., Prabhakaran, K., Pitchai, P., Marimuthu, S., & Yun, S. et al. (2011). Effect of solvent fractions of kombucha tea on viability and invasiveness of cancer cells— characterization of dimethyl 2-(2-hydroxy-2-methoxypropylidene) malonate and vitexin. *Indian Journal of Biotechnology*, 10, 75-82.
- Jayabalan, R., Malbaša, R., Lončar, E., Vitas, J., & Sathishkumar, M. (2014). A Review on Kombucha Tea-Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus. *Comprehensive Reviews In Food Science And Food Safety*, 13(4), 538-550. doi: 10.1111/1541-4337.12073
- Jayabalan, R., Marimuthu, S., & Swaminathan, K. (2007). Changes in content of organic acids and tea polyphenols during kombucha tea fermentation. *Food Chemistry*, 102(1), 392-398. doi: 10.1016/j.foodchem.2006.05.032
- Jayabalan, R., Subathradevi, P., Marimuthu, S., Sathishkumar, M., & Swaminathan, K. (2008). Changes in free-radical scavenging ability of kombucha tea during fermentation. *Food Chemistry*, 109(1), 227-234. doi: 10.1016/j.foodchem.2007.12.037
- Joseph, C., Kumar, G., Su, E., & Bisson, L. (2007). Adhesion and Biofilm Production by Wine Isolates of *Brettanomyces bruxellensis*. *American Journal Of Enology And Viticulture*, 58(3), 373-378.
- Kapp, J., & Sumner, W. (2019). Kombucha: a systematic review of the empirical evidence of human health benefit. *Annals Of Epidemiology*, 30, 66-70. doi: 10.1016/j.annepidem.2018.11.001

- Kaewkod, T., Bovonsombut, S., & Tragoolpua, Y. (2019). Efficacy of Kombucha Obtained from Green, Oolong, and Black Teas on Inhibition of Pathogenic Bacteria, Antioxidation, and Toxicity on Colorectal Cancer Cell Line. *Microorganisms*, 7(12), 700. doi: 10.3390/microorganisms7120700
- Kasi, A., Handa, S., Bhatti, S., Umar, S., Bansal, A., & Sun, W. (2020). Molecular Pathogenesis and Classification of Colorectal Carcinoma. *Current Colorectal Cancer Reports*, 16(5), 97-106. doi: 10.1007/s11888-020-00458-z
- Keum, N., & Giovannucci, E. (2019). Global burden of colorectal cancer: emerging trends, risk factors and prevention strategies. *Nature Reviews Gastroenterology & Hepatology*, 16(12), 713-732. doi: 10.1038/s41575-019-0189-8
- Khan, N., & Mukhtar, H. (2007). Tea polyphenols for health promotion. *Life Sciences*, 81(7), 519-533. doi: 10.1016/j.lfs.2007.06.011
- Kim, E., Coelho, D., & Blachier, F. (2013). Review of the association between meat consumption and risk of colorectal cancer. *Nutrition Research*, 33(12), 983-994. doi: 10.1016/j.nutres.2013.07.018
- Koňariková, K., Ježovičová, M., Keresteš, J., Gbelcová, H., Ďuračková, Z., & Žitňanová, I. (2015). Anticancer effect of black tea extract in human cancer cell lines. *Springerplus*, 4(1). doi: 10.1186/s40064-015-0871-4
- Kozyrovskaya, N. O., Reva, O. M., Goginyan, V. B., & De Vera, J. P. (2012). Kombucha microbiome as a probiotic: a view from the perspective of post-genomics and synthetic ecology. *Biopolymers and Cell*, 28(2), 103-113.
- Kuipers, E., Grady, W., Lieberman, D., Seufferlein, T., Sung, J., & Boelens, P. et al. (2015). Colorectal cancer. *Nature Reviews Disease Primers*, 1(1). doi: 10.1038/nrdp.2015.65
- Kumar, B., Vijayendra, S., & Reddy, O. (2015). Trends in dairy and non-dairy probiotic products - a review. *Journal Of Food Science And Technology*, 52(10), 6112-6124. doi: 10.1007/s13197-015-1795-2
- Kumar, S., Narayan, G., & Hassarajani, S. (2008). Determination of anionic minerals in black and kombucha tea using ion chromatography. *Food Chemistry*, 111(3), 784-788. doi: 10.1016/j.foodchem.2008.05.012
- Kumar, V., & Joshi, V. (2016). Kombucha: Technology, Microbiology, Production, Composition and Therapeutic Value. *International Journal Of Food And Fermentation Technology*, 6(1), 13. doi: 10.5958/2277-9396.2016.00022.2
- Lahiry, L., Saha, B., Chakraborty, J., Adhikary, A., Mohanty, S., & Hossain, D. et al. (2009). Theaflavins target Fas/caspase-8 and Akt/pBad pathways to induce apoptosis in p53-mutated human breast cancer cells. *Carcinogenesis*, 31(2), 259-268. doi: 10.1093/carcin/bgp240
- Latos-Brozio, M., & Masek, A. (2019). Structure-Activity Relationships Analysis of Monomeric and Polymeric Polyphenols (Quercetin, Rutin and Catechin) Obtained by Various Polymerization Methods. *Chemistry & Biodiversity*, 16(12). doi: 10.1002/cbdv.201900426
- Leal, J., Valenzuela Suárez, L., Jayabalan, R., Huerta Oros, J., & Escalante-Aburto, A. (2018). A review on health benefits of kombucha nutritional compounds and metabolites. *CyTA-Journal of Food*, 16(1), 390-399. doi: 10.1080/19476337.2017.1410499
- Leslie, A. & Steele, R. (2002). Management of colorectal cancer. *Postgraduate Medical Journal*, 78(922), 473-478. doi: 10.1136/pmj.78.922.473
- Li, S., Lo, C., Pan, M., Lai, C., & Ho, C. (2013). Black tea: chemical analysis and stability. *Food Funct.*, 4(1), 10-18. doi: 10.1039/c2fo30093a
- Liberti, M., & Locasale, J. (2016). The Warburg Effect: How Does it Benefit Cancer Cells?. *Trends In Biochemical Sciences*, 41(3), 211-218. doi: 10.1016/j.tibs.2015.12.001
- Linster, C., & Schaftingen, E. (2006). Glucuronate, the precursor of vitamin C, is directly formed from UDP-glucuronate in liver. *FEBS Journal*, 273(7), 1516-1527. doi: 10.1111/j.1742-4658.2006.05172.x

- Loncar, E., Kanuric, K., Malbasa, R., Djuric, M., & Milanovic, S. (2014). Kinetics of saccharose fermentation by Kombucha. *Chemical Industry And Chemical Engineering Quarterly*, 20(3), 345-352. doi: 10.2298/ciceq121113016l
- Lončar, E., Djurić, M., Malbaša, R., Kolarov, L., & Klačnja, M. (2006). Influence of Working Conditions Upon Kombucha Conducted Fermentation of Black Tea. *Food And Bioproducts Processing*, 84(3), 186-192. doi: 10.1205/fbp.04306
- Lu, J., Gosslau, A., Liu, A., & Chen, K. (2008). PCR differential display-based identification of regulator of G protein signaling 10 as the target gene in human colon cancer cells induced by black tea polyphenol theaflavin monogallate. *European Journal Of Pharmacology*, 601(1-3), 66-72. doi: 10.1016/j.ejphar.2008.10.044
- Malbaša, R., Lončar, E., Vitas, J., & Čanadanović-Brunet, J. (2011). Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chemistry*, 127(4), 1727-1731. doi: 10.1016/j.foodchem.2011.02.048
- Marsh, A., O'Sullivan, O., Hill, C., Ross, R., & Cotter, P. (2014). Sequence-based analysis of the bacterial and fungal compositions of multiple kombucha (tea fungus) samples. *Food Microbiology*, 38, 171-178. doi: 10.1016/j.fm.2013.09.003
- Martínez-Maqueda, D., Miralles, B., & Recio, I. (2015). HT29 Cell Line. *The Impact Of Food Bioactives On Health*, 113-124. doi: 10.1007/978-3-319-16104-4_11
- May, A., Narayanan, S., Alcock, J., Varsani, A., Maley, C., & Aktipis, A. (2019). Kombucha: a novel model system for cooperation and conflict in a complex multi-species microbial ecosystem. *Peerj*, 7, e7565. doi: 10.7717/peerj.7565
- Melini, F., Melini, V., Luziatelli, F., Ficca, A., & Ruzzi, M. (2019). Health-Promoting Components in Fermented Foods: An Up-to-Date Systematic Review. *Nutrients*, 11(5), 1189. doi: 10.3390/nu11051189
- Mileo, A., & Miccadei, S. (2016). Polyphenols as Modulator of Oxidative Stress in Cancer Disease: New Therapeutic Strategies. *Oxidative Medicine And Cellular Longevity*, 2016, 1-17. doi: 10.1155/2016/6475624
- Mojarad, E., Kuppen, P., Aghdaei, H., & Zali, M. (2013). The CpG island methylator phenotype (CIMP) in colorectal cancer. *Gastroenterology and hepatology from bed to bench*, 6(3), 120.
- Mousavi, S., Hashemi, S., Zarei, M., Gholami, A., Lai, C., & Chiang, W. et al. (2020). Recent Progress in Chemical Composition, Production, and Pharmaceutical Effects of Kombucha Beverage: A Complementary and Alternative Medicine. *Evidence-Based Complementary And Alternative Medicine*, 2020, 1-14. doi: 10.1155/2020/4397543
- Muhialdin, B., Osman, F., Muhamad, R., Sapawi, C., Anzian, A., Voon, W., & Hussin, A. (2019). Effects of sugar sources and fermentation time on the properties of tea fungus (kombucha) beverage. *International Food Research Journal*, 26(2).
- Murphy, T., Walia, K., & Farber, J. (2018). Safety Aspects and Guidance for Consumerson the Safe Preparation, Handling and Storage of Kombucha—A Fermented Tea Beverage. *Food Protection Trends*, 38(5), 329-337.
- Mycielska, M., Mohr, M., Schmidt, K., Drexler, K., Rümmele, P., & Haferkamp, S. et al. (2019). Potential Use of Gluconate in Cancer Therapy. *Frontiers In Oncology*, 9. doi: 10.3389/fonc.2019.00522
- Nandakumar, V., Vaid, M., & Katiyar, S. (2011). (-)-Epigallocatechin-3-gallate reactivates silenced tumor suppressor genes, Cip1/p21 and p16INK4a, by reducing DNA methylation and increasing histones acetylation in human skin cancer cells. *Carcinogenesis*, 32(4), 537-544. doi: 10.1093/carcin/bgq285
- Neffe-Skocińska, K., Sionek, B., Ścibisz, I., & Kołożyn-Krajewska, D. (2017). Acid contents and the effect of fermentation condition of Kombucha tea beverages on physicochemical, microbiological and sensory properties. *Cyta - Journal Of Food*, 15(4), 601-607. doi: 10.1080/19476337.2017.1321588

- Negri, A., Naponelli, V., Rizzi, F., & Bettuzzi, S. (2018). Molecular Targets of Epigallocatechin—Gallate (EGCG): A Special Focus on Signal Transduction and Cancer. *Nutrients*, *10*(12), 1936. doi: 10.3390/nu10121936
- Nimse, S., & Pal, D. (2015). Free radicals, natural antioxidants, and their reaction mechanisms. *RSC Advances*, *5*(35), 27986-28006. doi: 10.1039/c4ra13315c
- Nummer, B. A. (2013). Kombucha Brewing Under the Food and Drug Administration Model Food Code: Risk Analysis and Processing Guidance. *Journal of Environmental Health*, *76*(4), 8-11.
- Nyambe-Silavwe, H., Villa-Rodriguez, J., Ifie, I., Holmes, M., Aydin, E., Jensen, J., & Williamson, G. (2015). Inhibition of human α -amylase by dietary polyphenols. *Journal Of Functional Foods*, *19*, 723-732. doi: 10.1016/j.jff.2015.10.003
- Patel, R., Ingle, A., & Maru, G. (2008). Polymeric black tea polyphenols inhibit 1,2-dimethylhydrazine induced colorectal carcinogenesis by inhibiting cell proliferation via Wnt/ β -catenin pathway. *Toxicology And Applied Pharmacology*, *227*(1), 136-146. doi: 10.1016/j.taap.2007.10.009
- Peluso, I., & Serafini, M. (2016). Antioxidants from black and green tea: from dietary modulation of oxidative stress to pharmacological mechanisms. *British Journal Of Pharmacology*, *174*(11), 1195-1208. doi: 10.1111/bph.13649
- Perron, N., García, C., Pinzón, J., Chaur, M., & Brumaghim, J. (2011). Antioxidant and prooxidant effects of polyphenol compounds on copper-mediated DNA damage. *Journal Of Inorganic Biochemistry*, *105*(5), 745-753. doi: 10.1016/j.jinorgbio.2011.02.009
- Pimentel, T., Costa, W., Barão, C., Rosset, M., & Magnani, M. (2021). Vegan probiotic products: A modern tendency or the newest challenge in functional foods. *Food Research International*, *140*, 110033. doi: 10.1016/j.foodres.2020.110033
- Pucci, C., Martinelli, C., & Ciofani, G. (2019). Innovative approaches for cancer treatment: current perspectives and new challenges. *Ecancermedicalscience*, *13*. doi: 10.3332/ecancer.2019.961
- Quiao-Won, M., & Teves, F. (2018). Characteristics of Kombucha Fermentation from Different Substrates and Cytotoxicity of Tea Broth. *Sustainable Food Production*, *4*, 11-19. doi: 10.18052/www.scipress.com/sfp.4.11
- Rawla, P., Sunkara, T., & Barsouk, A. (2019). Epidemiology of colorectal cancer: incidence, mortality, survival, and risk factors. *Gastroenterology Review*, *14*(2), 89-103. doi: 10.5114/pg.2018.81072
- Reva, O., Zaets, I., Ovcharenko, L., Kukhareenko, O., Shpylova, S., & Podolich, O. et al. (2015). Metabarcoding of the kombucha microbial community grown in different microenvironments. *AMB Express*, *5*(1). doi: 10.1186/s13568-015-0124-5
- Roa, F., Peña, E., Gatica, M., Escobar-Acuña, K., Saavedra, P., & Maldonado, M. et al. (2020). Therapeutic Use of Vitamin C in Cancer: Physiological Considerations. *Frontiers In Pharmacology*, *11*. doi: 10.3389/fphar.2020.00211
- Ryuk, J., Choi, G., Park, J., Kim, H., Park, S., & Yoon, G. et al. (2014). Predictive factors and the prognosis of recurrence of colorectal cancer within 2 years after curative resection. *Annals Of Surgical Treatment And Research*, *86*(3), 143. doi: 10.4174/astr.2014.86.3.143
- Saichana, N., Matsushita, K., Adachi, O., Frébort, I., & Frébortova, J. (2015). Acetic acid bacteria: A group of bacteria with versatile biotechnological applications. *Biotechnology Advances*, *33*(6), 1260-1271. doi: 10.1016/j.biotechadv.2014.12.001
- Şanlıer, N., Gökçen, B., & Sezgin, A. (2017). Health benefits of fermented foods. *Critical Reviews In Food Science And Nutrition*, *59*(3), 506-527. doi: 10.1080/10408398.2017.1383355
- Saluk-Juszczak, J., Olas, B., Nowak, P., Staroń, A., & Wachowicz, B. (2008). Protective effects of d-glucaro-1,4-lactone against oxidative modifications in blood platelets. *Nutrition, Metabolism And Cardiovascular Diseases*, *18*(6), 422-428. doi: 10.1016/j.numecd.2007.02.016
- Santos, R., Berretta, A., Barud, H., Ribeiro, S., González-García, L., & Zucchi, T. et al. (2015). Draft Genome Sequence of *Komagataeibacter intermedius* Strain AF2, a Producer of Cellulose, Isolated from Kombucha Tea. *Genome Announcements*, *3*(6). doi: 10.1128/genomea.01404-15

- Santos-Sánchez, N., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. *Antioxidants*. doi: 10.5772/intechopen.85270
- Senggunprai, L., Kukongviriyapan, V., Prawan, A., & Kukongviriyapan, U. (2013). Quercetin and EGCG Exhibit Chemopreventive Effects in Cholangiocarcinoma Cells via Suppression of JAK/STAT Signaling Pathway. *Phytotherapy Research*, 28(6), 841-848. doi: 10.1002/ptr.5061
- Seto, A., Saito, Y., Matsushige, M., Kobayashi, H., Sasaki, Y., & Tonouchi, N. et al. (2006). Effective cellulose production by a coculture of *Gluconacetobacter xylinus* and *Lactobacillus mali*. *Applied Microbiology And Biotechnology*, 73(4), 915-921. doi: 10.1007/s00253-006-0515-2
- Shahbazi, H., Hashemi Gahrue, H., Golmakani, M., Eskandari, M., & Movahedi, M. (2018). Effect of medicinal plant type and concentration on physicochemical, antioxidant, antimicrobial, and sensorial properties of kombucha. *Food Science & Nutrition*, 6(8), 2568-2577. doi: 10.1002/fsn3.873
- Singleton, V., Orthofer, R., & Lamuela-Raventós, R. (1999). [14] Analysis of total phenols and other oxidation substrates and antioxidants by means of folin-ciocalteu reagent. *Oxidants And Antioxidants Part A*, 152-178. doi: 10.1016/s0076-6879(99)99017-1
- Sreeramulu, G., Zhu, Y., & Knol, W. (2001). Characterization of Antimicrobial Activity in Kombucha Fermentation. *Acta Biotechnologica*, 21(1), 49-56. doi: 10.1002/1521-3846(200102)21:1<49::aid-abio49>3.0.co;2-g
- Srihari, T., Arunkumar, R., Arunakaran, J., & Satyanarayana, U. (2013). Downregulation of signalling molecules involved in angiogenesis of prostate cancer cell line (PC-3) by kombucha (lyophilized). *Biomedicine & Preventive Nutrition*, 3(1), 53-58. doi: 10.1016/j.bionut.2012.08.001
- Steensels, J., Daenen, L., Malcorps, P., Derdelinckx, G., Verachtert, H., & Verstrepen, K. (2015). *Brettanomyces* yeasts — From spoilage organisms to valuable contributors to industrial fermentations. *International Journal Of Food Microbiology*, 206, 24-38. doi: 10.1016/j.ijfoodmicro.2015.04.005
- Tamang, J., Shin, D., Jung, S., & Chae, S. (2016). Functional Properties of Microorganisms in Fermented Foods. *Frontiers In Microbiology*, 7. doi: 10.3389/fmicb.2016.00578
- Tao, L., & Lambert, J. (2014). Antioxidant and Pro-Oxidant Activities of Green Tea Polyphenols in Cancer Prevention. *Polyphenols In Human Health And Disease*, 1191-1198. doi: 10.1016/b978-0-12-398456-2.00090-6
- Tasdemir, S., & Sanlier, N. (2020). An insight into the anticancer effects of fermented foods: A review. *Journal Of Functional Foods*, 75, 104281. doi: 10.1016/j.jff.2020.104281
- Teoh, P. (2015). Comparative Study on In Vitro Anti-Proliferative and Apoptotic Effects of Organic and Non-Organic Tea Extracts. *Journal Of Food Biochemistry*, 39(6), 718-724. doi: 10.1111/jfbc.12180
- Tran, T., Grandvalet, C., Verdier, F., Martin, A., Alexandre, H., & Tourdou-Maréchal, R. (2020). Microbial Dynamics between Yeasts and Acetic Acid Bacteria in Kombucha: Impacts on the Chemical Composition of the Beverage. *Foods*, 9(7), 963. doi: 10.3390/foods9070963
- Ünlü, A., Prasad, B., Anavekar, K., Bubenheim, P., & Liese, A. (2017). Investigation of a green process for the polymerization of catechin. *Preparative Biochemistry & Biotechnology*, 47(9), 918-924. doi: 10.1080/10826068.2017.1365241
- Uscanga, M., Délia, M., & Strehaiano, P. (2003). *Brettanomyces bruxellensis*: effect of oxygen on growth and acetic acid production. *Applied Microbiology And Biotechnology*, 61(2), 157-162. doi: 10.1007/s00253-002-1197-z
- Vega, P., Valentín, F., & Cubiella, J. (2015). Colorectal cancer diagnosis: Pitfalls and opportunities. *World Journal Of Gastrointestinal Oncology*, 7(12), 422. doi: 10.4251/wjgo.v7.i12.422
- Velićanski, A., Cvetković, D., & Markov, S. (2013). Characteristics of Kombucha fermentation on medicinal herbs from Lamiaceae family. *Romanian Biotechnological Letters*, 18(1), 8034-8042.

- Velićanski, A., Cvetković, D., Tumbas Šaponjac, V., & Vulić, J. (2014). Antioxidant and Antibacterial Activity of the Beverage Obtained by Fermentation of Sweetened Lemon Balm (*Melissa officinalis* L.) Tea with Symbiotic Consortium of Bacteria and Yeasts. *Food Technology And Biotechnology*, 52(4), 420-429. doi: 10.17113/ftb.52.04.14.3611
- Villarreal-Soto, S., Beaufort, S., Bouajila, J., Souchard, J., & Taillandier, P. (2018). Understanding Kombucha Tea Fermentation: A Review. *Journal Of Food Science*, 83(3), 580-588. doi: 10.1111/1750-3841.14068
- Villarreal-Soto, S., Beaufort, S., Bouajila, J., Souchard, J., Renard, T., Rollan, S., & Taillandier, P. (2019). Impact of fermentation conditions on the production of bioactive compounds with anticancer, anti-inflammatory and antioxidant properties in kombucha tea extracts. *Process Biochemistry*, 83, 44-54. doi: 10.1016/j.procbio.2019.05.004
- Vīna, I., Linde, R., Patetko, A., & Semjonovs, P. (2013). Glucuronic acid from fermented beverages: Biochemical functions in humans and its role in health protection. *Ijrras*, 14(2), 217-230.
- Vohra, B., Fazry, S., Sairi, F., & Babul-Airianah, O. (2019). Effects of medium variation and fermentation time on the antioxidant and antimicrobial properties of Kombucha. *Malaysian Journal of Fundamental and Applied Sciences*, 15(2-1), 298-302.
- Wang, K., Gan, X., Tang, X., Wang, S., & Tan, H. (2010). Determination of d-saccharic acid-1,4-lactone from brewed kombucha broth by high-performance capillary electrophoresis. *Journal Of Chromatography B*, 878(3-4), 371-374. doi: 10.1016/j.jchromb.2009.12.003
- Wang, S., Zhang, L., Qi, L., Liang, H., Lin, X., & Li, S. et al. (2020). Effect of synthetic microbial community on nutraceutical and sensory qualities of kombucha. *International Journal Of Food Science & Technology*, 55(10), 3327-3333. doi: 10.1111/ijfs.14596
- Wang, Y., Ji, B., Wu, W., Wang, R., Yang, Z., Zhang, D., & Tian, W. (2013). Hepatoprotective effects of kombucha tea: identification of functional strains and quantification of functional components. *Journal Of The Science Of Food And Agriculture*, 94(2), 265-272. doi: 10.1002/jsfa.6245
- Watawana, M., Jayawardena, N., Gunawardhana, C., & Waisundara, V. (2015a). Enhancement of the antioxidant and starch hydrolase inhibitory activities of king coconut water (*Cocos nuciferavar. aurantiaca*) by fermentation with kombucha 'tea fungus'. *International Journal Of Food Science & Technology*, 51(2), 490-498. doi: 10.1111/ijfs.13006
- Watawana, M., Jayawardena, N., Gunawardhana, C., & Waisundara, V. (2015b). Health, Wellness, and Safety Aspects of the Consumption of Kombucha. *Journal Of Chemistry*, 2015, 1-11. doi: 10.1155/2015/591869
- Watawana, M., Jayawardena, N., Ranasinghe, S., & Waisundara, V. (2015c). Evaluation of the Stability of the Total Antioxidant Capacity, Polyphenol Contents, and Starch Hydrolase Inhibitory Activities of Kombucha Teas Using an In Vitro Model of Digestion. *Journal Of Chemistry*, 2015, 1-9. doi: 10.1155/2015/684561
- Watawana, M., Jayawardena, N., Ranasinghe, S., & Waisundara, V. (2016). Evaluation of the Effect of Different Sweetening Agents on the Polyphenol Contents and Antioxidant and Starch Hydrolase Inhibitory Properties of Kombucha. *Journal Of Food Processing And Preservation*, 41(1), e12752. doi: 10.1111/jfpp.12752
- Wolfenden, R., & Yuan, Y. (2008). Rates of Spontaneous Cleavage of Glucose, Fructose, Sucrose, and Trehalose in Water, and the Catalytic Proficiencies of Invertase and Trehalases. *Journal Of The American Chemical Society*, 130(24), 7548-7549. doi: 10.1021/ja802206s
- Yamada, Y., Yukphan, P., Lan Vu, H., Muramatsu, Y., Ochaikul, D., Tanasupawat, S., & Nakagawa, Y. (2012). Description of *Komagataeibacter* gen. nov., with proposals of new combinations (Acetobacteraceae). *The Journal Of General And Applied Microbiology*, 58(5), 397-404. doi: 10.2323/jgam.58.397
- Yan, Z., Zhong, Y., Duan, Y., Chen, Q., & Li, F. (2020). Antioxidant mechanism of tea polyphenols and its impact on health benefits. *Animal Nutrition*, 6(2), 115-123. doi: 10.1016/j.aninu.2020.01.001

- Yang, Z., Ji, B., Zhou, F., Li, B., Luo, Y., Yang, L., & Li, T. (2008a). Hypocholesterolaemic and antioxidant effects of kombucha tea in high-cholesterol fed mice. *Journal Of The Science Of Food And Agriculture*, *89*(1), 150-156. doi: 10.1002/jsfa.3422
- Yang, Z., Zhou, F., Ji, B., Li, B., Luo, Y., Yang, L., & Li, T. (2008b). Symbiosis between Microorganisms from Kombucha and Kefir: Potential Significance to the Enhancement of Kombucha Function. *Applied Biochemistry And Biotechnology*, *160*(2), 446-455. doi: 10.1007/s12010-008-8361-6
- You, B., & Park, W. (2010). Gallic acid-induced lung cancer cell death is related to glutathione depletion as well as reactive oxygen species increase. *Toxicology In Vitro*, *24*(5), 1356-1362. doi: 10.1016/j.tiv.2010.04.009
- Zeng, L., Ma, M., Li, C., & Luo, L. (2016). Stability of tea polyphenols solution with different pH at different temperatures. *International Journal Of Food Properties*, *20*(1), 1-18. doi: 10.1080/10942912.2014.983605
- Zhao, C., Li, C., Liu, S., & Yang, L. (2014). The Galloyl Catechins Contributing to Main Antioxidant Capacity of Tea Made from *Camellia sinensis* in China. *The Scientific World Journal*, *2014*, 1-11. doi: 10.1155/2014/863984
- Zhao, X., Song, J., Kim, J., Lee, J., & Park, K. (2013). Fermented Pu-erh Tea Increases In Vitro Anticancer Activities in HT-29 Cells and Has Antiangiogenic Effects on HUVECs. *Journal Of Environmental Pathology, Toxicology And Oncology*, *32*(4), 275-288. doi: 10.1615/jenvironpatholtoxiconcol.2013007074
- Zubaidah, E., Valencia, V., Rifa'i, M., Srianta, I., & Tewfik, I. (2020). Investigating chemical changes during Snake fruit and Black tea Kombucha fermentation and the associated immunomodulatory activity in *Salmonella typhi*-infected mice. *Potravinarstvo Slovak Journal Of Food Sciences*, *14*, 995-1000. doi: 10.5219/1416