

## REFERENCES

- Abou-Taleb, K., Ebeed, N., Soheir, S & Saad, A. E., Soheir & Amin, S. (2017). Antimicrobial and Antiproliferative, Pro-apoptotic Actions of Kombucha Fermented Solutions against Colon and Hepato Cancer Cell Lines. *World Journal of Pharmaceutical and Life Sciences*, 3; 120-132.
- Abramovič, H., Grobin, B., Poklar Ulrih, N., & Cigić, B. (2018). *Relevance and Standardization of In Vitro Antioxidant Assays: ABTS, DPPH, and Folin–Ciocalteu*. *Journal of Chemistry*, 2018, 1–9. doi:10.1155/2018/4608405
- Aidoo, E. (2015). *Studies on the Cytotoxicity and Antioxidant Activity of Tea Kombucha*. (Master Thesis). Department of Biochemistry, Cell and Molecular Biology, University of Ghana.
- Al-Mamary, M. A. & Moussa, Z. (2021). Antioxidant Activity: The Presence and Impact of Hydroxyl Groups in Small Molecules of Natural and Synthetic Origin, IntechOpen, DOI: 10.5772/intechopen.95616.
- Alkhalifawi, I. & Hassan, I. (2014). Factors Influence on the yield of Bacterial Cellulose of Kombucha (Khubdat Humza). *Baghdad Science Journal*. 11. 1420-1428.
- Angela, C., Young, J., Kordayanti, S., Virgina Partha Devanthi, P., & Katherine. (2020). Isolation and Screening of Microbial Isolates from Kombucha Culture for Bacterial Cellulose Production in Sugarcane Molasses Medium. *KnE Life Sciences*, 5(2). <https://doi.org/10.18502/cls.v5i2.6444>
- Ansari, F., Pourjafar, H., Kangari, A., Homayouni, A. (2019). Evaluation of the Glucuronic Acid Production and Antibacterial Properties of Kombucha Black Tea. *Curr Pharm Biotechnol*. 2019;20(11):985-990. doi: 10.2174/1389201020666190717100958. PMID: 31322066.
- Arbyn, M., Weiderpass, E., Bruni, L., de Sanjosé, S., Saraiya, M., Ferlay, J., & Bray, F. (2019). Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *The Lancet Global Health*. doi:10.1016/s2214-109x(19)30482-6
- Aydin, S., Becit, M., Basaran, A., & Basaran, N. (2016). *Effects of curcumin on cisplatin cytotoxicity in HeLa cells*. *Toxicology Letters*, 258, S259–S260. doi:10.1016/j.toxlet.2016.06.1915

- Balasubramaniam, S. D., Balakrishnan, V., Oon, C. E., & Kaur, G. (2019). Key Molecular Events in Cervical Cancer Development. *Medicina (Kaunas, Lithuania)*, 55(7), 384. <https://doi.org/10.3390/medicina55070384>
- Cetojevic-Simin, D. D., Bogdanovic, G. M., Cvetkovic, D. D., Velicanski, A. S. (2008). Antiproliferative and antimicrobial activity of traditional kombucha and *Satureja montana* L. Kombucha. *J BUON* 133:395–401.
- Cetojevic-Simin, D. D., Velićanski, A. S., Cvetković, D. D., Markov, S. L., Mrđanović, J. Ž., Bogdanović, V. V., & Šolajić, S. V. (2010). *Bioactivity of Lemon Balm Kombucha*. *Food and Bioprocess Technology*, 5 (5), 1756–1765.
- Chakrabarty, S., Ganguli, A., Das, A., Nag, D., & Chakrabarti, G. (2015). *Epigallocatechin-3-gallate shows anti-proliferative activity in HeLa cells targeting tubulin-microtubule equilibrium*. *Chemico-Biological Interactions*, 242, 380–389. doi:10.1016/j.cbi.2015.11.004
- Chakravorty, S., Bhattacharya, S., Chatzinotas, A., Chakravorty, W., Bhattacharya, D., & Gachhui, R. (2016). Kombucha tea fermentation: Microbial and biochemical dynamics. *International Journal of Food Microbiology*, 220, 63–72. <https://doi.org/10.1016/j.ijfoodmicro.2015.12.015>
- Chen, C, Liu, B. Y. (2000). Changes in major components of tea fungus metabolites during prolonged fermentation. *J Appl Microbiol* 89: 834– 9.
- Christiani Dwiputri, M. & Lauda Feroniasanti, Y. M. (2019). Effect of Fermentation to Total Titrable Acids, Flavonoid and Antioxidant Activity of Butterfly Pea Kombucha. *J. Phys.: Conf. Ser.* 1241 012014
- Chu, S.-C., & Chen, C. (2006). *Effects of origins and fermentation time on the antioxidant activities of kombucha*. *Food Chemistry*, 98(3), 502–507. doi:10.1016/j.foodchem.2005.05.080
- Chung, J. E., Kurisawa, M., Kim, Y.-J., Uyama, H., & Kobayashi, S. (2004). *Amplification of Antioxidant Activity of Catechin by Polycondensation with Acetaldehyde*. *Biomacromolecules*, 5(1), 113–118. doi:10.1021/bm0342436

- Ciani, M., & Comitini, F. (2014). *Brettanomyces*. *Encyclopedia of Food Microbiology*, 316–323. doi:10.1016/b978-0-12-384730-0.00046-x
- Crosbie, E. J., Einstein, M. H., Franceschi, S., & Kitchener, H. C. (2013). *Human papillomavirus and cervical cancer*. *The Lancet*, 382(9895), 889–899. doi:10.1016/s0140-6736(13)60022-7
- Cvetković, D., Markov, S., Djurić, M., Savić, D., & Velićanski, A. (2008). *Specific interfacial area as a key variable in scaling-up Kombucha fermentation*. *Journal of Food Engineering*, 85(3), 387–392. doi:10.1016/j.jfoodeng.2007.07.021
- De Filippis, F., Troise, A. D., Vitaglione, P., & Ercolini, D. (2018). *Different temperatures select distinctive acetic acid bacteria species and promotes organic acids production during Kombucha tea fermentation*. *Food Microbiology*, 73, 11–16. doi:10.1016/j.fm.2018.01.008
- Deghrigue, M., Chriaa, J., Battikh, H., Abid, K., & Bakhrouf, A. (2013). *Antiproliferative and Antimicrobial Activities of Kombucha Tea*. *African Journal of Microbiology Research*, 7(27);3466-3470.
- Devlin, E. J., Denson, L. A., & Whitford, H. S. (2017). *Cancer Treatment Side Effects: A Meta-analysis of the Relationship Between Response Expectancies and Experience*. *Journal of Pain and Symptom Management*, 54(2), 245–258.e2. doi:10.1016/j.jpainsymman.2017.03.017
- Dutta, H., & Paul, S. K. (2019). *Kombucha Drink: Production, Quality, and Safety Aspects*. *Production and Management of Beverages*, 259–288. doi:10.1016/b978-0-12-815260-7.00008-0
- Essawet, N. A., Cvetkovic, D., Velicanski, A., Canadanovic-Brunet, J., Vulic, J., Maksimovic, V., Markov, S. (2015). *Polyphenols and antioxidant activities of Kombucha beverage enriched with Coffeeberry® extract*. *Chemical Industry and Chemical Engineering Quarterly 2015*, Volume 21, Issue 3, Pages: 399-409.
- Fang, X., Du, M., Liu, T., Fang, Q., Liao, Z., Zhong, Q., Chen, J., Meng, X., Zhou, S., & Wang, J. (2019). *Changes in the Biotransformation of Green Tea Catechins Induced by Different Carbon and Nitrogen Sources in Aspergillus niger RAF106*. *Frontiers in microbiology*, 10, 2521. <https://doi.org/10.3389/fmicb.2019.02521>

- Fernández-Gallardo, J., Elie, B. T., Sulzmaier, F. J., Sanaú, M., Ramos, J. W., & Contel, M. (2014). *Organometallic Titanocene–Gold Compounds as Potential Chemotherapeutics in Renal Cancer. Study of their Protein Kinase Inhibitory Properties. Organometallics*, 33(22), 6669–6681. doi:10.1021/om500965k
- Filipović, M., Marković, Z., Đorović, J., Marković, J. D., Lučić, B., & Amić, D. (2015). *QSAR of the free radical scavenging potency of selected hydroxybenzoic acids and simple phenolics. Comptes Rendus Chimie*, 18(5), 492–498. doi:10.1016/j.crci.2014.09.001
- Gaggìa, F., Baffoni, L., Galiano, M., Nielsen, D., Jakobsen, R., Castro-Mejía, J., ... Di Gioia, D. (2018). *Kombucha Beverage from Green, Black and Rooibos Teas: A Comparative Study Looking at Microbiology, Chemistry and Antioxidant Activity. Nutrients*, 11(1), 1. doi:10.3390/nu11010001
- Goh, W. N., Rosma, A., Kaur, B., Fazilah, A., Karim, A.A., Bhat, R. (2012). Fermentation of black tea broth (Kombucha): I. effects of sucrose concentration and fermentation time on the yield of microbial cellulose. *Int. Food Res. J.* 2012, 19, 109–117.
- Gonçalves, C., Rodriguez-Jasso, R. M., Gomes, N., Teixeira, J. A., & Belo, I. (2010). *Adaptation of dinitrosalicylic acid method to microtiter plates. Analytical Methods*, 2(12), 2046. doi:10.1039/c0ay00525h
- Grumezescu, A. M., and Holban, A. M. (2019). *Functional and Medicinal Beverages Volume 11: The Science of Beverages*. Academic Press. <https://doi.org/10.1016/C2017-0-02385-6>
- Guo, Y., Meng, X., Ma, J., Zheng, Y., Wang, Q., Wang, Y., & Shang, H. (2014). *Human Papillomavirus 16 E6 Contributes HIF-1 $\alpha$  Induced Warburg Effect by Attenuating the VHL-HIF-1 $\alpha$  Interaction. International Journal of Molecular Sciences*, 15(5), 7974–7986. doi:10.3390/ijms15057974
- Hara-Terawaki, A., Takagaki, A., Kobayashi, H., & Nanjo, F. (2017). *Inhibitory Activity of Catechin Metabolites Produced by Intestinal Microbiota on Proliferation of HeLa Cells. Biological and Pharmaceutical Bulletin*, 40(8), 1331–1335. doi:10.1248/bpb.b17-00127

- He, C., Mao, D., Hua, G., Lv, X., Chen, X., Angeletti, P. C., ... Wang, C. (2015). The Hippo/YAP pathway interacts with EGFR signaling and HPV oncoproteins to regulate cervical cancer progression. *EMBO Molecular Medicine*, 7(11), 1426–1449. doi:10.15252/emmm.201404976
- Hosseinzadeh, H., Nassiri-Asl, M. (2014). Review of the protective effects of rutin on the metabolic function as an important dietary flavonoid. *J. Endocrinol. Investig.* 2014, 37, 783–788
- Hussain, S. (2017). Comparative efficacy of epigallocatechin-3-gallate against H<sub>2</sub>O<sub>2</sub>-induced ROS in cervical cancer biopsies and HeLa cell lines. *Współczesna Onkologia*, 3, 209–212. doi:10.5114/wo.2017.70110
- Iida, A., Ohnishi, Y., Horinouchi, S. (2008). Control of acetic acid fermentation by quorum sensing via N-acylhomoserine lactones in *Gluconacetobacter intermedius*. *J. Bacteriol.* 190:2546–2555.
- Jakubczyk, K., Kałduńska, J., Kochman, J., & Janda, K. (2020). Chemical Profile and Antioxidant Activity of the Kombucha Beverage Derived from White, Green, Black and Red Tea. *Antioxidants (Basel, Switzerland)*, 9(5), 447. <https://doi.org/10.3390/antiox9050447>
- Jayabalan, R., Marimuthu, S., Swaminathan, K. (2007). Changes in content of organic acids and tea polyphenols during kombucha tea fermentation. *Food Chem* 102: 392– 8.
- Jayabalan, R., Subathradevi, P., Marimuthu, S., Sathishkumar, M., Swaminathan, K. (2008). Changes in free radical scavenging ability of kombucha tea during fermentation. *Food Chem* 109:227–34.
- Jayabalan, R., Chen, P. N., Hsieh, Y. S., Prabhakaran, K., Pitchai, P., Subbaiya, M., Periyasamy, T., Krishnaswamy, S. & Yun, S. E. (2011). Effect of solvent fractions of kombucha tea on viability and invasiveness of cancer cells—Characterization of dimethyl 2-(2-hydroxy-2-methoxypropylidene) malonate and Vitexin. *Indian Journal of Biotechnology*, 10;75-82.
- Jayabalan, R., Malbasa, R. V., Loncar, E. S., Vitas, J. S., & Sathiskumar, M. (2014). A Review on Kombucha Tea—Microbiology, Composition, Fermentation, Beneficial Effects, Toxicity, and Tea Fungus. *Comprehensive Reviews in Food Science and Food Safety*, (13) 2014.
- Jayabalan, R., Malbaša, R. V., & Sathishkumar, M. (2015). *Kombucha Tea: Metabolites. Fungal Metabolites*, 1–14. doi:10.1007/978-3-319-19456-1\_12-1

- Kaczmarczyk, D., & Lochynski, S. (2014). Products of Biotransformation of Tea Infusion - Properties and Application. *Pol. J. Natur. Sc., Vol 29 (4): 381-392, Y. 2014.*
- Kaewkod, Thida, Bovonsombut, & Tragoolpua. (2019). Efficacy of Kombucha Obtained from Green, Oolong, and Black Teas on Inhibition of Pathogenic Bacteria, Antioxidation, and Toxicity on Colorectal Cancer Cell Line. *Microorganisms*. 7. 700. 10.3390/microorganisms7120700.
- Kallel, L., Desseaux, V., Hamdi, M., Stocker, P., & Ajandouz, E. H. (2012). *Insights into the fermentation biochemistry of Kombucha teas and potential impacts of Kombucha drinking on starch digestion. Food Research International, 49(1), 226–232. doi:10.1016/j.foodres.2012.08.018*
- Khoi Nguyen, N., Thuy Nguyen, H., & Le, P. H. (2015). *Effects of Lactobacillus casei and Alterations in Fermentation Conditions on Biosynthesis of Glucuronic Acid by Dekkera bruxellensis-Gluconacetobacter intermedius Kombucha Symbiosis Model System. Food Biotechnology, 29(4), 356–370. doi:10.1080/08905436.2015.1092446*
- Koňariková, K., Ježovičová, M., Keresteš, J., Gbelcová, H., Ďuračková, Z., & Žitňanová, I. (2015). Anticancer effect of black tea extract in human cancer cell lines. *SpringerPlus, 4*, 127. <https://doi.org/10.1186/s40064-015-0871-4>
- Krstic, M., Stojadinovic, M., Smiljanic, K., Stanic-Vucinic, D., & Cirkovic Velickovic, T. (2015). *The anti-cancer activity of green tea, coffee and cocoa extracts on human cervical adenocarcinoma HeLa cells depends on both pro-oxidant and anti-proliferative activities of polyphenols. RSC Advances, 5(5), 3260–3268. doi:10.1039/c4ra13230k*
- Kuete, V., Karaosmanoğlu, O., & Sivas, H. (2017). *Anticancer Activities of African Medicinal Spices and Vegetables. Medicinal Spices and Vegetables from Africa, 271–297. doi:10.1016/b978-0-12-809286-6.00010-8*
- Kumar, V., & Joshi, V. K. (2016). Kombucha: Technology, Microbiology, Production, Composition and Therapeutic Value. *Intl. J. Food. Ferment. Technol. 6(1): 13-24, June, 2016.*

- Lamuela-Raventós, R. M. (2017). *Folin-Ciocalteu method for the measurement of total phenolic content and antioxidant capacity. Measurement of Antioxidant Activity & Capacity*, 107–115. doi:10.1002/9781119135388.ch6
- Latos-Brozio, M., & Masek, A. (2019). *Structure – activity relationships analysis of monomeric and polymeric polyphenols (quercetin, rutin and catechin) obtained by various polymerization methods. Chemistry & Biodiversity*. doi:10.1002/cbdv.201900426
- Latos-Brozio, M., & Masek, A. (2020). *Natural Polymeric Compound Based on High Thermal Stability Catechin from Green Tea. Biomolecules*, 10(8), 1191. doi:10.3390/biom10081191
- Li, Y.-G., Han, B.-B., Li, F., Yu, J.-W., Dong, Z.-F., Niu, G.-M., ... Zhu, W. (2016). *High Glucose Induces Down-Regulated GRIM-19 Expression to Activate STAT3 Signaling and Promote Cell Proliferation in Cell Culture. PLOS ONE*, 11(4), e0153659. doi:10.1371/journal.pone.0153659
- Lopes, D. R., Santos, L. O., Prentice-Hernández, C. (2021). Antioxidant and antibacterial activity of a beverage obtained by fermentation of yerba-maté (*Ilex paraguariensis*) with symbiotic kombucha culture. *J Food Process Preserv.* 2021; 45:e15101. <https://doi.org/10.1111/jfpp.15101>
- Malbasa, R. V. (2004). Investigation of antioxidant activity of beverage from tea fungus fermentation. [Ph.D. Thesis], University of Novi Sad, Faculty of Technology, Novi Sad, Serbia.
- Malbaša, R., Lončar, E., Djurić, M., & Došenović, I. (2008). *Effect of sucrose concentration on the products of Kombucha fermentation on molasses. Food Chemistry*, 108(3), 926–932. doi:10.1016/j.foodchem.2007.11.069
- Malbaša, R. V., Lončar, E. S., Vitas, J. S., Čanadanović-Brunet, J. M. (2011). Influence of starter cultures on the antioxidant activity of kombucha beverage. *Food Chem* 127:1727–31.
- Marsden, W. L., Gray, P. P., Nippard, G. J., & Quinlan, M. R. (2007). *Evaluation of the DNS method for analysing lignocellulosic hydrolysates. Journal of Chemical Technology and Biotechnology*, 32(7-12), 1016–1022. doi:10.1002/jctb.5030320744

- Marsh, A. J., O'Sullivan, O., Hill, C., Ross, R. P., & Cotter, P. D. (2014). *Sequence-based analysis of the bacterial and fungal compositions of multiple kombucha (tea fungus) samples*. *Food Microbiology*, 38, 171–178. doi:10.1016/j.fm.2013.09.003
- May, A., Narayanan, S., Alcock, J., Varsani, A., Maley, C., & Aktipis, A. (2019). *Kombucha: a novel model system for cooperation and conflict in a complex multi-species microbial ecosystem*. *PeerJ*, 7, e7565. doi:10.7717/peerj.7565
- McKee, L.S. (2017) Measuring Enzyme Kinetics of Glycoside Hydrolases Using the 3,5-Dinitrosalicylic Acid Assay. In: Abbott D., Lammerts van Bueren A. (eds) Protein-Carbohydrate Interactions. *Methods in Molecular Biology*, vol 1588. Humana Press, New York, NY. [https://doi.org/10.1007/978-1-4939-6899-2\\_3](https://doi.org/10.1007/978-1-4939-6899-2_3)
- Mileo, A. M., & Miccadei, S. (2016). *Polyphenols as Modulator of Oxidative Stress in Cancer Disease: New Therapeutic Strategies*. *Oxidative Medicine and Cellular Longevity*, 2016, 1–17. doi:10.1155/2016/6475624
- Nallar, S. C., & Kalvakolanu, D. V. (2017). GRIM-19: A master regulator of cytokine induced tumor suppression, metastasis and energy metabolism. *Cytokine & growth factor reviews*, 33, 1–18. <https://doi.org/10.1016/j.cytogfr.2016.09.001>
- Neffe-Skocińska, K., Sionek, B., Ścibisz, I., & Kołożyn-Krajewska, D. (2017). *Acid contents and the effect of fermentation condition of Kombucha tea beverages on physicochemical, microbiological and sensory properties*. *CyTA - Journal of Food*, 15(4), 601–607. doi:10.1080/19476337.2017.1321588
- Nithya, P., & Madhavi, C. (2017). Antioxidant activity of 3-arylidene-4-piperidones in the 1,1-diphenyl-2-picrylhydrazyl scavenging assay. *Journal of Taibah University for Science*, 11(1), 40–45. doi:10.1016/j.jtusci.2014.11.007
- Noguchi, M., Yokoyama, M., Watanabe, S., Uchiyama, M., Nakao, Y., Hara, K., & Iwasaka, T. (2006). *Inhibitory effect of the tea polyphenol, (-)-epigallocatechin gallate, on growth of cervical adenocarcinoma cell lines*. *Cancer Letters*, 234(2), 135–142. doi:10.1016/j.canlet.2005.03.053



- Nyambe-Silavwe, H., Villa-Rodriguez, J. A., Ifie, I., Holmes, M., Aydin, E., Jensen, J. M., & Williamson, G. (2015). *Inhibition of human  $\alpha$ -amylase by dietary polyphenols*. *Journal of Functional Foods*, 19, 723–732. doi:10.1016/j.jff.2015.10.003
- Pekal, A., Pyrzynska, K. (2014). Evaluation of Aluminium Complexation Reaction for Flavonoid Content Assay. *Food Anal. Methods* 7, 1776–1782 (2014). <https://doi.org/10.1007/s12161-014-9814-x>
- Primiani, C. N., Pujiati, Mumtahanah, M., & Ardhi, W. (2018). *Kombucha fermentation test used for various types of herbal teas*. *Journal of Physics: Conference Series*, 1025, 012073. doi:10.1088/1742-6596/1025/1/012073
- Procházka, E., Poláková, S., Piškur, J., & Sulo, P. (2010). *Mitochondrial genome from the facultative anaerobe and petite-positive yeast *Dekkera bruxellensis* contains the NADH dehydrogenase subunit genes*. *FEMS Yeast Research*, no–no. doi:10.1111/j.1567-1364.2010.00644.x
- Rahbar Saadat, Y., Saeidi, N., Zununi Vahed, S., Barzegari, A., & Barar, J. (2015). An update to DNA ladder assay for apoptosis detection. *BiolImpacts* : *BI*, 5(1), 25–28. <https://doi.org/10.15171/bi.2015.01>.
- Rahman, M.M., Islam, M.B., Biswas, M. *et al.* (2015). In vitro antioxidant and free radical scavenging activity of different parts of *Tabebuia pallida* growing in Bangladesh. *BMC Res Notes* 8, 621 (2015). <https://doi.org/10.1186/s13104-015-1618-6>.
- Rahmani, R., Beaufort, S., Villarreal-Soto, S. A., Taillandier, P., Bouajila, J., & Debouba, M. (2019). Kombucha fermentation of African mustard (*Brassica tournefortii*) leaves: Chemical composition and bioactivity. *Food Bioscience*, Vol.30, 2019, 100414.
- Rezende Cardoso, R., Oliveira Neto, R., Thomaz dos Santos D’Almeida, C., Pimenta do Nascimento, T., Giroto Pressete, C., Azevedo, L., ... Augusto Ribeiro de Barros, F. (2019). Kombuchas from green and black teas have different phenolic profile, which impacts their antioxidant capacities, antibacterial and antiproliferative activities. *Food Research International*, 108782. doi:10.1016/j.foodres.2019.108782

- Ruka, D. R., Simon, G. P., Dean, K. M. (2014). Bacterial cellulose and its use in renewable composites. *In: Thakur, V. J. (Ed.), Nanocellulose Polymer Nanocomposites: Fundamentals and Applications. Scrivener Publishing LLC, Salem (Ma), pp. 89-130*
- Ryngajłło, M., Kubiak, K., Jędrzejczak-Krzepkowska, M., Jacek, P., & Bielecki, S. (2019). Comparative genomics of the Komagataeibacter strains-Efficient bionanocellulose producers. *MicrobiologyOpen, 8(5)*, e00731. <https://doi.org/10.1002/mbo3.731>
- Salafzoon, S., Mahmoodzadeh Hosseini, H., & Halabian, R. (2017). *Evaluation of the antioxidant impact of ginger-based kombucha on the murine breast cancer model. Journal of Complementary and Integrative Medicine, 15(1)*. doi:10.1515/jcim-2017-0071
- Schifferdecker, A. J., Dashko, S., Ishchuk, O. P., & Piškur, J. (2014). *The wine and beer yeast Dekkera bruxellensis. Yeast, 31(9), 323–332*. doi:10.1002/yea.3023
- Shahbazi, H., Hashemi Gahruie, H., Golmakani, M. T., Eskandari, M. H., & Movahedi, M. (2018). Effect of medicinal plant type and concentration on physicochemical, antioxidant, antimicrobial, and sensorial properties of kombucha. *Food science & nutrition, 6(8)*, 2568–2577. <https://doi.org/10.1002/fsn3.873>
- Silva, G., Nunes, R., Morale, M. G., Boccardo, E., Aguayo, F., & Termini, L. (2018). Oxidative stress: therapeutic approaches for cervical cancer treatment. *Clinics (Sao Paulo, Brazil), 73(suppl 1)*, e548s. <https://doi.org/10.6061/clinics/2018/e548s>
- Singh, R. M., Singh, K., Bhui, et al., (2011). Tea polyphenols induce apoptosis through mitochondrial pathway and by inhibiting nuclear factor-kappaB and Akt activation in human cervical cancer cells, *Oncology Research 19 (2011) 245–257*.
- Small, W., Bacon, M. A., Bajaj, A., Chuang, L. T., Fisher, B. J., Harkenrider, M. M., ... Gaffney, D. K. (2017). *Cervical cancer: A global health crisis. Cancer, 123(13), 2404–2412*. doi:10.1002/cncr.30667
- Sosa, V., Moliné, T., Somoza, R., Paciucci, R., Kondoh, H., & LLeonart, M. E. (2013). *Oxidative stress and cancer: An overview. Ageing Research Reviews, 12(1), 376–390*. doi:10.1016/j.arr.2012.10.004

- Spiegel, M., Kapusta, K., Kołodziejczyk, W., Saloni, J., Żbikowska, B., Hill, G. A., & Sroka, Z. (2020). *Antioxidant Activity of Selected Phenolic Acids—Ferric Reducing Antioxidant Power Assay and QSAR Analysis of the Structural Features. Molecules, 25(13), 3088.* doi:10.3390/molecules25133088
- Sung, H, Ferlay, J, Siegel, RL, Laversanne, M, Soerjomataram, I, Jemal, A, Bray, F. (2020). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA Cancer J Clin.* 2020. <https://doi.org/10.3322/caac.21660>
- Tan, L. L., Ren, L., Cao, Y. Y., Chen, X. L., & Tang, X. Y. (2012). *Bacterial Cellulose Synthesis in Kombucha by Gluconacetobacter sp and Saccharomyces sp. Advanced Materials Research, 554-556, 1000–1003.* doi:10.4028/www.scientific.net/amr.554-556.1000
- Teoh, P. L. (2015). *Comparative Study on In Vitro Anti-Proliferative and Apoptotic Effects of Organic and Non-Organic Tea Extracts. Journal of Food Biochemistry, 39(6), 718–724.* doi:10.1111/jfbc.12180
- Thomas, A., Mahantshetty, U., Kannan, S., Deodhar, K., Shrivastava, S. K., Kumar-Sinha, C., & Mulherkar, R. (2013). Expression profiling of cervical cancers in Indian women at different stages to identify gene signatures during progression of the disease. *Cancer Medicine, 2(6), 836–848.* doi:10.1002/cam4.152
- Treml, J., & Šmejkal, K. (2016). *Flavonoids as Potent Scavengers of Hydroxyl Radicals. Comprehensive Reviews in Food Science and Food Safety, 15(4), 720–738.* doi:10.1111/1541-4337.12204
- Tristantini, D. & Amalia, R. (2019). Quercetin concentration and total flavonoid content of anti-atherosclerotic herbs using aluminum chloride colorimetric assay. *AIP Conference Proceedings 2193, 030012 (2019);* <https://doi.org/10.1063/1.5139349>
- Villarreal-Soto, S. A., Beaufort, S., Bouajila, J., Souchard, J.-P., & Taillandier, P. (2018). *Understanding Kombucha Tea Fermentation: A Review. Journal of Food Science, 83(3), 580–588.* doi:10.1111/1750-3841.14068

- Villarreal-Soto., S. A., Beaufort, S., Bouajila, J., Souchard, J., Renard, T., Rollan, S., Taillandier, P. (2019). Impact of fermentation conditions on the production of bioactive compounds with anticancer, anti-inflammatory and antioxidant properties in kombucha tea extracts. *Process Biochemistry* (83) 2019, 44-54.
- Vina, I., Semjonovs, P., Linde, R., & Denina, I. (2014). Current Evidence on Physiological Activity and Expected Health Effects of Kombucha Fermented Beverage. *J Med Food* 17 (2) 2014, 179–188.
- Wang, T., Li, Q., & Bi, K. (2018). Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *Asian Journal of Pharmaceutical Sciences*, 13(1), 12–23. doi:10.1016/j.ajps.2017.08.004
- Wang, Y. Q., Lu, J. L., Liang, Y. R., & Li, Q. S. (2018). Suppressive Effects of EGCG on Cervical Cancer. *Molecules (Basel, Switzerland)*, 23(9), 2334. <https://doi.org/10.3390/molecules23092334>
- Watawana, M. I., Jayawardena, N., Gunawardhana, C. B., Waisundara, V. Y. (2015). Health, Wellness, and Safety Aspects of the Consumption of Kombucha. *Journal of Chemistry vol 2015, article ID 591869*.
- Xu, Y.-Q., Gao, Y., & Granato, D. (2020). *Effects of epigallocatechin gallate, epigallocatechin and epicatechin gallate on the chemical and cell-based antioxidant activity, sensory properties, and cytotoxicity of a catechin-free model beverage. Food Chemistry, 128060. doi:10.1016/j.foodchem.2020.128060*
- Ziska, R., Agustina, A. & Supriadi. (2019). Cytotoxic Activity Assay of N-Hexane Extract of Solanum nigrum L. Fruits Fermented by Kombucha against MCF-7 Breast Cancer Cell Line J. Phys.: Conf. Ser. 1338 012027
- Zofia, N.-Ł., Aleksandra, Z., Tomasz, B., Martyna, Z.-D., Magdalena, Z., Zofia, H.-B., & Tomasz, W. (2020). *Effect of Fermentation Time on Antioxidant and Anti-Ageing Properties of Green Coffee Kombucha Ferments. Molecules, 25(22), 5394. doi:10.3390/molecules25225394*
- Zubaidah, E., Dewantari, F. J., Novitasari, F. R., Srianta, I., & Blanc, P. J. (2017). Potential of snake fruit (Salacca zalacca (Gaerth.) Voss) for the development of a beverage through fermentation with

the kombucha consortium. *Biocatalysis and Agricultural Biotechnology*, 13, 198–203.

<https://doi.org/10.1016/j.bcab.2017.12.012>