

REFERENCES

- Abramovits, W., Rivas Bejarano, J., & Valdecantos, W. (2013). Role of Interleukin 1 in Atopic Dermatitis. *Dermatologic Clinics*, 31(3), 437-444. doi: 10.1016/j.det.2013.04.008
- Ahn, K. (2014). The role of air pollutants in atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 134(5), 993-999.
- Akamatsu, H., Niwa, Y., & Matsunaga, K. (2001). Effect of palmitic acid on neutrophil functions in vitro. *International journal of dermatology*, 40(10), 640-643.
- Akdis, C., Akdis, M., Bieber, T., Bindslev-Jensen, C., Boguniewicz, M., & Eigenmann, P. et al. (2006). Diagnosis and treatment of atopic dermatitis in children and adults: European Academy of Allergology and Clinical Immunology/American Academy of Allergy, Asthma and Immunology/PRACTALL Consensus Report. *Journal Of Allergy And Clinical Immunology*, 118(1), 152-169. doi: 10.1016/j.jaci.2006.03.045
- Alm, B., Åberg, N., Erdes, L., Möllborg, P., Pettersson, R., Norvenius, S. G., ... & Wennergren, G. (2009). Early introduction of fish decreases the risk of eczema in infants. *Archives of disease in childhood*, 94(1), 11-15.
- Ambrozova, N., Ulrichova, J., & Galandakova, A. (2017). Models for the study of skin wound healing. The role of Nrf2 and NF- κ B. *Biomedical Papers of the Medical Faculty of Palacky University in Olomouc*, 161(1).
- Ansel, J. L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J. F., Ho, R., ... & Pichon, C. (2016). Biological activity of Polynesian Calophyllum inophyllum oil extract on human skin cells. *Planta medica*, 82(11/12), 961-966.
- Aparamarta, H. W., Gunawan, S., Husin, H., Azhar, B., & Aditya, H. T. (2020). The effect of high oleic and linoleic fatty acid composition for quality and economical of biodiesel from crude Calophyllum inophyllum oil (CCIO) with microwave-assisted extraction (MAE), batchwise solvent extraction (BSE), and combination of MAE–BSE methods. *Energy Reports*, 6, 3240-3248.
- Arasa, J., Terencio, M. C., Andrés, R. M., Marín-Castejón, A., Valcuende-Cavero, F., Payá, M., & Montesinos, M. C. (2019). Defective induction of COX-2 expression by psoriatic fibroblasts promotes pro-inflammatory activation of macrophages. *Frontiers in immunology*, 10, 536.
- Armengot-Carbo, M., Hernández-Martín, Á., & Torrelo, A. (2015). The role of filaggrin in the skin barrier and disease development. *Actas Dermo-Sifiliográficas (English Edition)*, 106(2), 86-95.
- Bakry, O. A., Samaka, R. M., Shoeib, M. A. M., & Abdel Aal, S. M. (2015). Nuclear factor kappa B and cyclooxygenase-2: two concordant players in psoriasis pathogenesis. *Ultrastructural pathology*, 39(1), 49-61.
- Banno, T., Gazel, A., & Blumenberg, M. (2004). Effects of Tumor Necrosis Factor- α (TNF α) in Epidermal Keratinocytes Revealed Using Global Transcriptional Profiling. *Journal Of Biological Chemistry*, 279(31), 32633-32642. doi: 10.1074/jbc.m400642200
- Bao, L., Zhang, H., & Chan, L. (2013). The involvement of the JAK-STAT signaling pathway in chronic inflammatory skin disease atopic dermatitis. *JAK-STAT*, 2(3), e24137. doi: 10.4161/jkst.24137
- Björkstén, B., Sepp, E., Julge, K., Voor, T., & Mikelsaar, M. (2001). Allergy development and the intestinal microflora during the first year of life. *Journal of allergy and clinical immunology*, 108(4), 516-520.
- Bolte, G., Bischof, W., Borte, M., Lehmann, I., Wichmann, H. E., Heinrich, J., & LISA Study Group. (2003). Early endotoxin exposure and atopy development in infants: results of a birth cohort study. *Clinical & Experimental Allergy*, 33(6), 770-776.
- Bonifati, C., & Ameglio, F. (1999). Cytokines in psoriasis. *International journal of dermatology*, 38(4), 241-251.

- Bozek, A., Zajac, M., & Krupka, M. (2020). Atopic Dermatitis and Psoriasis as Overlapping Syndromes. *Mediators of inflammation*, 2020.
- Bråbäck, L., Hjern, A., & Rasmussen, F. (2004). Trends in asthma, allergic rhinitis and eczema among Swedish conscripts from farming and non-farming environments. A nationwide study over three decades. *Clinical & Experimental Allergy*, 34(1), 38-43.
- Brunner, P. M., Guttman-Yassky, E., & Leung, D. Y. (2017). The immunology of atopic dermatitis and its reversibility with broad-spectrum and targeted therapies. *Journal of Allergy and Clinical Immunology*, 139(4), S65-S76.
- Bonomonte, D., Filoni, A., Vestita, M., Romita, P., Foti, C., & Angelini, G. (2019). The role of the environmental risk factors in the pathogenesis and clinical outcome of atopic dermatitis. *BioMed research international*, 2019.
- Burke, J. (1984). Solubility parameters: theory and application.
- Byremo, G., Rød, G., & Carlsen, K. H. (2006). Effect of climatic change in children with atopic eczema. *Allergy*, 61(12), 1403-1410.
- Calautti, E., Avalle, L., & Poli, V. (2018). Psoriasis: a STAT3-centric view. *International journal of molecular sciences*, 19(1), 171.
- Capucci, S., Hahn-Pedersen, J., Vilsbøll, A., & Kragh, N. (2020). Impact of Atopic Dermatitis and Chronic Hand Eczema on Quality of Life Compared With Other Chronic Diseases. *Dermatitis*, 31(3), 178-184.
- Carvalho, A. V. E. D., Romiti, R., Souza, C. D. S., Paschoal, R. S., Milman, L. D. M., & Meneghello, L. P. (2016). Psoriasis comorbidities: complications and benefits of immunobiological treatment. *Anais brasileiros de dermatologia*, 91(6), 781-789.
- Cassien, M., Mercier, A., Thétiot-Laurent, S., Culcasi, M., Riquebourg, E., & Asteian, A. et al. (2021). Improving the Antioxidant Properties of Calophyllum inophyllum Seed Oil from French Polynesia: Development and Biological Applications of Resinous Ethanol-Soluble Extracts. *Antioxidants*, 10(2), 199. doi: 10.3390/antiox10020199
- Castells-Rodellas, A., Castell, J. V., Ramirez-Bosca, A., Nicolas, J. F., Valcuende-Cavero, F., & Thivolet, J. (1992). Interleukin-6 in normal skin and psoriasis. *Acta dermato-venereologica*, 72(3), 165-168.
- Chan, K. M., Hamzah, R., Abd Rahaman, A., Jong, V. Y. M., Khong, H. Y., Rajab, N. F., ... & Inayat-Hussain, S. H. (2012). The pyranoxanthone inophyllin A induces oxidative stress mediated-apoptosis in Jurkat T lymphoblastic leukemia cells. *Food and chemical toxicology*, 50(8), 2916-2922.
- Chandran, V., & Raychaudhuri, S. P. (2010). Geoeidemiology and environmental factors of psoriasis and psoriatic arthritis. *Journal of autoimmunity*, 34(3), J314-J321.
- Chen, L., & Tsai, T. F. (2018). HLA-Cw6 and psoriasis. *British Journal of Dermatology*, 178(4), 854-862.
- Choi, D. H., & Hwang, H. S. (2019). Anti-inflammation activity of brazilin in TNF- α induced human psoriasis dermatitis skin model. *Applied Biological Chemistry*, 62(1), 1-9.
- Choi, J. K., Oh, H. M., Lee, S., Park, J. W., Khang, D., Lee, S. W., ... & Kim, S. H. (2013). Oleanolic acid acetate inhibits atopic dermatitis and allergic contact dermatitis in a murine model. *Toxicology and applied pharmacology*, 269(1), 72-80.
- Chovatiya, R., & Silverberg, J. I. (2019). Pathophysiology of atopic dermatitis and psoriasis: implications for management in children. *Children*, 6(10), 108.

- Das, R. P., Jain, A. K., & Ramesh, V. (2009). Current concepts in the pathogenesis of psoriasis. *Indian journal of dermatology*, 54(1), 7.
- Danso, M. O., Van Drongelen, V., Mulder, A., Van Esch, J., Scott, H., Van Smeden, J., ... & Bouwstra, J. A. (2014). TNF- α and Th2 cytokines induce atopic dermatitis-like features on epidermal differentiation proteins and stratum corneum lipids in human skin equivalents. *Journal of Investigative Dermatology*, 134(7), 1941-1950.
- Deleanu, D., & Nedelea, I. (2019). Biological therapies for atopic dermatitis: An update. *Experimental and therapeutic medicine*, 17(2), 1061-1067.
- Diani, M., Altomare, G., & Reali, E. (2016). T helper cell subsets in clinical manifestations of psoriasis. *Journal of immunology research*, 2016.
- Dweck, A. C., & Meadows, T. (2002). Tamanu (*Calophyllum inophyllum*)-the African, Asian, polynesian and pacific panacea. *International journal of cosmetic science*, 24(6), 341-348.
- Eder, L. (2011). *Genetic and Environmental Risk Factors for Psoriatic Arthritis among patients with Psoriasis* (Doctoral dissertation).
- Erdemir, A. (2021). Anti-proliferative and apoptosis inducing activity of *Calophyllum inophyllum* L. oil extracts on C6 glioma cell line. *Tarla Bitkileri Merkez Arastirma Enstitusu*, 30(1), 0-0. doi: 10.38042/biost.2021.30.01.01
- Esche, C., de Benedetto, A., & Beck, L. (2004). Keratinocytes in Atopic dermatitis: Inflammatory signals. *Current Allergy And Asthma Reports*, 4(4), 276-284. doi: 10.1007/s11882-004-0071-8
- Finch, P. W., Murphy, F., Cardinale, I., & Krueger, J. G. (1997). Altered expression of keratinocyte growth factor and its receptor in psoriasis. *The American journal of pathology*, 151(6), 1619.
- Freedberg, I. M., Tomic-Canic, M., Komine, M., & Blumenberg, M. (2001). Keratins and the keratinocyte activation cycle. *Journal of Investigative Dermatology*, 116(5), 633-640.
- Gabros, S., Nessel, T. A., & Zito, P. M. (2020). Topical corticosteroids. *StatPearls [Internet]*.
- George, V. C., Kumar, D. R., Suresh, P. K., & Kumar, R. A. (2012). Apoptosis-induced cell death due to oleanolic acid in HaCaT keratinocyte cells-a proof-of-principle approach for chemopreventive drug development. *Asian Pacific journal of cancer prevention*, 13(5), 2015-2020.
- Gisondi, P., Del Giglio, M., & Girolomoni, G. (2017). Treatment approaches to moderate to severe psoriasis. *International journal of molecular sciences*, 18(11), 2427.
- Gopalakrishnan, C., Shankaranarayanan, D., Nazimudeen, S. K., Viswanathan, S., & Kameswaran, L. (1980). Anti-inflammatory and CNS depressant activities of xanthenes from *Calophyllum inophyllum* and *Mesua ferrea*. *Indian Journal of Pharmacology*, 12(3), 181.
- Griffiths, C. E., van de Kerkhof, P., & Czarnecka-Operacz, M. (2017). Psoriasis and atopic dermatitis. *Dermatology and therapy*, 7(1), 31-41.
- Gupta, S., & Gupta, P. (2020). The genus *Calophyllum*: Review of ethnomedicinal uses, phytochemistry and pharmacology. *Bioactive natural products in drug discovery*, 215.
- Habon, A. B. R. (2009). Extraction and characterization of *Calophyllum inophyllum* L. seed oil for biodiesel in the Philippines.
- Hirano, T., Ishihara, K., & Hibi, M. (2000). Roles of STAT3 in mediating the cell growth, differentiation and survival signals relayed through the IL-6 family of cytokine receptors. *Oncogene*, 19(21), 2548-2556.

- Hsieh, C., Lin, Y. W., Chen, C. H., Ku, W., Ma, F., Yu, H., & Chu, C. (2018). Yellow and green pigments from *Calophyllum inophyllum* L. seed oil induce cell death in colon and lung cancer cells. *Oncology letters*, *15*(4), 5915-5923.
- Honda, T., & Kabashima, K. (2015). Prostanoids in allergy. *Allergology International*, *64*(1), 11-16. doi: 10.1016/j.alit.2014.08.002
- Honda, T., & Kabashima, K. (2019). Prostanoids and leukotrienes in the pathophysiology of atopic dermatitis and psoriasis. *International immunology*, *31*(9), 589-595.
- Howell, M., Kim, B., Gao, P., Grant, A., Boguniewicz, M., & DeBenedetto, A. et al. (2009). Cytokine modulation of atopic dermatitis filaggrin skin expression. *Journal Of Allergy And Clinical Immunology*, *124*(3), R7-R12. doi: 10.1016/j.jaci.2009.07.012
- Hu, Y. P., Peng, Y. B., Zhang, Y. F., Wang, Y., Yu, W. R., Yao, M., & Fu, X. J. (2017). Reactive oxygen species mediated prostaglandin E2 contributes to acute response of epithelial injury. *Oxidative medicine and cellular longevity*, *2017*.
- Huss-Marp, J., Eberlein-König, B., Breuer, K., Mair, S., Ansel, A., Darsow, U., ... & Behrendt, H. (2006). Influence of short-term exposure to airborne Der p 1 and volatile organic compounds on skin barrier function and dermal blood flow in patients with atopic eczema and healthy individuals. *Clinical & Experimental Allergy*, *36*(3), 338-345.
- Ismawan, R., & Anggraeni, V. (2016). *Pemisahan Xanthone Dan Coumarin Dari Ekstrak Daun Nyamplung (Calophyllum inophyllum) Dengan Metode Liquid-Liquid Extraction* (Doctoral dissertation, Institut Teknologi Sepuluh Nopember).
- Itoigawa, M., Ito, C., Tan, H. T. W., Kuchide, M., Tokuda, H., Nishino, H., & Furukawa, H. (2001). Cancer chemopreventive agents, 4-phenylcoumarins from *Calophyllum inophyllum*. *Cancer letters*, *169*(1), 15-19.
- Jensen, L. E. (2010). Targeting the IL-1 family members in skin inflammation. *Current opinion in investigational drugs (London, England: 2000)*, *11*(11), 1211.
- Johnson, B., Franco, A., Beck, L., & Prezzano, J. (2019). <p>Treatment resistant atopic dermatitis: challenges and solutions</p>. *Clinical, Cosmetic And Investigational Dermatology*, *Volume 12*, 181-192. doi: 10.2147/ccid.s163814
- Kang, J., Song, J., Shen, S., Li, B., Yang, X., & Chen, M. (2016). Diisononyl phthalate aggravates allergic dermatitis by activation of NF-κB. *Oncotarget*, *7*(51), 85472-85482. doi: 10.18632/oncotarget.13403
- Kartika, I. A., Cerny, M., Vandenbossche, V., Rigal, L., Sablayrolles, C., Vialle, C., ... & Evon, P. (2018). Direct *Calophyllum* oil extraction and resin separation with a binary solvent of n-hexane and methanol mixture. *Fuel*, *221*, 159-164.
- Kapur, S., Watson, W., & Carr, S. (2018). Atopic dermatitis. *Allergy, Asthma & Clinical Immunology*, *14*(S2). doi: 10.1186/s13223-018-0281-6
- Kemény, L., Ruzicka, T., Dobozy, A., & Michel, G. (1994). Role of Interleukin-8 Receptor in Skin. *International Archives Of Allergy And Immunology*, *104*(4), 317-322. doi: 10.1159/000236686
- Kezic, S., O'Regan, G. M., Lutter, R., Jakasa, I., Koster, E. S., Saunders, S., ... & Irvine, A. D. (2012). Filaggrin loss-of-function mutations are associated with enhanced expression of IL-1 cytokines in the stratum corneum of patients with atopic dermatitis and in a murine model of filaggrin deficiency. *Journal of Allergy and Clinical Immunology*, *129*(4), 1031-1039.

- Kumari, S., Bonnet, M. C., Ulvmar, M. H., Wolk, K., Karagianni, N., Witte, E., ... & Haase, I. (2013). Tumor necrosis factor receptor signaling in keratinocytes triggers interleukin-24-dependent psoriasis-like skin inflammation in mice. *Immunity*, 39(5), 899-911.
- Kumari, V. (2015). Mechanisms underlying the regulatory function of tumor necrosis factor-alpha in skin inflammation.
- Kilpeläinen, M., Terho, E. O., Helenius, H., & Koskenvuo, M. (2000). Farm environment in childhood prevents the development of allergies. *Clinical and experimental allergy: journal of the British Society for Allergy and Clinical Immunology*, 30(2), 201-208.
- Kim, H. Y., Goo, J. H., Joo, Y. A., Lee, H. Y., Lee, S. M., Oh, C. T., ... & Hwang, J. S. (2012). Impact on inflammation and recovery of skin barrier by nordihydroguaiaretic Acid as a protease-activated receptor 2 antagonist. *Biomolecules & therapeutics*, 20(5), 463.
- Kim, J. H., Bae, H. C., Ko, N. Y., Lee, S. H., Jeong, S. H., Lee, H., ... & Son, S. W. (2015). Thymic stromal lymphopoietin downregulates filaggrin expression by signal transducer and activator of transcription 3 (STAT3) and extracellular signal-regulated kinase (ERK) phosphorylation in keratinocytes. *Journal of Allergy and Clinical Immunology*, 136(1), 205-208.
- Kim, J., Kim, E. H., Oh, I., Jung, K., Han, Y., Cheong, H. K., & Ahn, K. (2013). Symptoms of atopic dermatitis are influenced by outdoor air pollution. *Journal of allergy and clinical immunology*, 132(2), 495-498.
- Kim, J., Kim, J., Cho, D., & Park, H. (2016). Molecular Mechanisms of Cutaneous Inflammatory Disorder: Atopic Dermatitis. *International Journal Of Molecular Sciences*, 17(8), 1234. doi: 10.3390/ijms17081234
- Kolb, L., & Ferrer-Bruker, S. (2021). Atopic Dermatitis. Retrieved 5 March 2021, from <https://www.ncbi.nlm.nih.gov/books/NBK448071/>
- Kondo, S., Kono, T., Sauder, D., & McKenzie, R. (1993). IL-8 Gene Expression and Production in Human Keratinocytes and Their Modulation by UVB. *Journal Of Investigative Dermatology*, 101(5), 690-694. doi: 10.1111/1523-1747.ep12371677
- Kumari, V. (2015). Mechanisms underlying the regulatory function of tumor necrosis factor-alpha in skin inflammation.
- Kunz, M., Simon, J., & Saalbach, A. (2019). Psoriasis: Obesity and Fatty Acids. *Frontiers In Immunology*, 10. doi: 10.3389/fimmu.2019.01807
- Langan, S., Irvine, A., & Weidinger, S. (2020). Atopic dermatitis. *The Lancet*, 396(10247), 345-360. doi: 10.1016/s0140-6736(20)31286-1
- Lee, C., Lin, Z., Hu, S., Chiang, Y., Hsu, L., & Lin, Y. et al. (2016). Urban particulate matter down-regulates filaggrin via COX2 expression/PGE2 production leading to skin barrier dysfunction. *Scientific Reports*, 6(1). doi: 10.1038/srep27995
- Lee, H., Park, J., Kwon, O., Lim, Y., Kim, J., & Kim, S. et al. (2019). Anti-inflammatory effects of ethanol extract from the leaves and shoots of *Cedrela odorata* L. in cytokine-stimulated keratinocytes. *Experimental And Therapeutic Medicine*. doi: 10.3892/etm.2019.7639
- Lee, C., Hong, C., Yu, W., Chuang, H., Huang, S., & Chen, G. et al. (2012). Mechanistic correlations between two itch biomarkers, cytokine interleukin-31 and neuropeptide β -endorphin, via STAT3/calcium axis in atopic dermatitis. *British Journal Of Dermatology*, 167(4), 794-803. doi: 10.1111/j.1365-2133.2012.11047.x
- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., ... & Rat, P. (2015). The wound healing and antibacterial activity of five ethnomedical *Calophyllum inophyllum* oils: an alternative therapeutic strategy to treat infected wounds. *PLoS one*, 10(9), e0138602.

- Leon, A., Liao, W. J., Gupta, R., Koo, J. Y., & Wu, J. J. (2013, March). Tumor Necrosis Factor- α Triad: Psoriasis, Cardiovascular Disease, and Depression. In *Psoriasis Forum*(Vol. 19, No. 1, pp. 41-49). Sage CA: Los Angeles, CA: SAGE Publications.
- Leu, T., Soulet, S., Teai, T., Gicquel, A., Bianchini, J. P., & Raharivelomanana, P. (2008). Characterization of a cosmetic raw material „Tamanu Oil “from French Polynesia: physical and chemical properties, chemical composition and bioactivity. *Planta Medica*, 74(09), PD18.
- Levin, J., Friedlander, S. F., & Del Rosso, J. Q. (2013). Atopic dermatitis and the stratum corneum: part 1: the role of filaggrin in the stratum corneum barrier and atopic skin. *The Journal of clinical and aesthetic dermatology*, 6(10), 16.
- Li, L. H., Wu, L. J., Tashiro, S. I., Onodera, S., Uchiumi, F., & Ikejima, T. (2006). Silibinin prevents UV-induced HaCaT cell apoptosis partly through inhibition of caspase-8 pathway. *Biological and Pharmaceutical Bulletin*, 29(6), 1096-1101.
- Lin, T. K., Zhong, L., & Santiago, J. L. (2018). Anti-inflammatory and skin barrier repair effects of topical application of some plant oils. *International journal of molecular sciences*, 19(1), 70.
- Liu, L., Xie, H., Chen, X., Shi, W., Xiao, X., Lei, D., & Li, J. (2012). Differential response of normal human epidermal keratinocytes and HaCaT cells to hydrogen peroxide-induced oxidative stress. *Clinical and Experimental Dermatology: Experimental dermatology*, 37(7), 772-780.
- Liu, W. H., Liu, Y. W., Chen, Z. F., Chiou, W. F., Tsai, Y. C., & Chen, C. C. (2015). Calophyllolide content in *Calophyllum inophyllum* at different stages of maturity and its osteogenic activity. *Molecules*, 20(7), 12314-12327.
- Lopez Carrera, Y., Al Hammadi, A., Huang, Y., Llamado, L., Mahgoub, E., & Tallman, A. (2019). Epidemiology, Diagnosis, and Treatment of Atopic Dermatitis in the Developing Countries of Asia, Africa, Latin America, and the Middle East: A Review. *Dermatology And Therapy*, 9(4), 685-705. doi: 10.1007/s13555-019-00332-3
- Mahmud S, Rizwani GR, Ahmad M, Ali S, Perveen S, Ahmad VU. (1998). *Pak J Pharmacol*; 15(2): 13–25.
- Marina, M. E., Roman, I. I., Constantin, A. M., Miha, C. M., & Tătaru, A. D. (2015). VEGF involvement in psoriasis. *Clujul medical*, 88(3), 247.
- Marmiroli, N., & Maestri, E. (2007). Polymerase chain reaction (PCR). *Food Toxicants Analysis*, 147-187. doi: 10.1016/b978-044452843-8/50007-9
- Meckfessel, M. H., & Brandt, S. (2014). The structure, function, and importance of ceramides in skin and their use as therapeutic agents in skin-care products. *Journal of the American Academy of Dermatology*, 71(1), 177-184.
- Meephansan, J., Subpayasarn, U., Komine, M., & Ohtsuki, M. (2017). Pathogenic Role of Cytokines and Effect of Their Inhibition in Psoriasis. *Psoriasis: An Interdisciplinary Approach to*, 41.
- Meglio, P., & Nestle, F. (2010). The role of IL-23 in the immunopathogenesis of psoriasis. *F1000 Biology Reports*, 2. doi: 10.3410/b2-40
- Miajlovic, H., Fallon, P. G., Irvine, A. D., & Foster, T. J. (2010). Effect of filaggrin breakdown products on growth of and protein expression by *Staphylococcus aureus*. *Journal of Allergy and Clinical Immunology*, 126(6), 1184-1190.
- Miyake, Y., Sasaki, S., Tanaka, K., Ohfuji, S., & Hirota, Y. (2009). Maternal fat consumption during pregnancy and risk of wheeze and eczema in Japanese infants aged 16–24 months: the Osaka Maternal and Child Health Study. *Thorax*, 64(9), 815-821.

- Mizuno, K., Morizane, S., Takiguchi, T., & Iwatsuki, K. (2015). Dexamethasone but not tacrolimus suppresses TNF- α -induced thymic stromal lymphopoietin expression in lesional keratinocytes of atopic dermatitis model. *Journal of dermatological science*, 80(1), 45-53.
- Miyake, Y., Ohya, Y., Tanaka, K., Yokoyama, T., Sasaki, S., Fukushima, W., ... & Osaka Maternal and Child Health Study Group. (2007). Home environment and suspected atopic eczema in Japanese infants: the Osaka Maternal and Child Health Study. *Pediatric Allergy and Immunology*, 18(5), 425-432.
- Manosalva, C., Alarcón, P., González, K., Soto, J., Igor, K., Peña, F., ... & Hidalgo, M. A. (2020). Free fatty acid receptor 1 signaling contributes to migration, MMP-9 activity, and expression of IL-8 induced by linoleic acid in HaCaT cells. *Frontiers in Pharmacology*, 11, 595.
- Nair PA, Badri T. Psoriasis. (2020). Psoriasis. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2021 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK448194/>
- Naldi, L. (2016). Psoriasis and smoking: links and risks. *Psoriasis (Auckland, NZ)*, 6, 65.
- Nair, R. P., Henseler, T., Jenisch, S., Stuart, P., Bichakjian, C. K., Lenk, W., ... & Elder, J. T. (1997). Evidence for two psoriasis susceptibility loci (HLA and 17q) and two novel candidate regions (16q and 20p) by genome-wide scan. *Human molecular genetics*, 6(8), 1349-1356.
- Nanba, D., Toki, F., Barrandon, Y., & Higashiyama, S. (2013). Recent advances in the epidermal growth factor receptor/ligand system biology on skin homeostasis and keratinocyte stem cell regulation. *Journal of dermatological science*, 72(2), 81-86.
- Navarini, A., French, L., & Hofbauer, G. (2011). Interrupting IL-6–receptor signaling improves atopic dermatitis but associates with bacterial superinfection. *Journal Of Allergy And Clinical Immunology*, 128(5), 1128-1130. doi: 10.1016/j.jaci.2011.09.009
- Nguyen VL, Truong CT, Nguyen BC, Vo TN, Dao TT, Nguyen VD, Trinh DT, Huynh HK, Bui CB. Anti-inflammatory and wound healing activities of calophyllolide isolated from *Calophyllum inophyllum* Linn. *PloS one*. 2017 Oct 11;12(10):e0185674.
- Nomura, I., Goleva, E., Howell, M., Hamid, Q., Ong, P., & Hall, C. et al. (2003). Cytokine Milieu of Atopic Dermatitis, as Compared to Psoriasis, Skin Prevents Induction of Innate Immune Response Genes. *The Journal Of Immunology*, 171(6), 3262-3269. doi: 10.4049/jimmunol.171.6.3262
- Nomura, T., & Kabashima, K. (2016). Advances in atopic dermatitis in 2015. *Journal Of Allergy And Clinical Immunology*, 138(6), 1548-1555. doi: 10.1016/j.jaci.2016.10.004
- Nutten, S. (2015). Atopic dermatitis: global epidemiology and risk factors. *Annals of nutrition and metabolism*, 66(Suppl. 1), 8-16.
- Ogawa, E., Sato, Y., Minagawa, A., & Okuyama, R. (2018). Pathogenesis of psoriasis and development of treatment. *The Journal of dermatology*, 45(3), 264-272.
- Olivieri, I., Scarpa, R., Padula, A., & D'Angelo, Salvatore. (2008). Role of trauma in psoriatic arthritis.
- Oo, W. M. (2018). Pharmacological properties of *Calophyllum inophyllum*—Updated review. *Int. J. Photochem. Photobiol*, 2(1), 28-32.
- Ozawa, M., Terui, T., & Tagami, H. (2005). Localization of IL-8 and complement components in lesional skin of psoriasis vulgaris and pustulosis palmaris et plantaris. *Dermatology*, 211(3), 249-255.
- Patil, A. D., Freyer, A. J., Eggleston, D. S., Haltiwanger, R. C., Bean, M. F., Taylor, P. B., ... & Bartus, H. R. (1993). The inophyllums, novel inhibitors of HIV-1 reverse transcriptase isolated from the Malaysian tree, *Calophyllum inophyllum* Linn. *Journal of Medicinal Chemistry*, 36(26), 4131-4138.

- Prabakaran, K., & Britto, S. J. (2012). Biology, agroforestry and medicinal value of *Calophyllum inophyllum* L.(clusiaceae): A review. *International Journal of Natural Products Research*, 1(2), 24-33.
- Pu, J., Wang, R., Zhang, G., & Wang, J. (2019). FGF-7 facilitates the process of psoriasis by inducing TNF- α expression in HaCaT cells. *Acta biochimica et biophysica Sinica*, 51(10), 1056-1063.
- Puig, L. (2011). Obesity and psoriasis: body weight and body mass index influence the response to biological treatment. *Journal of the European Academy of Dermatology and Venereology*, 25(9), 1007-1011.
- Raharivelomanana, P., Ansel, J. L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J. F., ... & Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *Ocl-Oilseeds and Fats Crops and Lipids*, 25(5).
- Rahman, M. U., Ahmed, S., Schumacher, H. R., & Zeiger, A. R. (1990). High levels of antipeptidoglycan antibodies in psoriatic and other seronegative arthritides. *The Journal of rheumatology*, 17(5), 621-625.
- Ramluckan, K., Moodley, K. G., & Bux, F. (2014). An evaluation of the efficacy of using selected solvents for the extraction of lipids from algal biomass by the soxhlet extraction method. *Fuel*, 116, 103-108.
- Rejeki, S. (2015). Ekstraksi Dan Penetapan Nilai SPF Minyak Nyamplung Dengan Metode Spektrofotometri (Extraction And SPF Value Determination Of Tamanu Oil By Spectrofotometri Methode). *IJMS-Indonesian Journal on Medical Science*, 2(1).
- Rejeki, S., & Wahyuningsih, S. S. (2015). Formulasi gel tabir surya minyak nyamplung (Tamanu Oil) dan uji nilai spf secara in vitro.
- Rendon, A., & Schäkel, K. (2019). Psoriasis pathogenesis and treatment. *International journal of molecular sciences*, 20(6), 1475.
- Said, T., Dutot, M., Martin, C., Beaudoux, J. L., Boucher, C., Enee, E., ... & Rat, P. (2007). Cytoprotective effect against UV-induced DNA damage and oxidative stress: role of new biological UV filter. *European Journal of Pharmaceutical Sciences*, 30(3-4), 203-210.
- Sandilands, A., Sutherland, C., Irvine, A. D., & McLean, W. I. (2009). Filaggrin in the frontline: role in skin barrier function and disease. *Journal of cell science*, 122(9), 1285-1294.
- Sangkara Aditya J, Naresh Kumar L, Mokkaapati A. (2013). *Int J Pharma Sci* 2013; 3(2): 185-188.
- Sarpel, T., Başaran, S., & Akçam, F. D. (2010). Psoriasis induced by tumor necrosis factor-alpha antagonist therapy: Case series and literature overview.
- Sausenthaler, S., Kompauer, I., Borte, M., Herbarth, O., Schaaf, B., von Berg, A., ... & LISA Study Group. (2006). Margarine and butter consumption, eczema and allergic sensitization in children. The LISA birth cohort study. *Pediatric allergy and immunology*, 17(2), 85-93.
- Schlapbach, C., Gehad, A., Yang, C., Watanabe, R., Guenova, E., Teague, J. E., ... & Clark, R. A. (2014). Human TH9 cells are skin-tropic and have autocrine and paracrine proinflammatory capacity. *Science translational medicine*, 6(219), 219ra8-219ra8.
- Schrick, L., & Nitsche, A. (2016). Pitfalls in PCR troubleshooting: Expect the unexpected?. *Biomolecular detection and quantification*, 6, 1-3.

Segawa, R., Shigeeda, K., Hatayama, T., Dong, J., Mizuno, N., Moriya, T., ... & Hirasawa, N. (2018). EGFR transactivation is involved in TNF- α -induced expression of thymic stromal lymphopoietin in human keratinocyte cell line. *Journal of dermatological science*, 89(3), 290-298.

Shanmugapriya, Chen, Y., Jothy, S. L., & Sasidharan, S. (2016). Calophyllum inophyllum: A Medical Plant with Multiple Curative Values. *RESEARCH JOURNAL OF PHARMACEUTICAL BIOLOGICAL AND CHEMICAL SCIENCES*, 7(4), 1446-1452.

Shaw, T. E., Currie, G. P., Koudelka, C. W., & Simpson, E. L. (2011). Eczema prevalence in the United States: data from the 2003 National Survey of Children's Health. *Journal of Investigative Dermatology*, 131(1), 67-73.

Silverberg, J. I., Hanifin, J., & Simpson, E. L. (2013). Climatic factors are associated with childhood eczema prevalence in the United States. *Journal of Investigative Dermatology*, 133(7), 1752-1759.

Simpson, A., John, S. L., Jury, F., Niven, R., Woodcock, A., Ollier, W. E., & Custovic, A. (2006). Endotoxin exposure, CD14, and allergic disease: an interaction between genes and the environment. *American journal of respiratory and critical care medicine*, 174(4), 386-392.

Singh, S., Pradhan, D., Puri, P., Ramesh, V., Aggarwal, S., Nayek, A., & Jain, A. K. (2019). Genomic alterations driving psoriasis pathogenesis. *Gene*, 683, 61-71.

Song, S., Lee, K., Lee, Y. M., Lee, J. H., Lee, S. I., Yu, S. D., & Paek, D. (2011). Acute health effects of urban fine and ultrafine particles on children with atopic dermatitis. *Environmental research*, 111(3), 394-399.

Spino, C., Dodier, M., & Sotheeswaran, S. (1998). Anti-HIV coumarins from Calophyllum seed oil. *Bioorganic & medicinal chemistry letters*, 8(24), 3475-3478.

Su, C., Yang, T., Wu, Z., Zhong, J., Huang, Y., Huang, T., & Zheng, E. (2017). Differentiation of T-helper cells in distinct phases of atopic dermatitis involves Th1/Th2 and Th17/Treg. *European Journal Of Inflammation*, 15(1), 46-52. doi: 10.1177/1721727x17703271

Suárez-Varela, M. M., Alvarez, L. G. M., Kogan, M. D., González, A. L., Gimeno, A. M., Ontoso, I. A., ... & Varela, Á. L. S. (2008). Climate and prevalence of atopic eczema in 6-to 7-year-old school children in Spain. ISAAC phase III. *International Journal of Biometeorology*, 52(8), 833-840.

Sundur, S., Shrivastava, B., Sharma, P., Raj, S. S., & Jayasekhar, V. L. (2014). A review article of pharmacological activities and biological importance of Calophyllum inophyllum. *International Journal of Advanced Research*, 2(12), 599-603.

Susanto, D. F., Aparamarta, H. W., Widjaja, A., & Gunawan, S. (2019). Calophyllum inophyllum: Beneficial Phytochemicals, Their Uses, and Identification. In *Phytochemicals in Human Health*. IntechOpen.

Suwarsa, O., Dharmadji, H. P., Sutedia, E., Herlina, L., Sori, P. R., Hindritiani, R., ... & Gunawan, H. (2019). Skin tissue expression and serum level of thymic stromal lymphopoietin in patients with psoriasis vulgaris. *Dermatology reports*, 11(1).

Identification of phytochemical compounds in Calophyllum inophyllum leaves

Suwarsa, O., Dharmadji, H., Sutedia, E., Herlina, L., Sori, P., & Hindritiani, R. et al. (2019). Skin tissue expression and serum level of thymic stromal lymphopoietin in patients with psoriasis vulgaris. *Dermatology Reports*, 11(1). doi: 10.4081/dr.2019.8006

Sylviningrum, T., Putranti, I. O., Sari, O. P., Arjadi, F., Sudibyo, E. S., & Manik, S. N. (2019). Association between HLA-Cw6 allele expression and characteristics of Javanese ethnic psoriasis patients in Indonesia. *Medical Journal of Indonesia*, 28(4), 370-4.

- Thomsen, S. F. (2014). Atopic dermatitis: natural history, diagnosis, and treatment. *International Scholarly Research Notices*, 2014.
- Tobin, A. M., & Kirby, B. (2005). TNF α inhibitors in the treatment of psoriasis and psoriatic arthritis. *BioDrugs*, 19(1), 47-57.
- Toshitani, A., Ansel, J., Chan, S., Li, S., & Hanifin, J. (1993). Increased Interleukin 6 Production by T Cells Derived from Patients with Atopic Dermatitis. *Journal Of Investigative Dermatology*, 100(3), 299-304. doi: 10.1111/1523-1747.ep12469875
- Tsai, S. C., Liang, Y. H., Chiang, J. H., Liu, F. C., Lin, W. H., Chang, S. J., ... & Weng, J. R. (2012). Anti-inflammatory effects of Calophyllum inophyllum L. in RAW264. 7 cells. *Oncology reports*, 28(3), 1096-1102.
- Trautmann, A., Akdis, M., Kleemann, D., Altnauer, F., Simon, H., & Graeve, T. et al. (2000). T cell-mediated Fas-induced keratinocyte apoptosis plays a key pathogenetic role in eczematous dermatitis. *Journal Of Clinical Investigation*, 106(1), 25-35. doi: 10.1172/jci9199
- Turner, M. J., & Zhou, B. (2014). A new itch to scratch for TSLP. *Trends in immunology*, 35(2), 49-50.
- Um, Y. L., & Jo, Y. W. (2016). Inhibitory effects of Calophyllum inophyllum extract on atopic dermatitis induced by DNCB in mouse. *American Journal of Phytomedicine and Clinical Therapeutics*, 4(6), 165-173.
- van Meerloo, J., Kaspers, G., & Cloos, J. (2011). Cell Sensitivity Assays: The MTT Assay. *Methods In Molecular Biology*, 237-245. doi: 10.1007/978-1-61779-080-5_20
- Vasey, F. B., Deitz, C., Fenske, N. A., Germain, B. F., & Espinoza, L. R. (1982). Possible involvement of group A streptococci in the pathogenesis of psoriatic arthritis. *The Journal of rheumatology*, 9(5), 719-722.
- Vestita, M., Filoni, A., Congedo, M., Foti, C., & Bonamonte, D. (2015). Vitamin D and atopic dermatitis in childhood. *Journal of immunology research*, 2015.
- Volpe, E., Pattarini, L., Martinez-Cingolani, C., Meller, S., Donnadiou, M. H., Bogiatzi, S. I., ... & Soumelis, V. (2014). Thymic stromal lymphopoietin links keratinocytes and dendritic cell-derived IL-23 in patients with psoriasis. *Journal of Allergy and Clinical Immunology*, 134(2), 373-381.
- Wang, S., Zhang, Z., Peng, H., & Zeng, K. (2019). Recent advances on the roles of epidermal growth factor receptor in psoriasis. *American journal of translational research*, 11(2), 520.
- Wang, V., Boguniewicz, J., Boguniewicz, M., & Ong, P. Y. (2020). The infectious complications of atopic dermatitis. *Annals of Allergy, Asthma & Immunology*.
- Weidinger, S., & Novak, N. (2016). Atopic dermatitis. *The Lancet*, 387(10023), 1109-1122. doi: 10.1016/s0140-6736(15)00149-x
- Weiland, S. K., Hüsing, A., Strachan, D. P., Rzehak, P., & Pearce, N. (2004). Climate and the prevalence of symptoms of asthma, allergic rhinitis, and atopic eczema in children. *Occupational and environmental medicine*, 61(7), 609-615.
- Werfel, T. (2009). The Role of Leukocytes, Keratinocytes, and Allergen-Specific IgE in the Development of Atopic Dermatitis. *Journal Of Investigative Dermatology*, 129(8), 1878-1891. doi: 10.1038/jid.2009.71
- Wolk, K., Mallbris, L., Larsson, P., Rosenblad, A., Vingård, E., & Ståhle, M. (2009). Excessive body weight and smoking associates with a high risk of onset of plaque psoriasis. *Acta dermato-venereologica*, 89(5), 492-497.
- Wolk, K., Witte, E., Wallace, E., Döcke, W. D., Kunz, S., Asadullah, K., ... & Sabat, R. (2006). IL-22 regulates the expression of genes responsible for antimicrobial defense, cellular differentiation, and mobility in keratinocytes: a potential role in psoriasis. *European journal of immunology*, 36(5), 1309-1323.

World Health Organization. (2016). Global report on psoriasis. 2016. *World Health Organization website*. http://apps.who.int/iris/bitstream/handle/10665/204417/9789241565189_eng.Pdf.

Wu, X., Deng, X., Wang, J., & Li, Q. (2020). Baicalin Inhibits Cell Proliferation and Inflammatory Cytokines Induced by Tumor Necrosis Factor α (TNF- α) in Human Immortalized Keratinocytes (HaCaT) Human Keratinocytes by Inhibiting the STAT3/Nuclear Factor kappa B (NF- κ B) Signaling Pathway. *Medical science monitor: international medical journal of experimental and clinical research*, 26, e919392-1.

Yamamoto, Y., Yamamoto, T., Aoyama, Y., & Fujimoto, W. (2019). Cell-to-cell transmission of HSV-1 in differentiated keratinocytes promotes multinucleated giant cell formation. *Journal of dermatological science*, 93(1), 14-23.

Yan, K. L., Huang, W., Zhang, X. J., Yang, S., Chen, Y. M., Xiao, F. L., ... & Liu, J. J. (2007). Follow-up analysis of PSORS9 in 151 Chinese families confirmed the linkage to 4q31–32 and refined the evidence to the families of early-onset psoriasis. *Journal of investigative dermatology*, 127(2), 312-318.

Yanagita, M., Kobayashi, R., Kojima, Y., Mori, K., & Murakami, S. (2012). Nicotine modulates the immunological function of dendritic cells through peroxisome proliferator-activated receptor- γ upregulation. *Cellular immunology*, 274(1-2), 26-33.

Yazd, N. K. K., Patel, R. R., Dellavalle, R. P., & Dunnick, C. A. (2017). Genetic risk factors for development of atopic dermatitis: a systematic review. *Current Dermatology Reports*, 6(4), 297-308.

Yimdjo, M. C., Azebaze, A. G., Nkengfack, A. E., Meyer, A. M., Bodo, B., & Fomum, Z. T. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Phytochemistry*, 65(20), 2789-2795.

Zhou, B. R., Zhang, J. A., Zhang, Q., Permatasari, F., Xu, Y., Wu, D., ... & Luo, D. (2013). Palmitic acid induces production of proinflammatory cytokines interleukin-6, interleukin-1, and tumor necrosis factor-via a NF-B-dependent mechanism in HaCaT keratinocytes. *Mediators of inflammation*, 2013.