

## REFERENCES

- Anal, A., & Koirala, S. (2018). Protein Quantification by Kjeldahl and Bradford Assay Methods.
- Anggriawan, R. (2001). Microbiological and Food Safety Aspects of Tempeh Production in Indonesia. *The Economist*.
- Arifani, I., Pradini, G. W., Arya, I. F. D., & Cahyadi, A. I. (2017). Destructive Effect of Calcium Hypochlorite against *Pseudomonas aeruginosa* Biofilm. *Althea Medical Journal*, 4(3), 468–473.
- Astawan, M. (2017). Karakteristik Tepung Tempe Larut Air. *Jurnal Pangan*, 26(2), 117–126.
- Babu, P. D., Bhakyaraj, R., & Vidhyalakshmi, R. (2009). A Low Cost Nutritious Food “Tempeh”- A Review. *World Journal of Dairy Food Sciences*, 4(1), 22–27.
- Baheti, A., Kumar, L., & Bansal, A. K. (2016). Excipients Used in Lyophilization of Small Molecules. *Journal of Excipients and Food Chemicals*, 1(1), 1135.
- Bavia, A. C. F., Silva, C. E. D., Ferreira, M. P., Leite, R. S., Mandarino, J. M. G., & Carrão-Panizzi, M. C. (2012). Chemical Composition of Tempeh from Soybean Cultivars Specially Developed for Human Consumption. *Food Science and Technology*, 32, 613-620.
- Berget, I., & Næs, T. (2002). Sorting of Raw Materials with Focus on Multiple End-Product Properties. *Journal of Chemometrics*, 16(6), 263–273.
- Bonjoch, N. P., & Tamayo, P. R. (2001). Protein Content Quantification by Bradford Method. *In Handbook of plant ecophysiology techniques* (pp. 283–295). Springer.
- Bradford, M. M. (1976). A Rapid and Sensitive Method for The Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding. *Analytical Biochemistry*, 72(1–2), 248–254.

- Brunelle, E., Le, A. M., Huynh, C., Wingfield, K., Halámková, L., Agudelo, J., & Halámek, J. (2017). Coomassie Brilliant Blue G-250 Dye: An Application for Forensic Fingerprint Analysis. *Analytical Chemistry*, 89(7), 4314–4319.
- Buren, J. P. Van, Hackler, L. R., & Steinkraus, K. H. (1972). Solubilization of Soybean Tempeh Constituents During Fermentation. *Cereal Chemistry*, 49, 208–211.
- Centers for Disease Control and Prevention. (2015). Drinking Water: Disinfection with Chlorine. Retrieved from <https://www.cdc.gov/healthywater/drinking/public/chlorine-disinfection.html>. Accessed on 4 March, 2021.
- Codex Alimentarius Commission. (2013). *Regional Standard for Tempe, Codex Stan 313R-2013*. Retrieved from [http://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?Ink=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252Fstandards%252FCXS%2B313R-2013%252FCXS\\_313Re.pdf](http://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?Ink=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252Fstandards%252FCXS%2B313R-2013%252FCXS_313Re.pdf). Accessed on 3 March, 2021
- Desi, R. S. (2018). Faktor-faktor yang Berhubungan Dengan Keberadaan Sisa Klorin Pada Jaringan Distribusi Air Minum IPA Cileng PDAM Lawu Tirta Magetan.
- Djunaidi, S., Puteri, M. D. P., Wijaya, C. H., & Prabawati, E. K. (2017). Physicochemical & Microbial Characteristics of Overripe Tempeh. *Insist*, 2(1), 48-51.
- Erkan, S. B., Gurler, H N., Bilgin, D. G., Germec, M. & Turhan, I. (2020). Production and Characterization of Tempehs from Different Sources of Legume by *Rhizopus oligosporus*. *LWT – Food Science and Technology*, 119, 1-7.
- Farnworth, E. R. T. (2008). *Handbook of fermented functional foods*. CRC press. 482.
- Feng, X. M., Eriksson, A. R. B., & Schnürer, J. (2005). Growth of Lactic Acid bacteria and *Rhizopus oligosporus* during barley tempeh fermentation. *International Journal of Food Microbiology*, 104(3), 249–256.
- Gomes, I. B., Simões, M., & Simões, L. C. (2016). The Effects of Sodium Hypochlorite Against Selected Drinking Water-Isolated Bacteria in Planktonic and Sessile States. *Science of the Total Environment*, 565, 40–48.

- Puteri, M. D. P. T., Raishsha, T., Kartika, E., Hanny, C., & Mutukumira, A. N. (2015). Sensory Characteristics of Seasoning Powders from Overripe Tempeh, A Solid State Fermented Soybean. *Procedia Chemistry*, 14, 263-269.
- Puteri, M., Fortunata, S. A., Mursito, E., & Wijaya, C. H. (2019). Application of Quick Tempe Technology for Production of Overripe Tempe. *IOP Conference Series: Earth and Environmental Science*, 292(1), 12060. IOP Publishing.
- Hachmeister, K. A., & Fung, D. Y. C. (1993). Tempeh: A Mold-Modified Indigenous Fermented Food Made from Soybeans and/or Cereal Grains. *Critical Reviews in Microbiology*, 19(3), 137–188.
- Handoyo, T., & Morita, N. (2006). Structural and Functional Properties of Fermented Soybean (Tempeh) by Using *Rhizopus Oligosporus*. *International Journal of Food Properties*, 9(2), 347–355.
- Hassanein, T. R., Prabawati, E. K., & Gunawan-Puteri, M. D. P. T. (2015). Analysis of Chemical and Microbial Change During Storage of Overripe Tempeh Powder as Seasoning Material. *International Journal of Science and Engineering*, 8(2), 131-134.
- Haque, M. A., Timilsena, Y. P., & Adhikari, B. (2016). Food Proteins, Structure, and Function. *Reference Module in Food Science; Elsevier: Amsterdam, The Netherlands*, 1-8.
- Karastogianni, S., Girousi, S., & Sotiropoulos, S. (2016). Ph: Principles and Measurement. *The Encyclopedia of Food and Health*, 4, 333-338.
- Kustyawati, M. E. (2012). Kajian Peran Yeast Dalam Pembuatan Tempe. *Agritech: Jurnal Fakultas Teknologi Pertanian UGM*, 29(2).
- Laksono, A. S., Marniza, & Rosalina, Y. (2019). Karakteristik Mutu Tempe Kedelai Lokal Varietas Anjasmoro Dengan Variasi Lama Perebusan dan Penggunaan Jenis Pengemas. *Jurnal Agroindustri*, 9(1), 8–18.
- Liang, H., & Dai, Z. (2006). Application of Texture Analyzer in The Assessment for Food Texture. *Food Research and Development*, 4.

- Meadowcroft, D. B., & Verhappen, I. (2003). Chemical Analysis: Moisture Measurement. *In Instrumentation Reference Book: Third Edition* (Pp. 414–421).
- Muzdalifah, D., Athaillah, Z. A., Nugrahani, W., & Devi, A. F. (2017). Colour and pH Changes of Tempe During Extended Fermentation. *AIP Conference Proceedings*, 1803.
- Nahemiah, D., Bankole, O. S., Tswako, M., Nma-Usman, K. I., Hassan, H., & Fati, K. I. (2014). Hazard Analysis Critical Control Points (HACCP) in the Production of Soy-kununzaki: A Traditional Cereal-Based Fermented Beverage of Nigeria. *American Journal of Food Science and Technology*, 2(6), 196-202.
- Nishinari, K., Kohyama, K., Kumagai, H., Funami, T., & Bourne, M. C. (2013). Parameters of Texture Profile Analysis. *Food Science and Technology Research*, 19(3), 519–521.
- Nout, M. J. R., & Kiers, J. L. (2005). Tempe Fermentation, Innovation and Functionality: Update Into The Third Millennium. *Journal Of Applied Microbiology*, 98(4), 789–805.
- Nurdini, A. L., Nuraida, L., Suwanto, A., & Suliantari. (2015). Microbial Growth Changes During Tempe Fermentation in Two Different Home Industries. *International Food Research Journal*, 22
- OHAUS. (2008). A Guide to Moisture Content Analysis. *Ingeniously Practical*, 19.
- Pangastuti, A., Alfisah, R. K., Istiana, N. I., Sari, S. L. A., Setyaningsih, R., Susilowati, A., & Purwoko, T. (2019). Metagenomic Analysis of Microbial Communities in Over-Fermented Tempeh. *Biodiversitas Journal of Biological Diversity*, 20(4), 1106-1114.
- Schiffter, H. A. (2011). Pharmaceutical Proteins - Structure, Stability, and Formulation. *In Comprehensive Biotechnology, Second Edition* (Vol. 5, Pp. 521–541).
- Shurtleff, W., & Aoyagi, A. (2007). History Of Tempeh. *Lafayette, California: Soyinfo Center*. 85p
- Sparringa, R. A., & Owens, J. D. (1999). Causes of Alkalinization in Tempe Solid Substrate Fermentation. *Enzyme and Microbial Technology*, 25(8–9), 677–681.
- Standar Nasional Indonesia. (2015). SNI 3144:2015 Tempe Kedelai. Retrieved from [http://www.forumtempe.org/images/resep/8625\\_SNI%203144-2015.pdf](http://www.forumtempe.org/images/resep/8625_SNI%203144-2015.pdf). Accessed On 3 March, 2021

- Tahir, A., Anwar, M., Mubeen, H., & Raza, S. (2018). Evaluation of Physicochemical and Nutritional Contents in Soybean Fermented Food Tempeh by *Rhizopus Oligosporus*. *Journal of Advances in Biology & Biotechnology*, 17, 1–9.
- Kementrerian Kesehatan Republik Indonesia (2018) Data Komposisi Pangan Indonesia. Retrieved from <https://www.panganku.org/id-id/view/tempepasar>. Accessed On 3 March, 2021.
- Kruger, N. J. (1994). The Bradford Method for Protein Quantitation. *Methods in Molecular Biology (Clifton, N.J.)*, 32, 9–15.
- Tekin, S., & Hansen, P. J. (2001). Use of The Bradford Protein Assay in a Microtiter Plate Format.
- Sigma Aldrich (2021) Technical Bulletin of Sigma Bradford Assay (Product No B6916). Retrieved from <https://www.sigmaaldrich.com/content/dam/sigmaaldrich/docs/sigma/bulletin/b6916bul.pdf>. Accessed On 1 March 2021
- Utami, R., Wijaya, C. H., & Lioe, H. N. (2016). Taste of Water-Soluble Extracts Obtained from Over-Fermented Tempe. *International Journal of Food Properties*, 19(9), 2063–2073.
- Wijaya, C. H., & Puteri, M. D. P. T. G. (2015). Tempe Semangit, The Overripe Tempe with Natural Umami Taste. *Umami Indonesia*, 3(3), 1-5.
- Winanti, R., Bintari, S. H., & Mustikaningtyas, D. (2014). Studi Observasi Higienitas Produk Tempe Berdasarkan Perbedaan Metode Inokulasi. *Life Science*, 3(1).