

REFERENCES

- Abraham, S. (1996). Characteristics of eating disorders among young ballet dancers. *Psychopathology*, 29(4), 223-229.
- Alberga, A. S., Sigal, R. J., Goldfield, G., Prud'Homme, D., & Kenny, G. P. (2012). Overweight and obese teenagers: why is adolescence a critical period?. *Pediatric obesity*, 7(4), 261-273.
- Balemans, A. C., & Bolster, E. A. (2019). Aerobic and Anaerobic Fitness in Children and Youth with Cerebral Palsy.
- Balemans, A. C., Van Wely, L., De Heer, S. J., Van den Brink, J., De Koning, J. J., Becher, J. G., & Dallmeijer, A. J. (2013). Maximal aerobic and anaerobic exercise responses in children with cerebral palsy. *Med Sci Sports Exerc*, 45(3), 561-8.
- Banfield, S. S., & McCabe, M. (2002). An evaluation of the construct of body image. *Adolescence*, 37(146), 373-393.
- Barkley, J. S., Kendrick, K. L., Codling, K., Muslimatun, S., & Pachón, H. (2015). Anaemia prevalence over time in Indonesia: estimates from the 1997, 2000, and 2008 Indonesia Family Life Surveys. *Asia Pacific Journal of Clinical Nutrition*, 24(3), 452.
- Beck, K. L., Mitchell, S., Foskett, A., Conlon, C. A., & Von Hurst, P. R. (2015). Dietary intake, anthropometric characteristics, and iron and vitamin D status of female adolescent ballet dancers living in New Zealand. *International journal of sport nutrition and exercise metabolism*, 25(4), 335-343.
- Benson, J., Gillien, D., Bourdet, K., & Loosli, A. (1985). Inadequate nutrition and chronic calorie restriction in adolescent ballerinas. *The Physician and SportsMedicine* 13(10): 79-90.
- Bernstein, M. A., Tucker, K. L., Ryan, N. D., O'NEILL, E. F., Clements, K. M., Nelson, M. E., ... & Singh, M. A. F. (2002). Higher dietary variety is associated with better nutritional status in frail elderly people. *Journal of the American Dietetic Association*, 102(8), 1096-1104.
- Bettle, N., Bettle, O., Neumärker, U., & Neumärker, K. J. (2001). Body image and self-esteem in adolescent ballet dancers. *Perceptual and Motor Skills*, 93(1), 297-309.

BMI-for-age (5-19 years). World Health Organization. Retrieved 29 June 2020, from https://www.who.int/growthref/who2007_bmi_for_age/en/.

Body Composition Guide for InnerScan. Tanita.Asia. Retrieved 29 May 2020, from <https://tanita.asia/upload/manual/5/download/5914678439f19.pdf>.

Body dysmorphic disorder (BDD). NHS.UK. Retrieved 28 July 2020, from <https://www.nhs.uk/conditions/body-dysmorphia/>.

Bond, M. J., McDowell, A. J., & Wilkinson, J. Y. (2001). The measurement of dietary restraint, disinhibition and hunger: an examination of the factor structure of the Three Factor Eating Questionnaire (TFEQ). *International journal of obesity*, 25(6), 900-906.

Bray, G. A., DeLany, J. P., Harsha, D. W., Volaufova, J., & Champagne, C. M. (2001). Body composition of African American and white children: a 2-year follow-up of the BAROC study. *Obesity Research*, 9(10), 605-621.

Britton, L. E., Martz, D. M., Bazzini, D. G., Curtin, L. A., & LeaShomb, A. (2006). Fat talk and self-presentation of body image: Is there a social norm for women to self-degrade?. *Body image*, 3(3), 247-254.

Burger, M., & Dolny, D. (2002). The relationship among Body Mass Index, body image, exercise habits and stage of change in college-aged females. *Women in Sport and Physical Activity Journal*, 11(2), 1-19.

Burgess, G., Grogan, S., & Burwitz, L. (2006). Effects of a 6-week aerobic dance intervention on body image and physical self-perceptions in adolescent girls. *Body image*, 3(1), 57-66.

Burke, L. (2007). Practical Sports Nutrition. Belconnen: Human Kinetics.

Burke, L., Loucks, A., & Broad, N. (2006). Energy and carbohydrate for training and recovery. *Journal Of Sports Sciences*, 24(7), 675-685. doi: 10.1080/02640410500482602

Burke, L. M., Hawley, J. A., Wong, S. H., & Jeukendrup, A. E. (2011). Carbohydrates for training and competition. *Journal of sports sciences*, 29(sup1), S17-S27.

- Byrne, S., & McLean, N. (2002). Elite athletes: effects of the pressure to be thin. *Journal of science and medicine in sport*, 5(2), 80-94.
- Carlberg, K. A., Buckman, M. T., Peake, G. T., & Riedesel, M. L. (1983). Body composition of oligo/amenorrheic athletes. *Medicine and science in sports and exercise*, 15(3), 215-217.
- Chang, T., Ravi, N., Plegue, M. A., Sonneville, K. R., & Davis, M. M. (2016). Inadequate hydration, BMI, and obesity among US adults: NHANES 2009–2012. *The Annals of Family Medicine*, 14(4), 320-324.
- Chatfield, S. J. (1998). The Health of our Dancers: What Is and What Is To Be?. *Journal of Dance Medicine & Science*, 2(1), 3-3.
- Chen, W., & Swalm, R. L. (1998). Chinese and American college students' body-image: Perceived body shape and body affect. *Perceptual and motor skills*, 87(2), 395-403.
- Chmelar, R. D., Schultz, B. B., Ruhling, R. O., Shepherd, T. A., Zupan, M. F., & Fitt, S. S. (1988). A physiologic profile comparing levels and styles of female dancers. *The Physician and Sportsmedicine*, 16(7), 87-96.
- Clarkson, P. (2003). *Nutrition Fact Sheet: Fueling the Dancer* [Ebook]. International Association for Dance Medicine and Science. Retrieved 24 August 2019, from http://hpri.fullerton.edu/Community/documents/dance_nutrition.pdf
- Clarkson, P. M. (1998). An overview of nutrition for female dancers. *Journal of Dance Medicine & Science*, 2(1), 32-39.
- Cohen, J. L., Kim, C. S., May Jr, P. B., & Ertel, N. H. (1982). Exercise, body weight, and amenorrhea in professional ballet dancers. *The Physician and Sportsmedicine*, 10(4), 92-101.
- Cohen, J. L., Segal, K. R., Witriol, I., & McArdle, W. D. (1982). Cardiorespiratory responses to ballet exercise and the VO_{2max} of elite ballet dancers. *Medicine and science in sports and exercise*, 14(3), 212-217.
- Crosignani, P. (2006). Nutrition and reproduction in women. *Human Reproduction Update*, 12(3), 193-207. doi: 10.1093/humupd/dmk003

- Culnane, C., & Deutsch, D. (1998). Dancer disordered eating: comparison of disordered eating behavior and nutritional status among female dancers. *Journal of Dance Medicine & Science*, 2(3), 95-100.
- Danis, A., Jamaludin, A. N., Majid, H. A. M. A., & Isa, K. A. M. (2016). Body Image Perceptions among Dancers in Urban Environmental Settings. *Procedia-Social and Behavioral Sciences*, 222, 855-862.
- Dantas, A. G., Alonso, D. A., Sánchez-Miguel, P. A., & del Río Sánchez, C. (2018). Factors dancers associate with their body dissatisfaction. *Body image*, 25, 40-47.
- Davison, K.K., Earnest, M.B., & Birch, L.L. (2002). Participation in aesthetic sports and girls weight concerns at ages 5 and 7 years. *The International Journal of Eating Disorders*, 31(3), 312–317.
- De Vriendt, T., Matthys, C., Verbeke, W., Pynaert, I., & De Henauw, S. (2009). Determinants of nutrition knowledge in young and middle-aged Belgian women and the association with their dietary behaviour. *Appetite*, 52(3), 788-792.
- Dienasari, R. H. *Persepsi Body Image, Kebiasaan Makan Dan Status Gizi Pada Penari Remaja Wanita*. Retrieved 2 November 2019, from <https://docplayer.info/61657370-Persepsi-body-image-kebiasaan-makan-dan-status-gizi-pada-penari-remaja-wanita-rily-hanundyah-dienasari.html>
- Dotti, A., Fioravanti, M., Balotta, M., Tozzi, F., Cannella, C., & Lazzari, R. (2002). Eating behavior of ballet dancers. *Eating and Weight Disorders-Studies on Anorexia, Bulimia and Obesity*, 7(1), 60-67.
- Drouin-Chartier, J. P., Chen, S., Li, Y., Schwab, A. L., Stampfer, M. J., Sacks, F. M., ... & Bhupathiraju, S. N. (2020). Egg consumption and risk of cardiovascular disease: three large prospective US cohort studies, systematic review, and updated meta-analysis. *bmj*, 368.
- Dwyer, J., Nahin, R. L., Rogers, G. T., Barnes, P. M., Jacques, P. M., Sempos, C. T., & Bailey, R. (2013). Prevalence and predictors of children's dietary supplement use: the 2007 National Health Interview Survey. *The American journal of clinical nutrition*, 97(6), 1331-1337.

- Epstein, L. H., Temple, J. L., Roemmich, J. N., & Bouton, M. E. (2009). Habituation as a determinant of human food intake. *Psychological review*, 116(2), 384.
- Etelson, D., Brand, D. A., Patrick, P. A., & Shirali, A. (2003). Childhood obesity: do parents recognize this health risk?. *Obesity research*, 11(11), 1362-1368.
- Fitzgibbon, M. L., Blackman, L. R., & Avellone, M. E. (2000). The relationship between body image discrepancy and body mass index across ethnic groups. *Obesity research*, 8(8), 582-589.
- Frederick, L., & Hawkins, S. (1992). 92189652 A comparison of nutrition knowledge and attitudes, dietary practices, and bone densities of postmenopausal women, female college athletes, and nonathletic college women. *Maturitas*, 15(3), 260-261. doi: 10.1016/0378-5122(92)90234-u
- Frisch, R. (1987). Body fat, menarche, fitness and fertility. *Human Reproduction*, 2(6), 521-533. doi: 10.1093/oxfordjournals.humrep.a136582
- Gammone, M. A., & D'Orazio, N. (2020). Assessment of body composition and nutritional risks in young ballet dancers—the bioelectrical impedance analysis. *Journal of Electrical Bioimpedance*, 11(1), 26-30.
- Goulding, A., Gold, E., Cannan, R., Taylor, R. W., Williams, S., & Lewis-Barned, N. J. (1996). DEXA supports the use of BMI as a measure of fatness in young girls. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity*, 20(11), 1014-1021.
- Gray, J., & Griffin, B. (2009). Eggs and dietary cholesterol—dispelling the myth. *Nutrition Bulletin*, 34(1), 66-70.
- Grochowska-Niedworok, E., Kardas, M., Fatyga, E., Piórkowska-Staniek, K., Muc-Wierzgoń, M., & Kokot, T. (2018). Study of top ballet school students revealed large deficiencies in their body weight and body fat. *Acta Paediatrica*, 107(6), 1077-1082.
- Günther, A. L., Remer, T., Kroke, A., & Buyken, A. E. (2007). Early protein intake and later obesity risk: which protein sources at which time points throughout infancy and childhood are important

for body mass index and body fat percentage at 7 y of age?. *The American journal of clinical nutrition*, 86(6), 1765-1772.

Guo, S. S., Wu, W., Chumlea, W. C., & Roche, A. F. (2002). Predicting overweight and obesity in adulthood from body mass index values in childhood and adolescence. *The American journal of clinical nutrition*, 76(3), 653-658.

Haas, A. N., Garcia, A. C. D., & Bertoletti, J. (2010). Imagem corporal e bailarinas profissionais. *Revista Brasileira de Medicina do Esporte*. vol. 16, n. 3 (maio/jun. 2010), p. 182-185.

Hanna, K., Hanley, A., Huddy, A., McDonald, M., & Willer, F. (2017). Physical activity participation and nutrition and physical activity knowledge in university dance students. *Medical Problems of Performing Artists*, 32(1), 1-7.

Hannan, W. J., Wrate, R. M., Cowen, S. J., & Freeman, C. P. (1995). Body mass index as an estimate of body fat. *International Journal of Eating Disorders*, 18(1), 91-97.

Haroun, D. (2008). *Body composition in childhood obesity* (Doctoral dissertation, University of London).

Hendrie, G. A., Cox, D. N., & Coveney, J. (2008). Validation of the general nutrition knowledge questionnaire in an Australian community sample. *Nutrition & Dietetics*, 65(1), 72-77.

Hermanusse, M. (2008). Nutritional protein intake is associated with body mass index in young adolescents. *Georgian Med News*, 156, 84-8.

Heyward, V., & Wagner, D. (1996). Applied body composition assessment (pp. 4-19). Illinois: Human Kinetics.

Hills, A. P., & Byrne, N. M. (2010). An overview of physical growth and maturation. In *Cytokines, growth mediators and physical activity in children during puberty* (Vol. 55, pp. 1-13). Karger Publishers.

Hoppe, C., Rovenna Udam, T., Lauritzen, L., Mølgaard, C., Juul, A., & Fleischer Michaelsen, K. (2004). Animal protein intake, serum insulin-like growth factor I, and growth in healthy 2.5-y-old Danish children. *The American journal of clinical nutrition*, 80(2), 447-452.

International Association for Dance Medicine & Science. Retrieved 26 August 2019, from
http://hpri.fullerton.edu/Community/documents/dance_nutrition.pdf

Jacobi, C., Hayward, C., de Zwaan, M., Kraemer, H. C., & Agras, W. S. (2004). Coming to terms with risk factors for eating disorders: application of risk terminology and suggestions for a general taxonomy. *Psychological bulletin, 130*(1), 19.

Jessup, A., & Harrell, J. S. (2005). The metabolic syndrome: look for it in children and adolescents, too! *Clinical diabetes, 23*(1), 26-32.

Johnson, C., Powers, P. S., & Dick, R. (1999). Athletes and eating disorders: the National Collegiate Athletic Association study. *International Journal of Eating Disorders, 26*(2), 179-188.

Kang, M., Kim, D. W., Lee, H., Lee, Y. J., Jung, H. J., Paik, H. Y., & Song, Y. J. (2016). The nutrition contribution of dietary supplements on total nutrient intake in children and adolescents. *European Journal of Clinical Nutrition, 70*(2), 257-261.

Kesse-Guyot, E., Castetbon, K., Estaquio, C., Czernichow, S., Galan, P., & Hercberg, S. (2009). Association between the French nutritional guideline-based score and 6-year anthropometric changes in a French middle-aged adult cohort. *American journal of epidemiology, 170*(6), 757-765.

Khoirunnisa, F., & Setiarini, A. *Status Gizi sebagai Faktor Dominan terhadap Citra Tubuh pada Penari Balet di Namarina Ballet-Jazz-Fitness Jakarta Tahun 2015*. Retrieved 2 November 2019, from
<http://lib.ui.ac.id/naskahringkas/2018-09/S58816-Fatihah%20Khoirunnisa>

Knopf, H. (2017). Selbstmedikation mit vitaminen, Mineralstoffen und Nahrungsergänzungsmitteln in Deutschland. *Bundesgesundheitsblatt-Gesundheitsforschung-Gesundheitsschutz, 60*(3), 268-276.

Koutedakis, Y., & Jamurtas, A. (2004). The dancer as a performing athlete. *Sports medicine, 34*(10), 651-661.

- Koutedakis, Y., & Sharp, N. C. (2004). Thigh-muscles strength training, dance exercise, dynamometry, and anthropometry in professional ballerinas. *Journal of strength and conditioning research*, 18(4), 714-718.
- Krešić, G., Kendel Jovanović, G., Pavičić Žeželj, S., Cvijanović, O., & Ivezić, G. (2009). The effect of nutrition knowledge on dietary intake among Croatian university students. *Collegium antropologicum*, 33(4), 1047-1056.
- Kyle, U. G., Schutz, Y., Dupertuis, Y. M., & Pichard, C. (2003). Body composition interpretation: contributions of the fat-free mass index and the body fat mass index. *Nutrition*, 19(7-8), 597-604.
- Lai, J. C., & Kruse, D. W. (2016). Assessing readiness for en pointe in young ballet dancers. *Pediatric annals*, 45(1), e21-e25.
- Laja García, A. I., Moráis-Moreno, C., Samaniego-Vaesken, M., Puga, A. M., Varela-Moreiras, G., & Partearroyo, T. (2019). Association between Hydration Status and Body Composition in Healthy Adolescents from Spain. *Nutrients*, 11(11), 2692.
- Lake, J. K., Power, C., & Cole, T. J. (1997). Child to adult body mass index in the 1958 British birth cohort: associations with parental obesity. *Archives of disease in childhood*, 77(5), 376-380.
- Larson-Meyer, D. E., & Willis, K. S. (2010). Vitamin D and athletes. *Current sports medicine reports*, 9(4), 220-226.
- Lichtenbelt, W. D. V. M., Fogelholm, M., Ottenheijm, R., & Westerterp, K. R. (1995). Physical activity, body composition and bone density in ballet dancers. *British journal of nutrition*, 74(4), 439-451.
- Limbers, C. A., Young, D., & Grimes, G. R. (2014). Dietary, physical activity, and sedentary behaviors associated with percent body fat in rural Hispanic youth. *Journal of Pediatric Health Care*, 28(1), 63-70.

- Liu, J., Yan, Y., Xi, B., Huang, G., Mi, J., & China Child and Adolescent Cardiovascular Health (CCACH) Study Group. (2019). Skeletal muscle reference for Chinese children and adolescents. *Journal of Cachexia, Sarcopenia and Muscle*, 10(1), 155-164.
- Loucks, A. B. (2004). Energy balance and body composition in sports and exercise. *Journal of sports sciences*, 22(1), 1-14.
- Lu, Y., Shu, H., Zheng, Y., Li, C., Liu, M., Chen, Z., & He, X. (2012). Comparison of fat-free mass index and fat mass index in Chinese adults. *European journal of clinical nutrition*, 66(9), 1004-1007.
- Maehara, M., Rah, J. H., Roshita, A., Suryantan, J., Rachmadewi, A., & Izwardy, D. (2019). Patterns and risk factors of double burden of malnutrition among adolescent girls and boys in Indonesia. *PloS one*, 14(8), e0221273.
- Massidda, M., Cugusi, L., Ibba, M., Tradori, I., & Calò, C. M. (2011). Energy expenditure during competitive Latin American dancing simulation. *Medical Problems of Performing Artists*, 26(4), 206-210.
- Mastin, Z. (2009). *Nutrition for the dancer*. Alton: Dance Books.
- McArdle, W., Katch, F., & Katch, V. (1991). Exercise physiology: energy, nutrition and human performance. Philadelphia: Lea and Fibiger.
- McCabe, M. P., & Ricciardelli, L. A. (2003). Body image and strategies to lose weight and increase muscle among boys and girls. *Health psychology*, 22(1), 39.
- McCabe, T. R., Ambegaonkar, J. P., Redding, E., & Wyon, M. (2014). Fit to dance survey : a comparison with dancesport injuries. *Medical Problems of Performing Artists*, 29(2), 102–110.
- Mihajlović, B., & Mijatov, S. (2003). Body composition analysis in ballet dancers. *Medicinski pregled*, 56(11-12), 579-583.
- Milla-Tobarra, M., García-Hermoso, A., Lahoz-García, N., Notario-Pacheco, B., Lucas-de la Cruz, L., Pozuelo-Carrascosa, D. P., ... & Martínez-Vizcaíno, V. (2016). The association between water intake, body composition and cardiometabolic factors among children: the Cuenca study. *Nutricion hospitalaria*, 33, 19-26.

- Mills, J. L., Shiono, P. H., Shapiro, L. R., Crawford, P. B., & Rhoads, G. G. (1986). Early growth predicts timing of puberty in boys: results of a 14-year nutrition and growth study. *The Journal of pediatrics*, 109(3), 543-547.
- Miranda, J. M., Anton, X., Redondo-Valbuena, C., Roca-Saavedra, P., Rodriguez, J. A., Lamas, A., ... & Cepeda, A. (2015). Egg and egg-derived foods: effects on human health and use as functional foods. *Nutrients*, 7(1), 706-729.
- Muckelbauer, R., Barbosa, C. L., Mittag, T., Burkhardt, K., Mikelaishvili, N., & Müller-Nordhorn, J. (2014). Association between water consumption and body weight outcomes in children and adolescents: a systematic review. *Obesity*, 22(12), 2462-2475.
- Müller, M. J., Mast, M., Asbeck, I., Langnäse, K. A., & Grund, A. (2001). Prevention of obesity—is it possible?. *Obesity reviews*, 2(1), 15-28.
- Nakao, T., & Komiya, S. (2003). Reference norms for a fat-free mass index and fat mass index in the Japanese child population. *Journal of physiological anthropology and applied human science*, 22(6), 293-298.
- Neumärker, K. J., Bettle, N., Neumärker, U., & Bettle, O. (2000). Age-and gender-related psychological characteristics of adolescent ballet dancers. *Psychopathology*, 33(3), 137-142.
- Nordin-Bates, S. M., Walker, I. J., & Redding, E. (2011). Correlates of disordered eating attitudes among male and female young talented dancers: Findings from the UK Centres for Advanced Training. *Eating disorders*, 19(3), 211-233.
- Novak, L. P., Magill, L. A., & Schutte, J. E. (1978). Maximal oxygen intake and body composition of female dancers. *European journal of applied physiology and occupational physiology*, 39(4), 277-282.
- O'Brien, G., & Davies, M. (2007). Nutrition knowledge and body mass index. *Health education research*, 22(4), 571-575.
- O'Brien, S. K., Malacova, E., Sherriff, J. L., & Black, L. J. (2017). The prevalence and predictors of dietary supplement use in the Australian population. *Nutrients*, 9(10), 1154.

- Oliveira, P. M. D., Silva, F. A. D., Oliveira, R. M. S., Mendes, L. L., Pereira Netto, M., & Cândido, A. P. C. (2016). Association between fat mass index and fat-free mass index values and cardiovascular risk in adolescents. *Revista Paulista de Pediatria*, 34(1), 30-37.
- O'Malley, M. J., Hamilton, W. G., Munyak, J., & DeFranco, M. J. (1996). Stress fractures at the base of the second metatarsal in ballet dancers. *Foot & ankle international*, 17(2), 89-94.
- Pacy, P., Khalouha, M., & Koutedakis, Y. (1996). Body composition, weight control and nutrition in dancers. *Dance Research*, 14(2), 93-105.
- Paffenbarger, R. S., & Olsen, E. (1996). *Lifefit: An effective exercise program for optimal health and a longer life*. Human Kinetics.
- Pan, A., Malik, V. S., Hao, T., Willett, W. C., Mozaffarian, D., & Hu, F. B. (2013). Changes in water and beverage intake and long-term weight changes: results from three prospective cohort studies. *International journal of obesity*, 37(10), 1378-1385.
- Parmenter, K., & Wardle, J. (1999). Development of a general nutrition knowledge questionnaire for adults. *European Journal Of Clinical Nutrition*, 53(4), 298-308. doi: 10.1038/sj.ejcn.1600726
- Patton, G. C., & Viner, R. (2007). Pubertal transitions in health. *The Lancet*, 369(9567), 1130-1139.
- Paxton, S. J., Eisenberg, M. E., & Neumark-Sztainer, D. (2006). Prospective predictors of body dissatisfaction in adolescent girls and boys: A five-year longitudinal study. *Developmental psychology*, 42(5), 888.
- Penyajian Pokok-Pokok Hasil Riset Kesehatan Dasar 2013. Retrieved 7 September 2020, from <http://kesga.kemkes.go.id/images/pedoman/Data%20Risikesdas%202013.pdf>
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 2 Tahun 2020. *Standar Antropometri Anak*. Kementerian Kesehatan Republik Indonesia.
- Pérez-Rodrigo, C., & Aranceta, J. (2001). School-based nutrition education: lessons learned and new perspectives. *Public Health Nutrition*, 4(1a), 131-139.

- Perlitz, H., Mensink, G., Lage Barbosa, C., Richter, A., Brettschneider, A. K., Lehmann, F., ... & Haftenberger, M. (2019). Use of vitamin and mineral supplements among adolescents living in Germany—Results from EsKiMo II. *Nutrients*, 11(6), 1208.
- Petrie, H. J., Stover, E. A., & Horswill, C. A. (2004). Nutritional concerns for the child and adolescent competitor. *Nutrition*, 20(7-8), 620-631.
- Phillips, S. M. (2014). A brief review of higher dietary protein diets in weight loss: a focus on athletes. *Sports medicine*, 44(2), 149-153.
- Pietrobelli, A., Boner, A. L., & Tato, L. (2005). Adipose tissue and metabolic effects: new insight into measurements. *International journal of obesity*, 29(2), S97-S100.
- Piran, N. (2015). New possibilities in the prevention of eating disorders: The introduction of positive body image measures. *Body Image*, 14, 146-157.
- Pokrajac-Buljan, A. (1998). Dissatisfaction with body and bulimic symptoms in the student population. *Društvena istraživanja: časopis za opća društvena pitanja*, 7(4-5 (36-37)), 581-601.
- Pongcharoen, T., Judprasong, K., Jitngarmkusol, S., Kriengsinyos, W., & Winichagoon, P. (2016). Body mass index is associated with fat mass in normal, overweight/obese, and stunted preschool children in central Thailand. *Asia Pacific journal of clinical nutrition*.
- Qin, C., Lv, J., Guo, Y., Bian, Z., Si, J., Yang, L., ... & Chen, J. (2018). Associations of egg consumption with cardiovascular disease in a cohort study of 0.5 million Chinese adults. *Heart*, 104(21), 1756-1763.
- Ramirez, K. A., & Wojcik, J. R. (2015). The physical fitness components and posture screening of female competitive dancers. *The Winthrop McNair Research Bulletin*, 1(1), 13.
- Reid, D. C. (1988). Prevention of hip and knee injuries in ballet dancers. *Sports Medicine*, 6(5), 295-307.
- Reinehr, T., Kersting, M., Chahda, C., & Andler, W. (2003). Nutritional knowledge of obese compared to non-obese children. *Nutrition Research*, 23(5), 645-649.

Riset Kesehatan Dasar (RISKESDAS) 2007. Retrieved 7 September 2020, from <http://kesga.kemkes.go.id/images/pedoman/Riskesdas%202007%20Nasional.pdf>.

Robson, B. E. (2002). Disordered eating in high school dance students: Some practical considerations.

Journal of Dance Medicine & Science, 6(1), 7-13.

Rodriguez, N., Di Marco, R., & Langley, S. (2009). Nutrition and Athletic Performance. *Medicine & Science In Sports & Exercise*, 41(3), 709-731. doi: 10.1249/mss.0b013e31890eb86

Saikali, C. J., Soubhia, C. S., Scalfaro, B. M., & Cordás, T. A. (2004). Imagem corporal nos transtornos alimentares. *Archives of Clinical Psychiatry (São Paulo)*, 31(4), 164-166.

Sarahtika, D. (2018). Where Do Ballerinas Go After Ballet School?. Retrieved 19 December 2019, from <https://jakartaglobe.id/culture/ballerinas-go-ballet-school/>

Scaglioni, S., Agostoni, C., De Notaris, R., Radaelli, G., Radice, N., Valenti, M., ... & Riva, E. (2000). Early macronutrient intake and overweight at five years of age. *International Journal of Obesity*, 24(6), 777-781.

Schubert, C. M., Rogers, N. L., Remsberg, K. E., Sun, S. S., Chumlea, W. C., Demerath, E. W., ... & Siervogel, R. M. (2006). Lipids, lipoproteins, lifestyle, adiposity and fat-free mass during middle age: the Fels Longitudinal Study. *International journal of obesity*, 30(2), 251-260.

Segovia-Siapco, G., Khayef, G., Pribis, P., Oda, K., Haddad, E., & Sabaté, J. (2020). Animal Protein Intake Is Associated with General Adiposity in Adolescents: The Teen Food and Development Study. *Nutrients*, 12(1), 110.

Simas, J. P. N., Macara, A., & Melo, S. I. L. (2014). Imagem corporal e sua relação com peso e índice de massa corporal em bailarinos profissionais. *Revista Brasileira de Medicina do Esporte*, 20(6), 433-437.

Smith, W. J., Underwood, L. E., & Clemons, D. R. (1995). Effects of caloric or protein restriction on insulin-like growth factor-I (IGF-I) and IGF-binding proteins in children and adults. *The Journal of Clinical Endocrinology & Metabolism*, 80(2), 443-449.

- Smolak, L., Murnen, S. K., & Ruble, A. E. (2000). Female athletes and eating problems: A meta-analysis. *International journal of eating disorders, 27*(4), 371-380.
- Snell, E. L. (1998). Some nutritional strategies for healthy weight management in adolescent ballet dancers. *Medical problems of performing artists, 13*, 117-119.
- Soltero, S. M., & Palacios, C. (2011). Association between dietary patterns and body composition in a group of Puerto Rican obese adults: a pilot study. *Puerto Rico health sciences journal, 30*(1), 22.
- Sousa, M., Carvalho, P., Moreira, P., & Teixeira, V. H. (2013). Nutrition and nutritional issues for dancers. *Med Probl Perform Art, 28*(3), 119-23.
- Spendlove, J. K., Heaney, S. E., Gifford, J. A., Prvan, T., Denyer, G. S., & O'Connor, H. T. (2012). Evaluation of general nutrition knowledge in elite Australian athletes. *British Journal of Nutrition, 107*(12), 1871-1880.
- Stewar, A. D., Benson, P. J., Michanikou, E. G., Tsiofa, D. G., & Narli, M. K. (2003). Body image perception, satisfaction and somatotype in male and female athletes and non-athletes: results using a novel morphing technique. *Journal of sports sciences, 21*(10), 815-823.
- Stokić, E., Srđić, B., & Barak, O. (2005). Body mass index, body fat mass and the occurrence of amenorrhea in ballet dancers. *Journal of Gynecological Endocrinology, 20*(4), 195-199.
- Striegel-Moore, R. H., & Kearney-Cooke, A. (1994). Exploring parents' attitudes and behaviors about their children's physical appearance. *International Journal of Eating Disorders, 15*(4), 377-385.
- Stunkard, A., Sorensen, T., & Schulsinger, F. (1983). Use of the Danish Adoption Register for the study of obesity and thinness. *Res. Publ. Assoc. Res. Nerv. Ment. Dis., 60*, 115-120.
- Subar, A., Thompson, F., Smith, A., Jobe, J., Ziegler, R., & Potischman, N. et al. (1995). Improving Food Frequency Questionnaires. *Journal Of The American Dietetic Association, 95*(7), 781-788. doi: 10.1016/s0002-8223(95)00217-0

- Sundgot-Borgen, J., & Garthe, I. (2011). Elite athletes in aesthetic and Olympic weight-class sports and the challenge of body weight and body compositions. *Journal of Sports Sciences*, 29(sup1), S101-S114.
- Swami, V., & Tovée, M. J. (2009). A comparison of actual-ideal weight discrepancy, body appreciation, and media influence between street-dancers and non-dancers. *Body Image*, 6(4), 304-307.
- Thakur, N., & D'Amico, F. (1999). Relationship of nutrition knowledge and obesity in adolescence. *Family medicine*, 31(2), 122.
- Tiggemann, M., & Slater, A. (2001). A test of objectification theory in former dancers and non-dancers. *Psychology of Women Quarterly*, 25(1), 57-64.
- To, W., Wong, M., & Lam, I. (2000). Hormonal predisposition to menstrual dysfunction in collegiate dance students. *Acta Obstetricia Et Gynecologica Scandinavica*, 79(12), 1117-1123. doi: 10.3109/00016340009169274
- Triches, R. M., & Giugiani, E. R. J. (2005). Obesity, eating habits and nutritional knowledge among school children. *Revista de saúde pública*, 39, 541-547.
- Tse, W. Y., Hindmarsh, P. C., & Brook, C. G. D. (1989). The infancy-childhood-puberty model of growth: Clinical aspects. *Acta Paediatrica*, 78, 38-43.
- Tucker, K. L., Martz, D. M., Curtin, L. A., & Bazzini, D. G. (2007). Examining "fat talk" experimentally in a female dyad: How are women influenced by another woman's body presentation style?. *Body Image*, 4(2), 157-164.
- Twitchett, E. (2008). Body composition and ballet injuries: a preliminary study. *Medical Problems of Performing Artists*, 23(3), 93-98.
- Twitchett, E., Angioi, M., Koutedakis, Y., & Wyon, M. (2010). The demands of a working day among female professional ballet dancers. *Journal of dance medicine & science*, 14(4), 127-132.
- Twitchett, E. A., Koutedakis, Y., & Wyon, M. A. (2009). Physiological fitness and professional classical ballet performance: a brief review. *The Journal of Strength & Conditioning Research*, 23(9), 2732-2740.

Understanding Your Measurements. Retrieved 31 May 2020, from

<https://www.tanita.com/en/understanding-your-measurements/>

Vadasova, B., Cech, P., Smerecka, V., Junger, J., Zvonar, M., & Ruzbarsky, P. (2016). Overweight and obesity in Slovak high school students and body composition indicators: a non-randomized cross-sectional study. *BMC public health, 16*(1), 808.

Vadiveloo, M., Dixon, L. B., Mijanovich, T., Elbel, B., & Parekh, N. (2015). Dietary variety is inversely associated with body adiposity among US adults using a novel food diversity index. *The Journal of nutrition, 145*(3), 555-563.

Vaisman, N., Voet, H., Akivis, A., & Sive-Ner, I. (1996). Weight perception of adolescent dancing school students. *Archives of pediatrics & adolescent medicine, 150*(2), 187-190.

Vaisman, N., Zadik, Z., Akivias, A., Voet, H., Katz, I., Yair, S., & Ashkenazi, A. (1994). Changes in body composition, resting energy expenditure, and thermic effect of food in short children on growth hormone therapy. *Metabolism, 43*(12), 1543-1548.

Vitzthum, K., Endres, E., Koch, F., Groneberg, D. A., Quarcoo, D., Wanke, E., & Mache, S. (2013). Eating behavior and nutrition knowledge among musical theatre students. *Medical Problems of Performing Artists, 28*(1), 19-23.

Vinci, D. M. (1998). Effective nutrition support programs for college athletes. *International Journal of Sport Nutrition and Exercise Metabolism, 8*(3), 308-320.

Virtanen, J. K., Mursu, J., Virtanen, H. E., Fogelholm, M., Salonen, J. T., Koskinen, T. T., ... & Tuomainen, T. P. (2016). Associations of egg and cholesterol intakes with carotid intima-media thickness and risk of incident coronary artery disease according to apolipoprotein E phenotype in men: the Kuopio Ischaemic Heart Disease Risk Factor Study. *The American Journal of Clinical Nutrition, 103*(3), 895-901.

Vivarelli, C., Chiarandini, G., Zadro, I., Antonutto, G., & Tuniz, D. (2008). Estimated energy expenditure in elderly subjects during ballroom dancing. *Med Sport, 61*, 429-442.

- Voortman, T., van den Hooven, E. H., Tielemans, M. J., Hofman, A., Kieft-de Jong, J. C., Jaddoe, V. W., & Franco, O. H. (2016). Protein intake in early childhood and cardiometabolic health at school age: the Generation R Study. *European journal of nutrition*, 55(6), 2117-2127.
- Wabitsch, M., Hauner, H., Heinze, E., & Teller, W. M. (1995). The role of growth hormone/insulin-like growth factors in adipocyte differentiation. *Metabolism*, 44, 45-49.
- Wagner, H. S., Ahlstrom, B., Redden, J. P., Vickers, Z., & Mann, T. (2014). The myth of comfort food. *Health Psychology*, 33(12), 1552.
- Wahlqvist, M. L., & Hsu-Hage, B. (1996). Food variety of adult Melbourne Chinese: A case study of a population in transition. *Dietary patterns of selected countries, tea and coffee: metabolic consequences. World review of nutrition and dietetics*, 79.
- Waluya, A. *Perubahan konsumsi pangan pada mahasiswa peserta program pemberian makanan tambahan di IPB*. Retrieved 11 August 2020, from <https://adoc.tips/perubahan-konsumsi-pangan-pada-mahasiswa-peserta-program-pem.html>.
- Wang, Y. (2002). Is obesity associated with early sexual maturation? A comparison of the association in American boys versus girls. *Pediatrics*, 110(5), 903-910.
- Whitaker, R. C., Wright, J. A., Pepe, M. S., Seidel, K. D., & Dietz, W. H. (1997). Predicting obesity in young adulthood from childhood and parental obesity. *New England journal of medicine*, 337(13), 869-873.
- Whiting, S. J. (2002). Obesity is not protective for bones in childhood and adolescence. *Nutrition reviews*, 60(1), 27.
- Wiita, B. G., & Stombaugh, I. A. (1996). Nutrition knowledge, eating practices, and health of adolescent female runners: a 3-year longitudinal study. *International Journal of Sport Nutrition and Exercise Metabolism*, 6(4), 414-425.
- Wilborn, C. D., Taylor, L. W., Outlaw, J., Williams, L., Campbell, B., Foster, C. A., ... & Hayward, S. (2013). The effects of pre-and post-exercise whey vs. casein protein consumption on body

composition and performance measures in collegiate female athletes. *Journal of sports science & medicine*, 12(1), 74.

Winpenny, E. M., Penney, T. L., Corder, K., White, M., & van Sluijs, E. M. F. (2017). Changes in consumption of added sugars from age 13 to 30 years: a systematic review and meta-analysis of longitudinal studies. *Obesity Reviews*, 18(11), 1336-1349.

Witkoś, J., & Wróbel, P. (2019). Menstrual disorders in amateur dancers. *BMC women's health*, 19(1), 1-6.

Wright, L., & Colin, C. (2020). The Role of Nutrition in Injury Prevention Among Ballet Dancers. In *Perspectives in Performing Arts Medicine Practice* (pp. 311-319). Springer, Cham.

Wolf, A., Marx, K., & Ulrich, U. (1997). Athletic Amenorrhea. *Annals Of The New York Academy Of Sciences*, 816, 295-304. doi: 10.1111/j.1749-6632.1997.tb52154.x

World Health Organization. (2008). Worldwide prevalence of anaemia 1993-2005: WHO global database on anaemia.

Wyon, M., Hutchings, K., Wells, A., & Nevill, A. (2014). Body Mass Index, Nutritional Knowledge, and Eating Behaviors in Elite Student and Professional Ballet Dancers. *Clinical Journal Of Sport Medicine*, 24(5), 390-396. doi: 10.1097/jsm.0000000000000054

Yannakoulia, M., Sitara, M., & Matalas, A. L. (2002). Reported eating behavior and attitudes improvement after a nutrition intervention program in a group of young female dancers. *International journal of sport nutrition and exercise metabolism*, 12(1), 24-32.

Young-Hyman, D., Herman, L. J., Scott, D. L., & Schlundt, D. G. (2000). Care giver perception of children's obesity-related health risk: a study of African American families. *Obesity research*, 8(3), 241-248.

Zabala, A. (2006). The Relationship Between Female Adolescent Dancer's Eating Behaviors and the Nutritional Knowledge and Attitudes of their Parents.Unpublished manuscript. University of Cincinnati.

- Zawila, L. G., Steib, C. S. M., & Hoogenboom, B. (2003). The female collegiate cross-country runner: nutritional knowledge and attitudes. *Journal of athletic training*, 38(1), 67.
- Zikan, F. E. (2019). Self-reported distortion of body image among classical ballet students in Brazil: classification according to the Body Shape Questionnaire. *Fisioterapia Brasil*, 19(6), 821-829.
- Zoletić, E., & Duraković-Belko, E. (2009). Body image distortion, perfectionism and eating disorder symptoms in risk group of female ballet dancers and models and in control group of female students. *Psychiatria Danubina*, 21(3), 302-309.