

REFERENCES

- Abdel-Aziz, S., Aeron, A., & Kahil, T. (2016). Health Benefits and Possible Risks of Herbal Medicine. *Microbes in Food and Health*, 97-116. doi: 10.1007/978-3-319-25277-3_6
- Abukakar, M., Ukwuani, A., & Shehu, R. (2008). Phytochemical Screening and Antibacterial Activity of *Tamarindus Indica* Pulp Extract. *Asian Journal of Biochemistry*, 3(2), 134-138. doi: 10.3923/ajb.2008.134.138
- Ahmad, B., Serpell, C., Fong, I., & Wong, E. (2020). Molecular Mechanisms of Adipogenesis: The Anti-adipogenic Role of AMP-Activated Protein Kinase. *Frontiers in Molecular Biosciences*, 7. doi: 10.3389/fmolb.2020.00076
- Balusamy, S., Veerappan, K., Ranjan, A., Kim, Y., Chellappan, D., & Dua, K. et al. (2019). *Phyllanthus emblica* Fruit Extract Attenuates Lipid Metabolism in 3T3-L1 Adipocytes via Activating Apoptosis Mediated Cell Death. *Phytomedicine*, 66, 153129. doi: 10.1016/j.phymed.2019.153129
- Bhadoria, A., Sahoo, K., Sahoo, B., Choudhury, A., Sofi, N., & Kumar, R. (2015). Childhood Obesity: Causes and Consequences. *Journal of Family Medicine and Primary Care*, 4(2), 187. doi: 10.4103/2249-4863.154628
- Bhutkar, M., Bhinge, S., Randive, D., & Wadkar, G. (2017). Hypoglycemic Effects of *Berberis aristata* and *Tamarindus indica* Extracts In Vitro. *Bulletin of Faculty of Pharmacy, Cairo University*, 55(1), 91-94. doi: 10.1016/j.bfopcu.2016.09.001
- Chamchoy, K., Pakotiprapha, D., Pumirat, P., Leartsakulpanich, U., & Boonyuen, U. (2019). Application of WST-8 based Colorimetric NAD(P)H Detection for Quantitative Dehydrogenase Assays. *BMC Biochemistry*, 20(4). doi: 10.1186/s12858-019-0108-1

- Chen, X., & Thibeault, S. (2013). Effect of DMSO Concentration, Cell Density and Needle Gauge on the Viability of Cryopreserved Cells in Three Dimensional Hyaluronan Hydrogel. *2013 35th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*. doi: 10.1109/embc.2013.6610976
- Do, Q., Angkawijaya, A., Tran-Nguyen, P., Huynh, L., Soetaredjo, F., Ismadji, S., & Ju, Y. (2014). Effect of Extraction Solvent on Total Phenol Content, Total Flavonoid Content, and Antioxidant Activity of *Limnophila Aromatica*. *Journal of Food and Drug Analysis*, 22(3), 296-302. doi: 10.1016/j.jfda.2013.11.001
- El-Siddig, K., 2006. Tamarind. Southampton: Internat. Centre for Underutilised Crops, Univ. of Southampton, 26-40.
- Gomathi, A., Xavier Rajarathinam, S., Mohammed Sadiq, A., & Rajeshkumar, S. (2019). Anticancer Activity of Silver Nanoparticles Synthesized using Aqueous Fruit Shell Extract of *Tamarindus indica* on MCF-7 Human Breast Cancer Cell Line. *Journal of Drug Delivery Science and Technology*, 55, 101376. doi: 10.1016/j.jddst.2019.101376
- Harbuwono, D., Pramono, L., Yunir, E., & Subekti, I. (2018). Obesity and Central Obesity in Indonesia: Evidence from a National Health Survey. *Medical Journal of Indonesia*, 27(2), 114-20. doi: 10.13181/mji.v27i2.1512
- Havinga, R., Hartl, A., Putscher, J., Prehsler, S., Buchmann, C., & Vogl, C. (2010). *Tamarindus indica* L. (Fabaceae): Patterns of Use in Traditional African Medicine. *Journal of Ethnopharmacology*, 127(3), 573-588. doi: 10.1016/j.jep.2009.11.028
- Ji, S., Doumit, M., & Hill, R. (2015). Correction: Regulation of Adipogenesis and Key Adipogenic Gene Expression by 1, 25-Dihydroxyvitamin D in 3T3-L1 Cells. *PLoS One*, 10(7), e0134199. doi: 10.1371/journal.pone.0134199

- Komakech, R., Kim, Y., Matsabisa, G., & Kang, Y. (2019). Anti-inflammatory and Analgesic Potential of *Tamarindus indica* Linn. (Fabaceae): A Narrative Review. *Integrative Medicine Research*, 8(3), 181-186. doi: 10.1016/j.imr.2019.07.002
- Kraus, N., Ehebauer, F., Zapp, B., Rudolphi, B., Kraus, B., & Kraus, D. (2016). Quantitative Assessment of Adipocyte Differentiation in Cell Culture. *Adipocyte*, 5(4), 351-358. doi: 10.1080/21623945.2016.1240137
- Lahrita, L., Kato, E., & Kawabata, J. (2015). Uncovering Potential of Indonesian Medicinal Plants on Glucose Uptake Enhancement and Lipid Suppression in 3T3-L1 Adipocytes. *Journal of Ethnopharmacology*, 168, 229-236. doi: 10.1016/j.jep.2015.03.082
- Levy, A. (2020). Correlation between In-vitro and In-vivo Studies based on Pharmacokinetic Considerations. *American Journal of Biomedical Science & Research*, 8(1), 48-50. doi: 10.34297/ajbsr.2020.08.001236
- Li, Y., Rong, Y., Bao, L., Nie, B., Ren, G., & Zheng, C. et al. (2017). Suppression of Adipocyte Differentiation and Lipid Accumulation by Stearidonic Acid (SDA) in 3T3-L1 cells. *Lipids in Health and Disease*, 16(1). doi: 10.1186/s12944-017-0574-7
- Maiti, R., Jana, D., Das, U., & Ghosh, D. (2004). Antidiabetic Effect of Aqueous Extract of Seed of *Tamarindus Indica* in Streptozotocin-induced Diabetic Rats. *Journal of Ethnopharmacology*, 92(1), 85-91. doi: 10.1016/j.jep.2004.02.002
- Martinello, F., Soares, S., Franco, J., Santos, A., Sugohara, A., & Garcia, S. et al. (2006). Hypolipemic and Antioxidant Activities from *Tamarindus indica* L. Pulp Fruit Extract in Hypercholesterolemic Hamsters. *Food and Chemical Toxicology*, 44(6), 810-818. doi: 10.1016/j.fct.2005.10.011

- Mathur, R., & Velpandian, T. (2009). Medicinal Plant-based Health Products: Where is the Medicinal Constituent?. *Indian Journal of Pharmacology*, 41(4), 205. doi: 10.4103/0253-7613.56063
- Melia, A., Zhi, J., Zelasko, R., Hartmann, D., Güzelhan, C., Guerciolini, R., & Odink, J. (1998). The Interaction of the Lipase Inhibitor Orlistat with Ethanol in Healthy Volunteers. *European Journal of Clinical Pharmacology*, 54(9-10), 773-777. doi: 10.1007/s002280050550
- Morrison, S., & McGee, S. (2015). 3T3-L1 Adipocytes Display Phenotypic Characteristics of Multiple Adipocyte Lineages. *Adipocyte*, 4(4), 295-302. doi: 10.1080/21623945.2015.1040612
- Nair, A., & Jacob, S. (2016). A Simple Practice Guide for Dose Conversion Between Animals and Human. *Journal of Basic and Clinical Pharmacy*, 7(2), 27. doi: 10.4103/0976-0105.177703
- Obesity and Overweight. (2018). Retrieved 9 January 2020, from <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
- Pribadi, E. R. (2015). Pasokan dan Permintaan Tanaman Obat Indonesia serta Arah Penelitian dan Pengembangannya. *Perspektif*, 8(1), 52-64.
- Putri, C. R. (2014). Potensi dan Pemanfaatan *Tamarindus indica* dalam Berbagai Terapi. *Jurnal Ilmiah Kedokteran*, 3(2), 40-54.
- Rey-López, J., Vicente-Rodríguez, G., Biosca, M., & Moreno, L. (2008). Sedentary Behaviour and Obesity Development in Children and Adolescents. *Nutrition, Metabolism and Cardiovascular Diseases*, 18(3), 242-251. doi: 10.1016/j.numecd.2007.07.008
- Rizzatti, V., Boschi, F., Pedrotti, M., Zoico, E., Sbarbati, A., & Zamboni, M. (2013). Lipid Droplets Characterization in Adipocyte Differentiated 3T3-L1 Cells: Size and Optical Density Distribution. *European Journal of Histochemistry*, 57(3), e24. doi: 10.4081/ejh.2013.e24

- Ruiz-Ojeda, F., Rupérez, A., Gomez-Llorente, C., Gil, A., & Aguilera, C. (2016). Cell Models and Their Application for Studying Adipogenic Differentiation in Relation to Obesity: A Review. *International Journal of Molecular Sciences*, 17(7), 1040. doi: 10.3390/ijms17071040
- Saideswara Rao, Y., & Mary Mathew, K. (2012). Tamarind. *Handbook of Herbs and Spices*, 512-533. doi: 10.1533/9780857095688.512
- Santos, D., Saraiva, J., Vicente, A., & Moldão-Martins, M. (2019). Methods for Determining Bioavailability and Bioaccessibility of Bioactive Compounds and Nutrients. *Innovative Thermal and Non-Thermal Processing, Bioaccessibility and Bioavailability of Nutrients and Bioactive Compounds*, 23-54. doi: 10.1016/b978-0-12-814174-8.00002-0
- Sen, J., Mondal, N., & Dutta, S. (2013). Factors Affecting Overweight and Obesity Among Urban Adults: A Cross-sectional Study. *Epidemiology Biostatistics and Public Health*, 10(1). doi: 10.2427/8741
- Srinivas, G., & Kumar R., R. (2018). Phytochemical Characterization and Enhanced Glucose Uptake Activities of the Ethanol Extract Isolated from the Bark of *Tamarindus Indica Linn*. *European Journal of Biomedical and Pharmaceutical Sciences*, 5(1), 444-450.
- Tang, Q., Otto, T., & Lane, M. (2003). CCAAT/Enhancer-Binding Protein β is Required for Mitotic Clonal Expansion During Adipogenesis. *Proceedings of The National Academy of Sciences*, 100(3), 850-855. doi: 10.1073/pnas.0337434100
- Turner, P., Tang, Y., Weiss, S., & Janorkar, A. (2015). Three-Dimensional Spheroid Cell Model of *In-vitro* Adipocyte Inflammation. *Tissue Engineering Part A*, 21(11-12), 1837-1847. doi: 10.1089/ten.tea.2014.0531

- Ukwuani, A., Abukakar, M., Shehu, R., & Hassan, L. (2008). Anti-obesity Effects of Pulp Extract *Tamarindus indica* in Albino Rat. *Asian Journal of Biochemistry*, 3(4), 221-227. doi: 10.3923/ajb.2008.221.227
- Utami, N. W. F., & Krisnandika, A. A. K. (2016). Pendekatan Fisik dan Ekologis Penggunaan Pohon Asam Jawa Sebagai Tanaman Tepi Jalan di Sekeliling Trotoar Lapangan Puputan Badung, Denpasar. *Jurnal Arsitektur Lansekap*, 177-186.
- Vasanth Rao, V., Candasamy, M., & Bhattamisra, S. (2019). Obesity an Overview: Genetic Conditions and Recent Developments in Therapeutic Interventions. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 13(3), 2112-2120. doi: 10.1016/j.dsx.2019.05.004
- Wang, J., Zhou, M., Wu, T., Fang, L., Liu, C., & Min, W. (2020). Novel Anti-obesity Peptide (RLLPH) Derived from Hazelnut (*Corylus heterophylla* Fisch) Protein Hydrolysates Inhibits Adipogenesis in 3T3-L1 Adipocytes by Regulating Adipogenic Transcription Factors and Adenosine Monophosphate-activated Protein Kinase (AMPK) Activation. *Journal of Bioscience and Bioengineering*, 129(3), 259-268. doi: 10.1016/j.jbiosc.2019.09.012
- Wolins, N., Quaynor, B., Skinner, J., Tzekov, A., Park, C., Choi, K., & Bickel, P. (2005). OP9 Mouse Stromal Cells Rapidly Differentiate into Adipocytes: Characterization of a Useful New Model of Adipogenesis. *Journal of Lipid Research*, 47(2), 450-460. doi: 10.1194/jlr.d500037-jlr200
- Yahia, E., & Salih, N. (2011). Tamarind (*Tamarindus indica* L.). *Postharvest Biology and Technology of Tropical and Subtropical Fruits*, 442-458e. doi: 10.1533/9780857092618.442