

References

- Abakpa, G., Umoh, V., Ameh, J., Yakubu, S., Kwaga, J., & Ibekwe, A. (2015). Occurrence of Enteric Pathogens on Fresh Produce Grown on Irrigated Soils. *British Microbiology Research Journal*, 6(1), 13–23.
- Al-Hadrawi, H. A. N., Al-Harmoosh, R. A., & Al-Fatlawy, H. N. K. (2019). Detection of Some Virulence Factors of Clinical *V. cholerae* isolates in Najaf/Iraq. *Journal of Pharmaceutical Sciences and Research*, 11(2), 375-379.
- Ali, M., Nelson, A. R., Lopez, A. L., & Sack, D. A. (2015). Updated Global Burden of Cholera in Endemic Countries. *PLOS Neglected Tropical Diseases*, 9(6).
- Atlas, R. M. (2010). *Handbook of microbiological media* (4th ed.). ASM Press.
- Baron, S., Chevalier, S., & Lesne, J. (2007). *Vibrio cholerae* in The Environment: A Simple Method for Reliable Identification of the Species. *Journal of Health, Population, and Nutrition*, 25(3), 312.
- Beveridge, T. (2001). Use of the Gram stain in Microbiology. *Biotechnic & Histochemistry*, 76(3), 111–118.
- [BioMérieux API20E Identification System for *Enterobacteriaceae* and Other Non-Fastidious Gram Negative Rods]. Retrieved March 17, 2021, from <http://biomanufacturing.org/uploads/files/587872707301898351-api20einstructions.pdf>
- Bonatti, H. J., Stauffer, J., Turan, N., Goegele, H., Sifri, C. D., Martin, K., Hinder, R., & Nguyen, J. H. (2010). Liver Abscess due to *Eikenella corrodens*, *Prevotella meloninogenica*, and *Lactobacillus spp.* following Pancreatoduodenectomy: Case Report and Review of The Literature. *European Surgery*, 42(1), 58–64.
- Bover-Cid, S., Hugas, M., Izquierdo-Pulido, M., & Vidal-Carou, M. C. (2001). Amino Acid-Decarboxylase Activity of Bacteria Isolated from Fermented Pork Sausages. *International Journal of Food Microbiology*, 66(3), 185–189.
- [BPOM. 2009. Peraturan Kepala Badan Pengawas Obat dan Makanan RI Nomor HK. 00. 06. 1. 52. 4011 tentang Penetapan Batas Maksimum Cemaran Mikroba dan Kimia dalam Makanan] (2009, October 28). Retrieved January 27, 2021, from

https://codexindonesia.bsn.go.id/uploads/download/Regulasi%20Pangan%20BPOM%20No%20HK.0_0.06.1.52.4011.pdf

[BPOM. 2016. Sentra Informasi Keracunan Nasional (SIKER)] (2016). Retrieved February 3, 2021, from

<http://ik.pom.go.id/v2016/>

Brown, A., & Smith, H. (2015). *Microbiological Application* (13th ed., Laboratory Manual in General Microbiology). New York City, New York: McGraw Hill Education.

Brown, A. C. (2007). Part III: Foods. In *Understanding food: principles and preparation* (3rd ed., pp. 180–183). essay, Thomson/Wadsworth.

Bruto, M., James, A., Petton, B., Labreuche, Y., Chenivesse, S., Alunno-Bruscia, M., ... & Le Roux, F. (2017). *Vibrio Crassostreae*, a Benign Oyster Colonizer Turned into a Pathogen After Plasmid Acquisition. *The ISME journal*, 11(4), 1043-1052.

Cappuccino, J. G., & Welsh, C. (2020). *Microbiology a laboratory manual* (9th ed., Microbiology: A Laboratory Manual). Upper Saddle River, New Jersey: Pearson.

Castro-Rosas, J., & Escartin, E. F. (2005). Increased Tolerance of *Vibrio cholerae* O1 to Temperature, pH, or Drying Associated with Colonization of Shrimp Carapaces. *International Journal of Food Microbiology*, 102(2), 195-201.

[CDC Laboratory Methods for the Diagnosis of *Vibrio cholerae* Chapter 6]. Retrieved February 17, 2021, from
<https://www.cdc.gov/cholera/pdf/laboratory-methods-for-the-diagnosis-of-vibrio-cholerae-chapter-6.pdf>

Chen, W.-D., Lai, L.-J., Hsu, W.-H., & Huang, T.-Y. (2019). *Vibrio cholerae* Non-O1 - The First Reported Case of Keratitis in a Healthy Patient. *BMC Infectious Diseases*, 19(1).

Chitov, T., Kirikaew, P., Yungyune, P., Ruengprapan, N., & Sontikun, K. (2008). An Incidence of Large Foodborne Outbreak Associated with *Vibrio mimicus*. *European Journal of Clinical Microbiology & Infectious Diseases*, 28(4), 421–424.

Choopun, N., Louis, V., Huq, A., & Colwell, R. R. (2002). Simple Procedure for Rapid Identification of *Vibrio cholerae* from The Aquatic Environment. *Applied and Environmental Microbiology*, 68(2), 995–998.

- Ciftci Turetken, P. S., Cardak, M., & Zeki, S. (2016). Bacteriological Studies of The Sea of Marmara. *The Sea of Marmara*, 307–325.
- Cranford, P. J., Ward, J. E., & Shumway, S. E. (2011). Bivalve Filter Feeding: Variability and Limits of the Aquaculture Biofilter. *Shellfish Aquaculture and the Environment*, 81-124.
- Dame, R. F. (2012). Organismic Scale Processes. In *Ecology of marine bivalves: an ecosystem approach* (2nd ed., Ser. Marine science, 34, pp. 66–67). essay, CRC Press.
- Deen, J., Mengel, M. A., & Clemens, J. D. (2019). Epidemiology of Cholera. *Vaccine*, 38(1), A31-A40.
- Devi, A. R., Susilowati, A., & Setya Ningsih, R. (2019). Enumeration and Pathogenic of *Vibrio* in Cockle (*Anadara granosa*) In Bantul Yogyakarta. *Prosiding Seminar Nasional*, 5(2), 357-361.
- Destoumieux-Garzón, D., Canesi, L., Oyanedel, D., Travers, M., Charrière, G. M., Pruzzo, C., & Vezzulli, L. (2020). *Vibrio*-Bivalve Interactions in Health and Disease. *Environmental Microbiology*.
- Dias, G. M., Bidault, A., Le Chevalier, P., Choquet, G., Der Sarkissian, C., Orlando, L., ... & Paillard, C. (2018). *Vibrio tapetis* Displays an Original Type IV Secretion System in Strains Pathogenic for Bivalve Molluscs. *Frontiers in Microbiology*, 9, 227.
- Dua, P., Karmakar, A., Dutta, K., & Ghosh, C. (2017). A Simple Procedure for Isolation, Identification and Characterization of *Vibrio Cholerae* from Clinical Samples. *International Journal of Pharma and Bio Sciences*, 8(4).
- Dutta, D., Chowdhury, G., Pazhani, G. P., Guin, S., Dutta, S., Ghosh, S., Rajendran, K., Nandy, R. K., Mukhopadhyay, A. K., Bhattacharya, M. K., Mitra, U., Takeda, Y., Nair, G. B., & Ramamurthy, T. (2013). *Vibrio cholerae* Non-O1, Non-O139 Serogroups and Cholera-like Diarrhea, Kolkata, India. *Emerging Infectious Diseases*, 19(3), 464–467.
- Ekawati, E. R., & Yusmiati, S. N. H. (2018). Detection of *Salmonella* sp., *Vibrio* sp. and Total Plate Count Bacteria on Blood Cockle (*Anadara granosa*). In *IOP conference series: earth and environmental science* (Vol. 102, No. 1, p. 012086). IOP Publishing.
- Enoch, D. A., Birkett, C. I., & Ludlam, H. A. (2007). Non-fermentative Gram-negative Bacteria. *International Journal of Antimicrobial Agents*, 29, S33–S41.

- Faruque, S. M., Albert, M. J., & Mekalanos, J. J. (1998). Epidemiology, Genetics, and Ecology of Toxigenic *Vibrio cholerae*. *Microbiology and Molecular Biology Reviews*, 62(4), 1301-1314.
- Farag, M. A., Abib, B., Tawfik, S., Shafik, N., & Khattab, A. R. (2021). Caviar and Fish Roe Substitutes: Current Status of Their Nutritive Value, Biochemical Diversity, Authenticity and Quality Control Methods with Future Perspectives. *Trends in Food Science & Technology*, 110, 405–417.
- Farmer, J., III, Michael Janda, J., Brenner, F.W., Cameron, D.N. and Birkhead, K.M. (2015). *Vibrio* . In *Bergey's Manual® of Systematic Bacteriology: Volume Two The Proteobacteria Part B The Gammaproteobacteria* (eds M.E. Trujillo, S. Dedysh, P. DeVos, B. Hedlund, P. Kämpfer, F.A. Rainey and W.B. Whitman). (pp. 1–79). essay, Springer.
- Froelich, B., & Oliver, J. D. (2013). The Interactions of *Vibrio Vulnificus* and The Oyster *Crassostrea virginica*. *Microbial ecology*, 65(4), 807-816.
- Granata, L. A., Flick, G. J., & Martin, R. E. (2012). *The Seafood Industry Species, Products, Processing and Safety*. Wiley-Blackwell.
- Hameed, A., Muhammad, F., Muhammad, A. A., Shafi, M., & Sultana, R. (2018). Short Communication: Morphological and Structural Characterization of Blood cells of Anadara antiquata. *Iranian Journal of Fisheries Science*, 17(3), 613–619.
- Holmes, B., Willcox, W. R., & Lapage, S. P. (1978). Identification of Enterobacteriaceae by the API 20E System. *Journal of Clinical Pathology*, 31(1), 22–30.
- Hemraj, V., Diksha, S., & Avneet, G. (2013). A Review On Commonly Used Biochemical Tests for Identification of Bacteria. *Innovare Journal of Life Sciences*, 1(1), 1-7.
- Huq, A., Haley, B. J., Taviani, E., Chen, A., Hasan, N. A., & Colwell, R. R. (2012). Detection, Isolation, and Identification of *Vibrio cholerae* from The Environment. *Current Protocols in Microbiology*, 26(1), 6A-5.
- Hounmanou, Y. M., Mdegela, R. H., Dougnon, T. V., Mhongole, O. J., Mayila, E. S., Malakalinga, J., Makingi, G., & Dalsgaard, A. (2016). Toxigenic *Vibrio cholerae* O1 in Vegetables and Fish Raised in Wastewater

- Irrigated Fields and Stabilization Ponds During a Non-Cholera Outbreak Period in Morogoro, Tanzania: An Environmental Health Study. *BMC Research Notes*, 9(1), 1–8.
- Ihsan, B., & Retnaningrum, E. (2017). Isolasi dan Identifikasi Bakteri *Vibrio sp.* pada Kerang Kapah (*Meretrix meretrix*) di Kabupaten Trenggalek. *Jurnal Harpodon Borneo*, 10(1).
- Iwamoto, M., Ayers, T., Mahon, B. E., & Swerdlow, D. L. (2010). Epidemiology of Seafood-Associated Infections in the United States. *Clinical Microbiology Reviews*, 23(2), 399–411.
- Johnston, M. D., & Brown, M. H. (2002). An Investigation into The Changed Physiological State of *Vibrio* Bacteria as A Survival Mechanism in Response to Cold Temperatures and Studies on Their Sensitivity to Heating and Freezing. *Journal of Applied Microbiology*, 92(6), 1066-1077.
- Kartika, S., & Mu, Y. (2014). A Study on Indonesian Mollusc Fishery and Its Prospect for Economy. *International Journal of Marine Science*, 4.
- Keast, A., & Riley, T. V. (1997). Identification of *Vibrio spp.* with The String test. *Letters in Applied Microbiology*, 25(2), 106-108
- Khandaker, N., & Rashid, S. (2018). Latent Heat from Rice Cooking to Disinfect Drinking Water. *WEENTECH Proceedings in Energy*, 4(2), 35–42.
- Khalil, M., Yasin, Z., & Hwai, T. S. (2017). Reproductive biology of blood cockle *Anadara granosa* (Bivalvia: Arcidae) in the northern region of the Strait of Malacca. *Ocean Science Journal*, 52(1), 75–89.
- Kim, S. H., Price, R. J., Morrissey, M. T., Field, K. G., Wei, C. I., & An, H. (2002). Occurrence of Histamine-Forming Bacteria in Albacore and Histamine Accumulation in Muscle at Ambient Temperature. *Journal of Food Science*, 67(4), 1515–1521.
- Kitaoka, M., Miyata, S. T., Unterweger, D., & Pukatzki, S. (2011). Antibiotic Resistance Mechanisms of *Vibrio Cholerae*. *Journal of Medical Microbiology*, 60(4), 397–407.
- Kohn, J. (1953). A Preliminary Report of A New Gelatin Liquefaction Method. *Journal of Clinical Pathology*, 6(3), 249.
- King, H. (2020). *Food safety management systems: achieving active managerial control of foodborne illness risk factors in a retail foodservice business*. Springer.

- Ladero, M., Santos, A., García, J., & García-Ochoa, F. (2001). Activity Over Lactose and ONPG of a Genetically Engineered β -galactosidase from *Escherichia coli* in Solution and Immobilized: Kinetic Modelling. *Enzyme and Microbial Technology*, 29(2-3), 181–193.
- Lee, H., & Yoon, Y. (2021). Etiological Agents Implicated in Foodborne Illness World Wide. *Food Science of Animal Resources*, 41(1), 1–7.
- Lee, Y., Choi, Y., Lee, S., Lee, H., Kim, S., Ha, J., Lee, J., Oh, H., Kim, Y., & Yoon, Y. (2019). Occurrence of pathogenic *Vibrio Parahaemolyticus* in Seafood distribution channels and their antibiotic Resistance profiles in S. Korea. *Letters in Applied Microbiology*, 68(2), 128–133.
- Le Roux, F., Wegner, K. M., & Polz, M. F. (2016). Oysters and *Vibrio* as A Model for Disease Dynamics in Wild Animals. *Trends in Microbiology*, 24(7), 568-580.
- Lesmana, M., Subekti, D. S., Tjaniadi, P., Simanjuntak, C. H., Punjabi, N. H., Campbell, J. R., & Oyofo, B. A. (2002). Spectrum of *Vibrio* Species Associated with Acute Diarrhea in North Jakarta, Indonesia. *Diagnostic Microbiology and Infectious Disease*, 43(2), 91-97.
- Lesmana, M., Subekti, D., Simanjuntak, C. H., Tjaniadi, P., Campbell, J. R., & Oyofo, B. A. (2001). *Vibrio parahaemolyticus* Associated with Cholera-like Diarrhea among Patients in North Jakarta, Indonesia. *Diagnostic Microbiology and Infectious Disease*, 39(2), 71–75.
- Luu, P. H., Davies, B., & Dunne, M. P. (2017). The Association between factors which affect the food safety practices of seafood Distributors within the southern domestic distribution chains in Vietnam. *Food Control*, 73, 332–340.
- MacWilliams, M. P. (2012). Indole Test Protocol. *American Society for Microbiology, Washington, DC*.
- Madduppa, H., Zairion, N. S., Nugroho, K., & Nugraha, B. A. (2016). Setting up Traceability Tools for The Indonesian Blue Swimming Crab Fishery: A Case Study in Southeast Sulawesi. *Fisheries and Aquaculture in the Modern World*, 9, 2016.
- Mantiri, R. O., Susumu, O., & Shozo, S. (2012). Fisheries on *Mesopodopsis* (*Mysida: Mysidae*) and *Acetes* (*Decapoda: Sergestidae*) in Indonesia.

- [Ministry of Maritime Affairs and Fisheries Indonesia. 2015. Statistik perikanan tangkap perairan laut. Information System of Statistical Data Dissemination of Marine and Fisheries (SIDATIK).] (2021, February 8). Retrieved February 8, 2021, from <http://statistik.kkp.go.id>.
- Mrityunjoy, A., Kaniz, F., Fahmida, J., Shanzida, J. S., Aftab, U. M., & Rashed, N. (2013). Prevalence of *Vibrio cholerae* in Different Food Samples in The City of Dhaka, Bangladesh. *International Food Research Journal*, 20(2).
- Murwani, R., Kumoro, A. C., Ambariyanto, A., & Naumova, E. N. (2020). Nutrient composition of Underutilized Skeins of Flying Fish (*Hirundichthys oxycephalus*): The New and Better Egg Whites. *Journal of Food Composition and Analysis*, 88, 103461.
- Narasimham, K. A. (1988). Biology of the blood clam *Anadara granosa* (Linnaeus) in Kakinada Bay. *Journal of the Marine Biological Association of India*, 30(1&2), 137-150.
- Niode, O., Bruhn, C., & Simonne, A. H. (2011). Insight into Asian and Hispanic Restaurant Manager Needs for Safe Food Handling. *Food Control*, 22(1), 34–42.
- Nørskov-Lauritsen, N. (2014). Classification, Identification, and Clinical Significance of *Haemophilus* and *Aggregatibacter* Species with Host Specificity for Humans. *Clinical Microbiology Reviews*, 27(2), 214–240.
- Nurjanah, Zulhamsyah, Kustariyah. 2005. Kandungan Mineral dan Proksimat Kerang Darah (*Anadara granosa*) yang Diambil dari Kabupaten Boalemo, Gorontalo. *Buletin Teknologi Hasil Perikanan*, 8 (2): 1-4.
- Paul, K., & Patel, S. S. (2001). *Eikenella corrodens* Infections in Children and Adolescents: Case Reports and Review of the Literature. *Clinical Infectious Diseases*, 33(1), 54–61.
- Pfeffer, C., & Oliver, J. D. (2003). A Comparison of Thiosulphate-Citrate-Bile Salts-Sucrose (TCBS) Agar and Thiosulphate-Chloride-Iodide (TCI) Agar for The Isolation of *Vibrio* Species from Estuarine Environments. *Letters in Applied Microbiology*, 36(3), 150-151.
- Pickett, M. J., Greenwood, J. R., & Harvey, S. M. (1991). Tests for Detecting Degradation of Gelatin: Comparison of Five Methods. *Journal of Clinical Microbiology*, 29(10), 2322-2325.

- Pursetyo, K. T., & Thajaningsih, W. (2015). Comparative Morphology of Blood Cockles in Kenjeran and Sedati. *Jurnal Ilmiah Perikanan dan Kelautan*, 7(1), 31-34.
- Procop, G. W., Church, D., Hall, G., Janda, W. M., Koneman, E. W., Schreckenberger, P. C., & Woods, G. L. (2017). *Koneman's colour atlas and textbook of diagnostic microbiology* (7th ed.). Wolters Kluwer Health.
- Rabbani, G. H., & Greenough III, W. B. (1999). Food as A Vehicle of Transmission of Cholera. *Journal of Diarrhoeal Diseases Research*, 1-9.
- Rajendran, K., Sumi, A., Bhattachariya, M. K., Manna, B., Sur, D., Kobayashi, N., & Ramamurthy, T. (2011). Influence of Relative Humidity in *Vibrio cholerae* Infection: A Time Series Model. *The Indian Journal of Medical Research*, 133(2), 138.
- Rajkovic, A. (2014). Microbial Toxins and Low Level of Foodborne Exposure. *Trends in Food Science & Technology*, 38(2), 149–157.
- Rippey, S. R. (1994). Infectious Diseases Associated with Molluscan Shellfish Consumption. *Clinical Microbiology Reviews*, 7(4), 419-425.
- Roberts, D., & Greenwood, M. (2003). *Practical Food Microbiology, Third Edition* (3rd ed., Practical Food Microbiology). Hoboken, New Jersey: Blackwell Publishing.
- Santoso, P., Marsoedi, M., & Susilo, E. (2015). Strategy of Blood Cockle Aquaculture Development for Conservation and Welfare in The Sub-district of Central Kupang, West Timor, Indonesia. *Journal of Biodiversity and Environmental Sciences*, 7(6), 1-9.
- Sarwar, S., Hannan, A., Sultana, Q., Saleem, S., Sohail, M., Arshad, M. U., & Rasool, K. (2016). Non-O1 *Vibrio cholerae* Bacteremia in An Infant, First Case Report from Pakistan. *The Journal of Infection in Developing Countries*, 10(02), 188-189.
- Scallan, E., Hoekstra, R. M., Angulo, F. J., Tauxe, R. V., Widdowson, M. A., Roy, S. L., ... & Griffin, P. M. (2011). Foodborne Illness Acquired in The United States—Major Pathogens. *Emerging Infectious Diseases*, 17(1), 7.
- Schmidt, R. H., & Rodrick, G. E. (2003). *Food safety handbook* (1st ed.). Wiley-Interscience.

- Shibata, Y., Nomoto, R., & Osawa, R. (2015). Enhanced Resistance to Several Abiotic Stresses in *Vibrio cholerae* during Starvation. *Japanese Journal of Infectious Diseases*, 68(5), 415–419.
- Soares, N., Martins, C., & Vicente António A. (2016). *Food Safety in the Seafood Industry: A Practical Guide for ISO 22000 and FSSC 22000 Implementation*. Wiley Blackwell.
- Soon, J. M. (2019). Rapid Food Hygiene Inspection Tool (RFHiT) to Assess Hygiene Conformance Index (CI) of Street Food Vendors. *LWT*, 113, 108304.
- Suliyaningsih, S. (2020). Identifikasi Bakteri *Vibrio cholerae* Pada Kerang Hijau (*Perna viridis*) Yang Dijual Di Pasar Legi Jombang (Doctoral dissertation, STIKes Insan Cendekia Medika Jombang)
- Taneja, N., Mishra, A., Batra, N., Gupta, P., Mahindroo, J., & Mohan, B. (2020). Inland Cholera in Freshwater Environ of North India. *Vaccine*, 38.
- Tang, J. Y., Mohd-Noor, N. H., Mazlan, N., Yeo, C. C., Abu-Bakar, C. A., & Radu, S. (2014). Survival of *Vibrio cholerae* O1 and *Vibrio parahaemolyticus* in Fried and Boiled Malaysian Fish Sausage. *Food Control*, 41, 102–105.
- Trafialek, J., Drosinos, E. H., Laskowski, W., Jakubowska-Gawlik, K., Tzamalis, P., Leksawasdi, N., Surawang, S., & Kolanowski, W. (2018). Street Food Vendors' Hygienic Practices in Some Asian and EU Countries – A Survey. *Food Control*, 85, 212–222.
- USFDA. (2004). Chapter 9: *Vibrio*. In Bacteriological Analytical Manual, 8th Edition, Revision A, 1998 & Foodborne Pathogenic Microorganisms and Natural Toxins Handbook, 1998 (8th ed., pp. 171-190). Gaithersburg, MD, Maryland: AOAC International.
- [U.S. Food and Drug Administration. 2017. Food Code. Destruction of Organisms of Public Health Concern.] (2016). Retrieved July 6, 2021, from <https://www.fda.gov/food/fda-food-code/food-code-2017>
- [U.S. Food and Drug Administration. 2016. Inspection Technical Guides. Sterilizing Symbols (D, Z, F.)] (2016, July 26). Retrieved July 6, 2021, from <https://www.fda.gov/inspections-compliance-enforcement-and-criminal-investigations/inspection-guides/inspection-technical-guides>.
- Vanderzant, C., and D. F. Splitstoesser (eds.). (1992). Compendium of methods for the microbiological examination of foods, 3rd. Ed. APHA, Washington, DC.

- Van Veen, S. Q., Claas, E. C. J., & Kuijper, E. J. (2010). High-throughput Identification of Bacteria and Yeast by Matrix-assisted Laser Desorption Ionization-time of Flight Mass Spectrometry in Conventional Medical Microbiology Laboratories. *Journal of Clinical Microbiology*, 48(3), 900-907.
- Varzakas, T., & Tzia, C. (2015). *Handbook of food processing*. CRC Press: Florida.
- Wright, A. C., Fan, Y., & Baker, G. L. (2018). Nutritional Value and Food Safety of Bivalve Molluscan Shellfish. *Journal of Shellfish Research*, 37(4), 695–708.
- Yamamoto, A., Iwahori, J., Vuddhakul, V., Charernjiratragul, W., Vose, D., Osaka, K., ... Kasuga, F. (2008). Quantitative Modeling for Risk Assessment of *Vibrio parahaemolyticus* in Bloody Clams in Southern Thailand. *International Journal of Food Microbiology*, 124(1), 70–78.
- Zhang, X., Gandhi, N., & Bhavsar, S. P. (2016). Persistent Organohalogens in Paired Fish Fillet and Eggs: Implications for Fish Consumption Advisories. *Journal of Agricultural and Food Chemistry*, 64(14), 2832–2840.
- Zhou, X., & Li, Y. (Eds.). (2015). Techniques for Oral Microbiology. *Atlas of Oral Microbiology*, 15-40.