

REFERENCES

- Abbas, G., Naqvi, S., Erum, S., Ahmed, S., Atta-Ur-Rahman, & Dar, A. (2013). Potential antidepressant activity of areca catechu nut via elevation of serotonin and noradrenaline in the hippocampus of rats. *Phytotherapy Research*, 27(1), 39–45. <https://doi.org/10.1002/ptr.4674>
- Abbas, G., Rauf, K., & Mahmood, W. (2015). Saponins: The phytochemical with an emerging potential for curing clinical depression. *Natural Product Research*, 29(4), 302–307. <https://doi.org/10.1080/14786419.2014.942661>
- Abelaira, H. M., Réus, G. Z., & Quevedo, J. (2013). Animal models as tools to study the pathophysiology of depression. *Brazilian Journal of Psychiatry*, 35(SUPPL.2), S112–S120. <https://doi.org/10.1590/1516-4446-2013-1098>
- Amarowicz, R., Estrella, I., Hernández, T., Dueñas, M., Troszyńska, A., Kosińska, A., & Pegg, R. B. (2009). Antioxidant activity of a red lentil extract and its fractions. *International Journal of Molecular Sciences*, 10(12), 5513–5527. <https://doi.org/10.3390/ijms10125513>
- American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (DSM-5®). American Psychiatric Pub.
- Ashour, A. S., El Aziz, M. M. A., & Gomha Melad, A. S. (2019). A review on saponins from medicinal plants: chemistry, isolation, and determination. *Journal of Nanomedicine Research*, 7(4), 282–288. <https://doi.org/10.15406/jnmr.2019.07.00199>
- Auwal, M. S., Saka, S., Mairiga, I. A., Sanda, K. A., Shuaibu, A., & Ibrahim, A. (2014). Preliminary phytochemical and elemental analysis of aqueous and fractionated pod extracts of Acacia nilotica (Thorn mimosa). *Veterinary Research Forum : An International Quarterly Journal*, 5(2), 95–100.
<http://www.ncbi.nlm.nih.gov/pubmed/25568701%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4279630>
- Bangasser, D. A., & Valentino, R. J. (2014). Sex differences in stress-related psychiatric disorders: Neurobiological perspectives. *Frontiers in Neuroendocrinology*, 35(3), 303–319. <https://doi.org/10.1016/J.YFRNE.2014.03.008>
- Behr, G. A., Moreira, J. C. F., & Frey, B. N. (2012). Preclinical and Clinical Evidence of Antioxidant Effects of Antidepressant Agents: Implications for the Pathophysiology of Major Depressive Disorder. *Oxidative Medicine and Cellular Longevity*, 2012, 13. <https://doi.org/10.1155/2012/609421>
- Belal, B., Prakash, O., & Nand, V. (2019). Altitudinal variations in chemical profile and antioxidant activities of lentil (*Lens culinaris Medik.*) genotypes. 8(2), 657–662.
- Bouayed, J., Rammal, H., & Soulimani, R. (2009). Oxidative stress and anxiety: relationship and cellular pathways. *Oxidative medicine and cellular longevity*, 2(2), 63–67. <https://doi.org/10.4161/oxim.2.2.7944>
- Carneiro, J. da S., Nogueira, R. M., Martins, M. A., Valladão, D. M. de S., & Pires, E. M. (2018). The oven-drying method for determination of water content in Brazil nut. *Bioscience Journal*, 34(3), 595–602. <https://doi.org/10.14393/BJ-v34n3a2018-37726>
- Carter, M., & Shieh, J. (2015). Animal Behavior. In Guide to Research Techniques in Neuroscience (pp. 39–71). Elsevier. <https://doi.org/10.1016/B978-0-12-800511-8.00002-2>

- Cartwright, C., Gibson, K., Read, J., Cowan, O., & Dehar, T. (2016). Long-term antidepressant use: patient perspectives of benefits and adverse effects. *Patient Preference and Adherence*, Volume 10, 1401–1407. <https://doi.org/10.2147/PPA.S110632>
- Chagra, S. L., Zavala, J. K., Hall, M. V., & Gosselink, K. L. (2011). ACUTE AND REPEATED RESTRAINT DIFFERENTIALLY ACTIVATE OREXIGENIC PATHWAYS IN THE RAT HYPOTHALAMUS. *Regulatory Peptides*, 167(1), 70. <https://doi.org/10.1016/J.REGPEP.2010.11.006>
- Cheib, D., El Darra, N., Rajha, H. N., El-Ghazzawi, I., Maroun, R. G., & Louka, N. (2018). Effect of the extraction process on the biological activity of lyophilized apricot extracts recovered from apricot pomace. *Antioxidants*, 7(1). <https://doi.org/10.3390/antiox7010011>
- Christiani, Y., & Setiawan, A. (2018). Internet-based treatment of depression in Indonesia. *The Lancet Psychiatry*, 5(9), 688–689. [https://doi.org/10.1016/S2215-0366\(18\)30261-X](https://doi.org/10.1016/S2215-0366(18)30261-X)
- Ciumărnean, L., Milaciu, M. V., Runcan, O., Vesa, S. C., Răchisan, A. L., Negrean, V., Perné, M. G., Donca, V. I., Alexescu, T. G., Para, I., & Dogaru, G. (2020). The effects of flavonoids in cardiovascular diseases. In *Molecules* (Vol. 25, Issue 18, pp. 1–18). <https://doi.org/10.3390/molecules25184320>
- Cranford, J. A., Eisenberg, D., & Serras, A. M. (2009). Substance use behaviors, mental health problems, and use of mental health services in a probability sample of college students. *Addictive Behaviors*, 34(2), 134–145. <https://doi.org/10.1016/j.addbeh.2008.09.004>
- Cronin, G., Lindquist, N., Hay, M. E., & Fenical, W. (1995). Effects of storage and extraction procedures on yields of lipophilic metabolites from the brown seaweeds *Dictyota ciliolata* and *D.menstrualis*. *Marine Ecology Progress Series*, 119(1–3), 265–274. <https://doi.org/10.3354/meps119265>
- Dai, J., & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, 15(10), 7313–7352. <https://doi.org/10.3390/molecules15107313>
- Dalla, C., Pitychoutis, P. M., Kokras, N., & Papadopoulou-Daioti, Z. (2010). Sex Differences in Response to Stress and Expression of Depressive-Like Behaviours in the Rat. *Current Topics in Behavioral Neurosciences*, 8, 97–118. https://doi.org/10.1007/7854_2010_94
- Dang, H., Chen, Y., Liu, X., Wang, Q., Wang, L., Jia, W., & Wang, Y. (2009). Antidepressant effects of ginseng total saponins in the forced swimming test and chronic mild stress models of depression. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 33(8), 1417–1424. <https://doi.org/10.1016/j.pnpbp.2009.07.020>
- De Aquino, J. P., Londono, A., & Carvalho, A. F. (2018). An update on the epidemiology of major depressive disorder across cultures. In *Understanding depression* (pp. 309–315). Springer, Singapore.
- Depkes RI. (2020). Farmakope Indonesia Edisi VI. In *Departemen Kesehatan Republik Indonesia*. Kementerian Kesehatan RI.
- de Torre, M. P., Cavero, R. Y., Calvo, M. I., & Vizmanos, J. L. W. (2019). A simple and a reliable method to quantify antioxidant activity in vivo. *Antioxidants*, 8(5). <https://doi.org/10.3390/antiox8050142>

- Dhingra, D., & Valecha, R. (2014). Punarnavine, an alkaloid isolated from ethanolic extract of Boerhaavia diffusa Linn. Reverses depression-like behaviour in mice subjected to chronic unpredictable mild stress. *Indian Journal of Experimental Biology*, 52(8), 799–807.
- Eagle, A. L., Mazei-Robison, M. and Robison, A. J. (2016). Sucrose Preference Test to Measure Stress-induced Anhedonia. *Bio-protocol* 6(11): e1822. DOI: 10.21769/BioProtoc.1822.
- Ezeonu, C. S., & Ejikeme, C. M. (2016). Qualitative and Quantitative Determination of Phytochemical Contents of Indigenous Nigerian Softwoods. *New Journal of Science*, 2016, 1–9. <https://doi.org/10.1155/2016/5601327>
- Faisal, H., & Handayani, S. (2019). Comparison of Antioxidant Activity of Ethanol Extract of Fruit and Okra Leaves (*Abelmoschus esculentus* L. Moench) with DPPH and ABTS Methods. *Indonesian Journal of Pharmaceutical and Clinical Research*, 2(2), 6–13. <https://doi.org/10.32734/idjpcr.v2i2.2815>
- Farah Idayu, N., Taufik Hidayat, M., Moklas, M. A. M., Sharida, F., Nurul Raudzah, A. R., Shamima, A. R., & Apryani, E. (2011). Antidepressant-like effect of mitragynine isolated from *Mitragyna speciosa* Korth in mice model of depression. *Phytomedicine*, 18(5), 402–407. <https://doi.org/10.1016/J.PHYMED.2010.08.011>
- Farnsworth, N. R. (1966). Biological and Phytochemical Screening of Plants. *Journal of Pharmaceutical Sciences*, 55(3), 225–276. <https://doi.org/https://doi.org/10.1002/jps.2600550302>
- Farzin, D., & Mansouri, N. (2006). Antidepressant-like effect of harmane and other β-carbolines in the mouse forced swim test. *European Neuropsychopharmacology*, 16(5), 324–328. <https://doi.org/10.1016/J.EURONEURO.2005.08.005>
- Fatmawaty, Anggreni, N. G. M., Fadhil, N., & Prasasty, V. D. (2019). Potential in Vitro and in Vivo Antioxidant Activities from *Piper crocatum* and *Persea americana* Leaf Extracts. *Biomedical and Pharmacology Journal*, 12(2), 661–667. <https://doi.org/10.13005/BPJ/1686>
- Fekadu, N., Shibeshi, W., & Engidawork, E. (2017). Major depressive disorder: pathophysiology and clinical management. *J Depress Anxiety*, 6(1), 255–257.
- Frodl, T. (2016). The Systems Neuroscience Approach. *Systems Neuroscience In Depression*, xvii-xxxvi. doi: 10.1016/b978-0-12-802456-0.02001-x
- Ganesan, K., & Xu, B. (2017, November 10). Polyphenol-rich lentils and their health promoting effects. *International Journal of Molecular Sciences*, Vol. 18. <https://doi.org/10.3390/ijms18112390>
- García-Ríos, R. I., Mora-Pérez, A., Ramos-Molina, A. R., & Soria-Fregozo, C. (2020). Neuropharmacology of Secondary Metabolites from Plants with Anxiolytic and Antidepressant Properties. *Behavioral Pharmacology - From Basic to Clinical Research*. <https://doi.org/10.5772/INTECHOPEN.90919>
- Gaspersz, R., Lamers, F., Kent, J. M., Beekman, A. T., Smit, J. H., Van Hemert, A. M., ... & Penninx, B. W. (2017). Longitudinal predictive validity of the DSM-5 anxious distress specifier for clinical outcomes in a large cohort of patients with major depressive disorder. *The Journal of clinical psychiatry*, 78(2), 207–213.
- Georgé, S., Tourniaire, F., Gautier, H., Goupy, P., Rock, E., & Caris-Veyrat, C. (2011). Changes in the contents of carotenoids, phenolic compounds and vitamin C during technical processing and lyophilisation of red and yellow tomatoes. *Food Chemistry*, 124(4), 1603–1611. <https://doi.org/10.1016/j.foodchem.2010.08.024>

Gulcin, İ. (2020). Antioxidants and antioxidant methods: an updated overview. *Archives of Toxicology* 2020 94:3, 94(3), 651–715. <https://doi.org/10.1007/S00204-020-02689-3>

Gupta, G., Jia Jia, T., Yee Woon, L., Kumar Chellappan, D., Candasamy, M., & Dua, K. (2015). Pharmacological evaluation of antidepressant-like effect of genistein and its combination with amitriptyline: an acute and chronic study. *Advances in pharmacological sciences*, 2015.

Harborne, J. B. (1998). Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis. In *springer science & business media*. <https://doi.org/10.1007/978-94-009-5921-7>

He, L.-W., Zeng, L., Tian, N., Li, Y., He, T., Tan, D.-M., ... Tan, Y. (2020). Optimization of food deprivation and sucrose preference test in SD rat model undergoing chronic unpredictable mild stress. *Animal Models and Experimental Medicine*. doi:10.1002/ame2.12107

Hritcu, L., Ionita, R., Postu, P. A., Gupta, G. K., Turkez, H., Lima, T. C., Uchôa, C., Carvalho, S., & Sousa, D. P. De. (2020). *Review Article Antidepressant Flavonoids and Their Relationship with Oxidative Stress*. 2017. <https://doi.org/10.1155/2017/5762172>

Huang, Y., Xu, H., Li, H., Yang, H., Chen, Y., & Shi, X. (2012). Pre-gestational stress reduces the ratio of 5-HIAA to 5-HT and the expression of 5-HT1A receptor and serotonin transporter in the brain of foetal rat. *BMC Neuroscience* 2012 13:1, 13(1), 1–11. <https://doi.org/10.1186/1471-2202-13-22>

Irakli, M., Kargiotidou, A., Tigka, E., Beslemes, D., Fournomiti, M., Pankou, C., Stavroula, K., Tsivelika, N., & Vlachostergios, D. N. (2021). Genotypic and environmental effect on the concentration of phytochemical contents of lentil (*Lens culinaris* L.). *Agronomy*, 11(6), 1–18. <https://doi.org/10.3390/agronomy11061154>

James, S. L., Abate, D., Abate, K. H., Abay, S. M., Abbafati, C., Abbasi, N., ... & Briggs, A. M. (2018). Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*, 392(10159), 1789–1858.

Jiang, M. L., Zhang, Z. X., Li, Y. Z., Wang, X. H., Yan, W., & Gong, G. Q. (2015). Antidepressant-like effect of evodiamine on chronic unpredictable mild stress rats. *Neuroscience Letters*, 588, 154–158. <https://doi.org/10.1016/J.NEULET.2014.12.038>

Kassebaum, N. J., Arora, M., Barber, R. M., Bhutta, Z. A., Brown, J., Carter, A., ... & Biryukov, S. (2016). Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. *The Lancet*, 388(10053), 1603–1658.

Kessler, R. C., & Bromet, E. J. (2013). The epidemiology of depression across cultures. *Annual review of public health*, 34, 119–138.

Kim, K.-S., & Han, P.-L. (2006). Optimization of chronic stress paradigms using anxiety- and depression-like behavioral parameters. *Journal of Neuroscience Research*, 83(3), 497–507. <https://doi.org/10.1002/JNR.20754>

Kioukia-Fougia, N., Antoniou, K., Bekris, S., Liapi, C., Christofidis, I., & Papadopoulou-Daifoti, Z. (2002). The effects of stress exposure on the hypothalamic–pituitary–adrenal axis, thymus, thyroid hormones and glucose levels. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 26(5), 823–830. [https://doi.org/10.1016/S0278-5846\(01\)00297-4](https://doi.org/10.1016/S0278-5846(01)00297-4)

- Krishnan, V., & Nestler, E. J. (2011). Animal Models of Depression: Molecular Perspectives. *Current Topics in Behavioral Neurosciences*, 7(1), 121. https://doi.org/10.1007/7854_2010_108
- Lee, B., Sur, B., Yeom, M., Shim, I., Lee, H., & Hahm, D.-H. (2012). Effect of Berberine on Depression- and Anxiety-Like Behaviors and Activation of the Noradrenergic System Induced by Development of Morphine Dependence in Rats. *The Korean Journal of Physiology & Pharmacology : Official Journal of the Korean Physiological Society and the Korean Society of Pharmacology*, 16(6), 379. <https://doi.org/10.4196/KJPP.2012.16.6.379>
- Lépine, J. P., & Briley, M. (2011). The increasing burden of depression. Neuropsychiatric Disease and Treatment, 7(SUPPL.), 3–7. <https://doi.org/10.2147/NDT.S19617>
- Li, L. F., Lu, J., Li, X. M., Xu, C. L., Yang, J., Qu, R., & Ma, S. P. (2012). Antidepressant-like effects of the saponins extracted from Chaihu-jia-longgu-muli-tang in a rat unpredictable chronic mild stress model. *Fitoterapia*, 83(1), 93–103. <https://doi.org/10.1016/j.fitote.2011.09.017>
- Liang, S., Wang, T., Hu, X., Luo, J., Li, W., Wu, X., ... & Jin, F. (2015). Administration of Lactobacillus helveticus NS8 improves behavioral, cognitive, and biochemical aberrations caused by chronic restraint stress. *Neuroscience*, 310, 561–577.
- Liang, Y., Yang, X., Zhang, X., Duan, H., Jin, M., Sun, Y., Yuan, H., Li, J., Qi, Y., & Qiao, W. (2016). Antidepressant-like effect of the saponins part of ethanol extract from SHF. *Journal of Ethnopharmacology*, 191, 307–314. <https://doi.org/10.1016/j.jep.2016.06.044>
- Lin, J. Y., & Tang, C. Y. (2007). Determination of total phenolic and flavonoid contents in selected fruits and vegetables, as well as their stimulatory effects on mouse splenocyte proliferation. *Food Chemistry*, 101(1), 140–147. <https://doi.org/10.1016/j.foodchem.2006.01.014>
- Liu, M.-Y., Yin, C.-Y., Zhu, L.-J., Zhu, X.-H., Xu, C., Luo, C.-X., Chen, H., Zhu, D.-Y., & Zhou, Q.-G. (2018). Sucrose preference test for measurement of stress-induced anhedonia in mice. *Nature Protocols* 2018 13:7, 13(7), 1686–1698. <https://doi.org/10.1038/s41596-018-0011-z>
- Malhi, G. S., & Mann, J. J. (2018). Depression. *The Lancet*, 392(10161), 2299–2312. [https://doi.org/10.1016/S0140-6736\(18\)31948-2](https://doi.org/10.1016/S0140-6736(18)31948-2)
- Malik, P., & Kapoor, S. (2015). Antioxidant potential of diverse Indian cultivars of lentils (*Lens culinaris* L.). *Research Article Biological Sciences*, 5(1), 123–129. https://www.ijpbs.com/ijpbsadmin/upload/ijpbs_5549aeaf96cc3.pdf
- Marques, L. G., Silveira, A. M., & Freire, J. T. (2006). Freeze-drying characteristics of tropical fruits. *Drying Technology*, 24(4), 457–463. <https://doi.org/10.1080/07373930600611919>
- Martínez-Vázquez, M., Estrada-Reyes, R., Araujo Escalona, A. G., Ledesma Velázquez, I., Martínez-Mota, L., Moreno, J., & Heinze, G. (2012). Antidepressant-like effects of an alkaloid extract of the aerial parts of Annona cherimolia in mice. *Journal of Ethnopharmacology*, 139(1), 164–170. <https://doi.org/10.1016/j.jep.2011.10.033>
- Michel, T. M., Frangou, S., Thiemeyer, D., Camara, S., Jecel, J., Nara, K., Brunklaus, A., Zochling, R., & Riederer, P. (2007). Evidence for oxidative stress in the frontal cortex in patients with recurrent depressive disorder—a postmortem study. *Psychiatry Research*, 151(1–2), 145–150. <https://doi.org/10.1016/J.PSYCHRES.2006.04.013>

- Miller, A. H., & Raison, C. L. (2016). The role of inflammation in depression: From evolutionary imperative to modern treatment target. In *Nature Reviews Immunology* (Vol. 16, Issue 1, pp. 22–34). Nature Publishing Group. <https://doi.org/10.1038/nri.2015.5>
- Moretti, M., Colla, A., de Oliveira Balen, G., dos Santos, D. B., Budni, J., de Freitas, A. E., ... & Rodrigues, A. L. S. (2012). Ascorbic acid treatment, similarly to fluoxetine, reverses depressive-like behavior and brain oxidative damage induced by chronic unpredictable stress. *Journal of psychiatric research*, 46(3), 331-340.
- Mujeeb, F., Bajpai, P., & Pathak, N. (2014). Phytochemical evaluation, antimicrobial activity, and determination of bioactive components from leaves of aegle marmelos. *BioMed Research International*, 2014. <https://doi.org/10.1155/2014/497606>
- Novais, A., Monteiro, S., Roque, S., Correia-Neves, M., & Sousa, N. (2017). How age, sex and genotype shape the stress response. *Neurobiology of Stress*, 6, 44–56. <https://doi.org/10.1016/J.YNSTR.2016.11.004>
- Oroian, M., Dranca, F., & Ursachi, F. (2020). Comparative evaluation of maceration, microwave and ultrasonic-assisted extraction of phenolic compounds from propolis. *Journal of Food Science and Technology*, 57(1), 70–78. <https://doi.org/10.1007/s13197-019-04031-x>
- O'Kelly, B. C. (2014). Drying temperature and water content–strength correlations. *Environmental Geotechnics*, 1(2), 81–95. <https://doi.org/10.1680/envgeo.13.00016>
- Patterson, Z. R., & Abizaid, A. (2013). Stress induced obesity: lessons from rodent models of stress. *Frontiers in Neuroscience*, 7(7 JUL). <https://doi.org/10.3389/FNINS.2013.00130>
- Perviz, S., Khan, H., & Pervaiz, A. (2016). Plant alkaloids as an emerging therapeutic alternative for the treatment of depression. *Frontiers in Pharmacology*, 7(FEB), 1–7. <https://doi.org/10.3389/fphar.2016.00028>
- Pitsillou, E., Bresnahan, S. M., Kagarakis, E. A., Wijoyo, S. J., Liang, J., Hung, A., & Karagiannis, T. C. (2020). The cellular and molecular basis of major depressive disorder: towards a unified model for understanding clinical depression. In *Molecular Biology Reports* (Vol. 47, Issue 1, pp. 753–770). Springer. <https://doi.org/10.1007/s11033-019-05129-3>
- Rani, S., Poswal, G., Yadav, R., & Deen, M. K. (2014). In-vitro Antioxidant Activity and Total Phenolic content in Methanolic extracts of locally Grown Red Lentil (*lens culinaris* L.). *Am. J. PharmTech Res*, 4(5). <http://www.ajptr.com/>
- Réus, G. Z., Stringari, R. B., Ribeiro, K. F., Cipriano, A. L., Panizzutti, B. S., Stertz, L., Lersch, C., Kapczinski, F., & Quevedo, J. (2010). Maternal Deprivation Induces Depressive-like Behaviour and Alters Neurotrophin Levels in the Rat Brain. *Neurochemical Research* 2010 36:3, 36(3), 460–466. <https://doi.org/10.1007/S11064-010-0364-3>
- Rishikesh, B., Sambath Kumar, R., & Perumal, P. (2012). Anxiolytic and Antidepressant Activity of Saponin Fraction of *Trichopus Zeylanicus* Gaertn, in Mice. *International Journal of Phytopharmacology*, 3(3), 1–6.
- Sánchez-Moreno, C. (2002). Review: Methods Used to Evaluate the Free Radical Scavenging Activity in Foods and Biological Systems: *Food Science and Technology International*, 8(3), 121–137. <https://doi.org/10.1106/108201302026770>

- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant Compounds and Their Antioxidant Mechanism. *Antioxidants*. <https://doi.org/10.5772/INTECHOPEN.85270>
- Saxena, M., Saxena, J., Nema, R., Singh, D., & Gupta, A. (2013). Phytochemistry of medicinal plants. *Medicinal Plants of Central Asia: Uzbekistan and Kyrgyzstan*, 1(6), 13–14. https://doi.org/10.1007/978-1-4614-3912-7_4
- Saxena, S., Thornicroft, G., Knapp, M., & Whiteford, H. (2007). Resources for mental health: scarcity, inequity, and inefficiency. *The lancet*, 370(9590), 878-889.
- Scapagnini, G., Davinelli, S., Drago, F., De Lorenzo, A., & Oriani, G. (2012). Antioxidants as antidepressants: Fact or fiction? *CNS Drugs*, 26(6), 477–490. <https://doi.org/10.2165/11633190-00000000-00000>
- Scheggi, S., De Montis, M. G., & Gambarana, C. (2018). Making sense of rodent models of anhedonia. *International Journal of Neuropsychopharmacology*, 21(11), 1049-1065.
- Seewoo, B. J., Hennessy, L. A., Feindel, K. W., Etherington, S. J., Croarkin, P. E., & Rodger, J. (2020). Validation of chronic restraint stress model in young adult rats for the study of depression using longitudinal multimodal MR imaging. *Eneuro*, 7(4).
- Senica, M., & Mikulic-Petkovsek, M. (2020). Changes in beneficial bioactive compounds in eight traditional herbal liqueurs during a one-month maceration process. *Journal of the Science of Food and Agriculture*, 100(1), 343–353. <https://doi.org/10.1002/jsfa.10044>
- Serchov, T., van Calker, D. and Biber, K. (2016). Sucrose Preference Test to Measure Anhedonic Behaviour in Mice. *Bio-protocol* 6(19): e1958. DOI: 10.21769/BioProtoc.1958.
- Serras, A., Saules, K. K., Cranford, J. A., & Eisenberg, D. (2010). Self-injury, substance use, and associated risk factors in a multi-campus probability sample of college students. *Psychology of Addictive Behaviors*, 24(1), 119–128. <https://doi.org/10.1037/a0017210>
- Shahwar, D., Bhat, T. M., Ansari, M. Y. K., Chaudhary, S., & Aslam, R. (2017). Health functional compounds of lentil (*Lens culinaris* Medik): A review. *International Journal of Food Properties*, 20(February), S1–S15. <https://doi.org/10.1080/10942912.2017.1287192>
- Shofian, N. M., Hamid, A. A., Osman, A., Saari, N., Anwar, F., Dek, M. S. P., & Hairuddin, M. R. (2011). Effect of freeze-drying on the antioxidant compounds and antioxidant activity of selected tropical fruits. *International Journal of Molecular Sciences*, 12(7), 4678–4692. <https://doi.org/10.3390/ijms12074678>
- Shrivastava, S. R., Shrivastava, P. S., & Ramasamy, J. (2017). Depression: A Global Public Health Priority. *Biology and Medicine*, 09(04), 8369. <https://doi.org/10.4172/0974-8369.1000e127>
- Singh, B., Singh, J. P., Kaur, A., & Singh, N. (2017). Phenolic composition and antioxidant potential of grain legume seeds: A review. *Food Research International*, 101, 1–16. <https://doi.org/10.1016/J.FOODRES.2017.09.026>
- Singh, B., Singh, J. P., Kaur, A., Kaur, A., & Singh, N. (2020). *Antioxidant Profile of Legume Seeds*. 71–95. https://doi.org/10.1007/978-3-030-53017-4_4
- Soltani, M., Parivar, K., Baharara, J., Kerachian, M. A., & Asili, J. (2014). Hemolytic and cytotoxic properties of saponin purified from *Holothuria leucospilota* sea cucumber. *Reports of*

Biochemistry & Molecular Biology, 3(1), 43–50.
<http://www.ncbi.nlm.nih.gov/pubmed/26989736> <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4757088/>

Son, H., Baek, J. H., Go, B. S., Jung, D. hyuk, Sontakke, S. B., Chung, H. J., Lee, D. H., Roh, G. S., Kang, S. S., Cho, G. J., Choi, W. S., Lee, D. K., & Kim, H. J. (2018). Glutamine has antidepressive effects through increments of glutamate and glutamine levels and glutamatergic activity in the medial prefrontal cortex. *Neuropharmacology*, 143, 143–152. <https://doi.org/10.1016/J.NEUROPHARM.2018.09.040>

Son, H., Yang, J. H., Kim, H. J., & Lee, D. K. (2019). *A Chronic Immobilization Stress Protocol for Inducing Depression-Like Behavior in Mice*. May, 1–7. <https://doi.org/10.3791/59546>

Stuart, H. (2016). Reducing the stigma of mental illness. *Global Mental Health*, 3.

Sun, X., Shi, Z., Li, T., Pan, R., Liu, X., Bu, L., Kong, L., & Chang, Q. (2012). Antidepressant-like effects of total saikosaponins of Bupleurum yinchowense in mice. *Journal of Medicinal Plants Research*, 6(26), 4308–4316. <https://doi.org/10.5897/jmpr12.338>

Tanti, A., & Belzung, C. (2010). Open questions in current models of antidepressant action. *British Journal of Pharmacology*, 159(6), 1187–1200. <https://doi.org/10.1111/J.1476-5381.2009.00585.X>

Tsopmo, A., & Muir, A. D. (2010). Chemical profiling of lentil (*Lens culinaris* Medik.) cultivars and isolation of compounds. *Journal of Agricultural and Food Chemistry*, 58(15), 8715–8721. <https://doi.org/10.1021/jf101412y>

Vimalkumar, C. S., Hosagaudar, V. B., Suja, S. R., Vilash, V., Krishnakumar, N. M., & Latha, P. G. (2014). Comparative preliminary phytochemical analysis of ethanolic extracts of leaves of *Olea dioica* Roxb., infected with the rust fungus *Zaghouania oleae* (EJ Butler). *Journal of Pharmacognosy and Phytochemistry*, 3(4), 69–72. <https://www.phytojournal.com/archives/2014/vol3issue4/PartA/39.1.pdf>

Vo, N. N. Q., Fukushima, E. O., & Muranaka, T. (2017). Structure and hemolytic activity relationships of triterpenoid saponins and sapogenins. *Journal of Natural Medicines*, 71(1), 50–58. <https://doi.org/10.1007/s11418-016-1026-9>

Wang, J., Cheng, C., Xin, C., & Wang, Z. (2019). The antidepressant-like effect of flavonoids from *Trigonella foenum-graecum* seeds in chronic restraint stress mice via modulation of monoamine regulatory pathways. *Molecules*, 24(6). <https://doi.org/10.3390/molecules24061105>

Wang, Q., Timberlake, M. A., II, Prall, K., & Dwivedi, Y. (2017). The Recent Progress in Animal Models of Depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 77, 99. <https://doi.org/10.1016/J.PNPBP.2017.04.008>

Wattanathorn, J., Chonpathompikunlert, P., Muchimapura, S., Priprem, A., & Tankamnerdthai, O. (2008). Piperine, the potential functional food for mood and cognitive disorders. *Food and Chemical Toxicology*, 46(9), 3106–3110. <https://doi.org/10.1016/J.FCT.2008.06.014>

Werlen, L., Puhan, M. A., Landolt, M. A., & Mohler-Kuo, M. (2020). Mind the treatment gap: The prevalence of common mental disorder symptoms, risky substance use and service utilization among young Swiss adults. *BMC Public Health*, 20(1), 1–10. <https://doi.org/10.1186/s12889-020-09577-6>

- Whiteford, H. A., Ferrari, A. J., Degenhardt, L., Feigin, V., & Vos, T. (2015). The global burden of mental, neurological and substance use disorders: an analysis from the Global Burden of Disease Study 2010. *PLoS one*, 10(2), e0116820.
- World Health Organization. (2017). Depression and other common mental disorders: global health estimates (No. WHO/MSD/MER/2017.2). World Health Organization.
- Wu, J., Li, J., Cai, Y., Pan, Y., Ye, F., Zhang, Y., Zhao, Y., Yang, S., Li, X., & Liang, G. (2011). Evaluation and discovery of novel synthetic chalcone derivatives as anti-inflammatory agents. *Journal of Medicinal Chemistry*, 54(23), 8110–8123. <https://doi.org/10.1021/jm200946h>
- Xiang, H., Liu, Y., Zhang, B., Huang, J., Li, Y., Yang, B., Huang, Z., Xiang, F., & Zhang, H. (2011). The antidepressant effects and mechanism of action of total saponins from the caudexes and leaves of *Panax notoginseng* in animal models of depression. *Phytomedicine*, 18(8–9), 731–738. <https://doi.org/10.1016/j.phymed.2010.11.014>
- Xu, B., & Chang, S. K. C. (2009). Phytochemical Profiles and Health-Promoting Effects of Cool-Season Food Legumes As Influenced by Thermal Processing. *Journal of Agricultural and Food Chemistry*, 57(22), 10718–10731. <https://doi.org/10.1021/JF902594M>
- Xu, B. J., & Chang, S. K. C. (2007). A comparative study on phenolic profiles and antioxidant activities of legumes as affected by extraction solvents. *Journal of Food Science*, 72(2). <https://doi.org/10.1111/j.1750-3841.2006.00260.x>
- Xu, B. J., Yuan, S. H., & Chang, S. K. C. (2007). Comparative analyses of phenolic composition, antioxidant capacity, and color of cool season legumes and other selected food legumes. *Journal of Food Science*, 72(2). <https://doi.org/10.1111/j.1750-3841.2006.00261.x>
- Xu, P., Wang, K., Lu, C., Dong, L., Chen, Y., Wang, Q., Shi, Z., Yang, Y., Chen, S., & Liu, X. (2017). Effects of the chronic restraint stress induced depression on reward-related learning in rats. *Behavioural Brain Research*, 321, 185–192. <https://doi.org/10.1016/j.bbr.2016.12.045>
- Xu, Y., Wang, C., Klabnik, J., & O' Donnell, J. (2014). Novel Therapeutic Targets in Depression and Anxiety: Antioxidants as a Candidate Treatment. *Current Neuropharmacology*, 12(2), 108–119. <https://doi.org/10.2174/1570159x11666131120231448>
- Yamaura, K., Nakayama, N., Shimada, M., Bi, Y., Fukata, H., & Ueno, K. (2012). Antidepressant-like effects of young green barley leaf (*Hordeum vulgare* L.) in the mouse forced swimming test. *Pharmacognosy research*, 4(1), 22–26. <https://doi.org/10.4103/0974-8490.91030>
- Yoon, S. H., Kim, B.-H., Ye, S.-K., & Kim, M.-H. (2014). Chronic Non-Social Stress Affects Depressive Behaviors But Not Anxiety in Mice. *The Korean Journal of Physiology & Pharmacology*, 18(3), 263–268. <https://doi.org/10.4196/KJPP.2014.18.3.263>
- Yu, Y., Wang, R., Chen, C., Du, X., Ruan, L., Sun, J., Li, J., Zhang, L., O'Donnell, J. M., Pan, J., & Xu, Y. (2013). Antidepressant-like effect of trans-resveratrol in chronic stress model: Behavioral and neurochemical evidences. *Journal of Psychiatric Research*, 47(3), 315–322. <https://doi.org/10.1016/J.JPSYCHIRES.2012.10.018>
- Zhang, B., Peng, H., Deng, Z., & Tsao, R. (2018). Phytochemicals of lentil (*Lens culinaris*) and their antioxidant and anti-inflammatory effects. *Journal of Food Bioactives*, 1, 93–103–193–103. <https://doi.org/10.31665/jfb.2018.1128>

Zhang, Q.-W., Lin, L.-G., & Ye, W.-C. (2018). Techniques for extraction and isolation of natural products: a comprehensive review. *Chinese Medicine*, 13(1), 20. <https://doi.org/10.1186/S13020-018-0177-X>

Zou, Y., Chang, S. K. C., Gu, Y., & Qian, S. Y. (2011). Antioxidant activity and phenolic compositions of lentil (*Lens culinaris* var. *Morton*) extract and its fractions. *Journal of Agricultural and Food Chemistry*, 59(6), 2268–2276. <https://doi.org/10.1021/jf104640k>