

References:

- Abriouel, H., Muñoz, M. D. C. C., Lerma, L. L., Montoro, B. P., Bockelmann, W., Pichner, R., ... & Benomar, N. (2015). New insights in antibiotic resistance of *Lactobacillus* species from fermented foods. *Food Research International*, 78, 465-481.
- Abrol, D. P. (2013). Asiatic honeybee *Apis cerana*: biodiversity conservation and agricultural production. Springer Science & Business Media.
- Agersø, Y., Stuer-Lauridsen, B., Bjerre, K., Jensen, M. G., Johansen, E., Bennedsen, M., ... & Nielsen, B. (2018). Antimicrobial susceptibility testing and tentative epidemiological cutoff values for five *Bacillus* species relevant for use as animal feed additives or for plant protection. *Applied and environmental microbiology*, 84(19).
- Agriculture Organization of the United Nations. Food Quality, Standards Service, Agriculture Organization of the United Nations. Plant Production, Protection Division, World Health Organization. Department of Food Safety, Zoonoses, ... & World Health Organization. (2007). FAO/WHO Framework for the Provision of Scientific Advice on Food Safety and Nutrition. Food & Agriculture Org.
- Aguirre, M., & Collins, M. D. (1993). Lactic acid bacteria and human clinical infection. *Journal of Applied Bacteriology*, 75(2), 95-107.
- Ahn, K., Xie, X., Riddle, J., Pettis, J., & Huang, Z. Y. (2012). Effects of long distance transportation on honey bee physiology. *Psyche: A Journal of Entomology*, 2012.
- Ajibola, A., Chamunorwa, J. P., & Erlwanger, K. H. (2012). Nutraceutical values of natural honey and its contribution to human health and wealth. *Nutrition & metabolism*, 9(1), 61.
- Akther, F., Le, B., Chung, G., & Yang, S. H. (2017). Optimizing the fermentation condition of low salted squid jeotgal by lactic acid bacteria with enhanced antioxidant activity. *J Appl Biol Chem*, 60(4), 391-402.
- Al-Waili, N., Salom, K., Al-Ghamdi, A., & Ansari, M. J. (2012). Antibiotic, pesticide, and microbial contaminants of honey: human health hazards. *The scientific world Journal*, 2012.
- Allen, M. B. (1953). The thermophilic aerobic sporeforming bacteria. *Bacteriological reviews*, 17(2), 125.
- Alvarez-Sieiro, P., Montalbán-López, M., Mu, D., & Kuipers, O. P. (2016). Bacteriocins of lactic acid bacteria: extending the family. *Applied microbiology and biotechnology*, 100(7), 2939-2951.
- Ambika Manirajan, B., Ratering, S., Rusch, V., Schwiertz, A., Geissler-Plaum, R., Cardinale, M., & Schnell, S. (2016). Bacterial microbiota associated with flower pollen is influenced by pollination type, and shows a high degree of diversity and species-specificity. *Environmental Microbiology*, 18(12), 5161-5174.
- Andrewes, F. W., & Horder, T. (1906). A study of the streptococci pathogenic for man. *The Lancet*, 168(4334), 775-783.
- Anukam, K. C., & Reid, G. (2007). Probiotics: 100 years (1907–2007) after Elie Metchnikoff's observation. *Communicating current research and educational topics and trends in applied microbiology*, 1, 466-474.

- Apel, W. A., Dugan, P. R., & Tuttle, J. H. (1980). Adenosine 5'-triphosphate formation in *Thiobacillus ferrooxidans* vesicles by H⁺ ion gradients comparable to those of environmental conditions. *Journal of bacteriology*, 142(1), 295-301.
- Asama, T., Arima, T. H., Gomi, T., Keishi, T., Tani, H., Kimura, Y., ... & Hashimoto, K. (2015). *Lactobacillus kunkeei* YB 38 from honeybee products enhances IgA production in healthy adults. *Journal of applied microbiology*, 119(3), 818-826.
- Ashraf, R., & Shah, N. P. (2011). Antibiotic resistance of probiotic organisms and safety of probiotic dairy products. *International Food Research Journal*, 18(3).
- Audisio, M., & Benítez-Ahrendts, M. (2011). *Lactobacillus johnsonii* CRL1647, isolated from *Apis mellifera* L. bee-gut, exhibited a beneficial effect on honeybee colonies. *Beneficial Microbes*, 2(1), 29-34.
- Aween, M. M., Hassan, Z., Muhiadin, B. J., Eljamel, Y. A., Al-Mabrok, A. S. W., & Lani, M. N. (2012). Antibacterial activity of *Lactobacillus acidophilus* strains isolated from honey marketed in Malaysia against selected multiple antibiotic resistant (mar) gram-positive bacteria. *Journal of food science*, 77(7), M364-M371.
- Azad, M., Kalam, A., Sarker, M., Li, T., & Yin, J. (2018). Probiotic species in the modulation of gut microbiota: an overview. *BioMed research international*, 2018.
- Babendreier, D., Joller, D., Romeis, J., Bigler, F., & Widmer, F. (2007). Bacterial community structures in honeybee intestines and their response to two insecticidal proteins. *FEMS microbiology ecology*, 59(3), 600-610.
- Baker-Austin, C., & Dopson, M. (2007). Life in acid: pH homeostasis in acidophiles. *Trends in microbiology*, 15(4), 165-171.
- Balakrishna, A. (2013). In vitro evaluation of adhesion and aggregation abilities of four potential probiotic strains isolated from guppy (*Poecilia reticulata*). *Brazilian Archives of Biology and Technology*, 56(5), 793-800
- Baracchi, D. (2019). Cognitive ecology of pollinators and the main determinants of foraging plasticity. *Current Zoology*, 2019, 65(4), 421–42.
- Balan, K. K., Jones, A. T., Roberts, N. B., Pearson, J. P., Critchley, M., & Jenkins, S. A. (1996). The effects of *Helicobacter pylori* colonization on gastric function and the incidence of portal hypertensive gastropathy in patients with cirrhosis of the liver. *American Journal of Gastroenterology (Springer Nature)*, 91(7).
- Bernard, E., Rolain, T., Courtin, P., Guillot, A., Langella, P., Hols, P., & Chapot-Chartier, M. P. (2011). Characterization of O-acetylation of N-acetylglucosamine a novel structural variation of bacterial peptidoglycan. *Journal of Biological Chemistry*, 286(27), 23950-23958.
- Bhagavan, N. V., & Ha, C. E. (2011). Chapter 11-Gastrointestinal Digestion and Absorption. *Essentials of Medical Biochemistry*, 97-113.
- Beasley, S. S., Manninen, T. J. K., & Saris, P. E. J. (2006). Lactic acid bacteria isolated from canine faeces. *Journal of applied microbiology*, 101(1), 131-138.
- Behnsen, J., Deriu, E., Sassone-Corsi, M., & Raffatellu, M. (2013). Probiotics: properties, examples, and specific applications. *Cold Spring Harbor perspectives in medicine*, 3(3), a010074
- Benno, Y., Sawada, K., & Mitsuoka, T. (1984). The intestinal microflora of infants: composition of fecal flora in breast-fed and bottle-fed infants. *Microbiology and immunology*, 28(9), 975-986.

- Bernatová, S., Samek, O., Pilát, Z., Šerý, M., Ježek, J., Jákl, P., ... & Dvořáčková, M. (2013). Following the mechanisms of bacteriostatic versus bactericidal action using Raman spectroscopy. *Molecules*, 18(11), 13188-13199.
- Bhunia, A. K. (2018). *Foodborne microbial pathogens: mechanisms and pathogenesis*. Springer.
- Bin Masalam, M. S., Bahieldin, A., Alharbi, M. G., Al-Masaudi, S., Al-Jaouni, S. K., Harakeh, S. M., & Al-Hindi, R. R. (2018). Isolation, molecular characterization and probiotic potential of lactic acid bacteria in Saudi raw and fermented milk. *Evidence-Based Complementary and Alternative Medicine*, 2018.
- Borah, T., Gogoi, B., Khataniar, A., Gogoi, M., Das, A., & Borah, D. (2019). Probiotic characterization of indigenous *Bacillus velezensis* strain DU14 isolated from Apong, a traditionally fermented rice beer of Assam. *Biocatalysis and Agricultural Biotechnology*, 18, 101008.
- Bron, P. A., & Kleerebezem, M. (2018). Lactic acid bacteria for delivery of endogenous or engineered therapeutic molecules. *Frontiers in microbiology*, 9, 1821.
- Brynstad, S., & Granum, P. E. (2002). *Clostridium perfringens* and foodborne infections. *International journal of food microbiology*, 74(3), 195-202.
- Bunešová, V., Vlková, E., Rada, V., Ročková, Š., Svobodova, I., Jebavý, L., & Kmeť, V. (2012). *Bifidobacterium animalis* subsp. *lactis* strains isolated from dog faeces. *Veterinary microbiology*, 160(3-4), 501-505.
- Busscher, H. J., & Van der Mei, H. C. (1997). Physico-chemical interactions in initial microbial adhesion and relevance for biofilm formation. *Advances in dental research*, 11(1), 24-32.
- Campedelli, I., Mathur, H., Salvetti, E., Clarke, S., Rea, M. C., Torriani, S., ... & O'Toole, P. W. (2019). Genus-wide assessment of antibiotic resistance in *Lactobacillus* spp. *Applied and environmental microbiology*, 85(1).
- Chammas, G. I., Saliba, R., Corrieu, G., & Béal, C. (2006). Characterisation of lactic acid bacteria isolated from fermented milk "laban". *International Journal of Food Microbiology*, 110(1), 52-61.
- Charteris, W. P., Kelly, P. M., Morelli, L., & Collins, J. K. (1998). Antibiotic susceptibility of potentially probiotic *Lactobacillus* species. *Journal of food protection*, 61(12), 1636-1643.
- Chassard, C., Grattepanche, F., & Lacroix, C. (2011). Probiotics and health claims: challenges for tailoring their efficacy. *Probiotics and health claims*, 49-74.
- Charteris, W. P., Kelly, P. M., Morelli, L., & Collins, J. K. (1998). Development and application of an in vitro methodology to determine the transit tolerance of potentially probiotic *Lactobacillus* and *Bifidobacterium* species in the upper human gastrointestinal tract. *Journal of applied microbiology*, 84(5), 759-768.
- Chen, C. C., Lai, C. C., Huang, H. L., Huang, W. Y., Toh, H. S., Weng, T. C., ... & Tang, H. J. (2019). Antimicrobial activity of *Lactobacillus* species against carbapenem-resistant Enterobacteriaceae. *Frontiers in microbiology*, 10, 789.
- Cho, H., Uehara, T., & Bernhardt, T. G. (2014). Beta-lactam antibiotics induce a lethal malfunctioning of the bacterial cell wall synthesis machinery. *Cell*, 159(6), 1300-1311
- Clark, D. P., Pazdernik, N. J., McGehee, M. R., Clark, D. P., Pazdernik, N. J., & McGehee, M. R. (2019). Protein structure and function. *Molecular biology*, 445 - 483
- Collado, M. C., Meriluoto, J., & Salminen, S. (2008). Adhesion and aggregation properties of probiotic and pathogen strains. *European food research and technology*, 226(5), 1065-1073.

- Chopra, S., & Reader, J. (2015). tRNAs as antibiotic targets. *International journal of molecular sciences*, 16(1), 321-349.
- Clarke, G., Stilling, R. M., Kennedy, P. J., Stanton, C., Cryan, J. F., & Dinan, T. G. (2014). Minireview: gut microbiota: the neglected endocrine organ. *Molecular endocrinology*, 28(8), 1221-1238.
- Ciorba, M. A. (2012). A gastroenterologist's guide to probiotics. *Clinical gastroenterology and hepatology*, 10(9), 960-968.
- Conway, P. L., Gorbach, S. L., & Goldin, B. R. (1987). Survival of lactic acid bacteria in the human stomach and adhesion to intestinal cells. *Journal of dairy science*, 70(1), 1-12.
- Corby-Harris, V., & Anderson, K. E. (2018). Draft genome sequences of four *Parasaccharibacter apium* strains isolated from honey bees. *Genome Announc.*, 6(10), e00165-18.
- Cotter, P. D., Ross, R. P., & Hill, C. (2013). Bacteriocins—a viable alternative to antibiotics?. *Nature Reviews Microbiology*, 11(2), 95-105.
- Daisley, B. A., Pitek, A. P., Chmiel, J. A., Al, K. F., Chernyshova, A. M., Faragalla, K. M., ... & Reid, G. (2020). Novel probiotic approach to counter *Paenibacillus* larvae infection in honey bees. *The ISME journal*, 14(2), 476-491.
- Dahiya, R. S., & Speck, M. L. (1968). Hydrogen peroxide formation by lactobacilli and its effect on *Staphylococcus aureus*. *Journal of Dairy Science*, 51(10), 1568-1572.
- Danielsen, M., & Wind, A. (2003). Susceptibility of *Lactobacillus* spp. to antimicrobial agents. *International journal of food microbiology*, 82(1), 1-11.
- Dassi, E., Ferretti, P., Covello, G., Bertorelli, R., Denti, M. A., De Sanctis, V., ... & Segata, N. (2018). The short-term impact of probiotic consumption on the oral cavity microbiome. *Scientific reports*, 8(1), 10476.
- Das, S., Ganeriwal, S., Mangwani, N., & Patel, B. (2015). Survival and expression of DNA repair genes in marine bacteria *Pseudomonas pseudoalcaligenes* NP103 and *P. aeruginosa* N6P6 in response to environmental stressors. *Microbiology*, 84(5), 644-653.
- de Wouters, T., Jans, C., Niederberger, T., Fischer, P., & Rühls, P. A. (2015). Adhesion potential of intestinal microbes predicted by physico-chemical characterization methods. *PloS one*, 10(8), e0136437.
- de-Leon, S. B. T., & Davidson, E. H. (2007). Gene regulation: gene control network in development. *Annu. Rev. Biophys. Biomol. Struct.*, 36, 191-212.
- Diakidou, A., Vertzoni, M., Goumas, K., Söderlind, E., Abrahamsson, B., Dressman, J., & Reppas, C. (2009). Characterization of the contents of ascending colon to which drugs are exposed after oral administration to healthy adults. *Pharmaceutical research*, 26(9), 2141-2151.
- Di Cerbo, A., Palmieri, B., Aponte, M., Morales-Medina, J. C., & Iannitti, T. (2016). Mechanisms and therapeutic effectiveness of lactobacilli. *Journal of clinical pathology*, 69(3), 187-203
- Dharampal, P. S., Diaz-Garcia, L., Haase, M. A., Zalapa, J., Currie, C. R., Hittinger, C. T., & Steffan, S. A. (2020). Microbial Diversity Associated with the Pollen Stores of Captive-Bred Bumble Bee Colonies. *Insects*, 11(4), 250.
- Donohue, D. C., & Salminen, S. (1996). Safety of probiotic bacteria. *Asia pacific journal of clinical nutrition*, 5, 25-28.

- Dörr, T., Moynihan, P. J., & Mayer, C. (2019). Bacterial cell wall structure and dynamics. *Frontiers in microbiology*, 10, 2051.
- Duary, R. K., Rajput, Y. S., Batish, V. K., & Grover, S. (2011). Assessing the adhesion of putative indigenous probiotic lactobacilli to human colonic epithelial cells. *The Indian journal of medical research*, 134(5), 664.
- Ebrahimi, M., Sadeghi, A., Rahimi, D., Purabdollah, H., & Shahryari, S. (2020). Postbiotic and Anti-aflatoxigenic Capabilities of *Lactobacillus kunkeei* as the Potential Probiotic LAB Isolated from the Natural Honey. *Probiotics and Antimicrobial Proteins*, 1-13.
- Ehsani, A., Hashemi, M., Afshari, A., & Aminzare, M. (2018). Probiotic white cheese production using coculture with *Lactobacillus* species isolated from traditional cheeses. *Veterinary world*, 11(5), 726.
- Ekmekcioglu, C. (2002). A physiological approach for preparing and conducting intestinal bioavailability studies using experimental systems. *Food Chemistry*, 76(2), 225-230.
- Elshaghabee, F. M., Rokana, N., Gulhane, R. D., Sharma, C., & Panwar, H. (2017). *Bacillus* as potential probiotics: status, concerns, and future perspectives. *Frontiers in microbiology*, 8, 1490.
- Elli, M., Zink, R., Rytz, A., Reniero, R., & Morelli, L. (2000). Iron requirement of *Lactobacillus* spp. in completely chemically defined growth media. *Journal of applied microbiology*, 88(4), 695-703.
- El-Niweiri, M. A., Moritz, R. F., & Lattorff, H. M. G. (2019). The Invasion of the Dwarf Honeybee, *Apis florea*, along the River Nile in Sudan. *Insects*, 10(11), 405.
- Engel, P., Kwong, W. K., & Moran, N. A. (2013). *Frischella perrara* gen. nov., sp. nov., a gammaproteobacterium isolated from the gut of the honeybee, *Apis mellifera*. *International journal of systematic and evolutionary microbiology*, 63(10), 3646-3651.
- Engevik, M. A., & Versalovic, J. (2018). Biochemical features of beneficial microbes: foundations for therapeutic microbiology. *Bugs as Drugs: Therapeutic Microbes for the Prevention and Treatment of Disease*, 1-47.
- Etcheverry, P., Grusak, M. A., & Fleige, L. E. (2012). Application of in vitro bioaccessibility and bioavailability methods for calcium, carotenoids, folate, iron, magnesium, polyphenols, zinc, and vitamins B6, B12, D, and E. *Frontiers in physiology*, 3, 317.
- Ercolini, D., & Fogliano, V. (2018). Food design to feed the human gut microbiota. *Journal of agricultural and food chemistry*, 66(15), 3754-3758.
- Eslami, M., Yousefi, B., Kokhaei, P., Hemati, M., Nejad, Z. R., Arabkari, V., & Namdar, A. (2019). Importance of probiotics in the prevention and treatment of colorectal cancer. *Journal of cellular physiology*.
- Eschenbach, D. A., Davick, P. R., Williams, B. L., Klebanoff, S. J., Young-Smith, K., Critchlow, C. M., & Holmes, K. K. (1989). Prevalence of hydrogen peroxide-producing *Lactobacillus* species in normal women and women with bacterial vaginosis. *Journal of clinical microbiology*, 27(2), 251-256.
- European Food Safety Authority (EFSA). (2005). Opinion of the Scientific Committee on a request from EFSA related to a generic approach to the safety assessment by EFSA of microorganisms used in food/feed and the production of food/feed additives. *EFSA Journal*, 3(6), 226
- Evans, D. F., Pye, G., Bramley, R., Clark, A. G., Dyson, T. J., & Hardcastle, J. D. (1988). Measurement of gastrointestinal pH profiles in normal ambulant human subjects. *Gut*, 29(8), 1035-1041.

- Evans, J. D., & Lopez, D. L. (2004). Bacterial probiotics induce an immune response in the honey bee (Hymenoptera: Apidae). *Journal of economic entomology*, 97(3), 752-756.
- FAO/WHO working group. (2002). *Guidelines for the Evaluation of Probiotics in Food*. FAO/WHO, London, ON.
- Faber, J., & Fonseca, L. M. (2014). How sample size influences research outcomes. *Dental press journal of orthodontics*, 19(4), 27-29.
- Fallingborg, J. (1999). Intraluminal pH of the human gastrointestinal tract. *Danish medical bulletin*, 46(3), 183.
- Fernández, M. F., Boris, S., & Barbes, C. (2003). Probiotic properties of human lactobacilli strains to be used in the gastrointestinal tract. *Journal of applied microbiology*, 94(3), 449-455.
- Field, C. J. (2005). The immunological components of human milk and their effect on immune development in infants. *The Journal of nutrition*, 135(1), 1-4.
- Fernández, M., Margolles, A., Suárez, J. E., & Mayo, B. (1999). Duplication of the β -galactosidase gene in some *Lactobacillus plantarum* strains. *International journal of food microbiology*, 48(2), 113-123.
- Freeman, H. J., Kim, Y. S., & Sleisenger, M. H. (1979). Protein digestion and absorption in man: normal mechanisms and protein-energy malnutrition. *The American journal of medicine*, 67(6), 1030-1036.
- Flint, H. J., Duncan, S. H., Scott, K. P., & Louis, P. (2007). Interactions and competition within the microbial community of the human colon: links between diet and health. *Environmental microbiology*, 9(5), 1101-1111.
- Forsgren, E., Olofsson, T. C., Vázquez, A., & Fries, I. (2010). Novel lactic acid bacteria inhibiting *Paenibacillus larvae* in honey bee larvae. *Apidologie*, 41(1), 99-108.
- Fridman, O., Goldberg, A., Ronin, I., Shores, N., & Balaban, N. Q. (2014). Optimization of lag time underlies antibiotic tolerance in evolved bacterial populations. *Nature*, 513(7518), 418-421.
- Fritze, D., & Claus, D. (1995). Spore-forming, lactic acid producing bacteria of the genera *Bacillus* and *Sporolactobacillus*. In *The genera of lactic acid bacteria* (pp. 368-391). Springer, Boston, MA.
- Fruton, J. S. (1971). 4 Pepsin. In *The enzymes* (Vol. 3, pp. 119-164). Academic Press.
- Fijan, S. (2014). Microorganisms with claimed probiotic properties: an overview of recent literature. *International journal of environmental research and public health*, 11(5), 4745-4767.
- Gao, R., Zhang, X., Huang, L., Shen, R., & Qin, H. (2019). Gut microbiota alteration after long-term consumption of probiotics in the elderly. *Probiotics and antimicrobial proteins*, 11(2), 655-666.
- Galdeano, C. M., & Perdigon, G. (2004). Role of viability of probiotic strains in their persistence in the gut and in mucosal immune stimulation. *Journal of Applied Microbiology*, 97(4), 673-681.
- Galdeano, C. M., Cazorla, S. I., Dumit, J. M. L., Vélez, E., & Perdigón, G. (2019). Beneficial Effects of Probiotic Consumption on the Immune System. *Annals of Nutrition and Metabolism*, 74(2), 115-124
- Garibaldi, L. A., Steffan-Dewenter, I., Winfree, R., Aizen, M. A., Bommarco, R., Cunningham, S. A., ... & Bartomeus, I. (2013). Wild pollinators enhance fruit set of crops regardless of honey bee abundance. *science*, 339(6127), 1608-1611.

- Garrod, L. P. (1939). A study of the bactericidal power of hydrochloric acid and of gastric juice. *St Barth Hosp Rep*, 72, 145-167.
- Garvie, E. I. (1980). Bacterial lactate dehydrogenases. *Microbiological reviews*, 44(1), 106.
- Georgieva, R., Yocheva, L., Tserovska, L., Zhelezova, G., Stefanova, N., Atanasova, A., ... & Karaivanova, E. (2015). Antimicrobial activity and antibiotic susceptibility of *Lactobacillus* and *Bifidobacterium* spp. intended for use as starter and probiotic cultures. *Biotechnology & Biotechnological Equipment*, 29(1), 84-91.
- Giannini, T. C., Cordeiro, G. D., Freitas, B. M., Saraiva, A. M., & Imperatriz-Fonseca, V. L. (2015). The dependence of crops for pollinators and the economic value of pollination in Brazil. *Journal of Economic Entomology*, 108(3), 849-857.
- Giannella, R. A., Broitman, S. A., & Zamcheck, N. (1972). Gastric acid barrier to ingested microorganisms in man: studies in vivo and in vitro. *Gut*, 13(4), 251-256.
- Goebel, W., Chakraborty, T., & Kreft, J. (1988). Bacterial hemolysins as virulence factors.
- Goel, A. K. (2015). Anthrax: a disease of biowarfare and public health importance. *World Journal of Clinical Cases: WJCC*, 3(1), 20.
- Gopal, P. K., Prasad, J., Smart, J., & Gill, H. S. (2001). In vitro adherence properties of *Lactobacillus rhamnosus* DR20 and *Bifidobacterium lactis* DR10 strains and their antagonistic activity against an enterotoxigenic *Escherichia coli*. *International journal of food microbiology*, 67(3), 207-216.
- Gouaux, J. E., Braha, O., Hobaugh, M. R., Song, L., Cheley, S., Shustak, C., & Bayley, H. (1994). Subunit stoichiometry of staphylococcal alpha-hemolysin in crystals and on membranes: a heptameric transmembrane pore. *Proceedings of the National Academy of Sciences*, 91(26), 12828-12831.
- Guan, N., & Liu, L. (2020). Microbial response to acid stress: mechanisms and applications. *Applied microbiology and biotechnology*, 104(1), 51-65.
- Guan, N., Shin, H. D., Chen, R. R., Li, J., Liu, L., Du, G., & Chen, J. (2014). Understanding of how *Propionibacterium acidipropionici* respond to propionic acid stress at the level of proteomics. *Scientific reports*, 4(1), 1-8.
- Guerra, A. F., Lemos Junior, W. J. F., Santos, G. O. D., Andrighetto, C., Gianomini, A., Corich, V., & Luchese, R. H. (2018). *Lactobacillus paracasei* probiotic properties and survivability under stress-induced by processing and storage of ice cream bar or ice-lolly. *Ciência Rural*, 48(9).
- Gray, M. J., Freitag, N. E., & Boor, K. J. (2006). How the bacterial pathogen *Listeria monocytogenes* mediates the switch from environmental Dr. Jekyll to pathogenic Mr. Hyde. *Infection and immunity*, 74(5), 2505-2512.
- Gray, G. M., & Santiago, N. A. (1969). Intestinal β -galactosidases: I. Separation and characterization of three enzymes in normal human intestine. *The Journal of clinical investigation*, 48(4), 716-728.
- Geiger, B., Nguyen, H. M., Wenig, S., Nguyen, H. A., Lorenz, C., Kittl, R., ... & Nguyen, T. H. (2016). From by-product to valuable components: Efficient enzymatic conversion of lactose in whey using β -galactosidase from *Streptococcus thermophilus*. *Biochemical engineering journal*, 116, 45-53.
- Halder, D., Mandal, M., Chatterjee, S. S., Pal, N. K., & Mandal, S. (2017). Indigenous probiotic *Lactobacillus* isolates presenting antibiotic like activity against human pathogenic bacteria. *Biomedicine*, 5(2), 31.

- Halloran, K., & Underwood, M. A. (2019). Probiotic mechanisms of action. *Early human development*, 135, 58-65.
- Hammer, B. W. (1915). Bacteriological studies on the coagulation of evaporated milk. *Res Bull*, 19, 117-132.
- Hammes, W. P., & Hertel, C. (2009). Genus I. *Lactobacillus* beijerinck 1901, 212AL. *Bergeys Manual of Systematic Bacteriology*, 3, 465-511.
- Hansen, P. A., Hucker, G. J., & Snyder, M. A. (1933). Hemolytic Properties of the Mastitis Streptococcus. *American Journal of Public Health and the Nations Health*, 23(12), 1262-1270.
- Hargrove, J. L., Greenspan, P., & Hartle, D. K. (2004). Nutritional significance and metabolism of very long chain fatty alcohols and acids from dietary waxes. *Experimental Biology and Medicine*, 229(3), 215-226.
- Hawkeswood, T. J., Sommung, B., Sommung, A. (2019). A record of the Giant Honey Bee, *Apis dorsata* Fabricius, 1793 (Insecta: Hymenoptera: Apidae) from Sisaket Province, Thailand. *Calodema - an International Journal of Biology and Other Sciences*
- He, T., Priebe, M. G., Zhong, Y., Huang, C., Harmsen, H. J. M., Raangs, G. C., ... & Vonk, R. J. (2008). Effects of yogurt and bifidobacteria supplementation on the colonic microbiota in lactose-intolerant subjects. *Journal of Applied Microbiology*, 104(2), 595-604.
- Heda, R., & Tombazzi, C. R. (2018). Physiology, Pepsin. In *StatPearls* [Internet]. StatPearls Publishing.
- Hemarajata, P., & Versalovic, J. (2013). Effects of probiotics on gut microbiota: mechanisms of intestinal immunomodulation and neuromodulation. *Therapeutic advances in gastroenterology*, 6(1), 39-51.
- Henker, J., Laass, M., Blokhin, B. M., Bolbot, Y. K., Maydannik, V. G., Elze, M., ... & Schulze, J. (2007). The probiotic *Escherichia coli* strain Nissle 1917 (EcN) stops acute diarrhoea in infants and toddlers. *European journal of pediatrics*, 166(4), 311-318.
- Hills, B. A. (1996). Gastric surfactant and the hydrophobic mucosal barrier. *Gut*, 39(5), 621.
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., ... & Calder, P. C. (2014). Expert consensus document: The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature reviews Gastroenterology & hepatology*, 11(8), 506.
- Hill, D., Sugrue, I., Tobin, C., Hill, C., Stanton, C., & Ross, R. P. (2018). The *Lactobacillus casei* group: history and health related applications. *Frontiers in microbiology*, 9, 2107.
- Hirschowitz, B. I. (1999). Pepsin and the esophagus. *The Yale journal of biology and medicine*, 72(2-3), 133.
- Hoffman, S. J., Outtersen, K., Røttingen, J. A., Cars, O., Clift, C., Rizvi, Z., ... & Zorzet, A. (2015). An international legal framework to address antimicrobial resistance.
- Ho, N. T., Baccigalupi, L., Huxham, A., Smertenko, A., Van, P. H., Ammendola, S., ... & Cutting, S. M. (2000). Characterization of *Bacillus* species used for oral bacteriotherapy and bacterioprophyllaxis of gastrointestinal disorders. *Applied and environmental microbiology*, 66(12), 5241-5247.
- Hoffmann, D. E., Fraser, C. M., Palumbo, F., Ravel, J., Rowthorn, V., & Schwartz, J. (2014). Probiotics: achieving a better regulatory fit. *Food and drug law journal*, 69(2), 237.

- Holesh JE, Aslam S, Martin A. Physiology, Carbohydrates. [Updated 2020 Aug 25]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2020 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK459280/>
- Honda, K., & Littman, D. R. (2012). The microbiome in infectious disease and inflammation. *Annual review of immunology*, 30, 759-795.
- Hong, H. A., Duc, L. H., & Cutting, S. M. (2005). The use of bacterial spore formers as probiotics. *FEMS microbiology reviews*, 29(4), 813-835.
- Honsa, E. S., Maresso, A. W., & Highlander, S. K. (2014). Molecular and evolutionary analysis of NEAr-iron transporter (NEAT) domains. *PLoS One*, 9(8), e104794.
- Hotel, A. C. P., & Cordoba, A. (2001). Health and nutritional properties of probiotics in food including powder milk with live lactic acid bacteria. *Prevention*, 5(1), 1-10.
- Hoult, B., & Tuxford, A. F. (1991). Toxin production by *Bacillus pumilus*. *Journal of clinical pathology*, 44(6), 455-458.
- Howden, C. W., & Hunt, R. H. (1987). Relationship between gastric secretion and infection. *Gut*, 28(1), 96.
- Husain, Q. (2010). β Galactosidases and their potential applications: a review. *Critical reviews in biotechnology*, 30(1), 41-62.
- Hu, J., He, S., Zhang, Y., Ma, H., Zhang, X., & Chen, Z. (2018). Theoretical Insights into the Solvent Polarity Effect on the Quality of Self-Assembled N-Octadecanethiol Monolayers on Cu (111) Surfaces. *Molecules*, 23(4), 733.\
- Hung, K. L. J., Kingston, J. M., Albrecht, M., Holway, D. A., & Kohn, J. R. (2018). The worldwide importance of honey bees as pollinators in natural habitats. *Proceedings of the Royal Society B: Biological Sciences*, 285(1870), 20172140.
- Husain, Q. (2010). β Galactosidases and their potential applications: a review. *Critical reviews in biotechnology*, 30(1), 41-62.
- Iorizzo, M., Lombardi, S. J., Ganassi, S., Testa, B., Ianiro, M., Letizia, F., ... & Sorrentino, E. (2020). Antagonistic Activity against *Ascosphaera apis* and Functional Properties of *Lactobacillus kunkeei* Strains. *Antibiotics*, 9(5), 262.
- Jang, H. J., Lee, N. K., & Paik, H. D. (2019). Probiotic characterization of *Lactobacillus brevis* KU15153 showing antimicrobial and antioxidant effect isolated from kimchi. *Food Science and Biotechnology*, 28(5), 1521-1528.
- Jeyaprakash, A., Hoy, M. A., & Allsopp, M. H. (2003). Bacterial diversity in worker adults of *Apis mellifera capensis* and *Apis mellifera scutellata* (Insecta: Hymenoptera) assessed using 16S rRNA sequences. *Journal of invertebrate pathology*, 84(2), 96-103.
- Johnson, L. R. (1985). Functional development of the stomach. *Annual review of physiology*, 47(1), 199-215.
- Johnson, D. N., Aljaloud, S. O., & Gyawali, R. (2015). Evaluation of β -galactosidase activity of commercial probiotic supplements available in the local market in Greensboro, North Carolina market. *MOJ Food Process Technol*, 1(3), 73-75.
- Jorgensen, J. H. (1998). Performance standards for antimicrobial disk susceptibility tests-; approved standard. NCCLS, 17.

- Jose, N. M., Bunt, C. R., & Hussain, M. A. (2015). Comparison of microbiological and probiotic characteristics of lactobacilli isolates from dairy food products and animal rumen contents. *Microorganisms*, 3(2), 198-212.
- Junker, R. R., & Keller, A. (2015). Microhabitat heterogeneity across leaves and flower organs promotes bacterial diversity. *FEMS microbiology ecology*, 91(9), fiv097.
- Juodeikiene, G., Bartkiene, E., Viskelis, P., Urbonaviciene, D., Eidukonyte, D., & Bobinas, C. (2012). Fermentation processes using lactic acid bacteria producing bacteriocins for preservation and improving functional properties of food products. *Advances in applied biotechnology*, 63-100
- Kaktcham, P. M., Zambou, N. F., Tchouanguep, F. M., El-Soda, M., & Choudhary, M. I. (2012). Antimicrobial and safety properties of lactobacilli isolated from two Cameroonian traditional fermented foods. *Scientia pharmaceutica*, 80(1), 189-204.
- Kariyawasam, K. M. G. M. M., Yang, S. J., Lee, N. K., & Paik, H. D. (2020). Probiotic Properties of *Lactobacillus brevis* KU200019 and Synergistic Activity with Fructooligosaccharides in Antagonistic Activity against Foodborne Pathogens. *Food Science of Animal Resources*, 40(2), 297.
- Kechagia, M., Basoulis, D., Konstantopoulou, S., Dimitriadi, D., Gyftopoulou, K., Skarmoutsou, N., & Fakiri, E. M. (2013). Health benefits of probiotics: a review. *ISRN nutrition*, 2013.
- Keele, C. A., & Neil, E. (1961). Samson Wright's applied physiology. *Academic Medicine*, 36(12), 1754.
- Kenfack, C. H. M., Kaktcham, P. M., Ngoufack, F. Z., Wang, Y. R., Yin, L., & Zhu, T. (2018). Screening and Characterization of Putative Probiotic *Lactobacillus* Strains from Honey Bee Gut (*Apis mellifera*). *Journal of Advances in Microbiology*, 1-18.
- Kešnerová, L., Mars, R. A., Ellegaard, K. M., Troilo, M., Sauer, U., & Engel, P. (2017). Disentangling metabolic functions of bacteria in the honey bee gut. *PLoS biology*, 15(12), e2003467.
- Kešnerová, L., Moritz, R., & Engel, P. (2016). *Bartonella apis* sp. nov., a honey bee gut symbiont of the class Alphaproteobacteria. *International journal of systematic and evolutionary microbiology*, 66(1), 414-421.
- Khalesi, S., Bellissimo, N., Vandelanotte, C., Williams, S., Stanley, D., & Irwin, C. (2019). A review of probiotic supplementation in healthy adults: helpful or hype?. *European journal of clinical nutrition*, 73(1), 24-37.
- Khan, F. R., Abadin, Z. U., & Rauf, N. (2007). Honey: nutritional and medicinal value. *International journal of clinical practice*, 61(10), 1705-1707.
- Khan, K. A., Ansari, M. J., Al-Ghamdi, A., Nuru, A., Harakeh, S., & Iqbal, J. (2017). Investigation of gut microbial communities associated with indigenous honey bee (*Apis mellifera jemenitica*) from two different eco-regions of Saudi Arabia. *Saudi journal of biological sciences*, 24(5), 1061-1068.
- Killer, J., Dubná, S., Sedláček, I., & Švec, P. (2014). *Lactobacillus apis* sp. nov., from the stomach of honeybees (*Apis mellifera*), having an in vitro inhibitory effect on the causative agents of American and European foulbrood. *International journal of systematic and evolutionary microbiology*, 64(1), 152-157.
- Kim, D., Zeng, M. Y., & Núñez, G. (2017). The interplay between host immune cells and gut microbiota in chronic inflammatory diseases. *Experimental & molecular medicine*, 49(5), e339

- Klaenhammer, T. R., & de Vos, W. M. (2011). An incredible scientific journey. The evolutionary tale of the lactic acid bacteria. In *The 10th LAB symposium. Thirty years of research on lactic acid bacteria* (Vol. 24, pp. 1-11). 24 Media Labs
- Kleerebezem, M., Hols, P., Bernard, E., Rolain, T., Zhou, M., Siezen, R. J., & Bron, P. A. (2010). The extracellular biology of the lactobacilli. *FEMS microbiology reviews*, 34(2), 199-230.
- Klein, A. M., Vaissiere, B. E., Cane, J. H., Steffan-Dewenter, I., Cunningham, S. A., Kremen, C., & Tscharntke, T. (2007). Importance of pollinators in changing landscapes for world crops. *Proceedings of the royal society B: biological sciences*, 274(1608), 303-313.
- Koch, A. L. (1961). Some calculations on the turbidity of mitochondria and bacteria. *Biochimica et biophysica acta*, 51(3), 429-441.
- Koch, A. L. (1970). Turbidity measurements of bacterial cultures in some available commercial instruments. *Analytical biochemistry*, 38(1), 252-259.
- Koll, P., Mändar, R., Marcotte, H., Leibur, E., Mikelsaar, M., & Hammarström, L. (2008). Characterization of oral lactobacilli as potential probiotics for oral health. *Oral microbiology and immunology*, 23(2), 139-147.
- Kosin, B., & Rakshit, S. K. (2006). Microbial and processing criteria for production of probiotics: a review. *Food Technology and Biotechnology*, 44(3), 371-379.
- Kremen, C., Williams, N. M., Aizen, M. A., Gemmill-Herren, B., LeBuhn, G., Minckley, R., ... & Vázquez, D. P. (2007). Pollination and other ecosystem services produced by mobile organisms: a conceptual framework for the effects of land-use change. *Ecology letters*, 10(4), 299-314.
- Krausova, G., Hyrslova, I., & Hynstova, I. (2019). In Vitro Evaluation of Adhesion Capacity, Hydrophobicity, and Auto-Aggregation of Newly Isolated Potential Probiotic Strains. *Fermentation*, 5(4), 100.
- Krasowska, A., & Sigler, K. (2014). How microorganisms use hydrophobicity and what does this mean for human needs?. *Frontiers in cellular and infection microbiology*, 4, 112.
- Kroyer, G., & Hegedus, N. (2001). Evaluation of bioactive properties of pollen extracts as functional dietary food supplement. *Innovative Food Science & Emerging Technologies*, 2(3), 171-174.
- Kubala, E., Strzelecka, P., Grzegocka, M., Lietz-Kijak, D., Gronwald, H., Skomro, P., & Kijak, E. (2018). A review of selected studies that determine the physical and chemical properties of saliva in the field of dental treatment. *BioMed research international*, 2018.
- Kwong, W., Engel, P., Koch, H., & Moran, N. (2014). Genome sequencing reveals host specialization in bee gut symbionts.
- Kwong, W. K., & Moran, N. A. (2013). Cultivation and characterization of the gut symbionts of honey bees and bumble bees: description of *Snodgrassella alvi* gen. nov., sp. nov., a member of the family Neisseriaceae of the Betaproteobacteria, and *Gilliamella apicola* gen. nov., sp. nov., a member of Orbaceae fam. nov., Orbales ord. nov., a sister taxon to the order 'Enterobacteriales' of the Gammaproteobacteria. *International journal of systematic and evolutionary microbiology*, 63(6), 2008-2018.
- Larsen, B. (1993). Vaginal flora in health and disease. *Clinical obstetrics and gynecology*, 36(1), 107-121.
- Lam, T., Tam, C., Stanker, L., & Cheng, L. (2016). Probiotic microorganisms inhibit epithelial cell internalization of botulinum neurotoxin serotype A. *Toxins*, 8(12), 377.

- Lapage, S. P., Efstratiou, A., & Hill, L. R. (1973). The ortho-nitrophenol (ONPG) test and acid from lactose in Gram-negative genera. *Journal of clinical pathology*, 26(11), 821-825.
- Lavigne-Martyn, A. L. (2011). Microbiological growth control by nisin, lysozyme and lactic acid combination: application to active packaging (Doctoral dissertation, Institut National Polytechnique de Lorraine).
- Lebeer, S., Vanderleyden, J., & De Keersmaecker, S. C. (2008). Genes and molecules of lactobacilli supporting probiotic action. *Microbiology and Molecular Biology Reviews*, 72(4), 728-764.
- Lee, Y. K. (2009). Selection and maintenance of probiotic microorganisms. *Handbook of probiotics and prebiotics*. Wiley-VCH, Weinheim, Germany, 177-187
- Linares, D. M., Gomez, C., Renes, E., Fresno, J. M., Tornadijo, M. E., Ross, R. P., & Stanton, C. (2017). Lactic acid bacteria and bifidobacteria with potential to design natural biofunctional health-promoting dairy foods. *Frontiers in microbiology*, 8, 846.
- Ling, J., Cho, C., Guo, L. T., Aerni, H. R., Rinehart, J., & Söll, D. (2012). Protein aggregation caused by aminoglycoside action is prevented by a hydrogen peroxide scavenger. *Molecular cell*, 48(5), 713-722.
- Lund, P., Tramonti, A., & De Biase, D. (2014). Coping with low pH: molecular strategies in neutralophilic bacteria. *FEMS microbiology reviews*, 38(6), 1091-1125.
- Macfarlane, G. T., Cummings, J. H., & Allison, C. (1986). Protein degradation by human intestinal bacteria. *Microbiology*, 132(6), 1647-1656.
- Maragkoudakis, P. A., Chingwaru, W., Gradisnik, L., Tsakalidou, E., & Cencic, A. (2010). Lactic acid bacteria efficiently protect human and animal intestinal epithelial and immune cells from enteric virus infection. *International journal of food microbiology*, 141, S91-S97.
- Markowiak, P., & Śliżewska, K. (2017). Effects of probiotics, prebiotics, and synbiotics on human health. *Nutrients*, 9(9), 1021.
- Martinez, R. J., Shaper, J. H., Lundh, N. P., Bernard, P. D., & Glazer, A. N. (1972). Effect of proteolytic enzymes on bacterial flagella. *Journal of bacteriology*, 109(3), 1239-1246.
- Matarante, A., Baruzzi, F., Cocconcelli, P. S., & Morea, M. (2004). Genotyping and toxigenic potential of *Bacillus subtilis* and *Bacillus pumilus* strains occurring in industrial and artisanal cured sausages. *Applied and Environmental Microbiology*, 70(9), 5168-5176.
- Matias, D. M. S., Leventon, J., Rau, A. L., Borgemeister, C., & von Wehrden, H. (2017). A review of ecosystem service benefits from wild bees across social contexts. *Ambio*, 46(4), 456-467.
- Maurer, L. M., Yohannes, E., Bondurant, S. S., Radmacher, M., & Slonczewski, J. L. (2005). pH regulates genes for flagellar motility, catabolism, and oxidative stress in *Escherichia coli* K-12. *Journal of bacteriology*, 187(1), 304-319.
- Mazza, P. (1994). The use of *Bacillus subtilis* as an anti-diarrhoeal microorganism. *Bollettino chimico farmaceutico*, 133(1), 3.
- Mathur, S., & Singh, R. (2005). Antibiotic resistance in food lactic acid bacteria—a review. *International journal of food microbiology*, 105(3), 281-295.
- Mehta, R., & Champney, W. S. (2002). 30S ribosomal subunit assembly is a target for inhibition by aminoglycosides in *Escherichia coli*. *Antimicrobial agents and chemotherapy*, 46(5), 1546-1549.

- Michener, C. D. (1974). *The social behavior of the bees: a comparative study*. Harvard University Press.
- Miller, J. H. (1972). Pages 352-355 in: *Experiments in Molecular Genetics*.
- Mohr, K. I., & Tebbe, C. C. (2006). Diversity and phylotype consistency of bacteria in the guts of three bee species (Apoidea) at an oilseed rape field. *Environmental Microbiology*, 8(2), 258-272.
- Mollet, J. C., Leroux, C., Dardelle, F., & Lehner, A. (2013). Cell wall composition, biosynthesis and remodeling during pollen tube growth. *Plants*, 2(1), 107-147.
- Molly, K., Woestyne, M. V., Smet, I. D., & Verstraete, W. (1994). Validation of the simulator of the human intestinal microbial ecosystem (SHIME) reactor using microorganism-associated activities. *Microbial ecology in health and disease*, 7(4), 191-200.
- Monteagudo-Mera, A., Rodríguez-Aparicio, L., Rúa, J., Martínez-Blanco, H., Navasa, N., García-Armesto, M. R., & Ferrero, M. Á. (2012). In vitro evaluation of physiological probiotic properties of different lactic acid bacteria strains of dairy and human origin. *Journal of Functional Food*
- Moran, N. A., Hansen, A. K., Powell, J. E., & Sabree, Z. L. (2012). Distinctive gut microbiota of honey bees assessed using deep sampling from individual worker bees. *PLoS one*, 7(4), e36393.s, 4(2), 531-541.
- Moran, N. A. (2015). Genomics of the honey bee microbiome. *Current opinion in insect science*, 10, 22-28.
- Mótyán, J. A., Tóth, F., & Tózsér, J. (2013). Research applications of proteolytic enzymes in molecular biology. *Biomolecules*, 3(4), 923-942.
- Mourad, K., & Nour-Eddine, K. (2006). In vitro preselection criteria for probiotic *Lactobacillus plantarum* strains of fermented olives origin. *International Journal of Probiotics and Prebiotics*, 1(1), 27.
- Muñoz, J. A. M., Chenoll, E., Casinos, B., Bataller, E., Ramón, D., Genovés, S., ... & Rivero, M. (2011). Novel probiotic *Bifidobacterium longum* subsp. *infantis* CECT 7210 strain active against rotavirus infections. *Applied and environmental microbiology*, 77(24), 8775-8783.
- Musikasang, H., Tani, A., H-kittikun, A., & Maneerat, S. (2009). Probiotic potential of lactic acid bacteria isolated from chicken gastrointestinal digestive tract. *World Journal of Microbiology and Biotechnology*, 25(8), 1337-1345.
- McLoughlin, R. F., Berthon, B. S., Jensen, M. E., Baines, K. J., & Wood, L. G. (2017). Short-chain fatty acids, prebiotics, synbiotics, and systemic inflammation: a systematic review and meta-analysis. *The American journal of clinical nutrition*, 106(3), 930-945.
- Nath, A., Mondal, S., Chakraborty, S., Bhattacharjee, C., & Chowdhury, R. (2014). Production, purification, characterization, immobilization, and application of β -galactosidase: a review. *Asia-Pacific Journal of Chemical Engineering*, 9(3), 330-348.
- Nithya, V., Muthukumar, S. P., & Halami, P. M. (2012). Safety assessment of *Bacillus licheniformis* Me1 isolated from milk for probiotic application. *International journal of toxicology*, 31(3), 228-237.
- Neviani, E., Carminati, D., Veaux, M., Hermier, J., & Giraffa, G. (1991). Characterization of *Lactobacillus helveticus* strains resistant to lysozyme. *Le Lait*, 71(1), 65-73.
- Neujahr, H. Y., Börstad, B., & Logardt, I. M. (1973). Factors affecting the resistance of *Lactobacillus fermenti* to lysozyme. *Journal of bacteriology*, 116(2), 694-698.

- Nyanga-Koumou, A. P., Ouoba, L. I. I., Kobawila, S. C., & Louembe, D. (2012). Response mechanisms of lactic acid bacteria to alkaline environments: a review. *Critical reviews in microbiology*, 38(3), 185-190.
- Oldroyd, B. P., & Wongsiri, S. (2009). *Asian honey bees: biology, conservation, and human interactions*. Harvard University Press.
- Oelschlaeger, T. A. (2010). Mechanisms of probiotic actions—a review. *International Journal of Medical Microbiology*, 300(1), 57-62.
- Olofsson, T. C., Butler, È., Markowicz, P., Lindholm, C., Larsson, L., & Vásquez, A. (2016). Lactic acid bacterial symbionts in honeybees—an unknown key to honey's antimicrobial and therapeutic activities. *International Wound Journal*, 13(5), 668-679.
- Ouwehand, A. C., Forssten, S., Hibberd, A. A., Lyra, A., & Stahl, B. (2016). Probiotic approach to prevent antibiotic resistance. *Annals of medicine*, 48(4), 246-255.
- Owyang, C., Green, L., & Rader, D. (1983). Colonic inhibition of pancreatic and biliary secretion. *Gastroenterology*, 84(3), 470-475.
- Padmavathi, T., Bhargavi, R., Priyanka, P. R., Niranjana, N. R., & Pavitra, P. V. (2018). Screening of potential probiotic lactic acid bacteria and production of amylase and its partial purification. *Journal of Genetic Engineering and Biotechnology*, 16(2), 357-362.
- Palaniyandi, S. A., Damodharan, K., Suh, J. W., & Yang, S. H. (2017). In vitro characterization of *Lactobacillus plantarum* strains with inhibitory activity on enteropathogens for use as potential animal probiotics. *Indian journal of microbiology*, 57(2), 201-210.
- Pamphilon, D., Selogie, E., McKenna, D., Cancelas-Peres, J. A., Szczepiorkowski, Z. M., Sacher, R., ... & Van De Watering, L. (2013). Current practices and prospects for standardization of the hematopoietic colony-forming unit assay: a report by the cellular therapy team of the Biomedical Excellence for Safer Transfusion (BEST) Collaborative. *Cytotherapy*, 15(3), 255-262.
- Panicker, A. S., Ali, S. A., Anand, S., Panjagari, N. R., Kumar, S., Mohanty, A. K., & Behare, P. V. (2018). Evaluation of some in vitro probiotic properties of *Lactobacillus fermentum* Strains. *Journal of food science and technology*, 55(7), 2801-2807.
- Pătruică, S., Dumitrescu, G., Popescu, R., & Filimon, N. M. (2013). The effect of prebiotic and probiotic products used in feed to stimulate the bee colony (*Apis mellifera*) on intestines of working bees. *Journal of Food, Agriculture & Environment*, 11(3&4), 2461-2464.
- Papadimitriou, K., Zoumpopoulou, G., Folligné, B., Alexandraki, V., Kazou, M., Pot, B., & Tsakalidou, E. (2015). Discovering probiotic microorganisms: in vitro, in vivo, genetic and omics approaches. *Frontiers in microbiology*, 6, 58.
- Petrova, P., Tsvetanova, F., & Petrov, K. (2019). Low cell surface hydrophobicity is one of the key factors for high butanol tolerance of Lactic acid bacteria. *Engineering in Life Sciences*, 19(2), 133-142.
- Piper, D. W., & Fenton, B. H. (1965). pH stability and activity curves of pepsin with special reference to their clinical importance. *Gut*, 6(5), 506.
- Powell, J. E., Martinson, V. G., Urban-Mead, K., & Moran, N. A. (2014). Routes of acquisition of the gut microbiota of the honey bee *Apis mellifera*. *Applied and environmental microbiology*, 80(23), 7378-7387.
- Peterbauer, C., Maischberger, T., & Haltrich, D. (2011). Food-grade gene expression in lactic acid bacteria. *Biotechnology journal*, 6(9), 1147-1161.

- Pranckutė, R., Kaunietis, A., Kuisienė, N., & Čitavičius, D. J. (2016). Combining prebiotics with probiotic bacteria can enhance bacterial growth and secretion of bacteriocins. *International journal of biological macromolecules*, 89, 669-676.
- Prasad, J., Gill, H., Smart, J., & Gopal, P. K. (1998). Selection and characterisation of *Lactobacillus* and *Bifidobacterium* strains for use as probiotics. *International Dairy Journal*, 8(12), 993-1002.
- Pessione, E. (2012). Lactic acid bacteria contribution to gut microbiota complexity: lights and shadows. *Frontiers in cellular and infection microbiology*, 2, 86.
- Pundir, R. K., Rana, S., Kashyap, N., & Kaur, A. (2013). Probiotic potential of lactic acid bacteria isolated from food samples: an in vitro study. *Journal of Applied Pharmaceutical Science*, 3(3), 85.
- Rader, R., Bartomeus, I., Garibaldi, L. A., Garratt, M. P., Howlett, B. G., Winfree, R., ... & Bommarco, R. (2016). Non-bee insects are important contributors to global crop pollination. *Proceedings of the National Academy of Sciences*, 113(1), 146-151.
- Ragland, S. A., & Criss, A. K. (2017). From bacterial killing to immune modulation: Recent insights into the functions of lysozyme. *PLoS pathogens*, 13(9), e1006512.
- Rajoka, M. S. R., Hayat, H. F., Sarwar, S., Mehwish, H. M., Ahmad, F., Hussain, N., ... & Shi, J. (2018). Isolation and evaluation of probiotic potential of lactic acid bacteria isolated from poultry intestine. *Microbiology*, 87(1), 116-126.
- Ramirez-Chavarin, M. L., Wachter, C., Eslava-Campos, C. A., & Perez-Chabela, M. L. (2013). Probiotic potential of thermotolerant lactic acid bacteria strains isolated from cooked meat products. *International Food Research Journal*, 20(2), 991.
- Rao, M. B., Tanksale, A. M., Ghatge, M. S., & Deshpande, V. V. (1998). Molecular and biotechnological aspects of microbial proteases. *Microbiology and molecular biology reviews*, 62(3), 597-635.
- Rattanawanee, A., & Chanchao, C. (2011). Bee diversity in Thailand and the applications of bee products. *Changing Diversity in Changing Environment*. InTech, Rijeka, 133-62.
- Ratzke, C., & Gore, J. (2018). Modifying and reacting to the environmental pH can drive bacterial interactions. *PLoS biology*, 16(3), e2004248.
- Ricigliano, V. A., Fitz, W., Copeland, D. C., Mott, B. M., Maes, P., Floyd, A. S., ... & Anderson, K. E. (2017). The impact of pollen consumption on honey bee (*Apis mellifera*) digestive physiology and carbohydrate metabolism. *Archives of insect biochemistry and physiology*, 96(2), e21406.
- Richardson, L. A. (2017). A swarm of bee research. *PLoS biology*, 15(1), e2001736.
- Ringertz, S. I. G. N. E., Rylander, M., & Kronvall, G. O. R. A. N. (1991). Disk diffusion method for susceptibility testing of *Neisseria gonorrhoeae*. *Journal of clinical microbiology*, 29(8), 1604-1609.
- Rubinstein, E., Mark, Z., Haspel, J., Ben-Ari, G., Dreznik, Z., Mirelman, D., & Tadmor, A. (1985). Antibacterial activity of the pancreatic fluid. *Gastroenterology*, 88(4), 927-932.
- Ruttner, F. (1988). *Biogeography and taxonomy of honeybees* Springer. Berlin, Germany.
- Rönkä, E., Malinen, E., Saarela, M., Rinta-Koski, M., Aarnikunnas, J., & Palva, A. (2003). Probiotic and milk technological properties of *Lactobacillus brevis*. *International journal of food microbiology*, 83(1), 63-74.
- Roubik, D. W. (Ed.). (1995). *Pollination of cultivated plants in the tropics* (Vol. 118). Food & Agriculture Org..

- Rogers, M. A., & Aronoff, D. M. (2016). The influence of non-steroidal anti-inflammatory drugs on the gut microbiome. *Clinical Microbiology and Infection*, 22(2), 178-e1.
- Rosenberg, M. (2006). Microbial adhesion to hydrocarbons: twenty-five years of doing MATH. *FEMS microbiology letters*, 262(2), 129-134.
- Ruttner, F. (2013). *Biogeography and taxonomy of honeybees*. Springer Science & Business Media.
- Saqib, S., Akram, A., Halim, S. A., & Tassaduq, R. (2017). Sources of β -galactosidase and its applications in food industry. *3 Biotech*, 7(1), 79.
- Saini, G. (2010). *Bacterial hydrophobicity: assessment techniques, applications and extension to colloids*.
- Sabree, Z. L., Hansen, A. K., & Moran, N. A. (2012). Independent studies using deep sequencing resolve the same set of core bacterial species dominating gut communities of honey bees. *PLoS one*, 7(7), e41250.
- Sahadeva, R. P. K., Leong, S. F., Chua, K. H., Tan, C. H., Chan, H. Y., Tong, E. V., ... & Chan, H. K. (2011). Survival of commercial probiotic strains to pH and bile. *International Food Research Journal*, 18(4).
- Salminen, S., von Wright, A., Morelli, L., Marteau, P., Brassart, D., de Vos, W. M., ... & Birkeland, S. E. (1998). Demonstration of safety of probiotics—a review. *International journal of food microbiology*, 44(1-2), 93-106.
- Salveti, E., Torriani, S., & Felis, G. E. (2012). The genus *Lactobacillus*: a taxonomic update. *Probiotics and antimicrobial proteins*, 4(4), 217-22.
- Sanders, M. E. (2008). Probiotics: definition, sources, selection, and uses. *Clinical infectious diseases*, 46(Supplement_2), S58-S61.
- Sarathong, P., Li, Y., Saenphet, K., Chen, Z., & Chantawannakul, P. (2017). Midgut bacterial communities in the giant Asian honeybee (*Apis dorsata*) across 4 developmental stages: A comparative study. *Insect science*, 24(1), 81-92.
- Sawatari, Y., & Yokota, A. (2007). Diversity and mechanisms of alkali tolerance in lactobacilli. *Applied and environmental microbiology*, 73(12), 3909-3915.
- Schooster, A., Weese, J. S., & Guardabassi, L. (2014). Probiotic use in horses—what is the evidence for their clinical efficacy?. *Journal of veterinary internal medicine*, 28(6), 1640-1652.
- Scardovi, V., & Trovati, L. D. (1969). New species of bifid bacteria from *Apis mellifica* L. and *Apis indica* F. A contribution to the taxonomy and biochemistry of the genus *Bifidobacterium*. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene. Zweite naturwissenschaftliche Abt.: Allgemeine, landwirtschaftliche und technische Mikrobiologie*, 123(1), 64-88.
- Seegers, J. F. (2002). Lactobacilli as live vaccine delivery vectors: progress and prospects. *Trends in biotechnology*, 20(12), 508-515.
- Shah, M. M., Miringu, G., Wada, A., Kaneko, S., & Ichinose, Y. (2019). Case Report: *Bacillus pumilus*—Caused Bacteremia in a Patient with Food Poisoning. *The American journal of tropical medicine and hygiene*, 100(3), 688-690.
- Sharma, S., & Singh, P. (2014). Isolation and characterization of Galactosidase enzyme producing microbe and optimization of its enzyme activity under different culture condition. *Int J Curr Microbiol App Sci*, 3, 148-155.

- Shokryazdan, P., Sieo, C. C., Kalavathy, R., Liang, J. B., Alitheen, N. B., Faseleh Jahromi, M., & Ho, Y. W. (2014). Probiotic potential of *Lactobacillus* strains with antimicrobial activity against some human pathogenic strains. *BioMed research international*, 2014.
- Siddiquee, M. H., Sarker, H., & Shurovi, K. M. (2012). Assessment of probiotic application of lactic acid bacteria (LAB) isolated from different food items. *Stamford Journal of Microbiology*, 2(1), 10-14.
- Sihag, R. C. (1988). Characterization of the Pollinators of Cultivated Cruciferous and Leguminous Crops of Sub-Tropical Hissar, India. *Bee World*, 69(4), 153-158.
- Sihag, R. C. (2000). Ecobiology of the giant honeybee (*Apis dorsata*) in semi-arid subtropical climates of India. *Asian bees and beekeeping: Progress of research and development*, 50-52.
- Smith, R. P., Easson, C., Lyle, S. M., Kapoor, R., Donnelly, C. P., Davidson, E. J., ... & Tartar, J. L. (2019). Gut microbiome diversity is associated with sleep physiology in humans. *PloS one*, 14(10).
- Solomon, R. J., Santhi, V. S., & Jayaraj, V. (2006). Prevalence of antibiotics in nectar and honey in South Tamilnadu, India. *Integrative Biosciences*, 10(3), 163-167.
- Sornplang, P., & Piyadeatsoontorn, S. (2016). Probiotic isolates from unconventional sources: a review. *Journal of animal science and technology*, 58(1), 26.
- Sorokulova, I. (2008). Preclinical testing in the development of probiotics: a regulatory perspective with *Bacillus* strains as an example. *Clinical infectious diseases*, 46(Supplement_2), S92-S95.
- Stevenson, K., McVey, A. F., Clark, I. B., Swain, P. S., & Pilizota, T. (2016). General calibration of microbial growth in microplate readers. *Scientific reports*, 6(1), 1-7.
- Stuchell, R. N., & Mandel, I. D. (1983). A comparative study of salivary lysozyme in caries-resistant and caries-susceptible adults. *Journal of dental research*, 62(5), 552-554.
- Suvorov, A. (2013). Gut microbiota, probiotics, and human health. *Bioscience of microbiota, food and health*, 32(3), 81-91.
- Sychantha, D., Brott, A. S., Jones, C. S., & Clarke, A. J. (2018). Mechanistic pathways for peptidoglycan O-acetylation and de-O-acetylation. *Frontiers in microbiology*, 9, 2332
- Swagerty Jr, D. L., Walling, A., & Klein, R. M. (2002). Lactose intolerance. *American family physician*, 65(9), 1845.
- Szymaś, B., & Przybył, A. (2007). Midgut histological picture of the honey bee (*Apis mellifera* L.) following consumption of substitute feeds supplemented with feed additives. *Nauka Przyroda Technologie*, 1(4), 48..
- Teuber, M., Meile, L., & Schwarz, F. (1999). Acquired antibiotic resistance in lactic acid bacteria from food. In *Lactic acid bacteria: Genetics, metabolism and applications* (pp. 115-137). Springer, Dordrecht.
- Tiwari, M. (2011). Science behind human saliva. *Journal of natural science, biology, and medicine*, 2(1), 53.
- Theisen-Jones, H., & Bienefeld, K. (2016). The Asian honey bee (*Apis cerana*) is significantly in decline. *Bee World*, 93(4), 90-97.
- Topping, D. L., & Clifton, P. M. (2001). Short-chain fatty acids and human colonic function: roles of resistant starch and nonstarch polysaccharides. *Physiological reviews*, 81(3), 1031-1064.

- Tokatlı, M., Gülgör, G., Bağder Elmacı, S., Arslankoz İşleyen, N., & Özçelik, F. (2015). In vitro properties of potential probiotic indigenous lactic acid bacteria originating from traditional pickles. *BioMed research international*, 2015.
- Trinh, P., Zaneveld, J. R., Safraneck, S., & Rabinowitz, P. M. (2018). One health relationships between human, animal, and environmental microbiomes: a mini-review. *Frontiers in public health*, 6, 235.
- Troelsen, J. T. (2005). Adult-type hypolactasia and regulation of lactase expression. *Biochimica et Biophysica Acta (BBA)-General Subjects*, 1723(1-3), 19-32.
- Trompette, A., Gollwitzer, E. S., Yadava, K., Sichelstiel, A. K., Sprenger, N., Ngom-Bru, C., ... & Marsland, B. J. (2014). Gut microbiota metabolism of dietary fiber influences allergic airway disease and hematopoiesis. *Nature medicine*, 20(2), 159.
- TR, K. (2018). Probiotic potency of *Lactobacillus plantarum* KX519413 and KX519414 isolated from honey bee gut. *FEMS Microbiology Letters*, 365(4), fnx285.
- Tsuda, H., & Miyamoto, T. (2010). Guidelines for the evaluation of probiotics in food. Report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food. *Guidelines for the evaluation of probiotics in food. Report of a joint FAO/WHO working group on drafting guidelines for the evaluation of probiotics in food, 2002. Food science and technology research*, 16(1), 87-92.
- Tynkkynen, S., Singh, K. V., & Varmanen, P. (1998). Vancomycin resistance factor of *Lactobacillus rhamnosus* GG in relation to enterococcal vancomycin resistance (*van*) genes. *International journal of food microbiology*, 41(3), 195-204.
- Uyeno, Y., Shigemori, S., & Shimosato, T. (2015). Effect of probiotics/prebiotics on cattle health and productivity. *Microbes and environments*, ME14176.
- Urdaneta, V., & Casadesús, J. (2017). Interactions between bacteria and bile salts in the gastrointestinal and hepatobiliary tracts. *Frontiers in medicine*, 4, 163.
- Verdenelli, M. C., Ghelfi, F., Silvi, S., Orpianesi, C., Cecchini, C., & Cresci, A. (2009). Probiotic properties of *Lactobacillus rhamnosus* and *Lactobacillus paracasei* isolated from human faeces. *European Journal of Nutrition*, 48(6), 355-363.
- Verhoeckx, K., Cotter, P., López-Expósito, I., Kleiveland, C., Lea, T., Mackie, A., ... & Wichers, H. (2015). The impact of food bioactives on health: in vitro and ex vivo models (p. 338). Springer Nature.
- Vickers, N. J. (2017). Animal Communication: When I'm Calling You, Will You Answer Too?. *Current Biology*, 27(14), R713-R715
- Wang, J., Guo, H., Cao, C., Zhao, W., Kwok, L. Y., Zhang, H., & Zhang, W. (2018). Characterization of the adaptive amoxicillin resistance of *Lactobacillus casei* Zhang by proteomic analysis. *Frontiers in microbiology*, 9, 292.
- Wayne, P. A. (2011). Clinical and laboratory standards institute. Performance standards for antimicrobial susceptibility testing.
- Wilson, C., Lukowicz, R., Merchant, S., Valquier-Flynn, H., Caballero, J., Sandoval, J., ... & Clement, B. (2017). Quantitative and qualitative assessment methods for biofilm growth: A mini-review. *Research & reviews. Journal of engineering and technology*, 6(4).
- Wheater, D. M., Hirsch, A., & Mattick, A. T. R. (1952). Possible identity of 'lactobacillin' with hydrogen peroxide produced by lactobacilli. *Nature*, 170(4328), 623-624.

- Wei, X., Zhang, Y., Zhou, H., Tian, F., & Ni, Y. (2019). Antimicrobial activities and in vitro properties of cold-adapted *Lactobacillus* strains isolated from the intestinal tract of cold water fishes of high latitude water areas in Xinjiang, China. *BMC microbiology*, 19(1), 247.
- Weinberg, E. D. (1997). The *Lactobacillus* anomaly: total iron abstinence. *Perspectives in biology and medicine*, 40(4), 578-583.
- Wong, A., Saint Ngu, D. Y., Dan, L. A., Ooi, A., & Lim, R. L. H. (2015). Detection of antibiotic resistance in probiotics of dietary supplements. *Nutrition journal*, 14(1), 1-6.
- Xu, H., Huang, W., Hou, Q., Kwok, L. Y., Laga, W., Wang, Y., ... & Zhang, H. (2019). Oral administration of compound probiotics improved canine feed intake, weight gain, immunity and intestinal microbiota. *Frontiers in immunology*, 10, 666.
- Yanagida, F., Chen, Y. S., & Shinohara, T. (2006). Searching for bacteriocin-producing lactic acid bacteria in soil. *The Journal of general and applied microbiology*, 52(1), 21-28.
- , H. (2007). Isolation, characterization, determination of probiotic properties of lactic acid bacteria from human milk (Master's thesis, Izmir Institute of Technology).
- Yeh, C. K., Dodds, M. W., Zuo, P., & Johnson, D. A. (1997). A population-based study of salivary lysozyme concentrations and candidal counts. *Archives of oral biology*, 42(1), 25-31.
- Vandenbergh, P. A. (1993). Lactic acid bacteria, their metabolic products and interference with microbial growth. *FEMS Microbiology Reviews*, 12(1-3), 221-237.
- Vertzoni, M., Fotaki, N., Nicolaidis, E., Reppas, C., Kostewicz, E., Stippler, E., ... & Dressman, J. (2004). Dissolution media simulating the intraluminal composition of the small intestine: physiological issues and practical aspects. *Journal of pharmacy and pharmacology*, 56(4), 453-462.
- Zeng, X., & Lin, J. (2013). Beta-lactamase induction and cell wall metabolism in Gram-negative bacteria. *Frontiers in microbiology*, 4, 128.
- Zhu, H., Hart, C. A., Sales, D., & Roberts, N. B. (2006). Bacterial killing in gastric juice—effect of pH and pepsin on *Escherichia coli* and *Helicobacter pylori*. *Journal of Medical Microbiology*, 55(9), 1265-1270.
- Zhu, K., Hölzel, C. S., Cui, Y., Mayer, R., Wang, Y., Dietrich, R., ... & Ding, S. (2016). Probiotic *Bacillus cereus* strains, a potential risk for public health in China. *Frontiers in Microbiology*, 7, 718.