

Bibliography

- Adisurja, G. P. & Parikesit, A. A. (2021). Virtual Screening of the Flavonoids Compounds with the SARS-CoV-2 3C-like Protease as the Lead Compounds for the COVID-19. *Coronaviruses*, 2(11), 1-9.
- Asahi, K., Nagatsu, J., & Suzuki, S. (1966). Xanthocidin, a new antibiotic. *The Journal of Antibiotics*, 19(5), 195-199.
- Banawas, S. S. (2018). Clostridium difficile infections: a global overview of drug sensitivity and resistance mechanisms. *BioMed research international*, 2018.
- Batt, C. A. & Tortorello, M. L. (eds.) (2014). *Encyclopedia of Food Microbiology* (2nd ed.). Cambridge, MA: Academic Press. ISBN: 978-0-12-384733-1
- Bentley, R., & Haslam, E. (1990). The shikimate pathway—a metabolic tree with many branches. *Critical Reviews in Biochemistry and Molecular Biology*, 25(5), 307-384.
- Bugg, T. D. H., Abell, C., & Coggins, J. R. (1988). Affinity labelling of *E. coli* dehydroquinase. *Tetrahedron Letters*, 29(51), 6783-6786.
- Butler, J. R., Alworth, W. L., & Nugent, M. J. (1974). Mechanism of dehydroquinase catalyzed dehydration. I. Formation of a Schiff base intermediate. *Journal of the American Chemical Society*, 96(5), 1617-1618.
- Chang, P. C. & Cohen, S. N. (1994). Bidirectional replication from an internal origin in a linear Streptomyces plasmid. *Science*, 265(5174), 952-954.
- Cheung et al. (2014). Identification of polyketide inhibitors targeting 3-dehydroquinate dehydratase in the shikimate pathway of Enterococcus faecalis. *PLoS One*, 9(7), e103598.
- de Ávila, M. B., & de Azevedo Jr, W. F. (2014). Data mining of docking results. Application to 3-dehydroquinate dehydratase. *Curr. Bioinform*, 9(4), 361-379.

- Cuypers, W. L., Jacobs, J., Wong, V., Klemm, E. J., Deborggraeve, S., & Van Puyvelde, S. (2018). Fluoroquinolone resistance in *Salmonella*: insights by whole-genome sequencing. *Microbial genomics*, 4(7).
- Dallakyan, S., & Olson, A. J. (2015). Small-molecule library screening by docking with PyRx. In *Chemical biology* (pp. 243-250). Humana Press, New York, NY.
- Dev, A., Tapas, S., Pratap, S., & Kumar, P. (2012). Structure and function of enzymes of shikimate pathway. *Current Bioinformatics*, 7(4), 374-391.
- Dias et al. (2011). Structural investigation of inhibitor designs targeting 3-dehydroquinate dehydratase from the shikimate pathway of *Mycobacterium tuberculosis*. *Biochemical Journal*, 436(3), 729-739.
- Ergönül, Ö., Can, F., Madoff, L., & Akova, M. (eds.) (2014). Emerging Infectious Diseases. Cambridge, MA: Academic Press. ISBN: 978-0-12-416975-3
- Frederickson, M., Parker, E. J., Hawkins, A. R., Coggins, J. R., & Abell, C. (1999). Selective inhibition of type II dehydroquinases. *The Journal of Organic Chemistry*, 64(8), 2612-2613.
- Ghose, A. K., Viswanadhan, V. N., & Wendoloski, J. J. (1999). A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. 1. A qualitative and quantitative characterization of known drug databases. *J. Comb. Chem.*, 1(1), 55-68.
- Goddard et al. (2018). UCSF ChimeraX: Meeting modern challenges in visualization and analysis. *Protein Sci.*, 27(1), 14-25.
- Goldman, L. & Schafer, A. I. (2019). *Goldman-Cecil Medicine* (26th ed.). Elsevier.
- González-Bello, C., Harris, J. M., Manthey, M. K., Coggins, J. R., & Abell, C. (2000). Irreversible inhibition of type I dehydroquinase by substrates for type II dehydroquinase. *Bioorganic & Medicinal Chemistry Letters*, 10(5), 407-409.

González-Bello, C. (2015). Specific chemical modification of bacterial type I 3-dehydroquinase—opportunities for drug discovery. *Future Medicinal Chemistry*, 7(17), 2371-2383.

Gourley et al. (1999). The two types of 3-dehydroquinase have distinct structures but catalyze the same overall reaction. *Nature Structural Biology*, 6(6), 521-525.

Haynes, S. W., Sydor, P. K., Stanley, A. E., Song, L., & Challis, G. L. (2008). Role and substrate specificity of the *Streptomyces coelicolor* RedH enzyme in undecylprodiginine biosynthesis. *Chemical communications*, (16), 1865-1867.

Herrmann, K. M. (1995). The Shikimate Pathway: Early Steps in the Biosynthesis of Aromatic Compounds. *The Plant Cell*, 7, 907-919.

Herrmann, K. M., & Weaver, L. M. (1999). The shikimate pathway. *Annual Review of Plant Biology*, 50(1), 473-503.

Hoch, J. A., & Nester, E. W. (1973). Gene-enzyme relationships of aromatic acid biosynthesis in *Bacillus subtilis*. *Journal of Bacteriology*, 116(1), 59-66.

Holländer, H. & Amrhein, N. (1980). The Site of the Inhibition of the Shikimate Pathway by Glyphosate. *Plant Physiol.*, 66, 823-829.

Howard et al. (2015). Design and Structural Analysis of Aromatic Inhibitors of Type II Dehydroquinase from *Mycobacterium tuberculosis*. *ChemMedChem*, 10(1), 116-133.

Hsu, S. Y., Perusse, D., Hougaard, T., & Smanski, M. J. (2019). Semisynthesis of the neuroprotective metabolite, serofendic acid. *ACS Synthetic Biology*, 8(10), 2397-2403.

Jaworski, E. G. (1972). Mode and Action of *N*-Phosphonomethylglycine: Inhibition of Aromatic Amino Acid Biosynthesis. *Journal of Agricultural and Food Chemistry*, 20(6), 1195-1198.

Jiang et al. (2009). Genome Mining in *Streptomyces avermitilis*. A Biochemical Bayer-Villiger Reaction and Discovery of a New Branch of the Pentalenolactone Family Tree. *Biochemistry*, 48(27), 6431-6440.

Jumper et al. (2021). Highly accurate protein structure prediction with AlphaFold. *Nature*, 596(7873), 583-589.

Katchalski-Katzir et al. (1992). Molecular surface recognition: Determination of geometric fit between proteins and their ligands by correlation techniques. *Proc. Natl. Acad. Sci. USA*, 89, 2195-2199.

Kliegman, R. M. & Geme, J. S. (2020). *Nelson Textbook of Pediatrics* (21st ed.). Elsevier.

Kuntz, I. D., Blaney, J. M., Oatley, S. J., Langridge, R., & Ferrin, T. E. (1982). A geometric approach to macromolecule-ligand interactions. *Journal of molecular biology*, 161(2), 269-288.

Lagunin, A., Stepanchikova, A., Filimonov, D., & Poroikov, V. (2000). PASS: prediction of activity spectra for biologically active substances. *Bioinformatics*, 16(8), 747-748.

Light et al. (2011). Insights into the mechanism of type I dehydroquinate dehydratases from structures of reaction intermediates. *Journal of Biological Chemistry*, 286(50), 3531-3539.

Lin, X., & Cane, D. E. (2009). Biosynthesis of the sesquiterpene antibiotic albaflavenone in *Streptomyces coelicolor*. Mechanism and stereochemistry of the enzymatic formation of episoizaene. *Journal of the American Chemical Society*, 131(18), 6332-6333.

Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, B. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 46(1-3), 3-26.

Lone, M. Y., Athar, M., Gupta, V. K., & Jha, P. C. (2017). Prioritization of natural compounds against mycobacterium tuberculosis 3-dehydroquinate dehydratase: A combined in-silico and in-vitro study, *Biochemical and Biophysical Research Communications*, 491(4), 1105-1111.

Maneiro et al. (2014). Insights Into Substrate Binding and Catalysis in Bacterial Type I Dehydroquinase. *Biochemical Journal*, 462(3), 415-424.

Maruyama et al. (1975). A new antibiotic, fumaramidmycin I. Production, biological properties and characterization of producer strain. *The Journal of Antibiotics*, 28(9), 636-647.

Michal, G. & Schomburg, D. (eds.) (2012). *Biochemical Pathways: An Atlas of Biochemistry and Molecular Biology* (2nd ed.). Hoboken, NJ: John Wiley & Sons Inc.

Moon, K., Xu, F., Zhang, C., & Seyedsayamdst, M. R. (2019). Bioactivity-HiTES unveils cryptic antibiotics encoded in actinomycete bacteria. *ACS Chemical Biology*, 14(4), 767-774.

Moumbuck et al. (2021). StreptomeDB 3.0: an updated compendium of streptomycetes natural products. *Nucleic Acids Research*, 49(D1), D600-D604.

Mutai, W. C., Mureithi, M. W., Anzala, O., Revathi, G., Kullin, B., Burugu, M., ... & Musila, L. (2020). High prevalence of multidrug-resistant Clostridioides difficile following extensive use of antimicrobials in hospitalized patients in Kenya. *Frontiers in cellular and infection microbiology*, 10.

Nelson, R. L., Suda, K. J., & Evans, C. T. (2017). Antibiotic treatment for Clostridium difficile-associated diarrhoea in adults. *Cochrane Database of Systematic Reviews*, (3).

Oren, A. & Rupnik, M. (2018). *Clostridium difficile* and *Clostridioides difficile*: two validly published and correct names. *Anaerobe*, 52, 125-126.

Ortiz, C. L. D., Completo, G. C., Nacario, R. C., & Nellas, R. B. (2019). Potential inhibitors of galactofuranosyltransferase 2 (GlfT2): Molecular docking, 3D-QSAR, and in silico ADMETox Studies. *Scientific Reports*, 9(1), 1-28.

O'Boyle et al. (2011). Open Babel: An open chemical toolbox. *Journal of cheminformatics*, 3(1), 1-14.

Payne, R. J., Peyrot, F., Kerbarh, O., Abell, A. D., & Abell, C. (2007). Rational design, synthesis, and evaluation of nanomolar type II dehydroquinase inhibitors. *ChemMedChem: Chemistry Enabling Drug Discovery*, 2(7), 1015-1029.

PDB-101. (n.d.). Learn: Guide to Understanding PDB Data: Missing Coordinates and Biological Assemblies. Retrieved from pdb101.rcsb.org/learn/guide-to-understanding-pdb-data/missing-coordinates-and-biological-assemblies

Pedretti, A., Villa, L., & Vistoli, G. (2004). VEGA – AN OPEN PLATFORM TO DEVELOP CHEMO-BIOINFORMATICS APPLICATIONS, USING PLUG-IN ARCHITECTURE AND SCRIPT PROGRAMMING. *J.C.A.M.D.*, 18, 167-173.

Pedretti, A., Mazzolari, A., Gervasoni, S., Fumagalli, L., & Vistoli, G. (2021). The VEGA suite of programs: An versatile platform for cheminformatics and drug design projects. *Bioinformatics*, 37(8), 1174-1175.

Peng et al. (2017). Update on antimicrobial resistance in Clostridium difficile: resistance mechanisms and antimicrobial susceptibility testing. *Journal of clinical microbiology*, 55(7), 1998-2008.

Petersen et al. (2015). Structure-based virtual screening as a tool for the identification of novel inhibitors against Mycobacterium tuberculosis 3-dehydroquinate dehydratase. *Journal of Molecular Graphics and Modelling*, 60, 124-131.

Pettersen et al. (2021). UCSF ChimeraX: Structure visualization for researchers, educators, and developers. *Protein Sci.*, 30(1), 70-82.

Prazeres, V. F. V., Castedo, L., Lamb, H., Hawkins, A. R., & González-Bello, C. (2009). 2-Substituted-3-Dehydroquinic Acids as Potent Competitive Inhibitors of Type II Dehydroquinase, *ChemMedChem*, 4(12), 1980-1984.

Quinn, G. A., Banat, A. M., Abdelhameed, A. M., & Banat, I. M. (2020). Streptomyces from traditional medicine: Sources of new innovations in antibiotic discovery. *Journal of Medical Microbiology*, 69(8), 1040.

Ratia et al. (2014). Discovery of selective inhibitors of the Clostridium difficile dehydroquinate dehydratase. *PLoS ONE*, 9(2), e89356.

Reichau et al. (2011). Potent inhibitors of a shikimate pathway enzyme from Mycobacterium tuberculosis: combining mechanism- and modeling-based design. *The Journal of Biological Chemistry*, 286(18), 16197-16207.

Řezanka, T., Palyzová, A., Faltýsková, H., & Sigler, K. (2019). Siderophores: amazing metabolites of microorganisms. *Studies in Natural Products Chemistry* (Vol. 60, pp. 157-188). Elsevier.

Sander, T., Freyss, J., von Korff, M., & Rufener, C. (2015). DataWarrior: An Open-Source Program For Chemistry Aware Data Visualization And Analysis. *Journal of Chemical Information and Modeling*, 55, 460-473.

Sanner, M. F. (1999). Python: A Programming Language for Software Integration and Development. *J. Mol. Graphics Mod.*, 17, 57-61.

Salmaso, V., & Moro, S. (2018). Bridging molecular docking to molecular dynamics in exploring ligand-protein recognition process: an overview. *Frontiers in pharmacology*, 9, 923.

Sholeh et al. (2020). Antimicrobial resistance in Clostridioides (Clostridium) difficile derived from humans: a systematic review and meta-analysis. *Antimicrobial Resistance & Infection Control*, 9(1), 1-11.

Steinrücken, H. C., & Amrhein, N. (1980). The herbicide glyphosate is a potent inhibitor of 5-enolpyruvylshikimic acid-3-phosphate synthase. *Biochemical and Biophysical Research Communications*, 94(4), 1207-1212.

Sweeney, P., Murphy, C. D., & Caffrey, P. (2016). Exploiting the genome sequence of *Streptomyces nodosus* for enhanced antibiotic production. *Applied microbiology and biotechnology*, 100(3), 1285-1295.

Takeda et al. (2014). Xanthocidin derivatives as Topoisomerase I α Enzymatic Inhibitors. *Biol. Pharm. Bull.*, 37(2), 331-334.

Tanwar, J., Das, S., Fatima, Z., & Hameed, S. (2014). Multidrug Resistance: An Emerging Crisis. *Interdisciplinary Perspectives on Infectious Diseases*. doi: 10.1155/2014/541340

Tim Inbio Indonesia. (n.d.). *Molecular Docking and Dynamics Simulation*. Malang, Indonesia: Global Science. ISBN: 978-623-90343-9-9

Toscano, M. D., Stewart, K. A., Coggins, J. R., Lapthorn, A. J., & Abell, C. (2005). Rational design of new bifunctional inhibitors of type II dehydroquinase. *Organic & Biomolecular Chemistry*, 3(17), 3102-3104.

Trott, O., & Olson, A. J. (2010). AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization and multithreading. *Journal of Computational Chemistry*, 31(2), 455-461.

UniProt Consortium. (2019). UniProt: a worldwide hub of protein knowledge. *Nucleic acids research*, 47(D1), D506-D515.

Varadi et al. (2021). AlphaFold Protein Structure Database: Massively expanding the structural coverage of protein-sequence space with high-accuracy models. *Nucleic acids research*.

Vaz, A. D., Butler, J. R., & Nugent, M. J. (1975). Dehydroquinase catalyzed dehydration. II. Identification of the reactive conformation of the substrate responsible for syn elimination. *Journal of the American Chemical Society*, 97(20), 5914-5915.

Veber et al. (2002). Molecular properties that influence the oral bioavailability of drug candidates. *J. Med. Chem.*, 45(12), 2615-2623.

Ventachakalam, C. M., Jiang, X., Oldfield, T., & Waldman, M. (2003). LigandFit: a novel method for the shape-directed rapid docking of ligands to protein active sites. *Journal of Molecular Graphics and Modelling*, 21(4), 289-307.

Widodo, Utomo, D. H., Ramadhani, N. A., Hasanah, A., & Fitriah, A. (2018). *Cara Mudah Melakukan Docking Dengan PyRx (Autodock Vina)* [An Easy Method of Performing Docking with PyRx (Autodock Vina)]. Malang, Indonesia: Global Science. ISBN: 978-623-90343-7-5

Wijaya, R. M., Hafidzhah, M. A., Kharisma, V. D., Ansori, A. N. M., & Parikesit, A. A. (2021). COVID-19 In Silico Drug with Zingiber officinale Natural Product Compound Library Targeting the Mpro Protein. *Makara Journal of Science*, 25(3), 162-171

Yao, Y., & Li, Z. S. (2014). Structure-and-mechanism-based Design and Discovery of Type II Mycobacterium Tuberculosis Dehydroquinate Dehydratase Inhibitors. *Current Topics in Medicinal Chemistry*, 14(1), 51-63.

Zhu, D., Sorg, J. A., & Sun, X. (2018). *Clostridioides difficile* Biology: Sporulation, Germination, and Corresponding Therapies for *C. difficile* Infection. *Front. Cell. Infect. Microbiol.*, 8.