

## REFERENCES

- Asakawa, Y. (1982). Chemical constituents of the Hepaticae. In *Fortschritte der Chemie Organischer Naturstoffe/Progress in the Chemistry of Organic Natural Products*. essay, Springer.
- Asakawa, Y. (2019). Biologically active substances from bryophytes. *Bryophyte Development: Physiology and Biochemistry*, 259–288. <https://doi.org/10.1201/9780429260568-14>
- Asakawa, Y., Ludwiczuk, A., Novakovic, M., Bukvicki, D., & Anchang, K. Y. (2021). Bis-bibenzyls, Bibenzyls, and terpenoids in 33 genera of the Marchantiophyta (liverworts): Structures, synthesis, and bioactivity. *Journal of Natural Products*, 85(3), 729–762. <https://doi.org/10.1021/acs.jnatprod.1c00302>
- Belkin, M., Fitzgerald, D. B., & Felix, M. D. (1952). Tumor-damaging capacity of plant materials. II. plants used as diuretics. *Journal of the National Cancer Institute*. <https://doi.org/10.1093/jnci/13.3.741>
- Benov, L. (2021). Improved formazan dissolution for bacterial MTT assay. *Microbiology Spectrum*, 9(3). <https://doi.org/10.1128/spectrum.01637-21>
- Bodade, R. G., Borkar, P. S., Arfeen, S., & Khobragade, C. N. (2008). In vitro screening of bryophytes for antimicrobial activity. *Journal of Medicinal Plants*, 7, 23–28.
- Castaldo-Cobianchi, R., Giordano, S., Basile, A., & Violante, U. (1988). Occurrence of antibiotic activity in conocephalum conicum, mnium undulatum and leptodictyum riparium (bryophytes). *Giornale Botanico Italiano*, 122(5-6), 303–311. <https://doi.org/10.1080/11263508809429412>
- Chakrabarti, R., Kundu, S., Kumar, S., & Chakrabarti, R. (2000). Vitamin A as an enzyme that catalyzes the reduction of MTT to Formazan by vitamin C. *Journal of Cellular Biochemistry*, 80(1), 133–138. [https://doi.org/10.1002/1097-4644\(20010101\)80:1<133::aid-jcb120>3.0.co;2-t](https://doi.org/10.1002/1097-4644(20010101)80:1<133::aid-jcb120>3.0.co;2-t)
- Chalabi-Dchar, M., Fenouil, T., Machon, C., Vincent, A., Catez, F., Marcel, V., Mertani, H. C., Saurin, J.-C., Bouvet, P., Guittot, J., Venezia, N. D., & Diaz, J.-J. (2021). A novel view on an old drug, 5-Fluorouracil: An unexpected RNA modifier with intriguing impact on Cancer cell fate. *NAR Cancer*, 3(3). <https://doi.org/10.1093/narcan/zcab032>
- Chandra, S., Chandra, D., Barh, A., Pankaj, Pandey, R. K., & Sharma, I. P. (2017). Bryophytes: Hoard of remedies, an ethno-medicinal review. *Journal of Traditional and Complementary Medicine*, 7(1), 94–98. <https://doi.org/10.1016/j.jtcme.2016.01.007>
- Cianciullo, P., Cimmino, F., Maresca, V., Sorbo, S., Bontempo, P., & Basile, A. (2022). Anti-tumour activities from secondary metabolites and their derivatives in bryophytes: A brief review. *Applied Biosciences*, 1(1), 73–94. <https://doi.org/10.3390/appbiosci1010005>
- Dey, A., & Mukherjee, A. (2015). Therapeutic potential of bryophytes and derived compounds against cancer. *Journal of Acute Disease*, 4(3), 236–248. <https://doi.org/10.1016/j.joad.2015.04.011>

Florento, L., Matias, R., Tuano, E., Santiago, K., Cruz, F. dela, & Tuazon, A. (2012). Comparison of Cytotoxic Activity of Anticancer Drugs against Various Human Tumor Cell Lines Using In Vitro Cell-Based Approach. *International Journal of Biomedical Science*, 8(1), 76–80.

Fridlender, M., Kapulnik, Y., & Koltai, H. (2015). Plant derived substances with anti-cancer activity: From folklore to practice. *Frontiers in Plant Science*, 6. <https://doi.org/10.3389/fpls.2015.00799>

Gaweł-Bęben, K., Osika, P., Asakawa, Y., Antosiewicz, B., Głowniak, K., & Ludwickzuk, A. (2019). Evaluation of anti-melanoma and tyrosinase inhibitory properties of Marchantin A, a natural macrocyclic bisbibenzyl isolated from Marchantia species. *Phytochemistry Letters*, 31, 192–195. <https://doi.org/10.1016/j.phytol.2019.04.008>

Hartinger, J., Veselý, P., Šíma, M., Netíková, I., Matoušková, E., & Petruželka, L. (2017). 5-fluorouracil toxicity mechanism determination in human keratinocytes: In vitro study on HaCaT cell line. *Prague Medical Report*, 118(4), 128–138. <https://doi.org/10.14712/23362936.2017.14>

Huang, W.-J., Wu, C.-L., Lin, C.-W., Chi, L.-L., Chen, P.-Y., Chiu, C.-J., Huang, C.-Y., & Chen, C.-N. (2010). Marchantin A, a cyclic bis(bibenzyl ether), isolated from the liverwort Marchantia emarginata subsp. tosana induces apoptosis in human MCF-7 breast cancer cells. *Cancer Letters*, 291(1), 108–119. <https://doi.org/10.1016/j.canlet.2009.10.006>

Jantwal, A., Rana, M., Rana, A. J., Upadhyay, J., & Durgapal, S. (2019). Pharmacological potential of genus Marchantia: A Review. *Journal of Pharmacognosy and Phytochemistry*, 8(2).

Jensen, J., Omarsdottir, S., Thorsteinsdottir, J., Ogmundsdottir, H., & Olafsdottir, E. (2012). Synergistic cytotoxic effect of the microtubule inhibitor Marchantin A from marchantia polymorpha and the aurora kinase inhibitor MLN8237 on breast cancer cells in vitro. *Planta Medica*, 78(05), 448–454. <https://doi.org/10.1055/s-0031-1298230>

Kushnareva, Y., & Newmeyer, D. D. (2010). Bioenergetics and cell death. *Annals of the New York Academy of Sciences*. <https://doi.org/10.1111/j.1749-6632.2010.05633.x>

Pairoj, S., Damrongsak, P., Damrongsak, B., Jinawath, N., Kaewkhaw, R., Ruttanasirawit, C., Leelawattananon, T., & Locharoenrat, K. (2021). Antitumor activities of carboplatin-doxorubicin-ZnO complexes in different human cancer cell lines (breast, cervix uteri, colon, liver and oral) under UV exposition. *Artificial Cells, Nanomedicine, and Biotechnology*, 49(1), 120–135. <https://doi.org/10.1080/21691401.2021.1876718>

Picard, M., McEwen, B. S., Epel, E. S., & Sandi, C. (2018). An energetic view of stress: Focus on mitochondria. *Frontiers in Neuroendocrinology*, 49, 72–85. <https://doi.org/10.1016/j.yfrne.2018.01.001>

Rayan, A., Raiyn, J., & Falah, M. (2017). Nature is the best source of anticancer drugs: Indexing natural products for their anticancer bioactivity. *PLOS ONE*, 12(11). <https://doi.org/10.1371/journal.pone.0187925>

Riss, T. L., Moravec, R. A., Niles, A. L., Duellman, S., Benink, H. A., Worzella, T. J., Minor, L., Coussens, N. P., & Dahlin, J. L. (2013). Cell Viability Assays. In S. Markossian, A. Grossman, K. Brimacombe, M. Arkin, D. Auld, C. Austin, J. Baell, T. D. Y. Chung, V. Devanarayan, T. L. Foley,

M. Glicksman, K. Gorshkov, & J. V. Haas (Eds.), *Assay Guidance Manual*. essay, Eli Lilly & Company and the National Center for Advancing Translational Sciences.

Seelinger, M., Popescu, R., Giessrigl, B., Jarukamjorn, K., Unger, C., Wallnofer, B., Fritzer-Szekeres, M., Szekeres, T., Diaz, R., Jager, W., Frisch, R., Kopp, B., & Krupitza, G. (2012). Methanol extract of the ethnopharmaceutical remedy Smilax spinosa exhibits anti-neoplastic activity. *International Journal of Oncology*, 41(3), 1164–1172. <https://doi.org/10.3892/ijo.2012.1538>

Spjut, R. W., Suffness, M., Cragg, G. M., & Norris, D. H. (1986). Mosses, liverworts, and hornworts screened for antitumor agents. *Economic Botany*, 40(3). <https://doi.org/10.1007/bf02858989>

Srivastava, S., Mohammad, S., Gupta, S., Mahdi, A. A., Dixit, R. K., Singh, V., & Samadi, F. M. (2018). Chemoprotective effect of nanocurcumin on 5-fluorouracil-induced-toxicity toward oral cancer treatment. *National Journal of Maxillofacial Surgery*, 9(2), 160. [https://doi.org/10.4103/njms.njms\\_27\\_18](https://doi.org/10.4103/njms.njms_27_18)

Torre, L. A., Bray, F., Siegel, R. L., Ferlay, J., Lortet-Tieulent, J., & Jemal, A. (2015). A Global cancer statistics, 2012. *CA: Cancer Journal for Clinicians*, 65(2), 87–108. <https://doi.org/10.3322/caac.21262>

Ulukaya, E., Colakogullari, M., & Wood, E. J. (2004). Interference by anti-cancer chemotherapeutic agents in the MTT-tumor chemosensitivity assay. *Chemotherapy*, 50(1), 43–50. <https://doi.org/10.1159/000077285>

Vollár, M., Gyovai, A., Szűcs, P., Zupkó, I., Marschall, M., Csupor-Löffler, B., Bérdi, P., Vecsernyés, A., Csorba, A., Liktor-Busa, E., Urbán, E., & Csupor, D. (2018). Antiproliferative and antimicrobial activities of selected bryophytes. *Molecules*, 23(7), 1520. <https://doi.org/10.3390/molecules23071520>

Wolski, G. J., Sadowska, B., Fol, M., Podśedek, A., Kajszczak, D., & Kobylińska, A. (2021). Cytotoxicity, antimicrobial and antioxidant activities of mosses obtained from open habitats. *PLOS ONE*, 16(9). <https://doi.org/10.1371/journal.pone.0257479>

Xiao, J. B., Chen, X. Q., Zhang, Y. W., Jiang, X. Y., & Xu, M. (2006). Cytotoxicity of *Marchantia convoluta* leaf extracts to human liver and lung cancer cells. *Brazilian Journal of Medical and Biological Research*, 39(6), 731–738. <https://doi.org/10.1590/s0100-879x2006000600005>

Xie, Y. (2017). Re: Cells get less sensitive when passage number goes up.. Retrieved from: [https://www.researchgate.net/post/Cells\\_get\\_less\\_sensitive\\_when\\_passage\\_number\\_goes\\_up/595a5e4248954cc684082690/citation/download](https://www.researchgate.net/post/Cells_get_less_sensitive_when_passage_number_goes_up/595a5e4248954cc684082690/citation/download).

Zhao, J. (2016). Cancer stem cells and chemoresistance: The smartest survives the Raid. *Pharmacology & Therapeutics*, 160, 145–158. <https://doi.org/10.1016/j.pharmthera.2016.02.008>

Zinsmeister, H. D., Becker, H., & Eicher, T. (1991). Bryophytes, a source of biologically active, naturally occurring material? *Angewandte Chemie International Edition in English*, 30(2), 130–147. <https://doi.org/10.1002/anie.199101301>