

## REFERENCES

- Alemneh, A. A., Zhou, Y., Ryder, M. H., Denton, M. D. (2020). Mechanisms in plant growth-promoting rhizobacteria that enhance legume–rhizobial symbioses. *Journal of Applied Microbiology*, 129(5), 1133–1156. <https://doi.org/10.1111/jam.14754>
- Alkharabsheh, H. M., Seleiman, M. F., Hewedy, O. A., Battaglia, M. L., Jalal, R. S., Alhammad, B. A., Schillaci, C., Ali, N., Al-Doss, A. (2021). Field crop responses and management strategies to mitigate soil salinity in modern agriculture: A Review. *Agronomy*, 11(11), 2299. <https://doi.org/10.3390/agronomy11112299>
- Angon, P. B., Tahjib-Ul-Arif, Md., Samin, S. I., Habiba, U., Hossain, M. A., Brestic, M. (2022). How do plants respond to combined drought and salinity stress?—a systematic review. *Plants*, 11(21), 2884. <https://doi.org/10.3390/plants11212884>
- Ahmad, M., Nadeem, S. M., Naveed, M., Zahir, Z. A. (2016). Potassium-solubilizing bacteria and their application in agriculture. *Potassium Solubilizing Microorganisms for Sustainable Agriculture*, 293–313. [https://doi.org/10.1007/978-81-322-2776-2\\_21](https://doi.org/10.1007/978-81-322-2776-2_21)
- Basile, L. A., & Lepek, V. C. (2021). Legume–rhizobium dance: An agricultural tool that could be improved? *Microbial Biotechnology*, 14(5), 1897–1917. <https://doi.org/10.1111/1751-7915.13906>
- Biswas, J. C., Ladha, J. K., & Dazzo, F. B. (2000). Rhizobia inoculation improves nutrient uptake and growth of lowland rice. *Soil Science Society of America Journal*, 64(5), 1644–1650. <https://doi.org/10.2136/sssaj2000.6451644x>
- B. Bouizgarne, M. Bakki , A. Boutasknit, B. Banane, H. El Ouarrat, S. Ait El Maalem, A. Amenzou, A. Ghousmi, A. Meddich. (2023). Phosphate and potash solubilizing bacteria from Moroccan phosphate mine showing antagonism to bacterial canker agent and inducing effective tomato growth promotion. *Frontiers in Plant Science*, 14. <https://doi.org/10.3389/fpls.2023.970382>
- C. Borges, E. Saccol de Sa, A. Muniz, & B. Osorio Filho. (2019). Potential use of Rhizobium for vegetable crops growth promotion. *African Journal of Agricultural Research*, 14(8), 477–483. <https://doi.org/10.5897/ajar2017.12885>
- Debellé, F. (2013). Nod factors. *Brenner's Encyclopedia of Genetics*, 74–77. <https://doi.org/10.1016/b978-0-12-374984-0.01044-5>

- Deshwal, V.K., Vig, K., Amisha, D.M., Yadav, P., Bhattacharya, D. and Verma, M. (2011). Synergistic effects of the inoculation with plant growth-promoting Rhizobium and Pseudomonas on the performance of Mucuna. *Ann. Forestry*. 19(1): 13-20.
- Deshwal, V., & Chaubey, A. (2014). Isolation and Characterization of Rhizobium leguminosarum from Root nodule of Pisum sativum L. *Journal of Academia and Industrial Research (JAIR)*, 2(8).
- Downie, J. A. (2010). The roles of extracellular proteins, polysaccharides and signals in the interactions of rhizobia with legume roots. *FEMS Microbiology Reviews*, 34(2), 150–170. <https://doi.org/10.1111/j.1574-6976.2009.00205.x>
- Ferguson, B.J. (2017) “Rhizobia and legume nodulation genes,” Reference Module in Life Sciences [Preprint]. Available at: <https://doi.org/10.1016/b978-0-12-809633-8.07071-0>.
- Gang, S., Sharma, S., Saraf, M., Buck, M., Schumacher, J. (2019). Analysis of indole-3-acetic acid (IAA) production in Klebsiella by LC-MS/MS and the Salkowski Method. *BIO-PROTOCOL*, 9(9). <https://doi.org/10.21769/bioprotoc.3230>
- Gaurav, Kumar & Singh, Ashok & Singh, Gauri. (2016). Spent Wash as an Alternative Medium for Growth of Rhizobium. *Journal of Academia and Industrial Research*. 5.
- Getahun, A., Muleta, D., Assefa, F., Kiros, S. (2020). Plant growth-promoting rhizobacteria isolated from degraded habitat enhance drought tolerance of acacia (acacia abyssinica Hochst. Ex Benth.) seedlings. *International Journal of Microbiology*, 2020, 1–13. <https://doi.org/10.1155/2020/8897998>
- Guo, K., Yang, J., Yu, N., Luo, L., Wang, E. (2023). Biological nitrogen fixation in cereal crops: Progress, strategies, and Perspectives. *Plant Communications*, 4(2), 100499. <https://doi.org/10.1016/j.xplc.2022.100499>
- Agarwal, P. K., Gupta, K., Lopato, S., Agarwal, P. (2017). Dehydration responsive element binding transcription factors and their applications for the engineering of stress tolerance. *J. Exp. Bot.* 68, 2135–2148. doi: 10.1093/JXB/ERX118
- Hahn, N. J. (1966). The Congo red reaction in bacteria and its usefulness in the identification of Rhizobia. *Canadian Journal of Microbiology*, 12(4), 725–733. <https://doi.org/10.1139/m66-099>

- Haile, G. G., Tang, Q., Li, W., Liu, X., Zhang, X. (2020). Drought: Progress in broadening its understanding. *Wiley Interdiscip. Rev.: Water* 7, e1407. doi: 10.1002/wat2.1407
- Halder, Chakrabartty, (1993). Solubilization of inorganic phosphate by rhizobium. *Folia Microbiologica*, 38(4), 325–330. <https://doi.org/10.1007/bf02898602>
- Hussain, Muhammad Baqir & Mehboob, I. & Zahir, Zahir & Naveed, Muhammad & Asghar, H.N.. (2009). Potential of Rhizobium spp. for improving growth and yield of rice (*Oryza sativa* L.). *Soil & Environment*. 28. 49-55.
- Hussain, M. B., Mehboob, I., Zahir, Z. A., Naveed, M., Asghar, H. N. (2009, May). Potential of rhizobium spp. for improving growth and yield of rice ... ResearchGate. Retrieved April 3, 2023, from [https://www.researchgate.net/publication/216307369\\_Potential\\_of\\_Rhizobium\\_spp\\_for\\_improving\\_growth\\_and\\_yield\\_of\\_rice\\_Oryza\\_sativa\\_L](https://www.researchgate.net/publication/216307369_Potential_of_Rhizobium_spp_for_improving_growth_and_yield_of_rice_Oryza_sativa_L)
- Jones, E., van Vliet, M. T. H. (2018). Drought impacts on river salinity in the southern US: Implications for water scarcity. *Science of The Total Environment*, 644, 844–853. <https://doi.org/10.1016/j.scitotenv.2018.06.373>
- Kapoor, D., Bhardwaj, S., Landi, M., Sharma, A., Ramakrishnan, M., Sharma, A. (2020). The impact of drought in plant metabolism: How to exploit tolerance mechanisms to increase crop production. *Appl. Sci.* 10 (5692), 1–19. doi: 10.3390/app10165692
- Kebede, E. (2021). Competency of rhizobial inoculation in sustainable agricultural production and biocontrol of Plant Diseases. *Frontiers in Sustainable Food Systems*, 5. <https://doi.org/10.3389/fsufs.2021.728014>
- Li, L., Gu, W., Li, J., Li, C., Xie, T., Qu, D., Meng, Y., Li, C., Wei, S. (2018). Exogenously applied spermidine alleviates photosynthetic inhibition under drought stress in maize (*Zea mays* L.) seedlings associated with changes in endogenous polyamines and phytohormones. *Plant Physiology and Biochemistry*, 129, 35–55. <https://doi.org/10.1016/j.plaphy.2018.05.017>
- Liu, W.-G., Zhang, J.-Q., Yan, Y., Beckschäfer, P., Kleinn, C., Dossa, G. G. O., Huai, J.-J., Zhai, D.-L., Song, L. (2023). Encouraging the reconversion of rubber plantations by developing a combined payment system. *Global Ecology and Conservation*, 43. <https://doi.org/10.1016/j.gecco.2023.e02415>

- Ma, Y., Dias, M. C., & Freitas, H. (2020, October 19). Drought and salinity stress responses and microbe-induced tolerance in plants. *Frontiers*.  
[https://www.frontiersin.org/articles/10.3389/fpls.2020.591911/full#:~:text=Salinity%20stress%20generally%20results%20from,effect%20\(Navarro%20et%20al.%20C](https://www.frontiersin.org/articles/10.3389/fpls.2020.591911/full#:~:text=Salinity%20stress%20generally%20results%20from,effect%20(Navarro%20et%20al.%20C)
- Mabrouk, Y., Hemissi, I., Salem, I. B., Mejri, S., Saidi, M., Belhadj, O. (2018). Potential of rhizobia in improving nitrogen fixation and yields of legumes. *Symbiosis*.  
<https://doi.org/10.5772/intechopen.73495>
- Marthandan, V., Geetha, R., Kumutha, K., Renganathan, V. G., Karthikeyan, A., Ramalingam, J. (2020). Seed priming: A feasible strategy to enhance drought tolerance in crop plants. *Int. J. Mol. Sci.* 21 (8258), 1–23. doi: 10.3390/ijms21218258
- Ma'ruf , A., Zulia, C. (2017, March). Legume Cover Crop di Perkebunan Kelapa Sawit. Researchgate. Retrieved April 23, 2023, from  
[https://www.researchgate.net/publication/316349699\\_Legume\\_Cover\\_Crop\\_di\\_Perkebunan\\_Kelapa\\_Sawit](https://www.researchgate.net/publication/316349699_Legume_Cover_Crop_di_Perkebunan_Kelapa_Sawit)
- Meza, I., Siebert, S., Döll, P., Kusche, J., Herbert, C., Eyshi Rezaei, E., et al. (2020). Global-scale drought risk assessment for agricultural systems. *Nat. Hazards Earth Syst. Sci.* 20, 695–712. doi: 10.5194/nhess-20-695-2020
- Morel, M., Braña , V., & Castro-Sowinski, S. (2012). Legume crops, importance and use of bacterial inoculation to increase production. *Crop Plant*. <https://doi.org/10.5772/37413>
- Murti, B. K., Andayani, N., Rahayu, E. (2018). PENGARUH KOMPOSISI MEDIA TANAM DAN PUPUK P TERHADAP PERTUMBUHAN *Pueraria javanica*. *JURNAL AGROMAST*, 3(1).
- Musolino, D. A., Massarutto, A., de Carli, A. (2018). Does drought always cause economic losses in agriculture? An empirical investigation on the distributive effects of drought events in some areas of southern Europe. *Sci. Total Environ.* 633, 1560–1570. doi: 10.1016/j.scitotenv.2018.02.308
- Nakayama, M., Nakajima-Kambe, T., Katayama, H., Higuchi, K., Kawasaki, Y., & Fuji, R. (2008). High catalase production by *Rhizobium Radiobacter* strain 2-1. *Journal of Bioscience and Bioengineering*, 106(6), 554–558. <https://doi.org/10.1263/jbb.106.554>

- Nandi, A., Yan, L.-J., Jana, C. K., & Das, N. (2019). Role of catalase in oxidative stress- and age-associated degenerative diseases. *Oxidative Medicine and Cellular Longevity*, 2019, 1–19. <https://doi.org/10.1155/2019/9613090>
- Nursanti, I., Supriyanto, R. (2022). Pertumbuhan legume cover crops (*Puararia javanica*) Pada Tanah Pasca Penambangan Batubara plus zeolit. *Jurnal Media Pertanian*, 7(1), 7. <https://doi.org/10.33087/jagro.v7i1.128>
- Okazaki, S., Nukui, N., Sugawara, M., Minamisawa, K. (2004). Rhizobial strategies to enhance symbiotic interactions: Rhizobitoxine and 1-aminocyclopropane-1-carboxylate deaminase. *Microbes and Environments*, 19(2), 99–111. <https://doi.org/10.1264/jsme2.19.99>
- Olaniyan, F. T., Alori, E. T., Adekiya, A. O., Ayorinde, B. B., Daramola, F. Y., Osemwegie, O. O., Babalola, O. O. (2022). The use of soil microbial potassium solubilizers in potassium nutrient availability in soil and its dynamics. *Annals of Microbiology*, 72(1). <https://doi.org/10.1186/s13213-022-01701-8>
- Oldroyd, G. E. D., Murray, J. D., Poole, P. S., Downie, J. A. (2011). The rules of engagement in the legume-rhizobial symbiosis. *Annual Review of Genetics*, 45(1), 119–144. <https://doi.org/10.1146/annurev-genet-110410-132549>
- Oteino, N., Lally, R. D., Kiwanuka, S., Lloyd, A., Ryan, D., Germaine, K. J., Dowling, D. N. (2015). Plant growth promotion induced by phosphate solubilizing endophytic *pseudomonas* isolates. *Frontiers in Microbiology*, 6. <https://doi.org/10.3389/fmicb.2015.00745>
- Palma, J. M., Mateos, R. M., López-Jaramillo, J., Rodríguez-Ruiz, M., González-Gordo, S., Lechuga-Sancho, A. M., Corpas, F. J. (2020). Plant catalases as no and H<sub>2</sub>S targets. *Redox Biology*, 34, 101525. <https://doi.org/10.1016/j.redox.2020.101525>
- Parsons, D. J., Rey, D., Tanguy, M., Holman, I. P. (2019). Regional variations in the link between drought indices and reported agricultural impacts of drought. *Agric. Syst.* 173, 119–129. doi: 10.1016/j.agsy.2019.02.015
- Praveen, K. V., & Singh, A. (2019). Realizing the potential of a low-cost technology to enhance crop yields: Evidence from a meta-analysis of biofertilizers in India. *Agricultural Economics Research Review*, 32(conf), 77. <https://doi.org/10.5958/0974-0279.2019.00018.1>
- Rosero, A., Granda, L., Berdugo-Cely, J. A., Šamajová, O., Šamaj, J., Cerkal, R. (2020). A dual strategy of breeding for drought tolerance and introducing drought-tolerant, underutilized crops into

- production systems to enhance their resilience to water deficiency. *Plants* 9 (1263), 1–21. doi: 10.3390/plants9101263
- Sallam, A., Alqudah, A. M., Dawood, M. F., Baenziger, P. S., Börner, A. (2019). Drought stress tolerance in wheat and barley: Advances in physiology, breeding and genetics research. *Int. J. Mol. Sci.* 20 (3137), 1–36. doi: 10.3390/ijms20133137
- Seleiman, M. F., Al-Suhaibani, N., Ali, N., Akmal, M., Alotaibi, M., Refay, Y., et al. (2021). Drought stress impacts on plants and different approaches to alleviate its adverse effects. *Plants* 10, 259. doi: 10.3390/plants10020259
- Singh, A. K., Singh, G., Gautam, D., & Bedi, M. K. (2013). Optimization of dairy sludge for growth of rhizobium cells. *BioMed Research International*, 2013, 1–5. <https://doi.org/10.1155/2013/845264>
- UPADHAYAY, S. P., PAREEK, N., MISHRA, G. (1970). Short communication: Isolation and biochemical characterization of Rhizobium strains from nodules of lentil and pea in tarai agro-ecosystem, Pantnagar, India. *Nusantara Bioscience*, 7(2). <https://doi.org/10.13057/nusbiosci/n070203>
- Ullah, S., Qureshi, M. A., Ali, M. A., Mujeeb, F., & Yasin, S. (2017). Comparative potential of Rhizobium species for the growth promotion of Sunflower (*Helianthus annuus* L.). *EURASIAN JOURNAL OF SOIL SCIENCE (EJSS)*, 6(3), 189–189. <https://doi.org/10.18393/ejss.286694>
- Wang, D., Xu, A., Elmerich, C., Ma, L. Z. (2017). Biofilm formation enables free-living nitrogen-fixing rhizobacteria to fix nitrogen under aerobic conditions. *The ISME Journal*, 11(7), 1602–1613. <https://doi.org/10.1038/ismej.2017.30>
- Wang, Q., Liu, J., & Zhu, H. (2018). Genetic and molecular mechanisms underlying symbiotic specificity in legume-rhizobium interactions. *Frontiers in Plant Science*, 9. <https://doi.org/10.3389/fpls.2018.00313>
- Warren, J., Meeks, K., & Edwards, J. (2017, February 1). Benefits of using cover crops in Oklahoma - Oklahoma State University. Benefits of Using Cover Crops in Oklahoma | Oklahoma State University. Retrieved April 24, 2023, from <https://extension.okstate.edu/fact-sheets/benefits-of-using-cover-crops-in-oklahoma-no-till.html>
- Wheatley, R. M., Ford, B. L., Li, L., Aroney, S. T., Knights, H. E., Ledermann, R., East, A. K., Ramachandran, V. K., & Poole, P. S. (2020). Lifestyle adaptations of rhizobium

- from Rhizosphere to symbiosis. *Proceedings of the National Academy of Sciences*, 117(38), 23823–23834. <https://doi.org/10.1073/pnas.2009094117>
- Xu, G., Fan, X., & Miller, A. J. (2012). Plant nitrogen assimilation and use efficiency. *Annual Review of Plant Biology*, 63(1), 153–182. <https://doi.org/10.1146/annurev-arplant-042811-105532>
- Zhang, X., Gao, J., Zhao, F., Zhao, Y., Li, Z. (2014). Characterization of a salt-tolerant bacterium *Bacillus* sp. from a membrane bioreactor for saline wastewater treatment. *Journal of Environmental Sciences*, 26(6), 1369–1374. [https://doi.org/10.1016/s1001-0742\(13\)60613-0](https://doi.org/10.1016/s1001-0742(13)60613-0)
- Zia, R., Nawaz, M. S., Siddique, M. J., Hakim, S., Imran, A. (2021). Plant survival under drought stress: Implications, adaptive responses, and integrated rhizosphere management strategy for stress mitigation. *Microbiol. Res.* 242, 126626. doi: 10.1016/j.micres.2020.126626
- Zúñiga, A., Poupin, M. J., Donoso, R., Ledger, T., Guiliani, N., Gutiérrez, R. A., González, B. (2013). Quorum sensing and indole-3-acetic acid degradation play a role in colonization and plant growth promotion of *Arabidopsis thaliana* by *Burkholderia phytofirmans* PsjN. *Molecular Plant-Microbe Interactions*®, 26(5), 546–553. <https://doi.org/10.1094/mpmi-10-12-0241-r>