

REFERENCES

- Ahn, J., Kim, N. S., Lee, B. K., & Park, S. (2017). Carbohydrate intake exhibited a positive association with the risk of metabolic syndrome in both semi-quantitative food frequency questionnaires and 24-hour recall in women. *Journal of Korean medical science*, 32(9), 1474-1483.
- Al-Shaar, L., Satija, A., Wang, D. D., Rimm, E. B., Smith-Warner, S. A., Stampfer, M. J., ... & Willett, W. C. (2020). Red meat intake and risk of coronary heart disease among US men: prospective cohort study. *bmj*, 371.
- Ariani, M. (2010). Analisis konsumsi pangan tingkat masyarakat mendukung pencapaian diversifikasi pangan. *Gizi Indonesia*, 33(1).
- Ariani, M., Gantina, A., Mauludyani, A. V. R., & Suryana, A. (2021, November). Environmentally friendly household food consumption behavior. In IOP Conference Series: Earth and Environmental Science (Vol. 892, No. 1, p. 012023). IOP Publishing.
- Badan Pusat Statistik. (2016). Konsumsi Kalori dan Protein Penduduk Indonesia dan Provinsi: Book 2.
- Bijani, A., Esmaili, H., Ghadimi, R., Babazadeh, A., Rezaei, R., Cumming, R. G., & Hosseini, S. R. (2018). Development and validation of a semi-quantitative food frequency questionnaire among older people in north of Iran. *Caspian journal of internal medicine*, 9(1), 78.
- Blanco Mejia, S., Messina, M., Li, S. S., Vigiliouk, E., Chiavaroli, L., Khan, T. A., ... & Jenkins, D. J. (2019). A meta-analysis of 46 studies identified by the FDA demonstrates that soy protein decreases circulating LDL and total cholesterol concentrations in adults. *The Journal of nutrition*, 149(6), 968-981.
- Caan, B. J., Natarajan, L., Parker, B., Gold, E. B., Thomson, C., Newman, V., ... & Pierce, J. P. (2011). Soy Food Consumption and Breast Cancer PrognosisSoy and Breast Cancer Prognosis. *Cancer epidemiology, biomarkers & prevention*, 20(5), 854-858.
- Caballero, B. (2012). Encyclopedia of human nutrition. Elsevier Inc..
- Chan, S. G., Ho, S. C., Kreiger, N., Darlington, G., Adlaf, E. M., So, K. F., & Chong, P. Y. (2008). Validation of a food frequency questionnaire for assessing dietary soy isoflavone intake among midlife Chinese women in Hong Kong. *The Journal of nutrition*, 138(3), 567-573.

- Chatterjee, C., Gleddie, S., & Xiao, C. W. (2018). Soybean bioactive peptides and their functional properties. *Nutrients*, 10(9), 1211.
- Chen, L. R., Ko, N. Y., & Chen, K. H. (2019). Isoflavone supplements for menopausal women: a systematic review. *Nutrients*, 11(11), 2649.
- Clonan, A., Roberts, K. E., & Holdsworth, M. (2016). Socioeconomic and demographic drivers of red and processed meat consumption: implications for health and environmental sustainability. *Proceedings of the Nutrition Society*, 75(3), 367-373.
- David, W., & Kofahl, D. (Eds.). (2017). Food Culture of Southeast Asia: Perspective of social science and food science. kassel university press GmbH.
- de Pee, S., Hardinsyah, R., Jalal, F., Kim, B. F., Semba, R. D., Deptford, A., ... & Bloem, M. W. (2021). Balancing a sustained pursuit of nutrition, health, affordability and climate goals: exploring the case of Indonesia. *The American journal of clinical nutrition*, 114(5), 1686-1697.
- Dihni, V. (2021). Ini Provinsi sentra Produksi Kedelai Terbesar di Indonesia: Databoks. Pusat Data Ekonomi dan Bisnis Indonesia (Kementerian Pertanian). Retrieved March 12, 2023, from [https://databoks.katadata.co.id/datapublish/2022/02/17/ini-provinsi-sentra-produksi-kedelai-terbesar-di-indonesia#:~:text=Berdasarkan%20data%20Kementerian%20Pertanian%20\(Kementerian,produksi%202015.035%20ton%20per%20tahun.](https://databoks.katadata.co.id/datapublish/2022/02/17/ini-provinsi-sentra-produksi-kedelai-terbesar-di-indonesia#:~:text=Berdasarkan%20data%20Kementerian%20Pertanian%20(Kementerian,produksi%202015.035%20ton%20per%20tahun.)
- Fallaize, R., Forster, H., Macready, A. L., Walsh, M. C., Mathers, J. C., Brennan, L., ... & Lovegrove, J. A. (2014). Online dietary intake estimation: reproducibility and validity of the Food4Me food frequency questionnaire against a 4-day weighed food record. *Journal of medical Internet research*, 16(8), e190.
- Fialkowski, M. K., McCrory, M. A., Roberts, S. M., Tracy, J. K., Grattan, L. M., & Boushey, C. J. (2010). Evaluation of dietary assessment tools used to assess the diet of adults participating in the Communities Advancing the Studies of Tribal Nations Across the Lifespan cohort. *Journal of the American Dietetic Association*, 110(1), 65-73.
- Fitrianti, D. Y., & Marthandaru, D. (2016). Pengaruh susu kedelai dan jahe terhadap kadar kolesterol total pada wanita hiperkolesterolemia. *Jurnal Gizi Indonesia (The Indonesian Journal of Nutrition)*, 4(2), 89-95.
- Freedman, L. S., Potischman, N., Kipnis, V., Midthune, D., Schatzkin, A., Thompson, F. E., ... Subar, A. F. (2006). A comparison of two dietary instruments for evaluating the fat–breast cancer relationship. *International Journal of Epidemiology*, 35(4), 1011–1021.

- Fresán, U., Mejia, M. A., Craig, W. J., Jaceldo-Siegl, K., & Sabaté, J. (2019). Meat analogs from different protein sources: a comparison of their sustainability and nutritional content. *Sustainability*, 11(12), 3231.
- Gale, F., Valdes, C., & Ash, M. (2019). Interdependence of China, United States, and Brazil in soybean trade.
- Garrett, R. D., & Rausch, L. L. (2016). Green for gold: social and ecological tradeoffs influencing the sustainability of the Brazilian soy industry. *The Journal of Peasant Studies*, 43(2), 461-493.
- Gorissen, S. H., Crombag, J. J., Senden, J. M., Waterval, W. H., Bierau, J., Verdijk, L. B., & van Loon, L. J. (2018). Protein content and amino acid composition of commercially available plant-based protein isolates. *Amino acids*, 50, 1685-1695.
- Harahap, I. A., & Suliburska, J. (2021). Probiotics and isoflavones as a promising therapeutic for calcium status and bone health: A narrative review. *Foods*, 10(11), 2685.
- Harsono, A., Harnowo, D., Ginting, E., & Elisabeth, D. A. A. (2021). Soybean in Indonesia: Current Status, Challenges and Opportunities to Achieve Self-Sufficiency.
- He, Y., Li, Y., Yang, X., Hemler, E. C., Fang, Y., Zhao, L., ... & Hu, F. B. (2019). The dietary transition and its association with cardiometabolic mortality among Chinese adults, 1982–2012: a cross-sectional population-based study. *The lancet Diabetes & endocrinology*, 7(7), 540-548.
- Heale, R., & Twycross, A. (2015). Validity and reliability in quantitative studies. *Evidence-based nursing*, 18(3), 66-67.
- Herlina, V. T., Lioe, H. N., Kusumaningrum, H. D., & Adawiyah, D. R. (2022). Nutritional composition of tauco as Indonesian fermented soybean paste. *Journal of Ethnic Foods*, 9(1), 1-17.
- Ilham, I., Oktorina, S., As'at, M., & Haqiqi, R. (2017). Hubungan asupan energi dan protein terhadap indeks massa tubuh mahasiswa: studi kasus pada Mahasiswa UIN Sunan Ampel Surabaya. *Journal of Health Science and Prevention*, 1(2), 97-106.
- Jia, F., Peng, S., Green, J., Koh, L., & Chen, X. (2020). Soybean supply chain management and sustainability: A systematic literature review. *Journal of Cleaner Production*, 255, 120254.
- Jooyandeh, H. (2011). Soy products as healthy and functional foods. *Middle-East Journal of Scientific Research*, 7(1), 71-80.

- Kementerian Kesehatan. (2014). Badan Penelitian Dan Pengembangan Kesehatan: Survei Konsumsi Makanan Individu Studi Diet Total 2014. Retrieved March 18, 2023, from <https://labmandat.litbang.kemkes.go.id/23-labmandat/398-bahan-paparan-survei-konsumsi-makanan-individu-studi-diet-total-2014>
- Khairunisa, I. (2022). Pengaruh Produksi Kedelai, Harga Kedelai Impor, Dan Nilai Tukar Terhadap Impor Kedelai Indonesia Tahun 2011-2020. *Transekonomika: Akuntansi, Bisnis Dan Keuangan*, 2(6), 57-70.
- Khusun, H., Februhartanty, J., Anggraini, R., Mognard, E., Alem, Y., Noor, M. I., ... & Drewnowski, A. (2022). Animal and plant protein food sources in Indonesia differ across socio-demographic groups: Socio-cultural research in protein transition in Indonesia and Malaysia. *Frontiers in Nutrition*, 9, 762459.
- Koizumi, A., Harada, K. H., Inoue, K., Hitomi, T., Yang, H. R., Moon, C. S., ... & Ikeda, M. (2009). Past, present, and future of environmental specimen banks. *Environmental health and preventive medicine*, 14(6), 307-318.
- Kowalkowska, J., Slowinska, M. A., Slowinski, D., Dlugosz, A., Niedzwiedzka, E., & Wadolowska, L. (2013). Comparison of a full food-frequency questionnaire with the three-day unweighted food records in young Polish adult women: implications for dietary assessment. *Nutrients*, 5(7), 2747-2776.
- Kristensen, M. D., Bendsen, N. T., Christensen, S. M., Astrup, A., & Raben, A. (2016). Meals based on vegetable protein sources (beans and peas) are more satiating than meals based on animal protein sources (veal and pork)—a randomized cross-over meal test study. *Food & Nutrition Research*, 60(1), 32634.
- Kusnandar, V. B. (2022). Impor Kedelai Menurut Negara Asal Utama, 2017-2021. Badan Pusat Statistik. Retrieved March 11, 2023, from <https://www.bps.go.id/statictable/2019/02/14/2015/impor-kedelai-menurut-negara-asal-utama-2010-2019.html>
- Li, M., Dong, H., Wu, D., Chen, H., Qin, W., Liu, W., ... & Zhang, Q. (2020). Nutritional evaluation of whole soybean curd made from different soybean materials based on amino acid profiles. *Food Quality and Safety*, 4(1), 41-50.
- Li, M. W., Wang, Z., Jiang, B., Kaga, A., Wong, F. L., Zhang, G., ... & Lam, H. M. (2020). Impacts of genomic research on soybean improvement in East Asia. *Theoretical and Applied Genetics*, 133(5), 1655-1678.
- Lima, A., Oliveira, J., Saúde, F., Mota, J., & Ferreira, R. B. (2017). Proteins in soy might have a higher role in cancer prevention than previously expected: soybean protein

fractions are more effective MMP-9 inhibitors than non-protein fractions, even in cooked seeds. *Nutrients*, 9(3), 201.

Mani, V., & Ming, L. C. (2017). Tempeh and other fermented soybean products rich in isoflavones. In *Fermented foods in health and disease prevention* (pp. 453-474). Academic Press.

Mazumder, M. A. R., & Begum, A. A. (2016). Soy milk as source of nutrient for malnourished population of developing country: A review. *International Journal of Advanced Scientific and Technical Research*, 5(6), 192-203.

Messina, M., Duncan, A., Messina, V., Lynch, H., Kiel, J., & Erdman Jr, J. W. (2022). The health effects of soy: A reference guide for health professionals. *Frontiers in Nutrition*, 1837.

Meutia, Y. R. (2016). Standardisasi Produk Kecap Kedelai Manis Sebagai Produk Khas Indonesia. *Jurnal Standardisasi*, 17(2), 147-156.

Mumu, S. J., Merom, D., Ali, L., Fahey, P. P., Hossain, I., Rahman, A. K. M., & Allman-Farinelli, M. (2020). Validation of a food frequency questionnaire as a tool for assessing dietary intake in cardiovascular disease research and surveillance in Bangladesh. *Nutrition journal*, 19(1), 1-16.

Nozue, M., Shimazu, T., Sasazuki, S., Charvat, H., Mori, N., Mutoh, M., ... & Tsugane, S. (2017). Fermented soy product intake is inversely associated with the development of high blood pressure: The Japan Public Health Center-Based Prospective Study. *The Journal of nutrition*, 147(9), 1749-1756.

Nurohmi, S., & Amalia, L. (2012). Pengetahuan gizi, aktivitas fisik, dan tingkat kecukupan gizi aktivis Badan Eksekutif Mahasiswa (BEM) IPB. *Jurnal Gizi dan Pangan*, 7(3), 151-156.

O'Keefe, S. F., Bianchi, L., & Sharman, J. (2015). Soybean nutrition.

Pawlowski, J. W., Martin, B. R., McCabe, G. P., McCabe, L., Jackson, G. S., Peacock, M., ... & Weaver, C. M. (2015). Impact of equol-producing capacity and soy-isoflavone profiles of supplements on bone calcium retention in postmenopausal women: a randomized crossover trial. *The American journal of clinical nutrition*, 102(3), 695-703.

Peraturan Menteri Kesehatan Republik Indonesia Nomor 28 Tahun 2019 Tentang Angka Kecukupan Gizi Yang Dianjurkan Untuk Masyarakat Indonesia. Retrieved March 18, 2023,

- http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No_28_Th_2019_ttg_Angka_Kecukupan_Gizi_Yang_Dianjurkan_Untuk_Masyarakat_Indonesia.pdf
- Priolli, R. H. G., Campos, J. B., Stabellini, N. S., Pinheiro, J. B., & Vello, N. A. (2015). Association mapping of oil content and fatty acid components in soybean. *Euphytica*, 203, 83-96.
- Qin, P., Wang, T., & Luo, Y. (2022). A review on plant-based proteins from soybean: Health benefits and soy product development. *Journal of Agriculture and Food Research*, 7, 100265.
- Rahadiyanti, A., & Mulyati, T. (2017). Efek Tempe Kedelai Terhadap Penurunan Kadar Glukosa Darah Pada Prediabetes. *Darussalam Nutrition Journal*, 1(2), 19-30.
- Reinwald, S., Akabas, S. R., & Weaver, C. M. (2010). Whole versus the piecemeal approach to evaluating soy. *The Journal of nutrition*, 140(12), 2335S-2343S.
- Research and Markets. (2021). Indonesia Plant Protein Business and Investment Opportunities (2018-2027) Insight Series - White Space / Gap Analysis, Product Strategy, Innovation and Brand Share Analysis, Competitive Landscape, Market Size Across 50+ Segments.
- Richter, C. K., Skulas-Ray, A. C., Champagne, C. M., & Kris-Etherton, P. M. (2015). Plant protein and animal proteins: do they differentially affect cardiovascular disease risk?. *Advances in nutrition*, 6(6), 712-728.
- Ritchie, H., & Roser, M. (2021). Soy. Our World in Data. Retrieved March 1, 2023, from <https://ourworldindata.org/soy>
- Rizzo, G., & Baroni, L. (2018). Soy, soy foods and their role in vegetarian diets. *Nutrients*, 10(1), 43.
- Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26, 100413.
- Sadras, V. O., & Calderini, D. (Eds.). (2020). *Crop physiology case histories for major crops*. Academic press.
- Santy, P., & ZA, R. N. (2020). PERBANDINGAN PEMBERIAN SOYA SEDIAAN DAN SOYA LOKAL TERHADAP KADAR HDL-C dan LDL-C PADA WANITA MENOPAUSE DI WILAYAH KERJA PUSKESMAS KUTA BARO KABUPATEN ACEH BESAR. *JOURNAL OF HEALTHCARE TECHNOLOGY AND MEDICINE*, 6(2), 1307-1315.
- Sathyapalan, T., Aye, M., Rigby, A. S., Fraser, W. D., Thatcher, N. J., Kilpatrick, E. S., & Atkin, S. L. (2017). Soy reduces bone turnover markers in women during early menopause:

a randomized controlled trial. *Journal of bone and mineral research*, 32(1), 157-164.

Sekretariat Kabinet Republik Indonesia. (2022). Presiden Dorong Peningkatan Produksi Kedelai Dalam Negeri. Retrieved 16 March 2023, from <https://setkab.go.id/presiden-dorong-peningkatan-produksi-kedelai-dalam-negeri/>

Selvi, A., & Das, N. (2019). Fermented soybean food products as sources of protein-rich diet: an overview. *Fermented food products*, 167-180.

Seo, H. R., Kim, J. Y., Kim, J. H., & Park, K. Y. (2009). Identification of *Bacillus cereus* in a chungkukjang that showed high anticancer effects against AGS human gastric adenocarcinoma cells. *Journal of Medicinal Food*, 12(6), 1274-1280.

Setchell, K. D., Brown, N. M., Summer, S., King, E. C., Heubi, J. E., Cole, S., ... & Hokin, B. (2013). Dietary factors influence production of the soy isoflavone metabolite s-(-) equol in healthy adults. *The Journal of nutrition*, 143(12), 1950-1958.

Setiati, S., Harimurti, K., Dewiasty, E., Istanti, R., Mupangati, Y. M., Ngestiningsih, D., ... & Jim, E. (2013). Profile of food and nutrient intake among Indonesian elderly population and factors associated with energy intake: a multi-centre study. *Acta medica Indonesiana*, 45(4), 265-274.

Sharma, S. K., Mudgal, S. K., Thakur, K., & Gaur, R. (2020). How to calculate sample size for observational and experimental nursing research studies. *National Journal of Physiology, Pharmacy and Pharmacology*, 10(1), 1-8.

Sharp, G. B., Lagarde, F., Mizuno, T., Sauvaget, C., Fukuhara, T., Allen, N., ... & Tokuoka, S. (2005). Relationship of hepatocellular carcinoma to soya food consumption: A cohort-based, case-control study in Japan. *International journal of cancer*, 115(2), 290-295.

Shea, Z., Singer, W. M., & Zhang, B. (2020). Soybean production, versatility, and improvement. In *Legume Crops-Prospects, Production and Uses*. London, UK: IntechOpen.

Shim, J. S., Oh, K., & Kim, H. C. (2014). Dietary assessment methods in epidemiologic studies. *Epidemiology and health*, 36.

Sinaga, E., & Wirawanni, Y. (2012). Pengaruh pemberian susu kedelai terhadap kadar glukosa darah puasa pada wanita prediabetes. *Journal of Nutrition College*, 1(1), 312-321.

- Siregar, N. S. (2014). Karbohidrat. Jurnal Ilmu Keolahragaan, 13(02), 38-44.
- Steinemann, N. (2011). Validation of an online web-based food frequency questionnaire (FFQ) as an assessment method in Switzerland and its application in the "Jugendstudie Ernährung 2010". Zurich: Zurich University of Applied Sciences.
- Steinemann, N., Grize, L., Ziesemer, K., Kauf, P., Probst-Hensch, N., & Brombach, C. (2017). Relative validation of a food frequency questionnaire to estimate food intake in an adult population. *Food & nutrition research*.
- Tamang, J. P. (Ed.). (2020). Ethnic fermented foods and beverages of India: science history and culture. Springer Nature.
- Tang, Y., Liu, Y., Xu, L., Jia, Y., Shan, D., Li, W., ... & Zhuang, J. (2015). Validity and reproducibility of a revised semi-quantitative food frequency questionnaire (SQFFQ) for women of age-group 12-44 years in Chengdu. *Journal of health, population, and nutrition*, 33(1), 50.
- U.S. Soybean Export Council (2020) Indonesia soy beverage producers take part in USSEC Virtual Workshop to promote industry and market development, U.S. Soybean Export Council. Available at: <https://ussec.org/indonesia-soy-beverage-producers-part-ussec-virtual-workshop-promote-industry-market-development/> (Accessed: January 20, 2023).
- Voora, V., Larrea, C., & Bermudez, S. (2020). Global market report: Soybeans. Winnipeg, Manitoba: International Institute for Sustainable Development.
- Wang, Q., Liu, X., & Ren, S. (2020). Tofu intake is inversely associated with risk of breast cancer: A meta-analysis of observational studies. *PLoS One*, 15(1), e0226745.
- Wijayati, P. D., Harianto, N., & Suryana, A. (2019). Permintaan Pangan Sumber Karbohidrat di Indonesia. *Analisis Kebijakan Pertanian*, 17 (1), 13.
- Zheng, L., Regenstein, J. M., Teng, F., & Li, Y. (2020). Tofu products: A review of their raw materials, processing conditions, and packaging. *Comprehensive Reviews in Food Science and Food Safety*.