

References

- Abd El-Kader, A., & Abu Hashish, H. (2020). Encapsulation techniques of food bioproduct. *Egyptian Journal of Chemistry*. <https://doi.org/10.21608/ejchem.2019.16269.1993>
- Abdullah, Z., Taip, F. S., Mustapa Kamal, S. M., & Abdul Rahman, R. Z. (2018). Effect of sodium caseinate concentration and sonication amplitude on the stability and physical characteristics of homogenized coconut milk. *Journal of Food Processing and Preservation*, 42(11). <https://doi.org/10.1111/jfpp.13773>
- Adheeb Usaid, A. S., Premkumar, J., & Ranganathan, T. V. (2014). Emulsion and its application in food processing - a review. *Journal of Engineering Research and Applications*, 4(4), 241-248.
- Aguilera, J. M. (2022). Rational food design and food microstructure. *Trends in Food Science & Technology*, 122, 256–264. <https://doi.org/10.1016/j.tifs.2022.02.006>
- Akbari, S., & Nour, A. H. (2018). Emulsion types, stability mechanisms and rheology: A Review. *International Journal of Innovative Research and Scientific Studies*, 1(1), 11–17. <https://doi.org/10.53894/ijirss.v1i1.4>
- Al-Jubori, Y., Ahmed, N. T., Albusaidi, R., Madden, J., Das, S., & Sirasanagandla, S. R. (2023). The efficacy of Gum Arabic in managing diseases: A systematic review of evidence-based clinical trials. *Biomolecules*, 13(1), 138. <https://doi.org/10.3390/biom13010138>
- Alain, M., & McMullen, J.-N. (1985). Molecular weight of Acacia. *International Journal of Pharmaceutics*, 23(3), 265–275. [https://doi.org/10.1016/0378-5173\(85\)90155-3](https://doi.org/10.1016/0378-5173(85)90155-3)
- Alós, E., Rodrigo, M. J., & Zacarias, L. (2016). Manipulation of carotenoid content in plants to improve human health. *Subcellular Biochemistry*, 311–343. https://doi.org/10.1007/978-3-319-39126-7_12

Amchova, P., Kotolova, H., & Ruda-Kucerova, J. (2015). Health safety issues of synthetic food colorants. *Regulatory Toxicology and Pharmacology*, 73(3), 914–922.
<https://doi.org/10.1016/j.yrtph.2015.09.026>

Anvari, M., & Joyner, H. S. (2017). Effect of formulation on structure-function relationships of concentrated emulsions: Rheological, tribological, and microstructural characterization. *Food Hydrocolloids*, 72, 11–26. <https://doi.org/10.1016/j.foodhyd.2017.04.034>

Aponso, M. M. W., De Silva, G. O., & Abeysundara, A. T. (2017). Emulsifiers as food additives: An overview on the impact to obesity and gut diseases. *Journal of Pharmacognosy and Phytochemistry*, 6(3), 485-487.

Arumsari, N. I., Riyanto, S., & Rohman, A. (2013). Some physico-chemical properties of red fruit oil (*Pandanus Conoideus Lam*) from hexane and chloroform fractions. *Journal of Food and Pharmaceutical Sciences*, 1, 30-34.

Atgié, M., Masbernat, O., & Roger, K. (2018). Emulsions stabilized by Gum Arabic: Composition and packing within Interfacial Films. *Langmuir*, 35(4), 962–972.
<https://doi.org/10.1021/acs.langmuir.8b02715>

Ayala-Zavala, J. F., Vega-Vega, V., Rosas-Domínguez, C., Palafox-Carlos, H., Villa-Rodriguez, J. A., Siddiqui, M. W., Dávila-Aviña, J. E., & González-Aguilar, G. A. (2011). Agro-industrial potential of exotic fruit byproducts as a source of food additives. *Food Research International*, 44(7), 1866–1874. <https://doi.org/10.1016/j.foodres.2011.02.021>

Badem, A., & Uçar, G. (2017). Production of caseins and their usages. *International Journal of Food Science and Nutrition*, 2(1), 4-9.

Bajaj, S. R., & Singhal, R. S. (2021). Enhancement of stability of vitamin B12 by co-crystallization: A convenient and palatable form of fortification. *Journal of Food Engineering*, 291, 110231.
<https://doi.org/10.1016/j.jfoodeng.2020.110231>

- Barbosa, M. I. M. J., Borsarelli, C. D., & Mercadante, A. Z. (2005). Light stability of spray-dried Bixin encapsulated with different edible polysaccharide preparations. *Food Research International*, 38(8-9), 989–994. <https://doi.org/10.1016/j.foodres.2005.02.018>
- Bearth, A., Cousin, M.-E., & Siegrist, M. (2014). The consumer's perception of artificial food additives: Influences on acceptance, risk and benefit perceptions. *Food Quality and Preference*, 38, 14–23. doi:10.1016/j.foodqual.2014.05.00
- Beristain, C. I., Mendoza, R. E., Garcia, H. S., & Vazquez, A. (1994). Cocrystallization of Jamaica (Hibiscus Sabdarifa L.) granules. *LWT - Food Science and Technology*, 27(4), 347–349. <https://doi.org/10.1006/fstl.1994.1071>
- Bhandari, B. R., Datta, N., D'Arcy, B. R., & Rintoul, G. B. (1998). Co-crystallization of honey with sucrose. *LWT - Food Science and Technology*, 31(2), 138–142. doi:10.1006/fstl.1997.0316
- Bhandari, B. R., & Hartel, R. W. (2002). Co-crystallization of sucrose at high concentration in the presence of glucose and fructose. *Journal of Food Science*, 67(5), 1797–1802. <https://doi.org/10.1111/j.1365-2621.2002.tb08725.x>
- Blekas, G. A. (2016). Food additives: Classification, uses and regulation. *Encyclopedia of Food and Health*, 731–736. <https://doi.org/10.1016/b978-0-12-384947-2.00304-4>
- Bodewes, F. A. J. A., Wouthuyzen-Bakker, M., & Verkade, H. J. (2015). Persistent fat malabsorption in cystic fibrosis. *Diet and Exercise in Cystic Fibrosis*, 373–381. <https://doi.org/10.1016/b978-0-12-800051-9.00041-9>
- Boon, C. S., McClements, D. J., Weiss, J., & Decker, E. A. (2010). Factors influencing the chemical stability of carotenoids in foods. *Critical Reviews in Food Science and Nutrition*, 50(6), 515–532. <https://doi.org/10.1080/10408390802565889>
- Borba, C. M., Tavares, M. N., Macedo, L. P., Araújo, G. S., Furlong, E. B., Dora, C. L., & Burkert, J. F. M. (2019). Physical and chemical stability of β-carotene nanoemulsions during storage and thermal process. *Food Research International*, 121, 229–237. <https://doi.org/10.1016/j.foodres.2019.03.045>

Braun, K., Hanewald, A., & Vilgis, T. A. (2019). Milk emulsions: Structure and stability. *Foods*, 8(10), 483. <https://doi.org/10.3390/foods8100483>

Carocho, M., Barreiro, M. F., Morales, P., & Ferreira, I. C. F. R. (2014). Adding molecules to food, pros and cons: A review on synthetic and natural food additives. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 377–399. doi:10.1111/1541-4337.12065

Carr, A. J., Munro, P. A., & Campanella, O. H. (2002). Effect of added monovalent or divalent cations on the rheology of sodium caseinate solutions. *International Dairy Journal*, 12(6), 487–492. [https://doi.org/10.1016/s0958-6946\(02\)00024-9](https://doi.org/10.1016/s0958-6946(02)00024-9)

Castelain, C., Renard, D., Bronnec, I., & Laroche, M. (1990). Stability of lecithin-stabilized emulsions in the presence of sucrose or hydroxyethylcellulose. *Food Hydrocolloids*, 4(3), 205–214. [https://doi.org/10.1016/s0268-005x\(09\)80153-7](https://doi.org/10.1016/s0268-005x(09)80153-7)

Cha, Y., Shi, X., Wu, F., Zou, H., Chang, C., Guo, Y., Yuan, M., & Yu, C. (2019). Improving the stability of oil-in-water emulsions by using mussel myofibrillar proteins and lecithin as emulsifiers and high-pressure homogenization. *Journal of Food Engineering*, 258, 1–8. <https://doi.org/10.1016/j.jfoodeng.2019.04.009>

Chadha, S. (2021). Recent advances in Nano-encapsulation technologies for controlled release of biostimulants and Antimicrobial Agents. *Advances in Nano-Fertilizers and Nano-Pesticides in Agriculture*, 29–55. <https://doi.org/10.1016/b978-0-12-820092-6.00002-1>

Chen, J., Li, F., Li, Z., McClements, D. J., & Xiao, H. (2017). Encapsulation of carotenoids in emulsion-based delivery systems: Enhancement of β-carotene water-dispersibility and chemical stability. *Food Hydrocolloids*, 69, 49–55. doi:10.1016/j.foodhyd.2017.01.024

Chezanoglou, E., & Goula, A. M. (2021). Co-crystallization in sucrose: A promising method for encapsulation of food bioactive components. *Trends in Food Science & Technology*, 114, 262–274. doi:10.1016/j.tifs.2021.05.036

- Chivero, P., Gohtani, S., Yoshii, H., & Nakamura, A. (2015). Effect of xanthan and guar gums on the formation and stability of soy soluble polysaccharide oil-in-water emulsions. *Food Research International*, 70, 7–14. <https://doi.org/10.1016/j.foodres.2015.01.025>
- Conboy Stephenson, R., Ross, R., & Stanton, C. (2021). Carotenoids in milk and the potential for dairy based Functional Foods. *Foods*, 10(6), 1263. <https://doi.org/10.3390/foods10061263>
- Coniglio, S., Shumskaya, M., & Vassiliou, E. (2023). Unsaturated fatty acids and their immunomodulatory properties. *Biology*, 12(2), 279. <https://doi.org/10.3390/biology12020279>
- Cortez, R., Luna-Vital, D. A., Margulis, D., & Gonzalez de Mejia, E. (2016). Natural pigments: Stabilization methods of anthocyanins for food applications. *Comprehensive Reviews in Food Science and Food Safety*, 16(1), 180–198. <https://doi.org/10.1111/1541-4337.12244>
- Dadi, M., & Yasir, M. (2022). Spectroscopy and spectrophotometry: Principles and applications for colorimetric and related other analysis. *Colorimetry*. <https://doi.org/10.5772/intechopen.101106>
- Dalgleish, D. G. (1997). Adsorption of protein and the stability of emulsions. *Trends in Food Science & Technology*, 8(1), 1–6. [https://doi.org/10.1016/s0924-2244\(97\)01001-7](https://doi.org/10.1016/s0924-2244(97)01001-7)
- Dauqan, E., & Abdullah, A. (2013). Utilization of gum Arabic for industries and human health. *American Journal of Applied Sciences*, 10(10), 1270–1279. <https://doi.org/10.3844/ajassp.2013.1270.1279>
- Dave, P. N., & Gor, A. (2018). Natural polysaccharide-based hydrogels and nanomaterials. *Handbook of Nanomaterials for Industrial Applications*, 36–66. <https://doi.org/10.1016/b978-0-12-813351-4.00003-1>
- De Boer, F. Y., Imhof, A., & Velikov, K. P. (2019). Encapsulation of colorants by natural polymers for Food Applications. *Coloration Technology*, 135(3), 183–194. <https://doi.org/10.1111/cote.12393>

- De Paz, E., Martín, Á., Bartolomé, A., Largo, M., & Cocero, M. J. (2014). Development of water-soluble β-carotene formulations by high-temperature, high-pressure emulsification and antisolvent precipitation. *Food Hydrocolloids*, 37, 14–24. doi:10.1016/j.foodhyd.2013.10.011
- De Vos, P., Faas, M. M., Spasojevic, M., & Sikkema, J. (2010). Encapsulation for preservation of functionality and targeted delivery of bioactive food components. *International Dairy Journal*, 20(4), 292–302. <https://doi.org/10.1016/j.idairyj.2009.11.008>
- Deladino, L., Anbinder, P. S., Navarro, A. S., & Martino, M. N. (2007). Co-crystallization of yerba mate extract (*Ilex paraguariensis*) and mineral salts within a sucrose matrix. *Journal of Food Engineering*, 80(2), 573–580. <https://doi.org/10.1016/j.jfoodeng.2006.06.016>
- Delgado-Vargas, F., & Paredes-Lopez, O. (2003). Natural colorants for food and nutraceutical uses. *Trends in Food Science & Technology*, 14, 438. [https://doi.org/10.1016/S0924-2244\(03\)00076-1](https://doi.org/10.1016/S0924-2244(03)00076-1).
- Dewandari, K. T., Sofwan, G., & Tjahyono, H. (2019). Effect of emulsifier variation on the stability of carotene nanoemulsion. *IOP Conference Series: Earth and Environmental Science*, 309(1), 012046. <https://doi.org/10.1088/1755-1315/309/1/012046>
- Dey, S., & Nagababu, B. H. (2022). Applications of food color and bio-preservatives in the food and its effect on the human health. *Food Chemistry Advances*, 1, 100019. <https://doi.org/10.1016/j.focha.2022.100019>
- Dickinson, E. (2006). Structure formation in casein-based gels, foams, and emulsions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 288(1-3), 3–11. <https://doi.org/10.1016/j.colsurfa.2006.01.012>
- Dickinson, E., & Golding, M. (1997). Depletion flocculation of emulsions containing unadsorbed sodium caseinate. *Food Hydrocolloids*, 11(1), 13–18. [https://doi.org/10.1016/s0268-005x\(97\)80005-7](https://doi.org/10.1016/s0268-005x(97)80005-7)

- Dickinson, E., & Ritzoulis, C. (2000). Creaming and rheology of oil-in-water emulsions containing sodium dodecyl sulfate and sodium caseinate. *Journal of Colloid and Interface Science*, 224(1), 148–154. <https://doi.org/10.1006/jcis.1999.6682>
- Du, X., Song, K., Wang, J., Cong, R., Li, L., & Zhang, G. (2017). Draft genome and SNPs associated with carotenoid accumulation in adductor muscles of bay scallop (*Argopecten irradians*). *Journal of Genomics*, 5, 83–90. <https://doi.org/10.7150/jgen.19146>
- Duvallet, S., Fenyo, J. C., & Vandeveld, M. C. (1989). Meaning of molecular weight measurements of Gum Arabic. *Polymer Bulletin*, 21(5), 517–521. <https://doi.org/10.1007/bf00271976>
- Enaru, B., Drețcanu, G., Pop, T. D., Stănilă, A., & Diaconeasa, Z. (2021). Anthocyanins: Factors affecting their stability and degradation. *Antioxidants*, 10(12), 1967. <https://doi.org/10.3390/antiox10121967>
- Eun, J.-B., Maruf, A., Das, P. R., & Nam, S.-H. (2019). A review of encapsulation of carotenoids using spray drying and freeze drying. *Critical Reviews in Food Science and Nutrition*, 60(21), 3547–3572. <https://doi.org/10.1080/10408398.2019.1698511>
- Fan, S., Fang, F., Lei, A., Zheng, J., & Zhang, F. (2021). Effects of salts on structural, physicochemical and rheological properties of low-methoxyl pectin/sodium caseinate complex. *Foods*, 10(9), 2009. <https://doi.org/10.3390/foods10092009>
- Farkas, Á., Bencsik, T., & Deli, J. (2020). Carotenoids as food additives. *Pigments from Microalgae Handbook*, 421–447. https://doi.org/10.1007/978-3-030-50971-2_17
- Federzoni, V., Alvim, I. D., Fadini, A. L., Silva, L. B., & Queiroz, M. B. (2019). Co-crystallization of Paprika Oleoresin and Storage Stability Study. *Food Science and Technology*, 39(suppl 1), 182–189. <https://doi.org/10.1590/fst.41617>
- Frankel, E. N. (2012). Oxidation in multiphase systems. *Lipid Oxidation*, 259–297. <https://doi.org/10.1533/9780857097927.259>

- Gagnon, R. D., Bazinet, L., & Mikhaylin, S. (2022). Functional properties of casein and caseinate produced by electrodialysis with bipolar membrane coupled to an ultrafiltration module. *Membranes*, 12(3), 270. <https://doi.org/10.3390/membranes12030270>
- Garcia-Amezquita, L. E., Welti-Chanes, J., Vergara-Balderas, F. T., & Bermúdez-Aguirre, D. (2016). Freeze-drying: The basic process. *Encyclopedia of Food and Health*, 104–109. <https://doi.org/10.1016/b978-0-12-384947-2.00328-7>
- Gauger, T., Konhauser, K., & Kappler, A. (2015). Protection of phototrophic iron(ii)-oxidizing bacteria from UV irradiation by biogenic iron(iii) minerals: Implications for early Archean banded iron formation. *Geology*. <https://doi.org/10.1130/g37095.1>
- Gebhardt, B., Sperl, R., Carle, R., & Müller-Maatsch, J. (2020). Assessing the sustainability of natural and artificial food colorants. *Journal of Cleaner Production*, 260, 120884. <https://doi.org/10.1016/j.jclepro.2020.120884>
- Gibbs, B.F., Kermasha, S., Alli, I., & Mulligan, C.N. (1999). Encapsulation in the food industry: A review. *International Journal of Food Sciences and Nutrition*, 50(3), 213–224. <https://doi.org/10.1080/096374899101256>
- González-Peña, M. A., Lozada-Ramírez, J. D., & Ortega-Regules, A. E. (2021). Antioxidant activities of spray-dried carotenoids using maltodextrin-arabic gum as wall materials. *Bulletin of the National Research Centre*, 45(1). <https://doi.org/10.1186/s42269-021-00515-z>
- González-Peña, M. A., Ortega-Regules, A. E., Anaya de Parrodi, C., & Lozada-Ramírez, J. D. (2023). Chemistry, occurrence, properties, applications, and encapsulation of carotenoids—a review. *Plants*, 12(2), 313. <https://doi.org/10.3390/plants12020313>
- Gorji, S. G., Gorji, E. G., & Mohammadifar, M. A. (2013). Effect of ph on turbidity, size, viscosity and the shape of sodium caseinate aggregates with light scattering and rheometry. *Journal of Food Science and Technology*, 52(3), 1820–1824. <https://doi.org/10.1007/s13197-013-1144-2>

- Grundy, M. M. L., McClements, D. J., Ballance, S., & Wilde, P. J. (2018). Influence of OAT components on lipid digestion using an in vitro model: Impact of viscosity and depletion flocculation mechanism. *Food Hydrocolloids*, 83, 253–264. <https://doi.org/10.1016/j.foodhyd.2018.05.018>
- Gupta, S., & Variyar, P. S. (2018). Guar gum: A versatile polymer for the food industry. *Biopolymers for Food Design*, 383–407. <https://doi.org/10.1016/b978-0-12-811449-0.00012-8>
- Gurbuz, E., Keresteci, B., Gunnec, C. & Baysal, G. (2020). Encapsulation applications and production techniques in the food industry. *Journal of Nutrition and Health Sciences*, 7(1): 106.
- HadjSadok, A., Pitkowski, A., Nicolai, T., Benyahia, L., & Moulai-Mostefa, N. (2008). Characterisation of sodium caseinate as a function of ionic strength, pH and temperature using static and dynamic light scattering. *Food Hydrocolloids*, 22(8), 1460–1466. <https://doi.org/10.1016/j.foodhyd.2007.09.002>
- Hariyatno, S. P., Paramita, V., & Amalia, R. (2021). The effect of surfactant, time, and speed of stirring in the emulsification process of soybean oil in water. *Journal of Vocational Studies on Applied Research*, 3(1), 21-25.
- Hemar, Y., Pinder, D. N., Hunter, R. J., Singh, H., Hébraud, P., & Horne, D. S. (2003). Monitoring of flocculation and creaming of sodium-caseinate-stabilized emulsions using diffusing-wave spectroscopy. *Journal of Colloid and Interface Science*, 264(2), 502–508. [https://doi.org/10.1016/s0021-9797\(03\)00453-3](https://doi.org/10.1016/s0021-9797(03)00453-3)
- Hemar, Y., Tamehana, M., Munro, P. A., & Singh, H. (2001). Influence of Xanthan gum on the formation and stability of sodium caseinate oil-in-water emulsions. *Food Hydrocolloids*, 15(4-6), 513–519. [https://doi.org/10.1016/s0268-005x\(01\)00075-3](https://doi.org/10.1016/s0268-005x(01)00075-3)
- Holm, L. W. (1986). Miscibility and miscible displacement. *Journal of Petroleum Technology*, 38(08), 817–818. <https://doi.org/10.2118/15794-pa>
- Honda, M. (2020). Nutraceutical and pharmaceutical applications of carotenoids. *Pigments from Microalgae Handbook*, 449–469. https://doi.org/10.1007/978-3-030-50971-2_18

- Huang, X., Sun, J., Lv, K., Liu, J., & Shen, H. (2018). An alternative method to enhance w/O emulsion stability using modified dimer acid and its application in oil based drilling fluids. *RSC Advances*, 8(46), 26318–26324. <https://doi.org/10.1039/c8ra02293c>
- Ilyasoglu, H., & El, S. N. (2014). Nanoencapsulation of EPA/DHA with sodium caseinate–Gum Arabic complex and its usage in the enrichment of fruit juice. *LWT - Food Science and Technology*, 56(2), 461–468. <https://doi.org/10.1016/j.lwt.2013.12.002>
- Inayatilah, F. R., Guhir, A. M., & Atmaja, R. R. D. (2022). The effectiveness of red fruit oil (*Pandanus conoideus* Lamk.) emulgel on the acceleration of the incision wound healing process. *Traditional Medicine Journal*, 27(1), 60-68.
- Ishimoto, K., Miki, S., Ohno, A., Nakamura, Y., Otani, S., Nakamura, M., & Nakagawa, S. (2019). β-Carotene solid dispersion prepared by hot-melt technology improves its solubility in water. *Journal of Food Science and Technology*, 56(7), 3540–3546. doi:10.1007/s13197-019-03793-8
- Jagdish, K. S., Arvind, R. S., & Ashok, B. R. (2015). Utilization of guar gum as stabilizer in ice cream. *International Journal of Current Microbiology and Applied Sciences*, 4(1), 284-287.
- Jaswir, I., Noviendri, D., Hasrini, R. F., & Octavianti, F. (2011). Carotenoids: Sources, medicinal properties and their application in food and nutraceutical industry. *Journal of Medicinal Plants Research*, 5(33), 7119-7131.
- Kanafusa, S., Chu, B., & Nakajima, M. (2007). Factors affecting droplet size of sodium caseinate-stabilized o/w emulsions containing β-carotene. *European Journal of Lipid Science and Technology*, 109(10), 1038–1041. <https://doi.org/10.1002/ejlt.200700100>
- Karangutkar, A., & Ananthanarayan, L. (2019). Co-crystallization of Basella rubra extract with sucrose: Characterization of co-crystals and evaluating the storage stability of betacyanin pigments. *Journal of Food Engineering*, 109776. doi:10.1016/j.jfoodeng.2019.109776
- Karthik, P., & Anandharamakrishnan, C. (2016). Enhancing omega-3 fatty acids nanoemulsion stability and in-vitro digestibility through emulsifiers. *Journal of Food Engineering*, 187, 92–105. <https://doi.org/10.1016/j.jfoodeng.2016.05.003>

- Katherine, Nugroho, D., & Sugih, A. K. (2018). Determination of process parameters for curcumin – dextrose cocrystallization. *IOP Conference Series: Materials Science and Engineering*, 299, 012038. <https://doi.org/10.1088/1757-899x/299/1/012038>
- Kaur, P., Elsayed, A., Subramanian, J., & Singh, A. (2021). Encapsulation of carotenoids with sucrose by co-crystallization: Physicochemical properties, characterization and thermal stability of pigments. *LWT*, 140, 110810. <https://doi.org/10.1016/j.lwt.2020.110810>
- Kio, A. D., Saraswati, T. R., & Yuniwarti, E. Y. W. (2018). The effect of red fruit oil (*Pandanus conoideus*) to the histophysiology of rat (*Rattus norvegicus*) liver exposed to cigarette smoke. *Biosaintifika*, 10(1), 125–130.
- Knockaert, G., Lemmens, L., Van Buggenhout, S., Hendrickx, M., & Van Loey, A. (2012). Changes in β-carotene bioaccessibility and concentration during processing of Carrot Puree. *Food Chemistry*, 133(1), 60–67. <https://doi.org/10.1016/j.foodchem.2011.12.066>
- KONSTANCE, R. P., & STRANGE, E. D. (1991). Solubility and viscous properties of casein and caseinates. *Journal of Food Science*, 56(2), 556–559. <https://doi.org/10.1111/j.1365-2621.1991.tb05323.x>
- Krishnan, S., Kshirsagar, A., & Singhal, R. (2005). The use of gum arabic and modified starch in the microencapsulation of a food flavoring agent. *Carbohydrate Polymers*, 62(4), 309–315. <https://doi.org/10.1016/j.carbpol.2005.03.020>
- Krog, N. (2002). Emulsifiers and emulsions in dairy foods. *Encyclopedia of Dairy Sciences*, 891–900. <https://doi.org/10.1016/b0-12-227235-8/00142-5>
- Kuck, L. S., & Noreña, C. P. (2016). Microencapsulation of grape (*Vitis labrusca* var. *bordo*) skin phenolic extract using gum arabic, polydextrose, and partially hydrolyzed guar gum as encapsulating agents. *Food Chemistry*, 194, 569–576. <https://doi.org/10.1016/j.foodchem.2015.08.066>
- Li, M., Feng, L., Xu, Y., Nie, M., Li, D., Zhou, C., Dai, Z., Zhang, Z., & Zhang, M. (2023). Rheological property, β-carotene stability and 3D printing characteristic of whey protein isolate emulsion

gels by adding different polysaccharides. *Food Chemistry*, 414, 135702.

<https://doi.org/10.1016/j.foodchem.2023.135702>

Liang, Y., Gillies, G., Matia-Merino, L., Ye, A., Patel, H., & Golding, M. (2017). Structure and stability of sodium-caseinate-stabilized oil-in-water emulsions as influenced by heat treatment. *Food Hydrocolloids*, 66, 307–317. <https://doi.org/10.1016/j.foodhyd.2016.11.041>

Liang, Y., Gillies, G., Patel, H., Matia-Merino, L., Ye, A., & Golding, M. (2014). Physical stability, microstructure and rheology of sodium-caseinate-stabilized emulsions as influenced by protein concentration and non-adsorbing polysaccharides. *Food Hydrocolloids*, 36, 245–255. <https://doi.org/10.1016/j.foodhyd.2013.10.006>

Liu, Y., Hou, Z., Yang, J., & Gao, Y. (2014). Effects of antioxidants on the stability of β-carotene in O/w emulsions stabilized by Gum Arabic. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-014-1380-0>

Loi, C. C., Eyres, G. T., Silcock, P., & Birch, E. J. (2020). Application of a novel instantized glycerol monooleate ingredient in a protein-stabilized oil-in-water emulsion. *Foods*, 9(9), 1237. <https://doi.org/10.3390/foods9091237>

Long, Z., Zhao, Q., Liu, T., Kuang, W., Xu, J., & Zhao, M. (2012). Role and properties of guar gum in sodium caseinate solution and sodium caseinate stabilized emulsion. *Food Research International*, 49(1), 545–552. <https://doi.org/10.1016/j.foodres.2012.07.032>

López-Córdoba, A., Deladino, L., Agudelo-Mesa, L., & Martino, M. (2014). Yerba mate antioxidant powders obtained by co-crystallization: Stability during storage. *Journal of Food Engineering*, 124, 158–165. <https://doi.org/10.1016/j.jfoodeng.2013.10.010>

López-Córdoba, A., Gallo, L., Bucalá, V., Martino, M., & Navarro, A. (2016). Co-crystallization of zinc sulfate with sucrose: A promissory strategy to render zinc solid dosage forms more palatable. *Journal of Food Engineering*, 170, 100–107. <https://doi.org/10.1016/j.jfoodeng.2015.09.024>

Lourenço-Lopes, C., Carreira-Casais, A., Fraga-Corral, M., Garcia-Oliveira, P., Soria, A., Jarboui, A., Barral, M., Otero, P., Simal-Gandara, J., & A. Prieto, M. (2022). Carotenoids as natural colorful

additives for the food industry. *Natural Food Additives*.

<https://doi.org/10.5772/intechopen.101208>

Lunn, J., & Theobald, H. E. (2006). The health effects of dietary unsaturated fatty acids. *Nutrition Bulletin*, 31(3), 178–224. doi:10.1111/j.1467-3010.2006.00571.x

Lv, R., Kong, Q., Mou, H., & Fu, X. (2017). Effect of guar gum on stability and physical properties of Orange Juice. *International Journal of Biological Macromolecules*, 98, 565–574.
<https://doi.org/10.1016/j.ijbiomac.2017.02.031>

Ma, L., Zou, L., McClements, D. J., & Liu, W. (2020). One-step preparation of high internal phase emulsions using natural edible pickering stabilizers: Gliadin nanoparticles/gum arabic. *Food Hydrocolloids*, 100, 105381. <https://doi.org/10.1016/j.foodhyd.2019.105381>

Ma, X., & Chatterton, D. E. W. (2021). Strategies to improve the physical stability of sodium caseinate stabilized emulsions: A literature review. *Food Hydrocolloids*, 119, 106853.
<https://doi.org/10.1016/j.foodhyd.2021.106853>

Maoka, T. (2019). Carotenoids as natural functional pigments. *Journal of Natural Medicines*, 74(1), 1–16. <https://doi.org/10.1007/s11418-019-01364-x>

Maphosa, Y., & Jideani, V. A. (2018). Factors affecting the stability of emulsions stabilised by biopolymers. *Science and Technology Behind Nanoemulsions*.
<https://doi.org/10.5772/intechopen.75308>

Martins, N., Roriz, C. L., Morales, P., Barros, L., & Ferreira, I. C. F. R. (2016). Food colorants: Challenges, opportunities and current desires of agro-industries to ensure consumer expectations and regulatory practices. *Trends in Food Science & Technology*, 52, 1–15.
<https://doi.org/10.1016/j.tifs.2016.03.009>

Masone, D., & Chanforan, C. (2015). Study on the interaction of artificial and natural food colorants with human serum albumin: A computational point of view. *Computational Biology and Chemistry*, 56, 152–158. <https://doi.org/10.1016/j.compbiochem.2015.04.006>

- Mathlouthi, M., & Genotelle, J. (1998). Role of water in sucrose crystallization. *Carbohydrate Polymers*, 37(3), 335–342. [https://doi.org/10.1016/s0144-8617\(98\)00079-4](https://doi.org/10.1016/s0144-8617(98)00079-4)
- McClements, D. J., & Jafari, S. M. (2018). Improving emulsion formation, stability and performance using mixed emulsifiers: A Review. *Advances in Colloid and Interface Science*, 251, 55–79. <https://doi.org/10.1016/j.cis.2017.12.001>
- Meisner, H., & Tenney, K. (1977). Ph as an indicator of free fatty acid release from adipocytes. *Journal of Lipid Research*, 18(6), 774–776. [https://doi.org/10.1016/s0022-2275\(20\)41596-2](https://doi.org/10.1016/s0022-2275(20)41596-2)
- Mitterer-Daltoé, M., Bordim, J., Lise, C., Breda, L., Casagrande, M., & Lima, V. (2021). Consumer awareness of food antioxidants. Synthetic vs. natural. *Food Science and Technology*, 41(Suppl. 1), 208–212. <https://doi.org/10.1590/fst.15120>
- Mohamad, M. F., Dailin, D. J., Gomaa, S. E., Nurjayadi, M., & Enshasy, H. E. (2019). Natural colorant for food: A healthy alternative. *International Journal of Scientific & Technology Research*, 8(11), 3161-3166.
- Montenegro, M. A., Boiero, M. L., Valle, L., & Borsarelli, C. D. (2012). Gum Arabic: More than an edible emulsifier. *Products and Applications of Biopolymers*. <https://doi.org/10.5772/33783>
- Moreira, J. B., Goularte, P. G., Morais, M. G. de, & Costa, J. A. V. (2019). Preparation of beta-carotene nanoemulsion and evaluation of stability at a long storage period. *Food Science and Technology*, 39(3). doi:10.1590/fst.31317
- Mudgil, D., Barak, S., & Khatkar, B. S. (2011). Guar gum: Processing, properties and food applications—a review. *Journal of Food Science and Technology*, 51(3), 409–418. <https://doi.org/10.1007/s13197-011-0522-x>
- Murtiningrum, Sarungallo, Z. L., & Mawikere, N. L. (2012). The exploration and diversity of red fruit (*Pandanus conoideus* L.) from Papua based on its physical characteristics and chemical composition. *Biodiversitas*, 13(3), 124-129.

Myrdal, P. B., & Yalkowsky, S. H. (2013). Solubilization of drugs in aqueous media. *Encyclopedia of Pharmaceutical Science and Technology, Fourth Edition*, 3185–3206.
<https://doi.org/10.1081/e-ept4-100200011>

Nandhini, V. K., & Abhilash, M. (2010). Study of hydration kinetics and rheological behavior of guar gum. *International Journal of Pharma Sciences and Research*, 1(1), 28-39.

Nasrollahzadeh, M., Nezafat, Z., & Shafiei, N. (2021). Proteins in food industry. *Biopolymer-Based Metal Nanoparticle Chemistry for Sustainable Applications*, 97–136.
<https://doi.org/10.1016/b978-0-323-89970-3.00003-2>

Nedovic, V., Kalusevic, A., Manojlovic, V., Levic, S., & Bugarski, B. (2011). An overview of encapsulation technologies for Food Applications. *Procedia Food Science*, 1, 1806–1815.
<https://doi.org/10.1016/j.profoo.2011.09.265>

Nik, A. B., Vazifedoost, M., Didar, Z., & Hajirostamloo, B. (2019). The antioxidant and physicochemical properties of microencapsulated bioactive compounds in Securigera securidaca (L.) seed extract by co-crystallization. *Food Quality and Safety*, 3(4), 243–250.
<https://doi.org/10.1093/fqsafe/fyz022>

No, J., Shin, M., & Mun, S. (2020). Preparation of functional rice cake by using β-carotene-loaded emulsion powder. *Journal of Food Science and Technology*, 57(12), 4514–4523.
<https://doi.org/10.1007/s13197-020-04488-1>

Norn, V. (2014). Introduction to food emulsifiers and colloidal system. *Emulsifiers in Food Technology*, 1–20. <https://doi.org/10.1002/9781118921265.ch1>

Novais, C., Molina, A. K., Abreu, R. M., Santo-Buelga, C., Ferreira, I. C., Pereira, C., & Barros, L. (2022). Natural Food Colorants and preservatives: A review, a demand, and a challenge. *Journal of Agricultural and Food Chemistry*, 70(9), 2789–2805. <https://doi.org/10.1021/acs.jafc.1c07533>

Nowak, D., & Jakubczyk, E. (2020). The freeze-drying of foods—the characteristic of the process course and the effect of its parameters on the physical properties of food materials. *Foods*, 9(10), 1488. <https://doi.org/10.3390/foods9101488>

- O'Kennedy, B. T., Mounsey, J. S., Murphy, F., Duggan, E., & Kelly, P. M. (2006). Factors affecting the acid gelation of sodium caseinate. *International Dairy Journal*, 16(10), 1132–1141. <https://doi.org/10.1016/j.idairyj.2005.11.003>
- O' Dwyer, S. P., O' Beirne, D., Eidhin, D. N., & O' Kennedy, B. T. (2013). Effects of sodium caseinate concentration and storage conditions on the oxidative stability of oil-in-water emulsions. *Food Chemistry*, 138(2-3), 1145–1152. <https://doi.org/10.1016/j.foodchem.2012.09.138>
- Oliyaei, N., Moosavi-Nasab, M., & Tanideh, N. (2022). Preparation of fucoxanthin nanoemulsion stabilized by natural emulsifiers: Fucoidan, sodium caseinate, and Gum Arabic. *Molecules*, 27(19), 6713. <https://doi.org/10.3390/molecules27196713>
- Paradiso, V. M., Castellino, M., Renna, M., Santamaria, P., & Caponio, F. (2020). Setup of an extraction method for the analysis of carotenoids in microgreens. *Foods*, 9(4), 459. <https://doi.org/10.3390/foods9040459>
- Park, J. H., Kim, H.-G., Oh, B.-M., Lee, M.-W., Hwang, I.-K., Lee, S.-U., & Han, T. R. (2014). Comparison of different gum-based thickeners using a viscometer and line spread test: A preliminary study. *Annals of Rehabilitation Medicine*, 38(1), 94. <https://doi.org/10.5535/arm.2014.38.1.94>
- Patel, A. R., Bouwens, E. C., & Velikov, K. P. (2010). Sodium caseinate stabilized zein colloidal particles. *Journal of Agricultural and Food Chemistry*, 58(23), 12497–12503. <https://doi.org/10.1021/jf102959b>
- Patel, S., & Goyal, A. (2015). Applications of natural polymer gum arabic: A Review. *International Journal of Food Properties*, 18(5), 986–998. <https://doi.org/10.1080/10942912.2013.809541>
- Pathak, M. (2017). Nanoemulsions and their stability for enhancing functional properties of food ingredients. *Nanotechnology Applications in Food*, 87–106. <https://doi.org/10.1016/b978-0-12-811942-6.00005-4>
- Perrechil, F. A., & Cunha, R. L. (2010). Oil-in-water emulsions stabilized by sodium caseinate: Influence of pH, high-pressure homogenization and Locust Bean Gum Addition. *Journal of Food Engineering*, 97(4), 441–448. <https://doi.org/10.1016/j.jfoodeng.2009.10.041>

Polyakov, N. E., Leshina, T. V., Meteleva, E. S., Dushkin, A. V., Konovalova, T. A., & Kispert, L. D. (2009).

Water Soluble Complexes of Carotenoids with Arabinogalactan. *The Journal of Physical Chemistry B*, 113(1), 275–282. doi:10.1021/jp805531q

Radford, S. J., Dickinson, E., & Golding, M. (2004). Stability and rheology of emulsions containing sodium caseinate: Combined effects of ionic calcium and alcohol. *Journal of Colloid and Interface Science*, 274(2), 673–686. <https://doi.org/10.1016/j.jcis.2003.12.045>

Rashidinejad, A., Jameson, G. B., & Singh, H. (2022). The effect of pH and sodium caseinate on the aqueous solubility, stability, and crystallinity of Rutin towards concentrated colloidally stable particles for the incorporation into Functional Foods. *Molecules*, 27(2), 534. <https://doi.org/10.3390/molecules27020534>

Reis, D. R., Ambrosi, A., & Luccio, M. D. (2022). Encapsulated essential oils: A perspective in food preservation. *Future Foods*, 5, 100126. <https://doi.org/10.1016/j.fufo.2022.100126>

Rezaei, R., Khomeiri, M., Kashaninejad, M., & Aalami, M. (2011). Effects of guar gum and Arabic gum on the physicochemical, sensory and flow behaviour characteristics of frozen yoghurt. *International Journal of Dairy Technology*, 64(4), 563–568. <https://doi.org/10.1111/j.1471-0307.2011.00705.x>

Ricardo, F., Pradilla, D., Cruz, J. C., & Alvarez, O. (2021). Emerging emulsifiers: Conceptual basis for the identification and rational design of peptides with surface activity. *International Journal of Molecular Sciences*, 22(9), 4615. <https://doi.org/10.3390/ijms22094615>

Rodriguez-Amaya, D. B. (2015). Carotenes and xanthophylls as antioxidants. *Handbook of Antioxidants for Food Preservation*, 17–50. <https://doi.org/10.1016/b978-1-78242-089-7.00002-6>

Rodriguez-Amaya, D. B. (2016). Natural food pigments and colorants. *Current Opinion in Food Science*, 7, 20–26. <https://doi.org/10.1016/j.cofs.2015.08.004>

Rohman, A., Che Man, Y. B., Noviana, E. (2013). Analysis of emulsifier in food using chromatographic techniques. *Journal of Food and Pharmaceutical Sciences*, 1, 54-59.

- Rohman, A., Sugeng, R., & Che Man, Y. B. (2012). Characterization of red fruit (*Pandanus conoideus Lam*) oil. *International Food Research Journal*, 19(2), 563-567.
- Rohman, A., & Windarsih, A. (2017). Characterization, biological activities, and authentication of Red Fruit (pandanus conoideus lam) oil. *Food Research*, 2(2), 134–138.
[https://doi.org/10.26656/fr.2017.2\(2\).152](https://doi.org/10.26656/fr.2017.2(2).152)
- Rolin, C. (2016). Stabilizers: Types and function. *Encyclopedia of Food and Health*, 124–127.
<https://doi.org/10.1016/b978-0-12-384947-2.00652-8>
- Sabharwal, K., & Vakaleris, D. G. (1972). Stability of fluid food emulsions. I. Effects of emulsifiers, electrolytes and sodium caseinate. *Journal of Dairy Science*, 55(3), 277–282.
[https://doi.org/10.3168/jds.s0022-0302\(72\)85481-x](https://doi.org/10.3168/jds.s0022-0302(72)85481-x)
- Sadiq, U., Gill, H., & Chandrapala, J. (2021). Casein micelles as an emerging delivery system for bioactive food components. *Foods*, 10(8), 1965. <https://doi.org/10.3390/foods10081965>
- Saha, D., & Bhattacharya, S. (2010). Hydrocolloids as thickening and gelling agents in Food: A Critical Review. *Journal of Food Science and Technology*, 47(6), 587–597.
<https://doi.org/10.1007/s13197-010-0162-6>
- Samantha, S. C., Bruna, A. S., Adriana, R. M., Fabio, B., Sandro, A. R., & Aline, R. C. (2015). Drying by spray drying in the food industry: Micro-encapsulation, process parameters and main carriers used. *African Journal of Food Science*, 9(9), 462–470. <https://doi.org/10.5897/ajfs2015.1279>
- Sarabandi, K., Mahoonak, A. S., & Akbari, M. (2018). Physicochemical properties and antioxidant stability of microencapsulated marjoram extract prepared by co-crystallization method. *Journal of Food Process Engineering*, 42(1). <https://doi.org/10.1111/jfpe.12949>
- Sardar, B. R., & Singhal, R. S. (2013). Characterization of co-crystallized sucrose entrapped with Cardamom Oleoresin. *Journal of Food Engineering*, 117(4), 521–529.
<https://doi.org/10.1016/j.jfoodeng.2012.12.011>

- Sardar, B. R., Tarade, K. M., & Singhal, R. S. (2013). Stability of active components of Cardamom Oleoresin in co-crystallized sugar cube during storage. *Journal of Food Engineering*, 117(4), 530–537. <https://doi.org/10.1016/j.jfoodeng.2013.03.035>
- Savjani, K. T., Gajjar, A. K., & Savjani, J. K. (2012). Drug solubility: Importance and enhancement techniques. *ISRN Pharmaceutics*, 2012, 1–10. <https://doi.org/10.5402/2012/195727>
- Schroën, K., de Ruiter, J., & Berton-Carabin, C. (2020). The importance of interfacial tension in emulsification: Connecting scaling relations used in large scale preparation with microfluidic measurement methods. *ChemEngineering*, 4(4), 63. <https://doi.org/10.3390/chemengineering4040063>
- Selig, M. J., Gamaleldin, S., Celli, G. B., Marchuk, M. A., Smilgies, D.-M., & Abbaspourrad, A. (2020). The stabilization of food grade copper-chlorophyllin in low pH solutions through association with anionic polysaccharides. *Food Hydrocolloids*, 98, 105255. <https://doi.org/10.1016/j.foodhyd.2019.105255>
- Sharma, A., Dhiman, A. K., & Attri, S. (2020). Encapsulation of extracted carotenoids of *cucurbita maxima* through lyophilization. *Pigment & Resin Technology*, 50(6), 523–532. <https://doi.org/10.1108/prt-08-2020-0082>
- Shim, S.-M., Seo, S. H., Lee, Y., Moon, G.-I., Kim, M.-S., & Park, J.-H. (2011). Consumers' knowledge and safety perceptions of food additives: Evaluation on the effectiveness of transmitting information on Preservatives. *Food Control*, 22(7), 1054–1060. <https://doi.org/10.1016/j.foodcont.2011.01.001>
- Silva, M., & Chandrapala, J. (2021). Ultrasound in dairy processing. *Innovative Food Processing Technologies*, 439–464. <https://doi.org/10.1016/b978-0-08-100596-5.22955-7>
- Sinaga, F. A., Purba, P. H., Sinaga, R. N., & Silaban, R. (2020). Effects of red fruit (*Pandanus conoideus Lam*) oil on exercise endurance and oxidative stress in rats at maximal physical activity. *Open*

Access *Macedonian Journal of Medical Sciences*, 8(A), 164–169.

<https://doi.org/10.3889/oamjms.2020.3428>

Singh, N., Singh, A. P., & Singh, A. P. (2021). Solubility: An overview. *International Journal of Pharmaceutical Chemistry and Analysis*, 7(4), 166–171.

<https://doi.org/10.18231/j.ijpca.2020.027>

Sirait, M. S., Warsiki, E., & Setyaningsih, D. (2021). Potential of red fruit oil (*Pandanus conoideus Lam.*) as an antioxidant active packaging: A Review. *IOP Conference Series: Earth and Environmental Science*, 749(1), 012008. <https://doi.org/10.1088/1755-1315/749/1/012008>

Siregar, T. M., & Margareta, M. (2019). Microencapsulation of carotenoids from Red Melinjo (*Gnetum Gnemon L.*) peels extract. *Journal of Physics: Conference Series*, 1351(1), 012031. <https://doi.org/10.1088/1742-6596/1351/1/012031>

Speight, J. G. (2020). The properties of water. *Natural Water Remediation*, 53–89. <https://doi.org/10.1016/b978-0-12-803810-9.00002-4>

Srinivasan, M., Singh, H., & Munro, P. A. (2000). The effect of sodium chloride on the formation and stability of sodium caseinate emulsions. *Food Hydrocolloids*, 14(5), 497–507. [https://doi.org/10.1016/s0268-005x\(00\)00030-8](https://doi.org/10.1016/s0268-005x(00)00030-8)

Srinivasan, M., Singh, H., & Munro, P. A. (2002). Formation and stability of sodium caseinate emulsions: Influence of retorting (121°C for 15 min) before or after emulsification. *Food Hydrocolloids*, 16(2), 153–160. [https://doi.org/10.1016/s0268-005x\(01\)00072-8](https://doi.org/10.1016/s0268-005x(01)00072-8)

Sugiritama, I. W., Ratnayanti, I. G. A. D., Sri Wirawan, I. G. N., Wahyuniari, I. A. I., Linawati, N. M., & Arijana, I. G. K. N. (2016). Effect of red fruit oil (*Pandanus conoideus Lam.*) on animal model of preeclampsia. *International Journal of Science and Research*, 5(7), 1770-1773.

Sulieman, A. M. (2018). Gum Arabic as thickener and stabilizing agents in dairy products. *Gum Arabic*, 151–165. <https://doi.org/10.1016/b978-0-12-812002-6.00013-0>

- Swenson, H. A., Kaustinen, H. M., Kaustinen, O. A., & Thompson, N. S. (1968). Structure of gum arabic and its configuration in solution. *Journal of Polymer Science Part A-2: Polymer Physics*, 6(9), 1593–1606. <https://doi.org/10.1002/pol.1968.160060904>
- Tadros, T. F. (2013). Emulsion formation, stability, and rheology. *Emulsion Formation and Stability*, 1–75. <https://doi.org/10.1002/9783527647941.ch1>
- Tadros, T. F. (2016). *Emulsions formation, stability, industrial applications*. De Gruyter.
- Tan, B. L., & Norhaizan, M. E. (2019). Carotenoids: How effective are they to prevent age-related diseases? *Molecules*, 24(9), 1801. <https://doi.org/10.3390/molecules24091801>
- Tarannum, N., & Pooja, Km. (2021). Recent trends and applications in the research and development activities of redispersible powder: A vision of twenty-first century. *Polymer Bulletin*, 79(10), 8093–8142. <https://doi.org/10.1007/s00289-021-03928-y>
- Thakur, D., Jain, A., Ghoshal, G., Shivhare, U. S., & Katare, O. P. (2017). Microencapsulation of β-carotene based on casein/guar gum blend using zeta potential-yield stress phenomenon: An approach to enhance photo-stability and retention of functionality. *AAPS PharmSciTech*, 18(5), 1447–1459. <https://doi.org/10.1208/s12249-017-0806-1>
- Timilsena, Y. P., Haque, M. A., & Adhikari, B. (2020). Encapsulation in the food industry: A brief historical overview to recent developments. *Food and Nutrition Sciences*, 11(06), 481–508. <https://doi.org/10.4236/fns.2020.116035>
- Toniazzo, T., Berbel, I. F., Cho, S., Fávaro-Trindade, C. S., Moraes, I. C. F., & Pinho, S. C. (2014). B-carotene-loaded liposome dispersions stabilized with xanthan and guar gums: Physico-chemical stability and feasibility of application in yogurt. *LWT - Food Science and Technology*, 59(2), 1265–1273. <https://doi.org/10.1016/j.lwt.2014.05.021>
- Tripathy, S., & Das, M. K. (2013). Guar gum: Present status and applications. *Journal of Pharmaceutical and Scientific Innovation*, 4(4), 24–28. <https://doi.org/10.7897/2277-4572.02447>

Tucker, J. M., & Townsend, D. M. (2005). Alpha-tocopherol: Roles in prevention and therapy of human disease. *Biomedicine & Pharmacotherapy*, 59(7), 380–387.
<https://doi.org/10.1016/j.biopha.2005.06.005>

Turchiuli, C., Jimenez Munguia, M. T., Hernandez Sanchez, M., Cortes Ferre, H., & Dumoulin, E. (2014). Use of different supports for oil encapsulation in powder by spray drying. *Powder Technology*, 255, 103–108. <https://doi.org/10.1016/j.powtec.2013.08.026>

Van de Langerijt, T. M., O'Mahony, J. A., & Crowley, S. V. (2022). The influence of sodium caseinate and β -casein concentrate on the physicochemical properties of casein micelles and the role of tea polyphenols in mediating these interactions. *LWT*, 154, 112775.
<https://doi.org/10.1016/j.lwt.2021.112775>

Van Oss, C. J. (2007). Development and applications of the interfacial tension between water and organic or biological surfaces. *Colloids and Surfaces B: Biointerfaces*, 54(1), 2–9.

Vílchez, C., Forján, E., Cuaresma, M., Bédmar, F., Garbayo, I., & Vega, J. M. (2011). Marine carotenoids: Biological functions and commercial applications. *Marine Drugs*, 9(3), 319–333.
<https://doi.org/10.3390/md9030319>

Vuillemin, M. E., Michaux, F., Adam, A. A., Linder, M., Muniglia, L., & Jasniewski, J. (2020). Physicochemical characterizations of gum arabic modified with oxidation products of ferulic acid. *Food Hydrocolloids*, 107, 105919. <https://doi.org/10.1016/j.foodhyd.2020.105919>

Wahyuni, F. D., Shalihah, I. M., & Nurtiana, W. (2020). Carotenoids as natural colorant : A Review. *Food SciencTech Journal*, 2(2), 94. <https://doi.org/10.33512/fsj.v2i2.9940>

Wan, X.-F., Liu, M., Lin, K., Chai, X.-S., Chen, G.-X., & Zhou, X. (2018). Determination of average molecular weight of guar gum by a simple twice headspace extraction gas chromatographic technique. *Polymer Testing*, 70, 170–173.
<https://doi.org/10.1016/j.polymertesting.2018.06.027>

- Wang, B., Tian, H., & Xiang, D. (2020). Stabilizing the oil-in-water emulsions using the mixtures of *dendrobium officinale* polysaccharides and gum arabic or propylene glycol alginate. *Molecules*, 25(3), 759. <https://doi.org/10.3390/molecules25030759>
- Wang, B., Wang, L., Li, D., Adhikari, B., & Shi, J. (2011). Effect of gum arabic on stability of oil-in-water emulsion stabilized by flaxseed and soybean protein. *Carbohydrate Polymers*, 86(1), 343–351. <https://doi.org/10.1016/j.carbpol.2011.04.059>
- Wangpradit, N., Macha, S., Phooteh, N., Yusohyo, N., Waedoloh, A., & Manee, S. (2022). Determination of required hydrophilic-lipophilic balance of *amesiadendron chinense* (Merr.) hu oil and development of stable cream formulation. *OCL*, 29, 29. <https://doi.org/10.1051/ocl/2022011>
- Weigel, F., Weiss, J., Decker, E. A., & McClements, D. J. (2018). Lutein-enriched emulsion-based delivery systems: Influence of emulsifiers and antioxidants on physical and chemical stability. *Food Chemistry*, 242, 395–403. <https://doi.org/10.1016/j.foodchem.2017.09.060>
- Wilde, P. J. (2019). Improving emulsion stability through selection of emulsifiers and Stabilizers. *Reference Module in Food Science*. <https://doi.org/10.1016/b978-0-08-100596-5.22337-8>
- Wuryastuty, H., & Wasito, R. (2014). Cytotoxicity study of red fruit extract (*pandanus conoideus* lam) as anti-goitrogenic herbal medicine in Sprague dawley rats. *Jurnal Sain Veteriner*, 32(1). <https://doi.org/10.22146/jsv.5416>
- Xu, W., Li, Z., Sun, H., Zheng, S., Li, H., Luo, D., Li, Y., Wang, M., & Wang, Y. (2022). High internal-phase Pickering emulsions stabilized by xanthan gum/lysozyme nanoparticles: Rheological and Microstructural Perspective. *Frontiers in Nutrition*, 8. <https://doi.org/10.3389/fnut.2021.744234>
- Yadav, M. P., Manuel Igartuburu, J., Yan, Y., & Nothnagel, E. A. (2007). Chemical investigation of the structural basis of the emulsifying activity of Gum Arabic. *Food Hydrocolloids*, 21(2), 297–308. <https://doi.org/10.1016/j.foodhyd.2006.05.001>

- Yang, L., Cao, X., Gai, A., Qiao, X., Wei, Z., Li, J., Xu, J., & Xue, C. (2022). Chitosan/guar gum nanoparticles to stabilize Pickering emulsion for astaxanthin encapsulation. *LWT*, 165, 113727. <https://doi.org/10.1016/j.lwt.2022.113727>
- Yang, L., Shen, S.-Y., Wang, Z.-N., Yang, T., Guo, J.-W., Hu, R.-Y., Li, Y.-F., Burner, D. M., & Ying, X.-M. (2020). New value-added sugar and brown sugar products from sugarcane: A commercial approach. *Sugar Tech*, 22(5), 853–857. <https://doi.org/10.1007/s12355-020-00811-4>
- Yao, X., Xu, Q., Tian, D., Wang, N., Fang, Y., Deng, Z., Phillips, G. O., & Lu, J. (2013). Physical and chemical stability of gum arabic-stabilized conjugated linoleic acid oil-in-water emulsions. *Journal of Agricultural and Food Chemistry*, 61(19), 4639–4645. <https://doi.org/10.1021/jf400439d>
- Ye, A., Gilliland, J., & Singh, H. (2011). Thermal treatment to form a complex surface layer of sodium caseinate and gum arabic on oil–water interfaces. *Food Hydrocolloids*, 25(7), 1677–1686. <https://doi.org/10.1016/j.foodhyd.2011.03.007>
- Zakynthinos, G., & Varzakas, T. (2016). Carotenoids: From plants to food industry. *Current Research in Nutrition and Food Science Journal*, 4(1), 38–51. <https://doi.org/10.12944/crnfsj.4.special-issue1.04>
- Zhang, J., Zhang, X., Wang, X., Huang, Y., Yang, B., Pan, X., & Wu, C. (2016). The influence of maltodextrin on the physicochemical properties and stabilization of beta-carotene emulsions. *AAPS PharmSciTech*, 18(3), 821–828. <https://doi.org/10.1208/s12249-016-0572-5>
- Zhuang, B., Ramanauskaite, G., Koa, Z. Y., & Wang, Z.-G. (2021). Like dissolves like: A first-principles theory for predicting liquid miscibility and mixture dielectric constant. *Science Advances*, 7(7). <https://doi.org/10.1126/sciadv.abe7275>
- Zia-Ul-Haq, M., Dewanjee, S., & Riaz, M. (Eds.). (2021). *Carotenoids: Structure and Function in the Human Body*. Springer.
- Zuidam, N. J., & Nedovic, V. A. (Eds.). (2010). *Encapsulation Technologies for Active Food Ingredients and Food Processing*. Springer.

Zungur, A., Koç, M., & Ertekin, F. K. (2015). Physical properties of olive oil in water model emulsion: effect of aqueous and oil phase concentration and homogenization types. *Akademik Gida*, 13(1), 22-34.