

References

- Alderso, H., Liu, C., Mehta, A., Gala, H. S., Mazine, N. R., Chen, Y., ... & Serventi, L. (2021). Sensory profile of kombucha brewed with New Zealand ingredients by focus group and word clouds. *Fermentation*, 7(3), 100. <https://doi.org/10.3390/fermentation7030100>
- Arduino, M. J., Bland, L. A., Aguero, S. M., & Favero, M. S. (1991). Effects of incubation time and temperature on microbiologic sampling procedures for hemodialysis fluids. *Journal of Clinical Microbiology*, 29(7), 1462-1465. <https://doi.org/10.1128/jcm.29.7.1462-1465.1991>
- Axelsson, L. (2004). Lactic acid bacteria: Classification and physiology. *Food Science and Technology-New York-Marcel Dekker-*, 139, 1-66.
- Bishop, P., Pitts, E. R., Budner, D., & Thompson-Witrick, K. A. (2022). Chemical composition of kombucha. *Beverages*, 8(3), 45. <https://doi.org/10.3390/beverages8030045>
- Branduardi, P., Fossati, T., Sauer, M., Pagani, R., Mattanovich, D., & Porro, D. (2007). Biosynthesis of vitamin C by yeast leads to increased stress resistance. *PLOS One*, 2(10), e1092. <https://doi.org/10.1371/journal.pone.001092>
- Brown, D. C., & Turner, R. J. (2022). Assessing microbial monitoring methods for challenging environmental strains and cultures. *Microbiology Research*, 13(2), 235-257. <https://doi.org/10.3390/microbiolres13020020>
- Chen, C. W., Pavlova, J. A., Lukianov, D. A., Tereshchenkov, A. G., Makarov, G. I., Khairullina, Z. Z., ... & Polikanov, Y. S. (2021). Binding and action of triphenylphosphonium analog of chloramphenicol upon the bacterial ribosome. *Antibiotics*, 10(4), 390. <https://doi.org/10.3390/antibiotics10040390>
- Ciosek, Ź., Kot, K., Kosik-Bogacka, D., Łanocha-Arendarczyk, N., & Rotter, I. (2021). The effects of calcium, magnesium, phosphorus, fluoride, and lead on bone tissue. *Biomolecules*, 11(4), 506. <https://doi.org/10.3390/biom11040506>

Citragumilang, A. K. (2022). Effect of accelerated ripening and fermentation to the physicochemical properties of black sapote fruit and wine (*Doctoral dissertation, Indonesia International Institute for Life Sciences*)

Cvetkovic, D., Ranitovic, A., Savic, D., Jokovic, N., Vidakovic, A., Pezo, L., & Markov, S. (2019). Survival of wild strains of lactobacilli during kombucha fermentation and their contribution to function characteristics of beverage. *Polish Journal of Food and Nutrition Sciences*, 69(4).
<https://doi.org/10.31883/pjfn.112276>

de Miranda, J. F., Ruiz, L. F., Silva, C. B., Uekane, T. M., Silva, K. A., Gonzalez, A. G. M., ... & Lima, A. R. (2022). Kombucha: A review of substrates, regulations, composition, and biological properties. *Journal of Food Science*, 87(2), 503-527. <https://doi.org/10.1111/1750-3841.16029>

Dey, T. B., Chakraborty, S., Jain, K. K., Sharma, A., & Kuhad, R. C. (2016). Antioxidant phenolics and their microbial production by submerged and solid state fermentation process: A review. *Trends in Food Science & Technology*, 53, 60-74. <https://doi.org/10.1016/j.tifs.2016.04.007>

Di Meo, S., & Venditti, P. (2020). Evolution of the knowledge of free radicals and other oxidants. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/9829176>

Drago, L. (2019). Chloramphenicol resurrected: A journey from antibiotic resistance in eye infections to biofilm and ocular microbiota. *Microorganisms*, 7(9), 278.
<https://doi.org/10.3390/microorganisms7090278>

Elvira-Torales, L. I., Garcia-Alonso, J., & Periago-Caston, M. J. (2019). Nutritional importance of carotenoids and their effect on liver health: A review. *Antioxidants*, 8(7), 229.
<https://doi.org/10.3390/antiox8070229>

Flores, K., Neil, S., Nguyen, J. J., Capper, K., & Felder, M. (2018). Sugar rush: How fermentation rate increases with glucose concentration. *Journal of Undergraduate Biology Laboratory Investigations*, 1(1).

Ghosh, N., Das, A., Chaffee, S., Roy, S., & Sen, C. K. (2018). Reactive oxygen species, oxidative damage and cell death. *Immunity and Inflammation in Health and Disease*, 45-55. Academic Press.
<https://doi.org/10.2147/JIR.S275595>

Goncalves, A. C., Bento, C., Jesus, F., Alves, G., & Silva, L. R. (2018). Sweet cherry phenolic compounds: Identification, characterization, and health benefits. *Studies in Natural Products Chemistry*, 59, 31-78. <https://doi.org/10.1016/B978-0-444-64179-3.00002-5>

Hur, S. J., Lee, S. Y., Kim, Y. C., Choi, I., & Kim, G. B. (2014). Effect of fermentation on the antioxidant activity in plant-based foods. *Food Chemistry*, 160, 346-356.
<https://doi.org/j.foodchem.2014.03.112>

Jayabalan, R., Malbasa, R. V., Loncar, E. S., Vitas, J. S., & Sathishkumar, M. (2014). A review on kombucha tea-microbiology, composition, fermentation, beneficial effects, toxicity, and tea fungus. *Comprehensive Reviews in Food Science and Food Safety*, 13(4), 538-550.
<https://doi.org/10.1111/1514-4337.12073>

Jakubczyk, K., Kupnicka, P., Melkis, K., Mielczarek, O., Walczynska, J., Chlubek, D., & Janda-Milczarek, K. (2022). Effects of fermentation time and type of tea on the content of micronutrients in kombucha fermented tea. *Nutrients*, 14(22). <https://doi.org/10.3390/nu14224828>

Johnson, N., Chang, Z., Almeida, C. B., Michel, M., Iversen, C., & Callanan, M. (2014). Evaluation of indirect impedance for measuring microbial growth in complex food matrices. *Food Microbiology*, 42, 8-13. <https://doi.org/10.1016/j.fm.2014.02.014>

Joseph, M. R. P., Al-Hakami, A. M., Assiry, M. M., Jamil, A. S., Assiry, A. M., Shaker, M. A., & Hamid, M. E. (2015). In vitro anti-yeast activity of chloramphenicol: A preliminary report. *Journal de Mycologie Medicale*, 25(1), 17-22. <https://doi.org/10.1016/j.mycmed.2014.10.019>

Liszkowska, W., & Berlowska, J. (2021). Yeast fermentation at low temperatures: Adaptation to changing environmental conditions and formation of volatile compounds. *Molecules*, 26(4), 1035. <https://doi.org/10.3390/molecules26041035>

Jiménez-González, O., & Guerrero-Beltrán, J. A. (2021). *Diospyros digyna* (black sapote), an undervalued fruit: A review. *ACS Food Science & Technology*, 1(1), 3-11.
<https://doi.org/10.1021/acsfoodscitech.0c00103>

Kapp, J. M., & Summer, W. (2019). Kombucha: A systematic review of the empirical evidence of human health benefit. *Annals of Epidemiology*, 30, 66-70.
<https://doi.org/10.1016/j.annepidem.2018.11.001>

Kim, J., & Adhikari, K. (2020). Current trends in kombucha: Marketing perspectives and the need for improved sensory research. *Beverages*, 6(1), 15. <https://doi.org/10.3390/beverages6010015>

Kim, S. H., Jeong, W. S., Kim, S. Y., & Yeo, S. H. (2023). Quality and functional characterization of acetic acid bacteria isolated from farm-produced fruit vinegars. *Fermentation*, 9(5), 447.
<https://doi.org/10.3390/fermentation9050447>

Klawpiyapamornkun, T., Uttarotai, T., Wangkarn, S., Srisa-ard, P., Kiatkarun, S., Tragoonrueang, Y., & Bovonsombut, S. (2023). Enhancing the chemical composition of kombucha fermentation by adding Indian gooseberry as a substrate. *Fermentation*, 9(3), 291.
<https://doi.org/10.3390/fermentation9030291>

Kolodiaznyi, O. I. (2021). Phosphorus compounds of natural origin: Prebiotic, Stereochemistry, Application. *Symmetry*, 13(5), 889. <https://doi.org/10.3390/sym13050889>

Laavanya, D., Shirloke, S., & Balasubramanian, P. (2021). Current challenges, applications and future perspectives of SCOPY cellulose of kombucha fermentation. *Journal of Cleaner Production*, 295, 126454. <https://doi.org/10.1016/j.jclepro.2021.126454>

Laureys, D., Britton, S. J., & De Clippeleer, J. (2020). Kombucha tea fermentation: A review. *Journal of the American Society of Brewing Chemists*, 78(3), 165-174.
<https://doi.org/10.1080/03610470.2020.1734150>

Maicas, S. (2020). The role of yeasts in fermentation processes. *Microorganisms*, 8(8), 1142.
<https://doi.org/10.3390/microorganisms8081142>

- Mamlouk, D., & Gullo, M. (2013). Acetic acid bacteria: Physiology and carbon sources oxidation. *Indian Journal of Microbiology*, 53, 377-384. <https://doi.org/10.1007/s12088-013-0414-z>
- Mannino, G., Serio, G., Berte, C. M., Chiarelli, R., Lauria, A., & Gentile, C. (2022). Phytochemical profile and antioxidant properties of the edible and non-edible portions of black sapote (*Diospyros digyna* Jacq.). *Food Chemistry*, 380, 132-137. <https://doi.org/10.1016/j.foodchem.2022.132137>
- Monahan, L. G., Hajduk, I. V., Blaber, S. P., Charles, I. G., & Harry, E. J. (2014). Coordinating bacteria cell division with nutrient availability: A role for glycolysis. *MBio*, 5(3), e00935-14. <https://doi.org/10.1128/mbio.00935-14>
- Morales, S. S. (2014). Urine output-increasing activity of formulated tea from *Diospyros digyna* Jacq., Ebenaceae (black zapote) leaves. *IAMURE International Journal of Science and Clinical Laboratory*, 5(1), 1.
- Muhialdin, B. J., Osman, F. A., Muhamad, R., Che, W. N. S., Anzian, A., Voon, W. W. Y., & Hussin, A. S. (2019). Effects of sugar sources and fermentation time on the properties of tea fungus (kombucha) beverage. *International Food Research Journal*, 26(2).
- Murphy, M. P., Bayir, H., Belousov, V., Chang, C. J., Davies, K. J., Davies, M. J., ... & Halliwell, B. (2022). Guidelines for measuring reactive oxygen species and oxidative damage in cells and in vivo. *Nature Metabolism*, 4(6), 651-662.
- Narendranath, N. V., & Power, R. (2005). Relationship between pH and medium dissolved solids in terms of growth and metabolism of lactobacilli and *Saccharomyces cerevisiae* during ethanol production. *Applied and Environmental Microbiology*, 71(5), 2239-2243. <https://doi.org/10.1128/AEM.71.5.2239-2243.2005>
- Nazemi, E., Dubowski, J., & Frost, E. (2017). Photonic monitoring of biological activities of bacteria immobilized on biofunctionalized surfaces of quantum semiconductors, PhD in Electrical Engineering. University of Sherbrooke.

- Nurikasari, M., Puspitasari, Y., & Siwi, R. P. Y. (2017). Characterization and analysis kombucha tea antioxidant activity based on long fermentation as a beverage functional. *Journal of Global Research in Public Health*, 2(2), 90-96. <https://doi.org/10.5281/1117425>
- Nguyen, N. K., Dong, N. T. N., Nguyen, H. T., & Le, P. H. (2015). Lactic acid bacteria: Promising supplements for enhancing the biological activities of kombucha. *Springerplus*, 4, 1-6. <https://doi.org/10.1186/s40064-015-0872-3>
- Oliveira, I. A. C., Rolim, V. A. D., Gaspar, R. P. L., Rossini, D. Q., de Souza, R., & Bogsan, C. S. B. (2022). The technological perspectives of kombucha and its implications for production. *Fermentation*, 8(4), 185. <https://doi.org/10.3390/fermentation8040185>
- Oroian, M., & Escriche, I. (2015). Antioxidants: Characterization, natural sources, extraction and analysis. *Food Research International*, 74, 10-36. <https://doi.org/j.foodres.2015.04.018>
- Pecar, D., & Gorsek, A. (2022). The influence of kombucha starter culture storage time and temperature on its activation rate and quality of fermented beverage. *Chemical Engineering Transactions*, 93, 7-12. <https://doi.org/10.3303/CET2293002>
- Pepper, I. L., Gerba, C. P., Gentry, T. J., & Maier, R. M. (2011). *Environmental microbiology*. Academic Press. <https://doi.org/10.1016/B978-0-12-370519-8.00003-1>
- Rault, A., Bouix, M., & Beal, C. (2009). Fermentation pH influences the dynamic of Lactobacillus bulgaricus CFL1 physiological state during pH-controlled cultures. *Applied and Environmental Microbiology*. <https://doi.org/10.1128/AEM.02725-08>
- Roberts, D., & Greenwood, M. (2022). Enumeration of microorganisms practical food microbiology, 105-129. <https://doi.org/10.1002/9780470757512.ch5>
- Shahidi, F., & Zhong, Y. (2015). Measurement of antioxidant activity. *Journal of Functional Foods*, 18, 757-781. <https://doi.org/10.1016/j.jff.2015.01.047>
- Sinamo, K. N., Ginting, S., & Pratam, S. (2022). Effect of sugar concentration and fermentation time on secang kombucha drink. *IOP Conference Series: Earth and Environmental Science*, 977(1), 012080. <https://doi.org/10.1088/1755-1315/977/1/012080>

Singh, S., Pradhan, N., Kumari, R., & Rao, B. (2013). Evaluation of antioxidant and cytotoxic activity of bioactive compounds extracted from Nocardiopsis VITSRTB. *International Journal of Applied Engineering Research*, 8(9), 2203-2208.

Suresh, V., Reddy, A., Muthukumar, P., & Selvam, T. (2021). Antioxidants: Pharmacotherapeutic boon for diabetes. *Antioxidants-Benefits, Sources, Mechanisms of Action*.
<https://doi.org/10.5772/intechopen.98587>

Sutthiphatkul, T., Mangmool, S., Rungjindamai, N., & Ochaikul, D. (2023). Characteristics and antioxidant activities of kombucha from black tea and roselle by a mixed starter culture. *Current Applied Science and Technology*, 11–55003.

<https://doi.org/10.55003/cast.2022.04.23.002>

Taylor, R. H., Allen, M. J., & Geldreich, E. E. (1983). Standard plate count: A comparison of pour plate and spread plate methods. *Journal-American Water Works Association*, 75(1), 35-37.

<https://doi.org/10.1016/j.mimet.2014.07.023>

Tonner, P. D., Darnell, C. L., Engelhardt, B. E., & Schmid, A. K. (2017). Detecting differential growth of microbial populations with Gaussian process regression. *Genome Research*, 27(2), 320-333.

<https://doi.org/10.1101/gr.210286.116>

Vastrad, J. V., Badanayak, P., & Goudar, G. (2021). Phenolic compounds in tea: Phytochemical, biological, and therapeutic applications. *IntechOpen*.

<https://doi.org/10.5772/intechopen.98715>

Wang, B., Rutherford-Markwick, K., Zhang, X. X., & Mutukumira, A. N. (2022). Kombucha: Production and Microbiological Research. *Foods*, 11(21), 3456. <https://doi.org/10.3390/foods11213456>

Warale, A., Sabavath, A., Multani, S., & Singh, A. (2014). Preparation of flavoured kombucha tea using SCOBY culture. *Journal of Emerging Technologies and Innovative Research*, 9(2), e502.

Watawana, M. I., Jayawardena, N., Gunawardhana, C. B., & Waisundara, V. Y. (2015). Health, wellness, and safety aspects of the consumption of kombucha. *Journal of Chemistry*, 2015.

Webster, A., Schrere, S., Fabri, K., Doudican, H., & Felder, M. (2019). *Saccharomyces cerevisiae* ferments monosaccharides faster than disaccharides. *Journal of Undergraduate Biology Laboratory Investigations*, 2(1).

Yalcin, S. K., & Ozbas, Z. Y. (2008). Effects of pH and temperature on growth and glycerol production kinetics of two indigenous wine strains of *saccharomyces cervisiae* from Turkey. *Journal of Microbiology*, 39, 325-332. <https://doi.org/10.1590/s1517-838220080002000024>

Yikmis, S., & Tuggum, S. (2019). Evaluation of microbiological, physicochemical and sensorial properties of purple basil kombucha beverage. *Turk Tarim-Gida Bilim ve Teknoloji Dergisi*. <https://doi.org/turjaf.v7i9.1321-1327.2550>

Zaragoza, J., Bendiks, Z., Tyler, C., Kable, M. E., Williams, T. R., Luchkovska, Y., ... & Marco, M. L. (2017). Effects of exogenous yeast and bacteria on the microbial population dynamics and outcomes of olive fermentations. *MSphere*, 2(1), e00315-16. <https://doi.org/10.1128/mSphere.00315-16>

Ziska, R., & Agustina, A. (2019). Cytotoxic activity assay of n-hexane extract of *Solanum nigrum* L. fruits fermented by kombucha against MCF-7 breast cancer cell line. *Journal of Physics: Conference Series*, 1338(1), 012027. IOP Publishing.