

Reference

- Abbas M., Saeed F., Anjum F.M., Afzaal M., Tufail T., Bashir M.S., Ishtiaq A., Hussain S., Suleria H.A.R. (2017). Natural polyphenols: An overview. *Int. J. Food Prop.* 20:1689–1699. doi: 10.1080/10942912.2016.1220393.
- Achyadi, N. S., Taufik, Y., & Darin Intan Khairunnisa. (2017). Pengaruh Konsentrasi Bubur Buah Dan Tepung Kedelai Terhadap Karakteristik Fit Bar Black Mulberry. *Pas. Food Technol J*, 4(3), 248–254.
- Ajala TO, Femi-Oyewo MN, Odeku OA, Aina OO, Saba AB, Oridupa OO. The physicochemical, safety and antimicrobial properties of *Phyllanthus amarus* herbal cream and ointment. *J Pharm Invest.* 2016;46(2):169- 78. doi:10.1007/s40005-015-0226-8
- Anisa, Juwita Puspa., Yamlean Paulina VY., Edy Hosea jaya. (2013). Formulasi Krim Ekstrak Etanol Daun Lamun (*Syringodium isoetifolium*) Jurnal Ilmiah Farmasi Program Studi Farmasi FMIPA UNSRAT. Manado. Vol: 2
- Anief, M. (1999). Sistem Dipersi, Formulasi Suspensi Dan Emulsi. Yogyakarta: Gadjah Mada University Press. Vol: 1
- Anief, M. (2005). Farmasetika. Yogyakarta : Gadjah Mada University Press
- Anwar, Effionora. (2012). Eksipien dalam Sediaan Farmasi (Karakterisasi dan Aplikasi). Dian Rakyat: Jakarta
- Baki, G. (2022). Introduction to cosmetic formulation and technology. John Wiley & Sons.
- Bankova, V. (2005). Chemical diversity of propolis and the problem of standardization. *Journal of ethnopharmacology*, 100(1-2), 114-117.
- Bankova VS, De Castro SL, Marcucci MC. (2000). Propolis: recent advances in chemistry and plant origin. *Apidologie*. 31(1):3–15.
- Baumann, L. (2002). Cosmetic Dermatology: principles and Practice. New York: McGraw-Hill Companies, Inc.
- Bin Ying D. (2021). Centrifugation and its Application. *J Phys Chem Biophys*. Department of Chemistry, University of Milan, Milan, Italy. DOI: 10.35248/2161-0398.21.11.e307.
- Bittencourt, M. L., Ribeiro, P. R., Franco, R. L., Hilhorst, H. W., de Castro, R. D., & Fernandez, L. G. (2015). Metabolite profiling, antioxidant and antibacterial activities of Brazilian propolis: Use of correlation and multivariate analyses to identify potential bioactive compounds. *Food Research International*, 76, 449-457.
- Bonamigo, T., Campos, J. F., Oliveira, A. S., Torquato, H. F. V., Balestieri, J. B. P., Cardoso, C. A. L., ... & Dos Santos, E. L. (2017). Antioxidant and cytotoxic activity of propolis of *Plebeia droryana* and *Apis mellifera* (Hymenoptera, Apidae) from the Brazilian Cerrado biome. *PLoS One*, 12(9), e0183983.
- Boisard, S., Le Ray, A. M., Gatto, J., Aumond, M. C., Blanchard, P., Derbré, S., ... & Richomme, P. (2014). Chemical composition, antioxidant and anti-AGEs activities of a French poplar type propolis. *Journal of agricultural and food chemistry*, 62(6), 1344-1351.
- Bogdan Allemann, I., & Baumann, L. (2008). Antioxidants used in skin care formulations. *Skin therapy letter*, 13(7), 5–9.

- Böttcher S., Steinhauser U., Drusch S. (2015). Off-flavour masking of secondary lipid oxidation products by pea dextrin. *Food Chem.* 169:492–498. doi: 10.1016/j.foodchem.2014.05.006.
- Botterweck A., Verhagen H., Goldbohm R., Kleinjans J., Brandt P.V.D., (2000). Intake of butylated hydroxyanisole and butylated hydroxytoluene and stomach cancer risk: results from analyses in the Netherlands Cohort Study. *Food Chem. Toxicol.* 38:599–605. doi: 10.1016/S0278-6915(00)00042-9.
- Burdock GA. (1998). Review of the biological properties and toxicity of bee propolis (propolis) *Food and Chemical Toxicology.* 36(4):347–363.
- Caleja C., Barros L., Antonio A.L., Carocho M., Oliveira M.B.P., Ferreira I.C. (2016). Fortification of yogurts with different antioxidant preservatives: A comparative study between natural and synthetic additives. *Food Chem.* 210:262–268. doi: 10.1016/j.foodchem.2016.04.114.
- Caleja C., Barros L., Antonio A.L., Oliveira M.B.P., Ferreira I.C. (2017). A comparative study between natural and synthetic antioxidants: Evaluation of their performance after incorporation into biscuits. *Food Chem.* 216:342–346. doi: 10.1016/j.foodchem.2016.08.075.
- Daugsch, A., Moraes, C. S., Fort, P., & Park, Y. K. (2008). Brazilian red propolis—chemical composition and botanical origin. *Evidence-based complementary and alternative medicine*, 5(4), 435-441.
- Dean, D.A., Evans, E.R., Hall, I.H., Ansel, H.C., Popovic, N.G., Alien, L.V. (2011). *Pharmaceutical Dosage Form and Drug Delivery Systems*, B.I. Waverly Pvt. Ltd., New Delhi
- Ditjen POM. (2000). Parameter Standar Umum Ekstrak Tumbuhan Obat. Jakarta: Departemen Kesehatan Republik Indonesia
- Djuanda, Adhi., Hamzah, Mochtar. (2007). Ilmu penyakit kulit dan kelamin. Jakarta: FKUI. Vol: 5
- Draelos, Z. D. (2018). The science behind skin care: Cleansers. *Journal of cosmetic dermatology*, 17(1), 8-14.
- Dripa Sjabana & Ramadhani Rusdi Bahalwan. (2002). *Pesona Tradisional dan ilmiah, mengkudu, Morinda citrifolia*. Jakarta: Salemba Medika. Vol: 1
- Engin A.B., Bukan N., Kurukahvecioglu O., Memis L., Engin A. (2011). Effect of butylated hydroxytoluene (E321) pretreatment versus l-arginine on liver injury after sub-lethal dose of endotoxin administration. *Environ. Pharmacol. Toxicol.* 32:457–464. doi: 10.1016/j.etap.2011.08.014.
- Estévez M., Ventanas S., Cava R. (2006). Effect of natural and synthetic antioxidants on protein oxidation and colour and texture changes in refrigerated stored porcine liver pâté *Meat Sci.* 74:396–403. doi: 10.1016/j.meatsci.04.010.
- Fuchs J, Huflejt ME, Rothfuss LM, et al. (1989). Impairment of enzymic and nonenzymic antioxidants in skin by UVB irradiation. *J Invest Dermatol* 93(6):769-73.
- Galeotti F., Maccari F., Fachini A., Volpi N. (2018). Chemical composition and antioxidant activity of propolis prepared in different forms and in different solvents useful for finished products. *Foods.* 7:41. doi: 10.3390/foods7030041.
- Garcia, Eugenio José et al. (2012). Antioxidant activity by DPPH assay of potential solutions to be applied on bleached teeth. *Brazilian Dental Journal*, v. 23, n. 1 [Accessed 18 December 2022], pp. 22-27. Available from: <<https://doi.org/10.1590/S0103-64402012000100004>>. ISSN 1806-4760.
- Gohar, R., & Safa, M. M. A. (2010). Fluid film lubrication. In *Tribology and Dynamics of Engine and Powertrain* (pp. 132-170). Woodhead Publishing.

- Graikou, K., Popova, M., Gortzi, O., Bankova, V., & Chinou, I. (2016). Characterization and biological evaluation of selected Mediterranean propolis samples. Is it a new type?. LWT-Food Science and Technology, 65, 261-267.
- Greenstock CL. (1986). Free radicals, aging, and degenerative diseases. New York:Alan R. Liss.
- Hanson KM, Clegg RM. (2002). Observation and quantification of ultraviolet-induced reactive oxygen species in ex vivo human skin. Photochemistry and Photobiology. 76(1):57–63.
- Hartiadi, L. Y., & Sahamastuti, A. A. T. (2020). Formulation of Merbau (Intsia bijuga) Wood Extract and Its Antioxidant Evaluation on H₂O₂-induced oxidative stress on HaCaT. Current Trends in Biotechnology & Pharmacy.
- Hery Winarsi. (2007). Antioksidan Alami dan Radikal Bebas. Yogyakarta: Kanisius. Hal. 189-90
- Hussain A., Larsson H., Olsson M.E., Kuktaite R., Grausgruber H., Johansson E. (2012). Is organically produced wheat a source of tocopherols and tocotrienols for health food? Food Chem. 132:1789–1795. doi: 10.1016/j.foodchem.2011.11.141.
- Jasprica, I., Mornar, A., Debeljak, Ž., Smolčić-Bubalo, A., Medić-Šarić, M., Mayer, L., ... & Šverko, V. (2007). In vivo study of propolis supplementation effects on antioxidative status and red blood cells. Journal of Ethnopharmacology, 110(3), 548-554.
- Javanmardi, J., Stushnoff, C., Locke, E., Vivanco, J. M. 2003. Antioxidant Activity and Total Phenolic Content of Iranian Ocimum Accessions. Journal Food Chem. 83(4): 547-550.
- Katiyar SK, Mukhtar H. (2001). Green tea polyphenol (-)-epigallocatechin-3-gallate treatment to mouse skin prevents UVB-induced infiltration of leukocytes, depletion of antigen-presenting cells, and oxidative stress. Journal of Leukocyte Biology. 69(5):719–726. [PubMed] [Google Scholar]
- Kementerian Kesehatan RI. (2020). Farmakope Indonesia. Jakarta. Vol 6
- Kobus-Cisowska J., Flaczyk E., Rudzińska M., Kmiecik D. (2014). Antioxidant properties of extracts from Ginkgo biloba leaves in meatballs. Meat Sci. 97:174–180. doi: 10.1016/j.meatsci.2014.01.011.
- Kocot J, Kiełczykowska M, Luchowska-Kocot D, Kurzepa J, Musik I. (2018). Antioxidant Potential of Propolis, Bee Pollen, and Royal Jelly: Possible Medical Application. Oxid Med Cell Longev. 7074209. doi: 10.1155/2018/7074209. PMID: 29854089; PMCID: PMC5954854.
- Kornienko J.S., Smirnova I.S., Pugovkina N.A., Ivanova J.S., Shilina M.A., Grinchuk T.M., Shatrova A.N., Aksenen N.D., Zenin V.V., Nikolsky N.N., et al. (2019). High doses of synthetic antioxidants induce premature senescence in cultivated mesenchymal stem cells. Sci. Rep. 9:1296. doi: 10.1038/s41598-018-37972-y.
- Luthfiyana, N., Hidayat, T., Nurilmala, M., & Anwar, E. (2019). Utilization of seaweed porridge Sargassum sp. and Eucheuma cottonii as cosmetic in protecting skin. In IOP Conference Series: Earth and Environmental Science (Vol. 278, No. 1, p. 012055). IOP Publishing.
- Majekodunmi, S. O. (2015). A review on centrifugation in the pharmaceutical industry. Am. J. Biomed. Eng, 5(2), 67-78.
- Mansour E.H., Khalil A.H. (2000). Evaluation of antioxidant activity of some plant extracts and their application to ground beef patties. Food Chem. 69:135–141. doi: 10.1016/S0308-8146(99)00234-4.
- Maungchanburee, S., Phongseeput, S., Thongsri, O., Maijuy, M., & Chaithada, P. (2020). Study of antioxidant activities, total phenolic content and total flavonoid content of the extracts of

McClatchey, W., (2002). From Polynesian healers to health food stores: changing perspectives of *Morinda citrifolia* (Rubiaceae). *Integral Cancer Therapy*. Vol: 1

Moldovan, M., Lahmar, A., Bogdan, C., Părăuan, S., Tomuță, I., & Crișan, M. (2017). Formulation and evaluation of a water-in-oil cream containing herbal active ingredients and ferulic acid. *Clujul Medical*, 90(2), 212.

Monochoria vaginalis and *Cissus repens* Lamk. using different solvents. *Journal of Pharmaceutical Sciences and Research*, 12(3), 356-359.

Moran, M. D. (2003). Arguments for rejecting the sequential Bonferroni in ecological studies. *Oikos*, 100(2), 403-405.

National Center for Biotechnology Information (2022). PubChem Compound Summary for CID 7618, Triethanolamine. Retrieved April 22, 2022 from <https://pubchem.ncbi.nlm.nih.gov/compound/Triethanolamine>

Navindgikar, N., Kamalapurkar, K. A., & Chavan, P. S. (2020). Formulation and evaluation of multipurpose herbal cream. *International Journal of Current Pharmaceutical Research*, 12(3), 25-30.

Nayak, B. S., Sandiford, S., dan Maxwell, A. (2007). Evaluation of the Wound healing Activity of Ethanolic Extract of *Morinda citrifolia* L.Leaf. *Evid Based Complement Alternative Medicine*. Vol: 6

Nelson, S. C. (2006). *Morinda citrifolia* (noni). Species Profiles for Pacific Island Agroforestry. Accessed on 4th April 2022. Retrieved from: <http://www.agroforestry.net/tti/Morinda-nonii.pdf>

Nurman S., Yulia, R., Irmayanti, Noor, E., & Candra Sunarti, T. (2019). The Optimization of Gel Preparations Using the Active Compounds of Arabica Coffee Ground Nanoparticles. *Scientia Pharmaceutica*, 87(4), 32. <https://doi.org/10.3390/scipharm87040032>

Omoni A.O., Aluko R.E. (2005). The anti-carcinogenic and anti-atherogenic effects of lycopene: A review. *Trends Food Sci. Technol.* 16:344–350. doi: 10.1016/j.tifs.2005.02.002.

Pasupuleti, V. R., Sammugam, L., Ramesh, N., & Gan, S. H. (2017). Honey, propolis, and royal jelly: a comprehensive review of their biological actions and health benefits. *Oxidative medicine and cellular longevity*

Pattison DI, Davies MJ. (2006). Actions of ultraviolet light on cellular structures. *EXS.* (96):131–157.

Peter, P. I. (2007). Clinical Research on *Morinda citrifolia* L. *Noni Clinical Research Journal*. Vol: 1

Petruck G, Del Giudice R, Rigano MM, Monti DM. (2018). Antioxidants from Plants Protect against Skin Photoaging. *Oxid Med Cell Longev.* 1454936. doi: 10.1155/2018/1454936. PMID: 30174780; PMCID: PMC6098906.

Pham-Huy, L. A., He, H., & Pham-Huy, C. (2008). Free radicals, antioxidants in disease and health. *International journal of biomedical science : IJBS*, 4(2), 89–96.

Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free radicals: properties, sources, targets, and their implication in various diseases. *Indian journal of clinical biochemistry : IJCB*, 30(1), 11–26. <https://doi.org/10.1007/s12291-014-0446-0>

Pillai, S., Oresajo, C., & Hayward, J. (2005). Ultraviolet radiation and skin aging: roles of reactive oxygen species, inflammation and protease activation, and strategies for prevention of inflammation-induced matrix degradation—a review. *International journal of cosmetic science*, 27(1), 17-34.

- Pinnel, S. R. 2003. Cutaneous Photodamage, Oxidative Stress, and Topical Antioxidant Protection. *J Am Acad Dermatol*; 48: 1-19.
- Poljsak B. (2010). Decreasing Oxidative Stress and Retarding the Aging Process. Nova Science
- Prahl, S. Kueper, T., Biernoth, T., et al. 2008. Aging Skin is Functionally Anaerobic: Importance of Coenzyme Q10 for Anti-aging Skin Care. *Biofactors*. 32(1-4): 245-55.
- Rachmani, M; Yudi Purnomo dan Erna Sulistyowati. (2009). Efek Ekstrak Etanol Daun Jalar Ungu (*Ipomea batatas* L) terhadap kadar AST-ALT dan Hispatologi Sel Hepar pada Mencit yang diberi Perlakuan Aktivitas Fisik Maksimal. Malang: Universitas Islam Malang
- Rafique, M., & Hussain Shah, S. N. (2019). Anti-ageing potential of a cream (W/O Emulsion) containing grape seed extract (GSE): formulation and in vivo evaluation of effectiveness using non-invasive biophysical technique. *J. Clin. Exp. Dermatol. Res*, 10, 2155-9554.
- Rahmawati, R., Mufluhunna, A., & Sarif, L. M. (2015). Analisis aktivitas antioksidan produk sirup buah mengkudu (*Morinda Citrifolia* L.) dengan metode DPPH. *Jurnal Fitofarmaka Indonesia*, 2(2), 97-101
- Rasal, V. P., Sinnathambi, A., Ashok, P., dan Yeshmaina, S. (2008). Wound Healing and Antioxidant Activities of *Morinda citrifolia* Leaf Extract in Rats. *Iranian Journal of Pharmacology & Therapeutics*. Vol: 7
- Ristivojević, P., Trifković, J., Andrić, F., & Milojković-Opsenica, D. (2015). Poplar-type propolis: Chemical composition, botanical origin and biological activity. *Natural product communications*, 10(11), 1934578X1501001117
- Rohman, A., Riyanto, S., & Hidayati, N. K. (2007). Aktivitas antioksidan, kandungan fenolik Total, dan flavonoid total daun mengkudu (*Morinda citrifolia* L). *Agritech*, 27(4).
- Rowe, R. C., Sheskey, P., & Quinn, M. (2009). *Handbook of pharmaceutical excipients*. Libros Digitales-Pharmaceutical Press
- Saad B., Sing Y.Y., Nawi M.A., Hashim N., Mohamedali A., Saleh M.I., Sulaiman S.F., Talib K., Ahmad K., Ali A.S.M. (2007). Determination of synthetic phenolic antioxidants in food items using reversed-phase HPLC. *Food Chem*. 105:389–394. doi: 10.1016/j.foodchem.2006.12.025.
- Sadikin M. 2001. Pelacakan dampak radikal bebas terhadap makromolekul. Dalam Kumpulan Pelatihan: Radikal bebas dan antioksidan dalam kesehatan. Jakarta: Fakultas Kedokteran UI.
- Salavkar, S. M., Tamanekar, R. A., & Athawale, R. B. (2011). Antioxidants in skin ageing—Future of dermatology. *International Journal of Green Pharmacy (IJGP)*, 5(3).
- Sander CS, Chang H, Salzmann S, et al. (2002). Photoaging is associated with protein oxidation in human skin *in vivo*. *Journal of Investigative Dermatology*. 118(4):618–625.
- Saptari, T., Triastinurmiatiningsih, S, B. L., & Sayyidah, I. N. (2019). Kadar Fenolik Dan Aktivitas Antioksidan Ekstrak Etanol Rumput Laut Coklat (*Padina australis*). *Fitofarmaka*, 9(1), 1–8.
- Sari, C.Y. (2015). Penggunaan Buah Mengkudu (*Morinda citrifolia* L.) Untuk Menurunkan Tekanan Darah Tinggi. *Jurnal Majoriti*. Vol: 5
- Satwadhar, P. N., Deshpande, H. W., Syed, I. H., dan Syed K. A. (2011). Nutritional Composition and Identification of Some of The Bioactive Components in *Morinda citrifolia* Juice. *International Journal of Pharmacy and Pharmaceutical Sciences*. Vol: 3

Shah M.A., Bosco S.J.D., Mir S.A. (2014). Plant extracts as natural antioxidants in meat and meat products. *Meat Sci.* 98:21–33. doi: 10.1016/j.meatsci.2014.03.020.

Shindo Y, Witt E, Han D, et al. (1994). Enzymic and non-enzymic antioxidants in epidermis and dermis of human skin. *J Invest Dermatol* 102(1):122-4

Sikora E., Cieślik E., Topolska K. The sources of natural antioxidants. *Acta Sci. Pol. Technol. Aliment.* 2008;7:5–17.

Simões, A., Miranda, M., Cardoso, C., & Vitorino, F. V. A. (2020). Rheology by Design: A Regulatory Tutorial for Analytical Method Validation. *Pharmaceutics*, 12(9), 820. <https://doi.org/10.3390/pharmaceutics12090820>

Soto-Vaca A., Gutierrez A., Losso J.N., Xu Z., Finley J.W. (2012). Evolution of Phenolic Compounds from Color and Flavor Problems to Health Benefits. *J. Agric. Food Chem.* 60:6658–6677. doi: 10.1021/jf300861c.

Sun, C., Wu, Z., Wang, Z., & Zhang, H. (2015). Effect of ethanol/water solvents on phenolic profiles and antioxidant properties of Beijing propolis extracts. *Evidence-Based Complementary and Alternative Medicine.*

Susanto, R. C., Made, A. M. (2013). Penyakit Kulit Dan Kelamin. Yogyakarta: Nuha Medika.

Susiarti S. (2015). Pengetahuan dan pemanfaatan tumbuhan obat masyarakat lokal di Pulau Seram, Maluku; Vol: 1. Accessed at 4th April 2022. Retrieved from: <http://biodiversitas.mipa.uns.ac.id/M/M0105/M010519.pdf>

Syamsuni, H.A. (2007). Ilmu Resep. Jakarta: EGC

Tandon, R. 2005. Antioxidants: Past and Present. Retrieved from: <http://www.pharmainfo.net/reviews/antioxidants-past-and-present>. Vol. 3(4)

Touzani S., Imtara H., Katekhaye S., Mechchate H., Ouassou H., Alqahtani A.S., Noman O.M., Nasr F.A., Fearnley H., Fearnley J., et al. (2021). Determination of phenolic compounds in various propolis samples collected from an African and an Asian region and their impact on antioxidant and antibacterial activities. *Molecules*. 26:4589. doi: 10.3390/molecules26154589.

Tranggono, R. I., Fatma, L. (2007). Buku Pegangan Ilmu Pengetahuan Kosmetik. Jakarta: Gramedia Pustaka Utama

Tristantini, D., Ismawati, A., Pradana, B. T., & Jonathan, J. G. (2016). Pengujian aktivitas antioksidan menggunakan metode DPPH pada daun tanjung (*Mimusops elengi* L). In Seminar Nasional Teknik Kimia Kejuangan (p. 1).

Wang, M. Y., West, B. J., Jensen, C. J., Nowicki, D., Su, C., Palu, A. K., & Anderson, G. (2002). Morinda citrifolia (Noni): a literature review and recent advances in Noni research. *Acta Pharmacologica Sinica*. Vol: 23

Wang W., Kannan K. (2018). Inventory, loading and discharge of synthetic phenolic antioxidants and their metabolites in wastewater treatment plants. *Water Res.* 129:413–418. doi: 10.1016/j.watres.2017.11.028.

Wardani, D., Nurul, N., Sujana, D., Nugraha, Y. R., & Nurseha, R. (2021). FORMULASI KRIM EKSTRAK ETANOL DAUN REUNDEU (*Staurogyne elongata* (Blume) O. Kuntze) DENGAN VARIASI KONSENTRASI PARAFIN CAIR DAN SETIL ALKOHOL. *Pharma Xplore: Jurnal Sains dan Ilmu Farmasi*, 6(2), 36-46.

Werninghaus K. (1995). The role of antioxidants in reducing photodamage. In: Gilchrest B (Ed.). Photodamage. London: Blackwell Science, pp. 249

Winarsi, H. (2011). Antioksidan Alami dan Radikal Bebas. Yogyakarta: Kanisius.

Xiu-Qin L., Chao J., Yan-Yan S., Min-Li Y., Xiao-Gang C. (2009). Analysis of synthetic antioxidants and preservatives in edible vegetable oil by HPLC/TOF-MS. Food Chem. 113:692–700. doi: 10.1016/j.foodchem.2008.07.072.

Yarnykh T., Yuryeva G., Rukhmakova O., Buryak M., Herasymova I. (2020). Evolution of propolis standardization methods. Ukr. Biopharm. J. 2:4–13. doi: 10.24959/ubphj.20.255.

Zehiroglu, C., & Ozturk Sarikaya, S. B. (2019). The importance of antioxidants and place in today's scientific and technological studies. Journal of food science and technology, 56(11), 4757–4774. <https://doi.org/10.1007/s13197-019-03952-x>