

References

- Al-Ahmad, B. E., Kashmoola, M. A., Jabbar, O. A., Mokhtar, K. I., Mohamad, N., Rahim, R. A., & Shaban, M. N. (2020). Histopathological changes of the flaxseed extract on skin wound healing in diabetic rabbits. *Open Access Macedonian Journal of Medical Sciences*, 8(A), 881–892. <https://doi.org/10.3889/oamjms.2020.5145>
- Altoé, L. S., Alves, R. S., Sarandy, M. M., Morais-Santos, M., Novaes, R. D., & Gonçalves, R. V. (2019). Does antibiotic use accelerate or retard cutaneous repair? A systematic review in animal models. *PLOS ONE*, 14(10). <https://doi.org/10.1371/journal.pone.0223511>
- Aly, R. (1996) 'Microbial Infections of Skin and Nails', in *Medical Microbiology*. 4th edn. Galveston, Texas: University of Texas Medical Branch at Galveston.
- Ansel, J. L., Butaud, J. F., Nicolas, M., Lecellier, G., Pichon, C., & Raharivelomanana, P. (2015). Le "Tamanu" et ses propriétés en dermocosmétique. *La Phytothérapie Européenne*, 86, 10–12.
- Ariani, S., Loho, L., & Durry, M. F. (2014). Khasiat daun binahong (anredera cordifolia (ten.) Steenis) terhadap pembentukan jaringan granulasi dan re-epitelisasi penyembuhan luka terbuka kulit kelinci. *eBiomedik*, 1(2). <https://doi.org/10.35790/ebm.1.2.2013.3250>
- Baneux, P. J., Garner, D., McIntyre, H. B., & Holshuh, H. J. (1986). Euthanasia of rabbits by intravenous administration of ketamine. *Journal of the American Veterinary Medical Association*, 189(9), 1038–1039.
- Bessa, L. J., Fazii, P., Di Giulio, M., & Cellini, L. (2015). Bacterial isolates from infected wounds and their antibiotic susceptibility pattern: some remarks about wound infection. *International wound journal*, 12(1), 47-52. <https://doi.org/10.1111/iwj.12049>
- Boraschi, D., & Italiani, P. (2016). Model validity in nanoimmunotoxicity: Advantages and disadvantages of in vivo vs in vitro models, and human vs animal models. *Current Bionanotechnology (Discontinued)*, 2(2), 71-76.
- Bowler, P. G., Duerden, B. I., & Armstrong, D. G. (2001). Wound microbiology and associated approaches to wound management. *Clinical microbiology reviews*, 14(2), 244-269.

- Chvapil, M., Holubec, H., & Chvapil, T. (1991). Inert wound dressing is not desirable. *Journal of surgical research*, 51(3), 245-252.
- Colby, L. A., Nowland, M. H., & Kennedy, L. H. (2019). *Clinical laboratory animal medicine: an introduction*. John Wiley & Sons.
- Cowan, L. J., & Stechmiller, J. (2009). Prevalence of wet-to-dry dressings in wound care. *Advances in skin & wound care*, 22(12), 567-573.
- Dreifke, M. B., Jayasuriya, A. A., & Jayasuriya, A. C. (2015). Current wound healing procedures and potential care. *Materials Science and Engineering: C*, 48, 651-662.
- Dunnill, C., Patton, T., Brennan, J., Barrett, J., Dryden, M., Cooke, J., Leaper, D., & Georgopoulos, N. T. (2015). Reactive oxygen species (ROS) and wound healing: The functional role of Ros and emerging Ros-modulating technologies for augmentation of the healing process. *International Wound Journal*, 14(1), 89–96. <https://doi.org/10.1111/iwj.12557>
- Dwiyana, R. F., Yogya, Y., Gondokaryono, S. P., Diana, I. A., Suwarsa, O., Ramali, L. M., Sutedja, E. K., Rahardja, J. I., & Gunawan, H. (2019). Clinical efficacy of biocellulose, carboxymethyl cellulose and normal saline dressing in epidermolysis bullosa. *Journal of Wound Care*, 28(Sup10). <https://doi.org/10.12968/jowc.2019.28.sup10.s4>
- Eaglstein, W. H. (2001). Moist wound healing with occlusive dressings: a clinical focus. *Dermatologic surgery*, 27(2), 175-182. <https://doi.org/10.1046/j.1524-4725.2001.00299.x>
- Gonzalez, A. C. D. O., Costa, T. F., Andrade, Z. D. A., & Medrado, A. R. A. P. (2016). Wound healing-A literature review. *Anais brasileiros de dermatologia*, 91, 614-620. <https://doi.org/10.1590/abd1806-4841.20164741>
- Guo, S. A., & DiPietro, L. A. (2010). Factors affecting wound healing. *Journal of dental research*, 89(3), 219-229. <https://doi.org/10.1177/0022034509359125>
- Haensel, D., & Dai, X. (2018). Epithelial-to-mesenchymal transition in cutaneous wound healing: Where we are and where we are heading. *Developmental dynamics*, 247(3), 473-480. <https://doi.org/10.1002/dvdy.24561>

- Holt, J. R., Zeng, W.-Z., Evans, E. L., Woo, S.-H., Ma, S., Abuwarda, H., Loud, M., Patapoutian, A., & Pathak, M. M. (2021). Spatiotemporal dynamics of PIEZO1 localization controls keratinocyte migration during wound healing. *eLife*, *10*. <https://doi.org/10.7554/elife.65415>
- International Consensus. (2012). Optimising wellbeing in people living with a wound. An expert working group review. *Wounds International*.
- Junker, J. P., Kamel, R. A., Caterson, E. J., & Eriksson, E. (2013). Clinical impact upon wound healing and inflammation in moist, wet, and dry environments. *Advances in wound care*, *2*(7), 348-356. <https://doi.org/10.1089/wound.2012.0412>
- Kim, S. Y., Park, B. J., Lee, Y., Park, N. J., Park, K. M., Hwang, Y.-S., & Park, K. D. (2019). Human hair keratin-based hydrogels as dynamic matrices for facilitating wound healing. *Journal of Industrial and Engineering Chemistry*, *73*, 142–151. <https://doi.org/10.1016/j.jiec.2019.01.017>
- Konop, M., Czuwara, J., Kłodzińska, E., Laskowska, A. K., Zielenkiewicz, U., Brzozowska, I., Nabavi, S. M., & Rudnicka, L. (2018). Development of a novel keratin dressing which accelerates full-thickness skin wound healing in diabetic mice: In vitro and in vivo studies. *Journal of Biomaterials Applications*, *33*(4), 527–540. <https://doi.org/10.1177/0885328218801114>
- Konop, M., Rybka, M., & Drapała, A. (2021). Keratin biomaterials in skin wound healing, an old player in modern medicine: a mini review. *Pharmaceutics*, *13*(12), 2029.
- Krzyszczuk, P., Schloss, R., Palmer, A., & Berthiaume, F. (2018). The role of macrophages in acute and chronic wound healing and interventions to promote pro-wound healing phenotypes. *Frontiers in Physiology*, *9*. <https://doi.org/10.3389/fphys.2018.00419>
- Landén, N. X., Li, D., & Stähle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and molecular life sciences : CMLS*, *73*(20), 3861–3885. <https://doi.org/10.1007/s00018-016-2268-0>
- Leaf-Loving, N. K. (2004). The Molecular Biology of Wound Healing. *PLoS Biol* *2*(8): e278. <https://doi.org/10.1371/journal.pbio.0020278>

- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., Nour, M., Aalbersberg, W., Ghazi, K., Raharivelomanana, P., & Rat, P. (2015). The wound healing and antibacterial activity of five ethnomedical *Calophyllum inophyllum* oils: An alternative therapeutic strategy to treat infected wounds. *PLOS ONE*, *10*(9). <https://doi.org/10.1371/journal.pone.0138602>
- Li, Y., Wang, Y., Ye, J., Yuan, J., & Xiao, Y. (2016). Fabrication of poly (ϵ -caprolactone)/keratin nanofibrous mats as a potential scaffold for vascular tissue engineering. *Materials Science and Engineering: C*, *68*, 177-183.
- Lindholm, C., & Searle, R. (2016). Wound management for the 21st century: Combining effectiveness and efficiency. *International Wound Journal*, *13*, 5–15. <https://doi.org/10.1111/iwj.12623>
- MacWilliams, M. P., & Liao, M. K. (2006). Luria broth (LB) and Luria agar (LA) media and their uses protocol. *ASM MicrobeLibrary. American Society for Microbiology*, 2006.
- Madden, M. R., Nolan, E., Finkelstein, J. L., Yurt, R. W., Smeland, J., Goodwin, C. W., Hefton, J. & Staiano-Coico, L. (1989). Comparison of an occlusive and a semi-occlusive dressing and the effect of the wound exudate upon keratinocyte proliferation. *Journal of Trauma and Acute Care Surgery*, *29*(7), 924-931.
- Masson-Meyers, D. S., Andrade, T. A., Caetano, G. F., Guimaraes, F. R., Leite, M. N., Leite, S. N., & Frade, M. A. C. (2020). Experimental models and methods for cutaneous wound healing assessment. *International journal of experimental pathology*, *101*(1-2), 21-37. <https://doi.org/10.1111/iep.12346>
- Nguyen, V.-L., Truong, C.-T., Nguyen, B. C., Vo, T.-N. V., Dao, T.-T., Nguyen, V.-D., Trinh, D.-T. T., Huynh, H. K., & Bui, C.-B. (2017). Anti-inflammatory and wound healing activities of calophyllolide isolated from *Calophyllum inophyllum* Linn. *PLOS ONE*, *12*(10). <https://doi.org/10.1371/journal.pone.0185674>
- Nowak-Imialek, M., Wunderlich, S., Herrmann, D., Breitschuh-Leibling, S., Gohring, G., Petersen, B., Klein, S., Baulain, U., Lucas-Hahn, A., Martin, U., & Niemann, H. (2020). In vitro and in vivo

- interspecies chimera assay using early pig embryos. *Cellular Reprogramming*, 22(3), 118-133.
<https://doi.org/10.1089/cell.2019.0107>
- Pechter, P. M., Gil, J., Valdes, J., Tomic-Canic, M., Pastar, I., Stojadinovic, O., Kirsner, R. S., & Davis, S. C. (2012). Keratin dressings speed epithelialization of deep partial-thickness wounds. *Wound Repair and Regeneration*, 20(2), 236–242. <https://doi.org/10.1111/j.1524-475x.2012.00768.x>
- Phillips, S. J. (2000). Physiology of wound healing and surgical wound care. *ASAIO Journal*, 46(6), S2-S5.
- Piipponen, M., Li, D., & Landén, N. X. (2020). The Immune Functions of Keratinocytes in Skin Wound Healing. *International journal of molecular sciences*, 21(22), 8790.
<https://doi.org/10.3390/ijms21228790>
- Portela, R., Leal, C. R., Almeida, P. L., & Sobral, R. G. (2019). Bacterial cellulose: a versatile biopolymer for wound dressing applications. *Microb Biotechnol*, 12(4): 586–610.
- Prasetyono, T. O. (2009). General concept of wound healing, revisited. *Medical Journal of Indonesia*, 18(3), 208-16.
- Pribowo, A., Girish, J., Gustiananda, M., Nandhira, R. G., & Hartrianti, P. (2021). Potential of Tamanu (*Calophyllum inophyllum*) Oil for Atopic Dermatitis Treatment. *Evidence-Based Complementary and Alternative Medicine*, 2021. <https://doi.org/10.1155/2021/6332867>
- Puchkov, E. (2014). Computer Image Analysis as a Tool for Microbial Viability Assessment: Examples of Use and Prospects. *Journal of Biosciences and Medicines*, vol. 02, p. 1-6.
<https://doi.org/10.4236/jbm.2014.23001>.
- Raharivelomanana, P., Ansel, J., Lupo, E., Mijouin, L., Guillot, S., & Butaud, J. et al. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *OCL*, 25(5), D504.
<https://doi.org/10.1051/ocl/2018048>
- Rauchfuß, F., Helble, J., Bruns, J., Dirsch, O., Dahmen, U., Ardelt, M., Settmacher, U., & Scheuerlein, H. (2019). Biocellulose for incisional hernia repair—an experimental pilot study. *Nanomaterials*, 9(2), 236. <https://doi.org/10.3390/nano9020236>

- Ravishankar, K., Kiranmayi, G. V. N., Prasad, Y. R., & Devi, L. (2019). Wound healing activity in rabbits and antimicrobial activity of *Hibiscus hirtus* ethanolic extract. *Brazilian Journal of Pharmaceutical Sciences*, *54*. <https://doi.org/10.1590/s2175-97902018000417075>
- Rhoads, D. D., Cox, S. B., Rees, E. J., Sun, Y., & Wolcott, R. D. (2012). Clinical identification of bacteria in human chronic wound infections: culturing vs. 16S ribosomal DNA sequencing. *BMC infectious diseases*, *12*(1), 1-8.
- Rosewald, M., Hou, F. Y. S., Mututuvvari, T., Harkins, A., & Tran, C. (2014). Cellulose-chitosan-keratin composite materials: synthesis, immunological and antibacterial properties. *ECS transactions*, *64*(4), 499. <https://doi.org/10.1149/06404.0499ecst>
- Sezonov, G., Joseleau-Petit, D., & d'Ari, R. (2007). *Escherichia coli* physiology in Luria-Bertani broth. *Journal of bacteriology*, *189*(23), 8746-8749.
- Shi, D., Mi, G., Wang, M., & Webster, T. J. (2019). In vitro and ex vivo systems at the forefront of infection modeling and drug discovery. *Biomaterials*, *198*, 228-249. <https://doi.org/10.1016/j.biomaterials.2018.10.030>
- Simões, D., Miguel, S., Ribeiro, M., Coutinho, P., Mendonça, A., & Correia, I. (2018). Recent advances on antimicrobial wound dressing: A review. *European Journal Of Pharmaceutics And Biopharmaceutics*, *127*, 130-141. <https://doi.org/10.1016/j.ejpb.2018.02.022>
- Svensjö, T., Pomahac, B., Yao, F., Slama, J., & Eriksson, E. (2000). Accelerated healing of full-thickness skin wounds in a wet environment. *Plastic and reconstructive surgery*, *106*(3), 602-612.
- Teixeira, M. A., Paiva, M. C., Amorim, M. T. P., & Felgueiras, H. P. (2020). Electrospun nanocomposites containing cellulose and its derivatives modified with specialized biomolecules for an enhanced wound healing. *Nanomaterials*, *10*(3), 557. <https://doi.org/10.3390/nano10030557>
- Than, M. P., Smith, R. A., Hammond, C., Kelly, R., Marsh, C., Maderal, A. D., & Kirsner, R. S. (2012). Keratin-based wound care products for treatment of resistant vascular wounds. *The Journal of clinical and aesthetic dermatology*, *5*(12), 31.

- Tonnesen, M. G., Feng, X., & Clark, R. A. (2000, December). Angiogenesis in wound healing. In *Journal of investigative dermatology symposium proceedings* (Vol. 5, No. 1, pp. 40-46). Elsevier.
<https://doi.org/10.1046/j.1087-0024.2000.00014.x>
- Tran, C. D., Prosenc, F., Franko, M., & Benzi, G. (2016). Synthesis, structure and antimicrobial property of green composites from cellulose, wool, hair and chicken feather. *Carbohydrate Polymers*, *151*, 1269-1276. <https://doi.org/10.1016/j.carbpol.2016.06.021>
- Vakilian, S., Jamshidi-adevani, F., Al-Shidhani, S., Anwar, M. U., Al-Harrasi, R., Al-Wahaibi, N., Qureshi, A., Alyaqoobi, S., Al-Amri, I., Al-Harrasi, A., & Al-Hashmi, S. (2019). A keratin-based biomaterial as a promising dresser for skin wound healing. *Wound Medicine*, *25*(1), 100155.
<https://doi.org/10.1016/j.wndm.2019.100155>
- Wang, F., Ziemann, A., & Coulombe, P. A. (2016). Skin keratins. In *Methods in enzymology* (Vol. 568, pp. 303-350). Academic Press. <https://doi.org/10.1016/bs.mie.2015.09.032>
- Wei, J. C., Edwards, G. A., Martin, D. J., Huang, H., Crichton, M. L., & Kendall, M. A. (2017). Allometric scaling of skin thickness, elasticity, viscoelasticity to mass for micro-medical device translation: from mice, rats, rabbits, pigs to humans. *Scientific reports*, *7*(1), 1-16.
- Ye, W., Qin, M., Qiu, R., & Li, J. (2022). Keratin-based wound dressings: From waste to wealth. *International Journal of Biological Macromolecules*.
<https://doi.org/10.1016/j.ijbiomac.2022.04.21>
- Yimdjo, M. C., Azebaze, A. G., Nkengfack, A. E., Meyer, A. M., Bodo, B., & Fomum, Z. T. (2004). Antimicrobial and cytotoxic agents from *Calophyllum inophyllum*. *Phytochemistry*, *65*(20), 2789-2795. <https://doi.org/10.1016/j.phytochem.2004.08.024>
- Zhang, X., Yin, M., & Zhang, L. J. (2019). Keratin 6, 16 and 17—critical barrier alarmin molecules in skin wounds and psoriasis. *Cells*, *8*(8), 807. <https://doi.org/10.3390/cells8080807>
- Zheng, L., Li, S., Luo, J., & Wang, X. (2020). Latest advances on bacterial cellulose-based antibacterial materials as wound dressings. *Frontiers in Bioengineering and Biotechnology*, *8*, 593768.