

Reference

- Abid, H.M.U., Hanif, M., Mahmood, K., Aziz, M., Abbas, G., & Latif, H. (2022). Wound-Healing and Antibacterial Activity of the Quercetin-4-Formyl Phenyl Boronic Acid Complex against Bacterial Pathogens of Diabetic Foot Ulcer. *ACS Omega*, vol. 7(28), p. 24415–24422. <https://doi.org/10.1021/acsomega.2c01819>
- Al-Ahmad, B. E., Kashmoola, M. A., Jabbar, O. A., Mokhtar, K. I., Mohamad, N., Rahim, R. A., & Shaban, M. N. (2020). Histopathological changes of the flaxseed extract on skin wound healing in diabetic rabbits. *Open Access Macedonian Journal of Medical Sciences*, 8(A), 881–892. <https://doi.org/10.3889/oamjms.2020.5145>
- Alhajj, M., & Goyal, A. (2021). *Physiology, Granulation Tissue*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Retrieved in 19 October 2022 from <https://www.ncbi.nlm.nih.gov/books/NBK554402/>
- Al Sadoun H. (2022). Macrophage Phenotypes in Normal and Diabetic Wound Healing and Therapeutic Interventions. *Cells*, 11(15), 2430. <https://doi.org/10.3390/cells11152430>
- AlSheikh, H. M. A., Sultan, I., Kumar, V., Rather, I. A., Al-Sheikh, H., Tasleem Jan, A., & Haq, Q. M. R. (2020). Plant-Based Phytochemicals as Possible Alternative to Antibiotics in Combating Bacterial Drug Resistance. *Antibiotics* (Basel, Switzerland), 9(8), 480. <https://doi.org/10.3390/antibiotics9080480>
- American Diabetes Association (ADA). (2009). Diagnosis and Classification of Diabetes Mellitus. *Diabetes Care*, 32(Suppl 1), S62. <https://doi.org/10.2337/dc09-S062>
- American Diabetes Association (ADA). (2010). Diagnosis and classification of diabetes mellitus. *Diabetes care*, 33 Suppl 1(Suppl 1), S62–S69. <https://doi.org/10.2337/dc10-S062>
- Aumiller, W. D., & Dollahite, H. A. (2015). Pathogenesis and management of diabetic foot ulcers. *Journal of the American Academy of Physician Assistants*, 28(5), 28–34. <https://doi.org/10.1097/01.jaa.0000464276.44117.b1>
- Bainbridge P. (2013). Wound healing and the role of fibroblasts. *Journal of wound care*, 22(8), 407–412. <https://doi.org/10.12968/jowc.2013.22.8.407>
- Baneux, P. J., Garner, D., McIntyre, H. B., & Holshuh, H. J. (1986). Euthanasia of rabbits by intravenous administration of ketamine. *Journal of the American Veterinary Medical Association*, 189(9), 1038–1039.

- Banu, A., Noorul Hassan, M. M., Rajkumar, J., & Srinivasa, S. (2015). Spectrum of bacteria associated with diabetic foot ulcer and biofilm formation: A prospective study. *The Australasian medical journal*, 8(9), 280–285. <https://doi.org/10.4066/AMJ.2015.2422>
- Berlanga-Acosta, J., Schultz, G. S., López-Mola, E., Guillen-Nieto, G., García-Siverio, M., & Herrera-Martínez, L. (2013). Glucose toxic effects on granulation tissue productive cells: the diabetics' impaired healing. *BioMed research international*, 2013, 256043. <https://doi.org/10.1155/2013/256043>
- Brewer, N. R. (2006). Historical Special Topic Overview on Rabbit Comparative Biology Biology of the Rabbit. *Journal of the American Association for Laboratory Animal Science : JAALAS*, 45(1), 8-24. <https://doi.org/https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5129783/>
- Brown, T.M., & Krishnamurthy, K. (2022). Histology, Dermis. In: *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing. Retrieved in 18 May 2023 from <https://www.ncbi.nlm.nih.gov/books/NBK535346/>
- Burgess, J. L., Wyant, W. A., Abujamra, B. A., Kirsner, R. S., & Jozic, I. (2021). Diabetic Wound-Healing Science. *Medicina*, 57(10). <https://doi.org/10.3390/medicina57101072>
- Carvalho-Júnior, J., Zanata, F., Aloise, A. C., & Ferreira, L. M. (2021). Acellular dermal matrix in skin wound healing in rabbits - histological and histomorphometric analyses. *Clinics (Sao Paulo, Brazil)*, 76, e2066. <https://doi.org/10.6061/clinics/2021/e2066>
- Chester, D., Marrow, E. A., Daniele, M. A., & Brown, A. C. (2019). Wound healing and the host response in Regenerative Engineering. *Encyclopedia of Biomedical Engineering*, 1–12. <https://doi.org/10.1016/b978-0-12-801238-3.99896-9>
- Dasari, N., Jiang, A., Skochdopole, A., Chung, J., Reece, E. M., Vorstenbosch, J., & Winocour, S. (2021). Updates in Diabetic Wound Healing, Inflammation, and Scarring. *Seminars in plastic surgery*, 35(3), 153–158. <https://doi.org/10.1055/s-0041-1731460>
- de Oliveira Gonzalez, A. C., Costa, T. F., Araújo Andrade, Z. D., & Alves Peixoto Medrado, A. R. (2016). *Wound healing - A literature review*. *Anais Brasileiros de Dermatologia*, 91(5), 614-620. <https://doi.org/10.1590/abd1806-4841.20164741>
- Dumville, J. C., Lipsky, B. A., Hoey, C., Cruciani, M., Fiscon, M., & Xia, J. (2017). Topical antimicrobial agents for treating foot ulcers in people with diabetes. *The Cochrane database of systematic reviews*, 6(6), CD011038. <https://doi.org/10.1002/14651858.CD011038.pub2>

- Dunn, L., Prosser, H. C., Tan, J. T., Vanags, L. Z., Ng, M. K., & Bursill, C. A. (2013). Murine model of wound healing. *Journal of visualized experiments: JoVE*, (75), e50265. <https://doi.org/10.3791/50265>
- Dutta, S., & Sengupta, P. (2018). Rabbits and men: Relating their ages. *Journal of Basic and Clinical Physiology and Pharmacology*, vol. 29(5). <https://doi.org/10.1515/jbcpp-2018-0002>.
- Emilda, E. (2019). Tumbuhan Nyamplung (*Calophyllum inophyllum* Linn) dan Bioaktifitasnya. *SIMBIOSA*, vol. 8(2), p. 136-147. doi: 10.33373/sim-bio.v8i2.2000.
- Erdogan, S.S., Gur, T.F. Terzi, N.K., & Dogan, B. (2021). Evaluation of the cutaneous wound healing potential of tamanu oil in wounds induced in rats. *Journal of Wound Care*, vol 30 (Sup9a), p. vi-vx. <https://doi.org/10.12968/jowc.2021.30.Sup9a.V>
- Fischer, A. H., Jacobson, K. A., Rose, J., & Zeller, R. (2008). Hematoxylin and eosin staining of tissue and cell sections. *CSH protocols*, 2008, pdb.prot4986. <https://doi.org/10.1101/pdb.prot4986>
- Ginigini, J., Lecellier, G. J., Nicolas, M., Nour, M., Hnawia, E., Lebouvier, N., Herbette, G., Lockhart, P., & Raharivelomanana, P. (2019). Chemodiversity of *Calophyllum inophyllum* L. oil bioactive components related to their specific geographical distribution in the South Pacific region. *PeerJ*, 7, e6896. <https://doi.org/10.7717/peerj.6896>
- Ghaisas, M. M., Kshirsagar, S. B., & Sahane, R. S. (2014). Evaluation of wound healing activity of ferulic acid in diabetic rats. *International wound journal*, 11(5), 523–532. <https://doi.org/10.1111/j.1742-481X.2012.01119.x>
- Gonzalez, A. C., Costa, T. F., Andrade, Z. A., & Medrado, A. R. (2016). Wound healing - A literature review. *Anais brasileiros de dermatologia*, 91(5), 614–620. <https://doi.org/10.1590/abd1806-4841.20164741>
- Goulding V. (2015). The effects of diabetes on collagen within wound healing. *The Diabetic Foot Journal*, 18, 75–80.
- Goyal, S. N., Reddy, N. M., Patil, K. R., Nakhate, K. T., Ojha, S., Patil, C. R., & Agrawal, Y. O. (2016). Challenges and issues with streptozotocin-induced diabetes – a clinically relevant animal model to understand the diabetes pathogenesis and evaluate therapeutics. *Chemico-Biological Interactions*, 244, 49–63. <https://doi.org/10.1016/j.cbi.2015.11.032>
- Gupta, P. D., & Birdi, T. J. (2017). Development of botanicals to combat antibiotic resistance. *Journal of Ayurveda and Integrative Medicine*, 8(4), 266-275. <https://doi.org/10.1016/j.jaim.2017.05.004>

- Gupta, A., & Kumar, P. (2015). Assessment of the histological state of the healing wound. *Plastic and Aesthetic Research*, 2(5), 239. <https://doi.org/10.4103/2347-9264.158862>
- Gurina, T.S., & Simms, L. (2022). *Histology, Staining*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan. Retrieved in 17 November 2022 from: <https://www.ncbi.nlm.nih.gov/books/NBK557663/>
- Holt, J. R., Zeng, W.-Z., Evans, E. L., Woo, S.-H., Ma, S., Abuwarda, H., Loud, M., Patapoutian, A., & Pathak, M. M. (2021). Spatiotemporal dynamics of PIEZO1 localization controls keratinocyte migration during wound healing. *eLife*, 10. <https://doi.org/10.7554/elife.65415>
- Horue, M., Silva, J. M., Berti, I. R., Brandão, L. R., Barud, H. D. S., & Castro, G. R. (2023). Bacterial Cellulose-Based Materials as Dressings for Wound Healing. *Pharmaceutics*, 15(2), 424. <https://doi.org/10.3390/pharmaceutics15020424>
- Hsu, C. Y., Lin, S. C., Wu, Y. H., Hu, C. Y., Chen, Y. T., & Chen, Y. C. (2022). The Antimicrobial Effects of Bacterial Cellulose Produced by *Komagataeibacter intermedius* in Promoting Wound Healing in Diabetic Mice. *International journal of molecular sciences*, 23(10), 5456. <https://doi.org/10.3390/ijms23105456>
- Huang, L., Nakagami, G., Minematsu, T., Kinoshita, A., Sugama, J., Nakatani, T., Sagara, H., & Sanada, H. (2010). Ulceration and delayed healing following pressure loading in hyperglycemic rats with an immature dermal collagen fiber network. *Wounds : a compendium of clinical research and practice*, 22(9), 237–244.
- Huang, Y., & Kyriakides, T. R. (2020). The role of extracellular matrix in the pathophysiology of diabetic wounds. *Matrix biology plus*, 6-7, 100037. <https://doi.org/10.1016/j.mbplus.2020.100037>
- Ismail, L., Materwala, H., & Kaabi, J. A. (2021). Association of risk factors with type 2 diabetes: A systematic review. *Computational and Structural Biotechnology Journal*, 19, 1759-1785. <https://doi.org/10.1016/j.csbj.2021.03.003>
- Junka, A., Żywicka, A., Chodaczek, G., Dziadas, M., Czajkowska, J., Duda-Madej, A., Bartoszewicz, M., Skulska, K., Krasowski, G., Szymczyk-Ziółkowska, P., & Fijałkowski, K. (2019). Potential of Biocellulose Carrier Impregnated with Essential Oils to Fight Against Biofilms Formed on Hydroxyapatite. *Scientific Reports*, vol 9, 1256. doi: 10.1038/s41598-018-37628-x.
- Junker, P. E., Kamel, R. A., Caterson, E. J., & Eriksson, E. (2013). Clinical Impact Upon Wound Healing and Inflammation in Moist, Wet, and Dry Environments. *Advances in Wound Care*, 2(7), 348-356. <https://doi.org/10.1089/wound.2012.0412>

- Kavitha, K. V., Tiwari, S., Purandare, V. B., Khedkar, S., Bhosale, S. S., & Unnikrishnan, A. G. (2014). Choice of wound care in diabetic foot ulcer: A practical approach. *World journal of diabetes*, 5(4), 546–556. <https://doi.org/10.4239/wjd.v5.i4.546>
- Kędzia, A., Mścisz, A., & Meissner, H.O. (2011). The effect of Tamanu oil (*Calophyllum inophyllum*) on anaerobic bacteria isolated from respiratory tract. *Postepy Biochemii*, 3, 159-163.
- Kim, M.-H., Liu, W., Borjesson, D. L., Curry, F.-R. E., Miller, L. S., Cheung, A. L., Liu, F.-T., Isseroff, R. R., & Simon, S. I. (2008). Dynamics of neutrophil infiltration during cutaneous wound healing and infection using fluorescence imaging. *Journal of Investigative Dermatology*, 128(7), 1812–1820. <https://doi.org/10.1038/sj.jid.5701223>
- Kim, S. Y., & Nair, M. G. (2019). Macrophages in wound healing: Activation and plasticity. *Immunology & Cell Biology*, 97(3), 258–267. <https://doi.org/10.1111/imcb.12236>
- Klingberg, F., Hinz, B., & White, E. S. (2013). The myofibroblast matrix: implications for tissue repair and fibrosis. *The Journal of pathology*, 229(2), 298–309. <https://doi.org/10.1002/path.4104>
- Krzyszczuk, P., Schloss, R., Palmer, A., & Berthiaume, F. (2018). The role of macrophages in acute and chronic wound healing and interventions to promote pro-wound healing phenotypes. *Frontiers in Physiology*, 9. <https://doi.org/10.3389/fphys.2018.00419>
- Kumar, P., Kumar, S., Udupa, E. P., Kumar, U., Rao, P., & Honnegowda, T. (2015). Role of angiogenesis and angiogenic factors in acute and chronic wound healing. *Plastic and Aesthetic Research*, 2(5), 243. <https://doi.org/10.4103/2347-9264.165438>
- Kutsukake, M., Shibao, H., Uematsu, K., & Fukatsu, T. (2009). Scab formation and wound healing of plant tissue by soldier aphid. Proceedings. *Biological sciences*, 276(1662), 1555–1563. <https://doi.org/10.1098/rspb.2008.1628>
- Landén, N. X., Li, D., & Ståhle, M. (2016). Transition from inflammation to proliferation: a critical step during wound healing. *Cellular and molecular life sciences : CMLS*, 73(20), 3861–3885. <https://doi.org/10.1007/s00018-016-2268-0>
- Léguillier, T., Lecsö-Bornet, M., Lémus, C., Rousseau-Ralliard, D., Lebouvier, N., Hnawia, E., Nour, M., Aalbersberg, W., Ghazi, K., Raharivelomanana, P., & Rat, P. (2015). The Wound Healing and Antibacterial Activity of Five Ethnomedical *Calophyllum inophyllum* Oils: An Alternative Therapeutic Strategy to Treat Infected Wounds. *PloS one*, 10(9), e0138602. <https://doi.org/10.1371/journal.pone.0138602>

- Lester, S. C. (Ed.). (2006). Specimen processing: From gross specimens to tissue cassettes. *Manual of Surgical Pathology*, 11–28. <https://doi.org/10.1016/b978-0-443-06645-0.50007-4>
- Liu, Y., Liu, Y., He, W., Mu, X., Wu, X., Deng, J., & Nie, X. (2022). Fibroblasts: Immunomodulatory factors in refractory diabetic wound healing. *Frontiers in Immunology*, 13. <https://doi.org/10.3389/fimmu.2022.918223>
- Lönnqvist, S. (2016). Applications of human skin in vitro. *Linköping University Medical Dissertations*. <https://doi.org/10.3384/diss.diva-123313>
- Majeed, A. A., & Abood, D. A. (2019). Histological assessment of the efficiency of rabbit serum in healing skin wounds. *Veterinary world*, 12(10), 1650–1656. <https://doi.org/10.14202/vetworld.2019.1650-1656>
- Masson-Meyers, D. S., Andrade, T., Caetano, G. F., Guimaraes, F. R., Leite, M. N., Leite, S. N., & Frade, M. (2020). Experimental models and methods for cutaneous wound healing assessment. *International journal of experimental pathology*, 101(1-2), 21–37. <https://doi.org/10.1111/iep.12346>
- Mathew-Steiner, S. S., Roy, S., & Sen, C. K. (2021). Collagen in Wound Healing. *Bioengineering (Basel, Switzerland)*, 8(5), 63. <https://doi.org/10.3390/bioengineering8050063>
- Mekala, K. C., & Bertoni, A. G. (2020). Epidemiology of diabetes mellitus. *Transplantation, Bioengineering, and Regeneration of the Endocrine Pancreas*, 49–58. doi:10.1016/b978-0-12-814833-4.00004-6
- Miles, A., Misra, S., & Irwin, J. (1938). The estimation of the bactericidal power of the blood. *Epidemiology And Infection*, 38(6), 732-749. <https://doi.org/10.1017/s002217240001158x>
- Morbidelli, L., Genah, S., & Cialdai, F. (2021). Effect of microgravity on endothelial cell function, angiogenesis, and vessel remodeling during wound healing. *Frontiers in Bioengineering and Biotechnology*, 9. <https://doi.org/10.3389/fbioe.2021.720091>
- Motyl, K., & McCabe, L. R. (2009). Streptozotocin, Type I Diabetes Severity and Bone. *Biological Procedures Online*, 11, 296-315. <https://doi.org/10.1007/s12575-009-9000-5>
- Mukhopadhyay, A., Sikka, M. P., & Midha, V. K. (2019). Speciality dressings for managing difficult-to-heal wounds. *Advanced Textiles for Wound Care*, 391–421. <https://doi.org/10.1016/b978-0-08-102192-7.00014-x>
- Mustoe, T. A., & Gurjala, A. (2011). The role of the epidermis and the mechanism of action of occlusive dressings in scarring. *Wound repair and regeneration : official publication of the Wound*

- Healing Society [and] the European Tissue Repair Society*, 19 Suppl 1(01), s16–s21.
<https://doi.org/10.1111/j.1524-475X.2011.00709.x>
- Nagle, S.M., Stevens, K.A., & Wilbraham, S.C. (2022). *Wound Assessment*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Retrieved in 26 October 2022 from <https://www.ncbi.nlm.nih.gov/books/NBK482198/>
- Naomi, R., & Fauzi, M. B. (2020). Cellulose/Collagen Dressings for Diabetic Foot Ulcer: A Review. *Pharmaceutics*, 12(9), 881. <https://doi.org/10.3390/pharmaceutics12090881>
- Nath, S., Ghosh, S. K., & Choudhury, Y. (2017). A murine model of type 2 diabetes mellitus developed using a combination of high fat diet and multiple low doses of streptozotocin treatment mimics the metabolic characteristics of type 2 diabetes mellitus in humans. *Journal of Pharmacological and Toxicological Methods*, 84, 20–30.
<https://doi.org/10.1016/j.jpharmtox.2016.10.007>
- Nguyen, V.-L., Truong, C.-T., Nguyen, B. C., Vo, T.-N. V., Dao, T.-T., Nguyen, V.-D., Trinh, D.-T. T., Huynh, H. K., & Bui, C.-B. (2017). Anti-inflammatory and wound healing activities of calophyllolide isolated from *Calophyllum inophyllum* Linn. *PLOS ONE*, 12(10).
<https://doi.org/10.1371/journal.pone.0185674>
- Nuutila, K., & Eriksson, E. (2021). Moist Wound Healing with Commonly Available Dressings. *Advances in wound care*, 10(12), 685–698. <https://doi.org/10.1089/wound.2020.1232>
- Oliver, T.I., & Mutluoglu, M. (2022). *Diabetic Foot Ulcer*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Retrieved in 24 October 2022 from <https://www.ncbi.nlm.nih.gov/books/NBK537328/>
- Okonkwo, U. A., & DiPietro, L. A. (2017). Diabetes and Wound Angiogenesis. *International journal of molecular sciences*, 18(7), 1419. <https://doi.org/10.3390/ijms18071419>
- Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., Patel, S. B., Khalid, L., Isseroff, R. R., & Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive Review. *Advances in wound care*, 3(7), 445–464. <https://doi.org/10.1089/wound.2013.0473>
- Patel, S., Srivastava, S., Singh, M. R., & Singh, D. (2019). Mechanistic insight into diabetic wounds: Pathogenesis, molecular targets and treatment strategies to pace wound healing. *Biomedicine & Pharmacotherapy*, 112, 108615. <https://doi.org/10.1016/j.biopha.2019.108615>

- Piipponen, M., Li, D., & Landén, N. X. (2020). The Immune Functions of Keratinocytes in Skin Wound Healing. *International journal of molecular sciences*, 21(22), 8790. <https://doi.org/10.3390/ijms21228790>
- Portela, R., Leal, C. R., Almeida, P. L., & Sobral, R. G. (2019). Bacterial cellulose: a versatile biopolymer for wound dressing applications. *Microbial Biotechnology*, 12(4), 586–610. doi: 10.1111/1751-7915.13392
- Pribowo, A., Girish, J., Gustiananda, M., Nandhira, R. G., & Hartrianti, P. (2021). Potential of Tamanu (*Calophyllum inophyllum*) Oil for Atopic Dermatitis Treatment. *Evidence-based complementary and alternative medicine : eCAM*, 2021, 6332867. <https://doi.org/10.1155/2021/6332867>
- Puchkov, E. (2014). Computer Image Analysis as a Tool for Microbial Viability Assessment: Examples of Use and Prospects. *Journal of Biosciences and Medicines*, vol. 02, p. 1-6. <https://doi.org/10.4236/jbm.2014.23001>.
- Raharivelomanana, P., Ansel, J.-L., Lupo, E., Mijouin, L., Guillot, S., Butaud, J.-F., ... Pichon, C. (2018). Tamanu oil and skin active properties: from traditional to modern cosmetic uses. *OCL*. doi: 10.1051/ocl/2018048
- Rodrigues, M., Kosaric, N., Bonham, C. A., & Gurtner, G. C. (2019). Wound healing: A cellular perspective. *Physiological Reviews*, 99(1), 665–706. <https://doi.org/10.1152/physrev.00067.2017>
- Saeedi, P., Petersohn, I., Salpea, P., Malanda, B., Karuranga, S., Unwin, N., Colagiuri, S., Guariguata, L., Motala, A. A., Ogurtsova, K., Shaw, J. E., Bright, D., & Williams, R. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9th edition. *Diabetes Research and Clinical Practice*, 157, 107843. <https://doi.org/10.1016/j.diabres.2019.107843>
- Sanapalli, B. K., Yele, V., Singh, M. K., Thaggikuppe Krishnamurthy, P., & Karri, V. V. (2021). Preclinical models of diabetic wound healing: A critical review. *Biomedicine & Pharmacotherapy*, 142, 111946. <https://doi.org/10.1016/j.biopha.2021.111946>
- Sapra, A., & Bhandari, P. (2022). *Diabetes Mellitus*. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Retrieved in 18 October 2022 from <https://www.ncbi.nlm.nih.gov/books/NBK551501/>
- Singh, A., Srivastav, R., & Pandey, A.K. (2017). Protective Role of Terminalia chebula in Streptozotocin-induced Diabetic Mice for Wound Healing Activity. *British Journal of Medicine & Medical Research*, 22(2), p. 1-8. <https://doi.org/10.9734/BJMMR/2017/33137>

- Spampinato, S. F., Caruso, G. I., Pasquale, R. D., Sortino, M. A., & Merlo, S. (2020). The Treatment of Impaired Wound Healing in Diabetes: Looking among Old Drugs. *Pharmaceuticals*, 13(4). <https://doi.org/10.3390/ph13040060>
- Suhakam, C. (2022). In Vivo Diabetic Wound Healing Evaluation of Biocellulose Black Tamanu Oil Hydrogel. [Unpublished manuscript].
- Szkudelski, T. (2001). The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. *Physiological research*, 50(6), 537–546.
- Theocharidis, G., & Veves, A. (2020). Autonomic nerve dysfunction and impaired diabetic wound healing; the role of neuropeptides. *Autonomic neuroscience : basic & clinical*, 223, 102610. <https://doi.org/10.1016/j.autneu.2019.102610>
- Thomas, D. C., Tsu, C. L., Nain, R. A., Arsat, N., Fun, S. S., & Sahid Nik Lah, N. A. (2021). The role of debridement in wound bed preparation in chronic wound: A narrative review. *Annals of medicine and surgery (2012)*, 71, 102876. <https://doi.org/10.1016/j.amsu.2021.102876>
- Tonnesen, M. G., Feng, X., & Clark, R. A. F. (2000). Angiogenesis in wound healing. *Journal of Investigative Dermatology Symposium Proceedings*, 5(1), 40–46. <https://doi.org/10.1046/j.1087-0024.2000.00014.x>
- Vallée, A., & Lecarpentier, Y. (2019). TGF- β in fibrosis by acting as a conductor for contractile properties of myofibroblasts. *Cell & Bioscience*, 9(98). <https://doi.org/10.1186/s13578-019-0362-3>
- von Knebel Doeberitz, M., & Wentzensen, N. (2008). The Cell: Basic Structure and Function. *Comprehensive Cytopathology (Third Edition)*, 3-22. <https://doi.org/10.1016/B978-141604208-2.10001-6>
- Wan, R., Weissman, J. P., Grundman, K., Lang, L., Grybowski, D. J., & Galiano, R. D. (2021). Diabetic wound healing: The impact of diabetes on myofibroblast activity and its potential therapeutic treatments. *Wound Repair and Regeneration*. doi:10.1111/wrr.12954
- Wang, Y., & Graves, D. T. (2020). Keratinocyte Function in Normal and Diabetic Wounds and Modulation by FOXO1. *Journal of diabetes research*, 2020, 3714704. <https://doi.org/10.1155/2020/3714704>
- Wei, J. C., Edwards, G. A., Martin, D. J., Huang, H., Crichton, M. L., & Kendall, M. A. (2017). Allometric scaling of skin thickness, elasticity, viscoelasticity to mass for micro-medical device translation:

From mice, rats, rabbits, pigs to humans. *Scientific Reports*, 7(1).

<https://doi.org/10.1038/s41598-017-15830-7>

Wilkinson, H. N., & Hardman, M. J. (2020). Wound healing: cellular mechanisms and pathological outcomes. *Open Biology*, 10(9). <https://doi.org/10.1098/rsob.200223>

Wong, V. W., Sorkin, M., Glotzbach, J. P., Longaker, M. T., & Gurtner, G. C. (2011). Surgical approaches to create murine models of human wound healing. *Journal of biomedicine & biotechnology*, 2011, 969618. <https://doi.org/10.1155/2011/969618>

World Health Organization (WHO). (2022). *Diabetes*. Retrieved on 24 October 2022 from <https://www.who.int/news-room/fact-sheets/detail/diabetes>

Wu, X., He, W., Mu, X., Liu, Y., Deng, J., Liu, Y., & Nie, X. (2022). Macrophage polarization in diabetic wound healing. *Burns & trauma*, 10, tkac051. <https://doi.org/10.1093/burnst/tkac051>

Xu, F., Zhang, C., & Graves, D. T. (2013). Abnormal cell responses and role of TNF- α in impaired diabetic wound healing. *BioMed research international*, 2013, 754802. <https://doi.org/10.1155/2013/754802>

Yamazaki, T., Kishimoto, K., & Ezaki, O. (2012). The ddY mouse: a model of postprandial hypertriglyceridemia in response to dietary fat. *Journal of Lipid Research*, 53(10), 2024-2037. <https://doi.org/10.1194/jlr.M023713>

Zhang, P., Lu, J., Jing, Y., Tang, S., Zhu, D., & Bi, Y. (2017). Global epidemiology of diabetic foot ulceration: a systematic review and meta-analysis †. *Annals of medicine*, 49(2), 106–116. <https://doi.org/10.1080/07853890.2016.1231932>

Zheng, L., Li, S., Luo, J., & Wang, X. (2020). Latest Advances on Bacterial Cellulose-Based Antibacterial Materials as Wound Dressings. *Frontiers in bioengineering and biotechnology*, 8, 593768. <https://doi.org/10.3389/fbioe.2020.593768>