

REFERENCES

- Akbik, D., Ghadiri, M., Chrzanowski, W., & Rohanizadeh, R. (2014). Curcumin as a wound healing agent. *Life Sciences*, *116*(1), 1–7. doi:10.1016/j.lfs.2014.08.016
- Akhmetova, A., Lanno, G. M., Kogermann, K., Malmsten, M., Rades, T., & Heinz, A. (2020). Highly Elastic and Water Stable Zein Microfibers as a Potential Drug Delivery System for Wound Healing. *Pharmaceutics*, *12*(5), 458. doi:10.3390/pharmaceutics12050458
- Alven, S., Nqoro, X., & Aderibigbe, B. A. (2020). Polymer-Based Materials Loaded with Curcumin for Wound Healing Applications. *Polymers*, *12*(10), 2286. doi:10.3390/polym12102286
- Balani, K., Verma, V., Agarwal, A., & Narayan, R. (2014). Physical, Thermal, And Mechanical Properties Of Polymers. In: *Biosurfaces: A Materials Science and Engineering Perspective*. New Jersey, NJ: John Wiley & Sons, Inc.
- Bergholt, M. S., Serio, A., & Albro, M. B. (2019). Raman Spectroscopy: Guiding Light for the Extracellular Matrix. *Frontiers in bioengineering and biotechnology*, *7*, 303. doi:10.3389/fbioe.2019.00303
- Bigliardi, P. L., Alsagoff, S. A. L., El-Kafrawi, H. Y., Pyon, J. K., Wa, C. T. C., & Villa, M. A. (2017). Povidone iodine in wound healing: A review of current concepts and practices. *International journal of surgery (London, England)*, *44*, 260–268. doi:10.1016/j.ijssu.2017.06.073
- Boucher, D. S. (2020). Solubility parameters and solvent affinities for polycaprolactone: A comparison of methods. *Journal of Applied Polymer Science*, 48908. doi:10.1002/app.48908
- Britto, E. J., Nezwek, T. A., & Robins, M. (2022). Wound Dressings. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing. Retrieved 16 September 2022, from: <https://www.ncbi.nlm.nih.gov/books/NBK470199/>

- Cheppudira, B., Fowler, M., McGhee, L., Greer, A., Mares, A., Petz, L., Devore, D., Loyd, D. R., & Clifford, J. L. (2013). Curcumin: A novel therapeutic for burn pain and wound healing. *Expert opinion on investigational drugs*, 22(10), 1295–1303. doi:10.1517/13543784.2013.825249
- Christen, M. O., & Vercesi, F. (2020). Polycaprolactone: How a Well-Known and Futuristic Polymer Has Become an Innovative Collagen-Stimulator in Esthetics. *Clinical, cosmetic and investigational dermatology*, 13, 31–48. doi:10.2147/CCID.S229054
- Corradini, E., Curti, P., Meniqueti, A., Martins, A., Rubira, A., & Muniz, E. (2014). Recent Advances in Food-Packing, Pharmaceutical and Biomedical Applications of Zein and Zein-Based Materials. *International Journal of Molecular Sciences*, 15(12), 22438–22470. doi:10.3390/ijms151222438
- Dajcs, J. J., Thibodeaux, B. A., Marquart, M. E., Girgis, D. O., Traidej, M., & O'Callaghan, R. J. (2004). Effectiveness of ciprofloxacin, levofloxacin, or moxifloxacin for treatment of experimental *Staphylococcus aureus* keratitis. *Antimicrobial agents and chemotherapy*, 48(6), 1948–1952. <https://doi.org/10.1128/AAC.48.6.1948-1952.2004>
- DeFife, R., Scheetz, M. H., Feinglass, J. M., Postelnick, M. J., & Scarsi, K. K. (2008). Effect of Differences in MIC Values on Clinical Outcomes in Patients with Bloodstream Infections Caused by Gram-Negative Organisms Treated with Levofloxacin. *Antimicrobial Agents and Chemotherapy*, 53(3), 1074–1079. doi:10.1128/aac.00580-08
- DeFrates, K., Markiewicz, T., Gallo, P., Rack, A., Weyhmiller, A., Jarmusik, B., & Hu, X. (2018). Protein Polymer-Based Nanoparticles: Fabrication and Medical Applications. *International journal of molecular sciences*, 19(6), 1717. doi:10.3390/ijms19061717
- Deshmukh, K., Basheer Ahamed, M., Deshmukh, R. R., Khadheer Pasha, S. K., Bhagat, P. R., & Chidambaram, K. (2017). Biopolymer Composites With High Dielectric Performance: Interface Engineering. *Biopolymer Composites in Electronics*, 27–128. doi:10.1016/b978-0-12-809261-3.00003-6

- Dhivya, S., Padma, V. V., & Santhini, E. (2015). Wound dressings - a review. *BioMedicine*, 5(4), 22. doi:10.7603/s40681-015-0022-9
- Domínguez-Robles, J., Cuartas-Gómez, E., Dynes, S., Utomo, E., Anjani, Q. K., Detamornrat, U., Donnelly, R. F., Moreno-Castellanos, N., & Larrañeta, E. (2023). Poly(caprolactone)/lignin-based 3D-printed dressings loaded with a novel combination of bioactive agents for wound-healing applications. *Sustainable Materials and Technologies*, 35, e00581. doi:10.1016/j.susmat.2023.e00581
- Dürig, T., & Karan, K. (2019). Binders in Wet Granulation. *Handbook of Pharmaceutical Wet Granulation*, 317–349. doi:10.1016/b978-0-12-810460-6.00010-5
- Frykberg, R. G., & Banks, J. (2015). Challenges in the Treatment of Chronic Wounds. *Advances in wound care*, 4(9), 560–582. doi:10.1089/wound.2015.0635
- Hewlings, S. J., & Kalman, D. S. (2017). Curcumin: A Review of Its Effects on Human Health. *Foods (Basel, Switzerland)*, 6(10), 92. doi:10.3390/foods6100092
- Horvat, G., Žvab, K., Knez, Ž., & Novak, Z. (2022). Simple, One-Pot Method for Preparing Transparent Ethyl Cellulose Films with Good Mechanical Properties. *Polymers*, 14(12), 2399. doi:10.3390/polym14122399
- Ireton, J. E., Unger, J. G., & Rohrich, R. J. (2013). The role of wound healing and its everyday application in plastic surgery: a practical perspective and systematic review. *Plastic and reconstructive surg. Global open*, 1(1), e10-e19. doi:10.1097/GOX.0b013e31828ff9f4
- Isotta, E., Peng, W., Balodhi, A., & Zevalkink, A. (2023). Elastic Moduli: a Tool for Understanding Chemical Bonding and Thermal Transport in Thermoelectric Materials. *Angewandte Chemie (International ed. in English)*, 62(12), e202213649. doi:10.1002/anie.202213649
- Jing, L., Wang, X., Liu, H., Lu, Y., Bian, J., Sun, J., & Huang, D. (2018). Zein Increases the Cytoaffinity and Biodegradability of Scaffolds 3D-Printed with Zein and Poly(ϵ -caprolactone) Composite Ink. *ACS Applied Materials & Interfaces*, 10(22), 18551–18559. doi:10.1021/acsami.8b04344

- Krishnarajan, D., Reddy, C. M., Kanikanti, S., Kumar, N.S., & Purushothaman, M. (2013). Formulation and Evaluation of Sustained Release Matrix Tablets of Levofloxacin using Natural Polymer. *Pharmacophore*, 4(5), 146-157
- Król-Morkisz, K., & Pielichowska, K. (2019). Thermal Decomposition of Polymer Nanocomposites With Functionalized Nanoparticles. *Polymer Composites with Functionalized Nanoparticles*, 405–435. doi:10.1016/b978-0-12-814064-2.00013-5
- Kumari, A., Raina, N., Wah, A., Goh, K. W., Sharma, P., Nagpal, R., Jain, A., Ming, L. C., & Gupta, M. (2022). Wound-Healing Effects of Curcumin and Its Nanoformulations: A Comprehensive Review. *Pharmaceutics*, 14(11), 2288. doi:10.3390/pharmaceutics14112288
- Larrañeta, E., Imízcoz, M., Toh, J. X., Irwin, N. J., Ripolin, A., Perminova, A., ... & Donnelly, R. F. (2018). Synthesis and characterization of lignin hydrogels for potential applications as drug eluting antimicrobial coatings for medical materials. *ACS sustainable chemistry & engineering*, 6(7), 9037-9046. doi:10.1021/acssuschemeng.8b01371
- Laurano, R., Boffito, M., Ciardelli, G., & Chiono, V. (2022). Wound dressing products: A translational investigation from the bench to the market. *Engineered Regeneration*, 3(2), 182-200. doi:10.1016/j.engreg.2022.04.002
- Marwan, M., Indarti, E., Darmadi, D., Rinaldi, W., Hamzah, D., & Rinaldi, T. (2019). Production of Triacetin by Microwave Assisted Esterification of Glycerol Using Activated Natural Zeolite. *Bulletin of Chemical Reaction Engineering & Catalysis*, 14, 672-677.
- McKeen, L. (2021). The effect of heat aging on the properties of sustainable polymers. In: *The Effect of Long Term Thermal Exposure on Plastics and Elastomers (2nd ed)*. Norwich, NY: William Andrew. doi:10.1016/B978-0-323-85436-8.00001-1
- Merck. (2020). *IR Spectrum Table & Chart*. Retrieved 7th June 2023, from <https://www.sigmaaldrich.com/GB/en/technical-documents/technical-article/analytical-chemistry/photometry-and-reflectometry/ir-spectrum-table>

- Mikhailov, E., Vlasenko, S., Martin, S. T., Koop, T., & Pöschl, U. (2009). Amorphous and crystalline aerosol particles interacting with water vapor: conceptual framework and experimental evidence for restructuring, phase transitions and kinetic limitations. *Atmospheric Chemistry and Physics*, 9(24), 9491–9522. doi:10.5194/acp-9-9491-2009
- Mohammed, H. A., Al-Omar, M. S., El-Readi, M. Z., Alhowail, A. H., Aldubayan, M. A., & Abdellatif, A. A. H. (2019). Formulation of Ethyl Cellulose Microparticles Incorporated Pheophytin A Isolated from *Suaeda vermiculata* for Antioxidant and Cytotoxic Activities. *Molecules (Basel, Switzerland)*, 24(8), 1501. doi:10.3390/molecules24081501
- Mohebian, Z., Tajmohammadi, I., Yavari Maroufi, L., Ramezani, S., & Ghorbani, M. (2022). A Novel Aloe Vera-Loaded Ethylcellulose/Hydroxypropyl Methylcellulose Nanofibrous Mat Designed for Wound Healing Application. *J Polym Environ*, 30, 867–877. doi:10.1007/s10924-021-02240-0
- Mondal, D., Griffith, M., & Venkatraman, S. S. (2016). Polycaprolactone-based biomaterials for tissue engineering and drug delivery: Current scenario and challenges. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 65(5), 255–265. doi:10.1080/00914037.2015.1103241
- Nandiyanto, A. B. D., Oktiani, R., & Ragadhita, R. (2019). How to Read and Interpret FTIR Spectroscopy of Organic Material. *Indonesian Journal of Science & Technology*, 4(1), 97-118. doi:10.17509/ijost.v4i1.15806
- Pásztor, N., Rédai, E., Szabó, Z. & Sipos, E. (2017). Preparation and Characterization of Levofloxacin-Loaded Nanofibers as Potential Wound Dressings. *Acta Marisiensis - Seria Medica*, 63(2) 66-69. doi:10.1515/amma-2017-0014
- Peng, K., Li, M., Himawan, A., Domínguez-Robles, J., Vora, L. K., Duncan, R., Dai, X., Zhang, C., Zhao, L., Li, L., Larrañeta, E., & Donnelly, R. F. (2022). Amphotericin B- and Levofloxacin-Loaded Chitosan Films for Potential Use in Antimicrobial Wound Dressings:

- Analytical Method Development and Its Application. *Pharmaceutics*, 14(11), 2497.
doi:10.3390/pharmaceutics14112497
- Pham, T. D., Ziora, Z. M., & Blaskovich, M. A. (2019). Quinolone antibiotics. *MedChemComm*, 10, 1719 - 1739. doi:10.1039/c9md00120d
- Podder, V. & Sadiq, N. M. (2022). Levofloxacin. In: *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK545180/>
- Prasad, S., DuBourdieu, D., Srivastava, A., Kumar, P., & Lall, R. (2021). Metal–Curcumin Complexes in Therapeutics: An Approach to Enhance Pharmacological Effects of Curcumin. *International Journal of Molecular Sciences*, 22(13), 7094. doi:10.3390/ijms22137094
- Priyadarsini, K. I. (2013). Chemical and Structural Features Influencing the Biological Activity of Curcumin. *Current Pharmaceutical Design*, 19(11), 2093–2100. doi:10.2174/138161213805289228
- Purohit, S. K., Solanki, R., Mathur, V., & Mathur, M. (2013). Evaluation of Wound Healing Activity of Ethanolic Extract of *Curcuma longa* Rhizomes in Male Albino Rats. *Asian J. Pharm. Res.*, 3(2), 79-81.
- Quispe, C. A. G., Coronado, C. J. R., & Carvalho Jr., J. A. (2013). Glycerol: Production, consumption, prices, characterization and new trends in combustion. *Renewable and Sustainable Energy Reviews*, 27, 475–493. doi:10.1016/j.rser.2013.06.017
- Ren, G., He, Y., Liu, C., Ni, F., Luo, X., Shi, J., Song, Y., Li, T., Huang, M., Shen, Q., & Xie, H. (2022). Encapsulation of curcumin in ZEIN-HTCC complexes: Physicochemical characterization, *in vitro* sustained release behavior and encapsulation mechanism. *Lebensmittel-Wissenschaft Technologie*, 155, 112909. doi: 10.1016/j.lwt.2021.112909
- Seoane-Viaño, I., Januskaite, P., Alvarez-Lorenzo, C., Basit, A. W., & Goyanes, A. (2021). Semi-solid extrusion 3D printing in drug delivery and biomedicine: Personalised solutions for healthcare challenges. *Journal of controlled release: official journal of the Controlled Release Society*, 332, 367–389. doi:10.1016/j.jconrel.2021.02.027

- Shandilya, M., Thakur, S. & Thakur, S. (2020). Magnetic amendment in the fabrication of environment friendly and biodegradable iron oxide/ethyl cellulose nanocomposite membrane via electrospinning. *Cellulose*, 27, 1-11. <https://doi.org/10.1007/s10570-020-03455-5>
- Sheokand, B., Vats, M., Kumar, A., Srivastava, C. M., Bahadur, I., & Pathak, S. R. (2023). Natural polymers used in the dressing materials for wound healing: Past, present and future. *Journal of Polymer Science*. doi:10.1002/pol.20220734
- Shukla, R., & Cheryan, M. (2001). Zein: the industrial protein from corn. *Industrial Crops and Products*, 13(3), 171-192. doi:10.1016/S0926-6690(00)00064-9
- Siafaka, P. I., Zisi, A. P., Exindari, M. K., Karantas, I. D., & Bikiaris, D. N. (2016). Porous dressings of modified chitosan with poly(2-hydroxyethyl acrylate) for topical wound delivery of levofloxacin. *Carbohydrate polymers*, 143, 90–99. doi:10.1016/j.carbpol.2016.02.009
- Song, G. (2021). Bridging between material properties of proteins and the underlying molecular interactions. *PLoS one*, 16(5), e0247147. doi:10.1371/journal.pone.0247147
- Tarique, J., Sapuan, S. M., & Khalina, A. (2021). Effect of glycerol plasticizer loading on the physical, mechanical, thermal, and barrier properties of arrowroot (*Maranta arundinacea*) starch biopolymers. *Scientific reports*, 11(1), 13900. doi:10.1038/s41598-021-93094-y
- Tomić, N. Z. (2020). Thermal studies of compatibilized polymer blends. *Compatibilization of Polymer Blends*, 489–510. doi:10.1016/b978-0-12-816006-0.00017-7
- Tsegay, F., Elsherif, M., & Butt, H. (2022). Smart 3D Printed Hydrogel Skin Wound Bandages: A Review. *Polymers*, 14(5), 1012. doi:10.3390/polym14051012
- Tudoroiu, E. E., Dinu-Pîrvu, C. E., Albu Kaya, M. G., Popa, L., Anuța, V., Prisada, R. M., & Ghica, M. V. (2021). An Overview of Cellulose Derivatives-Based Dressings for Wound-Healing Management. *Pharmaceuticals (Basel, Switzerland)*, 14(12), 1215. doi:10.3390/ph14121215

- Uchida, D.T., & Bruschi, M.L. (2023). 3D Printing as a Technological Strategy for the Personalized Treatment of Wound Healing. *AAPS PharmSciTech*, 24, 41 .
<https://doi.org/10.1208/s12249-023-02503-0>
- van Kampen, E. E. M., Ayyoubi, S., Willemsteijn, L., van Bommel, K. J. C., & Ruijgrok, E. J. (2023). The Quest for Child-Friendly Carrier Materials Used in the 3D Semi-Solid Extrusion Printing of Medicines. *Pharmaceutics*, 15(1), 28. doi:10.3390/pharmaceutics15010028
- Vicente, A. A., Cerqueira, M. A., Hilliou, L., & Rocha, C. M. R. (2011). Protein-based resins for food packaging. *Multifunctional and Nanoreinforced Polymers for Food Packaging*, 610–648. doi:10.1533/9780857092786.4.610
- Wasilewska, K., & Winnicka, K. (2019). Ethylcellulose-A Pharmaceutical Excipient with Multidirectional Application in Drug Dosage Forms Development. *Materials (Basel, Switzerland)*, 12(20), 3386. doi:10.3390/ma12203386
- Xu, H., Chai, Y., & Zhang, G. (2012). Synergistic effect of oleic acid and glycerol on zein film plasticization. *Journal of agricultural and food chemistry*, 60(40), 10075–10081. doi:10.1021/jf302940j
- Zhang, X., Xu, M., Zhang, Y., Li, J., Wang, J., Hu, Y., & Luan, G. (2022). Effect of zein subunit and plasticizer on rheology and adhesion properties of zein-based adhesives. *Industrial Crops and Products*, 187A, 115398. doi:10.1016/j.indcrop.2022.115398