

REFERENCES

- Afaq, F., Adhami, V. M., & Ahmad, N. (2003). Prevention of short-term ultraviolet B radiation-mediated damages by resveratrol in SKH-1 hairless mice☆☆Part of this work was conducted at the Department of Dermatology, Case Western Reserve University and the Research Institute of University Hospitals of Cleveland, 11100 Euclid Avenue, Cleveland, Ohio 44106. *Toxicology and Applied Pharmacology*, 186(1), 28–37. doi:10.1016/s0041-008x(02)00014-5
- Ahangar, P.; Mills, S.J.; Smith, L.E.; Strudwick, X.L.; Ting, A.E.; Vaes, B.; Cowin, A.J. Human multipotent adult progenitor cell-conditioned medium improves wound healing through modulating inflammation and angiogenesis in mice. *Stem Cell Res. Ther.* 2020, 11, 299.
- Ahsanuddin, S., Lam, M., & Baron, E. D. (2016). Skin aging and oxidative stress[J]. *AIMS Molecular Science*, 2016, 3(2): 187-195. doi: 10.3934/molsci.2016.2.187
- Bogatcheva, N. V., & Coleman, M. E. (2019). Conditioned Medium of Mesenchymal Stromal Cells: A New Class of Therapeutics. *Biochemistry (Moscow)*, 84(11), 1375–1389. doi:10.1134/s0006297919110129
- Bonjoch, N.P., Tamayo, P.R. (2001). Protein Content Quantification by Bradford Method. In: Reigosa Roger, M.J. (eds) *Handbook of Plant Ecophysiology Techniques*. Springer, Dordrecht. https://doi.org/10.1007/0-306-48057-3_19
- Bundgaard, L., Stensballe, A., Elbæk, K.J. et al. (2020). Mass spectrometric analysis of the in vitro secretome from equine bone marrow-derived mesenchymal stromal cells to assess the effect of chondrogenic differentiation on response to interleukin-1 β treatment. *Stem Cell Res Ther* 11, 187. <https://doi.org/10.1186/s13287-020-01706-7>
- Calabrese, E. J. (2021). Hormesis and adult adipose-derived stem cells. *Pharmacological Research*, 172, 105803. doi:10.1016/j.phrs.2021.105803
- Campiche, R., Boudon, R., Voegeli, R., Paxton, D., & Imfeld, R. D. (2016). Skin aging in different ethnicities and treatment effects by a hydrophobically modified dipeptide in Caucasians, Asians and Black Africans. 29th IFSCC Congress, Orlando
- Cao, E., Chen, Y., Cui, Z., & Foster, P. R. (2003). Effect of freezing and thawing rates on denaturation of proteins in aqueous solutions. *Biotechnology and Bioengineering*, 82(6), 684-690. <https://doi.org/10.1002/bit.10612>
- Cao, N., Liao, T., Liu, J. et al. (2017). Clinical-grade human umbilical cord-derived mesenchymal stem cells reverse cognitive aging via improving synaptic plasticity and endogenous neurogenesis. *Cell Death Dis* 8, e2996. <https://doi.org/10.1038/cddis.2017.316>
- Caplan, A.I.; Dennis, J.E. Mesenchymal stem cells as trophic mediators. *J. Cell. Biochem.* 2006, 98, 1076–1084.
- Chuong, C. M., Nickoloff, B. J., Elias, P. M., Goldsmith, L. A., Macher, E., Maderson, P. A., Sundberg, J. P., Tagami, H., Plonka, P. M., Thestrup-Pederson, K., Bernard, B. A., Schröder, J. M., Dotto, P., Chang, C. M., Williams, M. L., Feingold, K. R., King, L. E., Kligman, A. M., Rees, J. L., & Christophers, E. (2002). What is the 'true' function of skin?. *Experimental dermatology*, 11(2), 159–187. <https://doi.org/10.1034/j.1600-0625.2002.00112.x>
- Davinelli, S., Bertoglio, J., Polimeni, A.,& Scapagnini, G. (2017). Cytoprotective polyphenols against chronological skin aging and cutaneous photodamage. *Current Pharmaceutical Design*. 24. 10.2174/1381612823666171109102426.
- Ding, D. C., Shyu, W. C.,& Lin, S.Z. (2011). Mesenchymal Stem Cells. *Cell Transplantation*, 20(1):5-14. doi:10.3727/096368910X
- Ding, D. C., Chang, Y. H., Shyu, W. C., & Lin, S. Z. (2015). Human umbilical cord mesenchymal stem cells: a new era for stem cell therapy. *Cell transplantation*, 24(3), 339-347.

- Ding, J., Wang, X., Chen, B., Zhang, J., & Xu, J. (2019). Exosomes derived from human bone marrow mesenchymal stem cells stimulated by deferoxamine accelerate cutaneous wound healing by promoting angiogenesis. *BioMed research international*, 2019.
- Dominici, M., Le Blanc, K., Mueller, I., Slaper-Cortenbach, I., Marini, F., Krause, D. S., ... Horwitz, E. M. (2006). Minimal criteria for defining multipotent mesenchymal stromal cells. The International Society for Cellular Therapy position statement. *Cytotherapy*, 8(4), 315–317. doi:10.1080/14653240600855905
- Faber, J., & Fonseca, L. M. (2014). How sample size influences research outcomes. *Dental Press Journal of Orthodontics*, 19(4), 27-29. <https://doi.org/10.1590/2176-9451.19.4.027-029.ebo>
- Ferreira, J.R., Teixeira, G.Q., Santos, S.G., Barbosa, M.A., Almeida-Porada, G., & Gonçalves, R.M. Mesenchymal stromal cell secretome: Influencing therapeutic potential by cellular pre-conditioning. *Front. Immunol.* 2018, 9, 2837.
- Fidalgo, J., Novo Barros, A., & Casas, A. (2022). Resveratrol: Apromising Antiaging Agent for Cosmetic Skin Treatments. IntechOpen. doi: 10.5772/intechopen.107860
- Ganceviciene, R., Liakou, A. I., Theodoridis, A., Makrantonaki, E., & Zouboulis, C. C. (2012). Skin anti-aging strategies. *Dermato-endocrinology*, 4(3), 308–319. <https://doi.org/10.4161/derm.22804>
- Garber Cohen, I. P., Castello, P. R., & Flecha, F. L. G. (2010). Ice-induced partial unfolding and aggregation of an integral membrane protein. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1798(11), 2040-2047. <https://doi.org/10.1016/j.bbamem.2010.07.035>
- Giannasi, C., Niada, S., Morte, E. D., Casati, S., Orioli, M., Gualerzi, A., & Brini, A. T. (2021). Towards Secretome Standardization: Identifying Key Ingredients of MSC-Derived Therapeutic Cocktail. *Stem Cells International*, 2021. <https://doi.org/10.1155/2021/3086122>
- Goh, W. W. B., Wang, W., & Wong, L. (2017). Why Batch Effects Matter in Omics Data, and How to Avoid Them. *Trends in biotechnology*, 35(6), 498–507. <https://doi.org/10.1016/j.tibtech.2017.02.012>
- Hu, L., Morganti, S., Nguyen, U., Benavides, O. R., & Walsh, A. J. (2023). Label-free optical imaging of cell function and collagen structure for cell-based therapies. *Current Opinion in Biomedical Engineering* (25), 100433
- Hulmes, D. J. S. (2008). Collagen diversity, synthesis and assembly. *Collagen: structure and mechanics*, 15-47.
- Hur W, Lee HY, Min HS, Wufuer M, Lee C-W, Hur JA, et al. (2017). Regeneration of full-thickness skin defects by differentiated adipose-derived stem cells into fibroblast-like cells by fibroblast-conditioned medium. *Stem Cell Research & Therapy*. 2017;8:92
- Hwang, D.I., Won, K.J., Kim, D., Kim, H.B., Li, Y., & Lee, H. (2019). Chemical Composition of Patrinia scabiosifolia Flower Absolute and Its Migratory and Proliferative Activities in Human Keratinocytes. *Chemistry & Biodiversity*, 16.
- Islam, M. S., Aryasomayajula, A., & Selvaganapathy, P. R. (2017). A Review on Macroscale and Microscale Cell Lysis Methods. *Micromachines*, 8(3). <https://doi.org/10.3390/mi8030083>
- Januszyk, M., Rennert, R. C., Sorkin, M., Maan, Z. N., Wong, L. K., Whittam, A. J., Whitmore, A., Duscher, D., & Gurtner, G. C. (2015). Evaluating the Effect of Cell Culture on Gene Expression in Primary Tissue Samples Using Microfluidic-Based Single Cell Transcriptional Analysis. *Microarrays*, 4(4), 540-550. <https://doi.org/10.3390/microarrays4040540>
- Kellman, B.P., Baghdassarian, H.M., Pramparo, T. et al. (2021). Multiple freeze-thaw cycles lead to a loss of consistency in poly(A)-enriched RNA sequencing. *BMC Genomics* 22, 69. <https://doi.org/10.1186/s12864-021-07381-z>
- Kim, J., Seo, D. H., Lee, S. H., Lee, H., An, H., Ahn, J., Kwon, D., Seo, W., & Kang, S. (2018). Conditioned media from human umbilical cord blood-derived mesenchymal stem cells stimulate rejuvenation function in human skin. *Biochemistry and Biophysics Reports*, 16, 96-102. <https://doi.org/10.1016/j.bbrep.2018.10.007>

- Kuivaniemi, H., & Tromp, G. (2019). Type III collagen (COL3A1): Gene and protein structure, tissue distribution, and associated diseases. *Gene*, 707, 151-171.
- Kruger, N. J. (n.d.). The Bradford Method for Protein Quantitation. *Protein Protocols Handbook*, The, 15–22. doi:10.1385/1-59259-169-8:15
- Kular, J. K., Basu, S., & Sharma, R. I. (2014). The extracellular matrix: Structure, composition, age-related differences, tools for analysis and applications for tissue engineering. *Journal of tissue engineering*, 5, 2041731414557112. <https://doi.org/10.1177/2041731414557112>
- Kwon, T.-R., Oh, C. T., Choi, E. J., Kim, S. R., Jang, Y.-J., Ko, E. J., ... Kim, B. J. (2015). Conditioned medium from human bone marrow-derived mesenchymal stem cells promotes skin moisturization and effacement of wrinkles in UVB-irradiated SKH-1 hairless mice. *Photodermatology, Photoimmunology & Photomedicine*, 32(3), 120–128. doi:10.1111/phpp.12224
- Lee, D.E.; Ayoub, N.; Agrawal, D.K. Mesenchymal stem cells and cutaneous wound healing: Novel methods to increase cell delivery and therapeutic efficacy. *Stem Cell Res. Ther.* 2016, 7, 37.
- Leek, J.T. et al. (2010) Tackling the widespread and critical impact of batch effects in high-throughput data. *Nat. Rev. Genet.* 11,733–739
- Li, Y., Won, K. J., Kim, D. Y., Kim, H. B., Kang, H. M., Lee, S. Y., & Lee, H. M. (2021). Positive Promoting Effects of Smilax China Flower Absolute on the Wound Healing/Skin Barrier Repair-Related Responses of HaCaT Human Skin Keratinocytes. *Chemistry & Biodiversity*, 18(4). doi:10.1002/cbdv.202001051
- Li, Ngo, Hwang, Wei, Liu, Liu, & Yi. (2019). Conditioned Medium from Human Adipose-Derived Mesenchymal Stem Cell Culture Prevents UVB-Induced Skin Aging in Human Keratinocytes and Dermal Fibroblasts. *International Journal of Molecular Sciences*, 21(1), 49. doi:10.3390/ijms21010049
- Liu, J., Gao, J., Liang, Z. et al. Mesenchymal stem cells and their microenvironment. *Stem Cell Res Ther* 13, 429 (2022). <https://doi.org/10.1186/s13287-022-02985-y>
- Liu, X., Xing, Y., Yuen, M., Yuen, T., Yuen, H., & Peng, Q. (2022). Anti-Aging Effect and Mechanism of Proanthocyanidins Extracted from Sea buckthorn on Hydrogen Peroxide-Induced Aging Human Skin Fibroblasts. *Antioxidants*, 11(10), 1900. MDPI AG. Retrieved from <http://dx.doi.org/10.3390/antiox11101900>
- Lovell, C. R., Smolenski, K. A., Duance, V. C., Light, N. D., Young, S., & Dyson, M. (1987). Type I and III collagen content and fibre distribution in normal human skin during ageing. *British Journal of Dermatology*, 117(4), 419-428.
- Lynch SE, Nixon JC, Colvin RB, Antoniades HN. (1987). Role of platelet-derived growth factor in wound healing: Synergistic effects with other growth factors. *Proceedings of the National Academy of Sciences of the United States of America*;84:7696-7700
- Maity, N., Nema, N.K., Abedy, M.K., Sarkar, B.K., & Mukherjee P.K. (2011). Exploring Tagetes erecta Linn flower for the elastase, hyaluronidase and MMP-1 inhibitory activity. *J. Ethnopharmacol.*; 137: 1300–1305.
- Makareeva, E., & Leikin, S. (2014). Collagen structure, folding and function. In *Osteogenesis Imperfecta* (pp. 71-84). Academic Press.
- Malik, S., & Malik, T. (2021). Mesenchymal stem cell lysate as a cell-free therapy. *Current Biotechnology*; 10(2).
- Malik, Sabeen & Awan, Dr .,Anam F., & Quran, A. (2023). Inflammation reduction potential of nanostructured lipid carriers encapsulated with rat's bone marrow cells' lysate. 82. 10.1590/1519-6984.269553.
- Masgutov, R., Zeinalova, A., Bogov, A., Masgutova, G., Salafutdinov, I., Garanina, E., Syromiatnikova, V., Idrisova, K., Mullakhmetova, A., Andreeva, D., Mukhametova, L., Kadyrov, A., Pankov, I. And Rizvanov, A., (2021). Angiogenesis and nerve regeneration induced by local administration of plasmid pBud-coVEGF165-coFGF2 into the intact rat sciatic nerve. *Neural*

- Regeneration Research, vol. 16, no. 9, pp. 1882-1889.
<http://dx.doi.org/10.4103/1673-5374.306090>. PMid:33510097
- Mazini, L., Rochette, L., & Malka, G. (2020). Adipose-Derived Stem Cells (ADSCs) and Growth Differentiation Factor 11 (GDF11): Regenerative and Antiaging Capacity for the Skin. *Regenerative Medicine*. doi:10.5772/intechopen.91233
- Meiliana, A., Dewi, N. M., & Wijaya, A. (2019). Mesenchymal Stem Cell Secretome: Cell-free Therapeutic Strategy in Regenerative Medicine. *Indones Biomed J.*; 11(2): 113-24
- Moccia, F., Negri, S., Shekha, M., Faris, P. And Guerra, G., (2019). Endothelial Ca²⁺ signaling, angiogenesis and vasculogenesis: just what it takes to make a blood vessel. *International Journal of Molecular Sciences*, vol. 20, no. 16, pp. 3962. <http://dx.doi.org/10.3390/ijms20163962>. PMid:31416282.
- Nakajima, H., Yoshioka, R., Ezaki, Y., Nagai, T., & Imokawa, G. (2012). Paracrine cytokine interaction between UVB-exposed epidermal keratinocytes and dermal fibroblasts in stimulating expression of skin fibroblast-derived elastase. *Cytokine*; 59: 166–175.
- Naomi, R., Ridzuan, P. M., & Bahari, H. (2021). Current insights into collagen type I. *Polymers*, 13(16), 2642.
- Ninfa, A., Ballou, J.David, P., & Benore, M. (2009). Fundamental Laboratory Approaches for Biochemistry and Biotechnology. Wiley. p. 113.
- Nurkovic, J., Dolicanin, Z., Mustafic, F., Mujanovic, R., Memic, M., Grbovic, V., Skevin, A. J., & Nurkovic, S. (2016). Mesenchymal stem cells in regenerative rehabilitation. *Journal of physical therapy science*, 28(6), 1943–1948. <https://doi.org/10.1589/jpts.28.1943>
- Okado-Matsumoto, A., & Fridovich, I. (2001). Subcellular distribution of superoxide dismutases (SOD) in rat liver: Cu, Zn-SOD in mitochondria. *Journal of Biological Chemistry*, 276(42), 38388-38393.
- Onar, H. C., Yusufoglu, A., Turker, G., & Yanardag, R. (2012). Elastase, tyrosinase and lipoxygenase inhibition and antioxidant activity of an aqueous extract from *Epilobium angustifolium* L. leaves. *Journal of Medicinal Plants Research*, 6(5), 716–726.
- Pellitteri-Hahn, M. C., Warren, M. C., Didier, D. N., Winkler, E. L., Mirza, S. P., Greene, A. S., & Olivier, M. (2006). Improved Mass Spectrometric Proteomic Profiling of the Secretome of Rat Vascular Endothelial Cells. *Journal of proteome research*, 5(10), 2861. <https://doi.org/10.1021/pr060287k>
- Pittenger, M.F., Discher, D.E., Péault, B.M. et al. (2019). Mesenchymal stem cell perspective: cell biology to clinical progress. *npj Regen Med* 4, 22. doi: 10.1038/s41536-019-0083-6
- Ratz-Łyko, A., & Arct, J. (2018). Resveratrol as an active ingredient for cosmetic and dermatological applications: a review. *Journal of Cosmetic and Laser Therapy*, 1–7. doi:10.1080/14764172.2018.1469767
- Reilly, D. M., & Lozano, J. (2020). Skin collagen through the lifestages: importance for skin health and beauty. *Plast Aesthet Res.*; 8: 2
- Sárdy, M. (2009). Role of matrix metalloproteinases in skin ageing. *Connect. Tissue Res.*, 50, 132–138.
- Shin, J. W., Kwon, S. H., Choi, J. Y., Na, J. I., Huh, C. H., Choi, H. R., & Park, K. C. (2019). Molecular Mechanisms of Dermal Aging and Antiaging Approaches. *International journal of molecular sciences*, 20(9), 2126. <https://doi.org/10.3390/ijms20092126>
- Snezhkina, A. V., Kudryavtseva, A. V., Kardymon, O. L., Savvateeva, M. V., Melnikova, N. V., Krasnov, G. S., & Dmitriev, A. A. (2019). ROS generation and antioxidant defense systems in normal and malignant cells. *Oxidative medicine and cellular longevity*, 2019.
- Song, S.Y., Jung, J.E., Jeon, Y.R., Tark, K.C., & Lew, D.H. (2011). Determination of adipose-derived stem cell application on photoaged fibroblasts, based on paracrine function. *Cyotherapy* 2011; 13: 378–384
- Stolzing, A., Jones, E., Mcgonagle, D., & Scutt, A. (2008). Age-related changes in human bone marrow-derived mesenchymal stem cells: consequences for cell therapies. *Mechanisms of ageing and development*, 129(3), 163-173.

- Szychowski, K. A., & Skóra, B. (2021). Review of the relationship between reactive oxygen species (ROS) and elastin-derived peptides (EDPs). *Applied Sciences*, 11(18), 8732.
- Valko, M., Rhodes, C. J. B., Moncol, J., Izakovic, M. M., & Mazur, M. (2007). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico-biological interactions*, 160(1), 1-40.
- Vieira, N.M., Zucconi, E., Bueno, C.R., Jr., Secco, M., Suzuki, M.F., Bartolini, P., Vainzof, M., & Zatz, M. (2010). Human multipotent mesenchymal stromal cells from distinct sources show different in vivo potential to differentiate into muscle cells when injected in dystrophic mice. *Stem Cell Rev. Rep.* 2010, 6, 560–566
- Vierkötter, A., & Krutmann, J. (2012). Environmental influences on skin aging and ethnic-specific manifestations. *Dermato-endocrinology*, 4(3), 227–231. <https://doi.org/10.4161/derm.19858>
- Xu, H., Zheng, Y., Liu, Q., Liu, L., Luo, F., Hu-ChenZhou, H., Isoda, H., Ohkohchi, N., & Li, Y. (2017). Reactive Oxygen Species in Skin Repair, Regeneration, Aging, and Inflammation. In C. Filip, & E. Albu (Eds.), *Reactive Oxygen Species (ROS) in Living Cells*. IntechOpen. <https://doi.org/10.5772/intechopen.72747>
- Watson, N., Divers, R., Kedar, R., Mehindru, A., Mehindru, A., Borlongan, M. C., & Borlongan, C. V. (2015). Discarded Wharton jelly of the human umbilical cord: a viable source for mesenchymal stromal cells. *Cytotherapy*, 17(1), 18-24.
- Zhang, S., & Duan, E. (2018). Fighting against Skin Aging: The Way from Bench to Bedside. *Cell transplantation*, 27(5), 729–738. <https://doi.org/10.1177/0963689717725755>