

- Ardani, P. N., Narasimhan, M., Punnoose, A. M., & Kambalachenu, H. R. (2016). Antifibrotic effect of *Centella asiatica* Linn and asiatic acid on arecoline-induced fibrosis in human buccal fibroblasts. *Journal of Investigative and Clinical Dentistry*, 8(2), e12208. <https://doi.org/10.1111/jicd.12208>
- Amorim, S., Reis, C. A., Reis, R. L., & Pires, R. A. (2021). Extracellular matrix mimics using hyaluronan-based biomaterials. *Trends in Biotechnology*, 39(1), 90–104. <https://doi.org/10.1016/j.tibtech.2020.06.003>
- Arribas-López, E., Zand, N., Ojo, O., Snowden, M. J., & Kochhar, T. (2022). A Systematic Review of the effect of *Centella Asiatica* on Wound Healing. *International journal of environmental research and public health*, 19(6), 3266. <https://doi.org/10.3390/ijerph19063266>
- Bylka, W., Znajdek-Awiżeń, P., Studzińska-Sroka, E., & Brzezińska, M. (2013). *Centella asiatica* in cosmetology. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 30(1), 46.
- Colombo, I., Sangiovanni, E., Maggio, R., Mattozzi, C., Zava, S., Corbett, Y., Fumagalli, M., Carlino, C., Corsetto, P. A., Scaccabarozzi, D., Calvieri, S., Gismondi, A., Taramelli, D., & Dell'Agli, M. (2017). HaCaT Cells as a Reliable In Vitro Differentiation Model to Dissect the Inflammatory/Repair Response of Human Keratinocytes. *Mediators of inflammation*, 2017, 7435621. <https://doi.org/10.1155/2017/7435621>
- Evrard, C., Lambert de Rouvroit, C. and Poumay, Y. (2021) 'Epidermal hyaluronan in barrier alteration-related disease', *Cells*, 10(11), p. 3096. doi:10.3390/cells10113096.
- Gonzalez, A.C. et al. (2016) "Wound healing - A literature review," *Anais Brasileiros de Dermatologia*, 91(5), pp. 614–620. Available at: <https://doi.org/10.1590/abd1806-4841.20164741>.
- Gunathilake, K. D. P. P., Ranaweera, K. K. D. S., & Rupasinghe, H. P. V. (2018). In Vitro Anti-Inflammatory Properties of Selected Green Leafy Vegetables. *Biomedicines*, 6(4), 107. <https://doi.org/10.3390/biomedicines6040107>
- Gruber, J. V., Holtz, R., & Riemer, J. (2021). Hyaluronic acid (HA) stimulates the in vitro expression of CD44 proteins but not HAS1 proteins in normal human epidermal keratinocytes (nheks) and is HA molecular weight dependent. *Journal of Cosmetic Dermatology*. <https://doi.org/10.1111/jocd.14188>
- Hafiz, Z.Z.; Amin, M.M.; James, R.M.J.; Teh, L.K.; Salleh, M.Z.; Adenan, M.I. Inhibitory Effects of Raw-Extract *Centella asiatica* (RECA) on Acetylcholinesterase, Inflammations, and Oxidative Stress Activities via In Vitro and In Vivo. *Molecules* 2020, 25, 892.
- Henriksen, K. and Karsdal, M.A. (2016) "Type I collagen," *Biochemistry of Collagens, Laminins and Elastin*, pp. 1–11. Available at: <https://doi.org/10.1016/b978-0-12-809847-9.00001-5>.
- Horst, B. et al. (2018) "Advances in keratinocyte delivery in burn wound care," *Advanced Drug Delivery Reviews*, 123, pp. 18–32. Available at: <https://doi.org/10.1016/j.addr.2017.06.012>.

- Karvinen, S. et al. (2003) 'Keratinocyte growth factor stimulates migration and hyaluronan synthesis in the epidermis by activation of keratinocyte hyaluronan synthases 2 and 3', *Journal of Biological Chemistry*, 278(49), pp. 49495–49504. doi:10.1074/jbc.m310445200
- Kasote, D., Ahmad, A. and Viljoen, A. (2015) "Proangiogenic potential of medicinal plants in wound healing," *Evidence-Based Validation of Herbal Medicine*, pp. 149–164. Available at: <https://doi.org/10.1016/b978-0-12-800874-4.00006-4>.
- Kepekçi, R., Yener İlçe, B., & Demir Kanmazalp, S. (2021). Plant-derived biomaterials for wound healing. *Bioactive Natural Products*, 227-264. <https://doi.org/10.1016/b978-0-12-819489-8.00001-6>
- Lv, J. et al. (2018) "Pharmacological review on asiatic acid and its derivatives: A potential compound," *SLAS Technology*, 23(2), pp. 111–127. Available at: <https://doi.org/10.1177/2472630317751840>.
- Maratul, H. et al. (2020) "The diversity of leaves and asiaticoside content on three accessions of *Centella Asiatica* with the addition of chicken manure fertilizer," *Biodiversitas Journal of Biological Diversity*, 21(3). Available at: <https://doi.org/10.13057/biodiv/d210325>.
- Milani, M., & Sparavigna, A. (2017). The 24-hour skin hydration and barrier function effects of a hyaluronic 1%, glycerin 5%, and centella asaitica stem cells extract moisturizing fluid: An intra-subject, randomized, assessor-blinded study. *Clinical, Cosmetic and Investigational Dermatology*, Volume 10, 311–315. <https://doi.org/10.2147/ccid.s144180>
- Miller, M. A., & Zachary, J. F. (2017). Mechanisms and Morphology of Cellular Injury, Adaptation, and Death. *Pathologic Basis of Veterinary Disease*, 2–43.e19. <https://doi.org/10.1016/B978-0-323-35775-3.00001-1>
- Neuman, M. G., Nanau, R. M., Oruña-Sánchez, L., & Coto, G. (2015). Hyaluronic acid and wound healing. *Journal of pharmacy & pharmaceutical sciences : a publication of the Canadian Society for Pharmaceutical Sciences, Societe canadienne des sciences pharmaceutiques*, 18(1), 53–60. <https://doi.org/10.18433/j3k89d>
- Nielsen, M.J. and Karsdal, M.A. (2016) "Type III collagen," *Biochemistry of Collagens, Laminins and Elastin*, pp. 21–30. Available at: <https://doi.org/10.1016/b978-0-12-809847-9.00003-9>.
- Nyman, E. et al. (2019) "Hyaluronic acid accelerates re-epithelialization and alters protein expression in a human wound model," *Plastic and Reconstructive Surgery - Global Open*, 7(5). Available at: <https://doi.org/10.1097/gox.0000000000002221>.
- Nyström, A. (2016) "Collagens in wound healing," *Wound Healing Biomaterials*, pp. 171–201. Available at: <https://doi.org/10.1016/b978-1-78242-456-7.00009-x>.
- Papakonstantinou, E., Roth, M., & Karakiulakis, G. (2012). Hyaluronic acid: A key molecule in skin aging. *Dermato-endocrinology*, 4(3), 253–258. <https://doi.org/10.4161/derm.21923>
- Pastar, I. et al. (2014) "Epithelialization in wound healing: A comprehensive review," *Advances in Wound Care*, 3(7), pp. 445–464. Available at: <https://doi.org/10.1089/wound.2013.0473>.

Santoso, B. et al. (2021) 'Procurement and Operation Technical for Meniran (*Phyllanthus niruri*) extraction equipment', *Mekanika: Majalah Ilmiah Mekanika*, 20(1), p. 34.
doi:10.20961/mekanika.v20i1.45487.

Somboonwong, J. et al. (2012) "Wound healing activities of different extracts of centella asiatica in incision and burn wound models: An Experimental Animal Study," *BMC Complementary and Alternative Medicine*, 12(1). Available at: <https://doi.org/10.1186/1472-6882-12-103>.

Tan, S.C. et al. (2021) "Actions and therapeutic potential of madecassoside and other major constituents of Centella Asiatica: A Review," *Applied Sciences*, 11(18), p. 8475. Available at: <https://doi.org/10.3390/app11188475>.

VasanthaRuba, Seevaratnam & Banumathi, P. & Premalatha, M.R. & Sundaram, SP & Thangaiah, Arumugam. (2012). Functional properties of Centella asiatica (L.): A review. International Journal of Pharmacy and Pharmaceutical Sciences. 4. 8-14

Wilson, V.G. (2013) "Growth and differentiation of HaCaT keratinocytes," *Methods in Molecular Biology*, pp. 33–41. Available at: https://doi.org/10.1007/7651_2013_42.

Yousaf, S. et al. (2020) "Indian pennywort," *Medicinal Plants of South Asia*, pp. 423–437. Available at: <https://doi.org/10.1016/b978-0-08-102659-5.00032-x>.