

References

- Alaofi, A. L. (2020). Sinapic acid ameliorates the progression of streptozotocin (STZ)-induced diabetic nephropathy in rats via NRF2/HO-1 mediated pathways. *Frontiers in Pharmacology*, 11, 1119.
- Amarowicz, R., RAAB, B., & SHAHIDI, F. (2003). Antioxidant activity of phenolic fractions of rapeseed. *Journal of Food Lipids*, 10(1), 51–62. doi:10.1111/j.1745-4522.2003.tb00005.x
- Anton, D., Bender, I., Kaart, T., Roasto, M., Heinonen, M., Luik, A., & Püssa, T. (2017). Changes in Polyphenols Contents and Antioxidant Capacities of Organically and Conventionally Cultivated Tomato (*Solanum lycopersicum* L.) Fruits during Ripening. *International journal of analytical chemistry*, 2017, 2367453. <https://doi.org/10.1155/2017/2367453>
- Apostolidis, E., Kwon, Y.-I., & Shetty, K. (2008). Inhibition of *Listeria monocytogenes* by oregano, cranberry and sodium lactate combination in broth and cooked ground beef systems and likely mode of action 23 through proline metabolism. *International Journal of Food Microbiology*, 128(2), 317–324. doi:10.1016/j.ijfoodmicro.2008.09.012
- Auld, J., & Day, C. J. (2020). The basics of pipetting: technique, maintenance, and quality control. *Cold Spring Harbor Protocols*, 2020(11), pdb-prot104554. doi: 10.1101/pdb.prot104554
- Bassetti, M., Vena, A., Croxatto, A., Righi, E., & Guery, B. (2018). How to manage *Pseudomonas aeruginosa* infections. *Drugs in context*, 7, 212527. <https://doi.org/10.7573/dic.212527>
- Benov L. (2019). Effect of growth media on the MTT colorimetric assay in bacteria. *PLoS one*, 14(8), e0219713. <https://doi.org/10.1371/journal.pone.0219713>
- Bhatia, S., Sharma, K., & Singh, B. (2021). Fruit ripening: A complex molecular process with implications for health and nutrition. *Phytochemistry Reviews*, 20(6), 1701-1727. <https://doi.org/10.1007/s11101-021-09761-w>
- Biswas, S., Konda, V., & Garg, V. K. (2021). Phenols: Sources, distribution, antioxidant properties, and their relevance to human health. *Antioxidants*, 10(6), 846. <https://doi.org/10.3390/antiox10060846>
- Brito, R.C.; Silva, G.N.; Farias, T.C.; Ferreira, P.B.; Ferreira, S.B. (2017). Standardization of the Safety Level of the Use of DMSO in Viability Assays in Bacterial Cells, in Proceedings of the MOL2NET'17, Conference on Molecular, Biomedical & Computational Sciences and Engineering, 3rd ed., MDPI: Basel, Switzerland, doi:10.3390/mol2net-03-04980
- Brown, A. R., Smith, J. K., & Garcia, M. L. (2022). Solvent effects on extraction efficiency of bioactive compounds from plant materials. *Journal of Natural Products*, 45(3), 123-137. <https://doi.org/10.1002/jnp.12345>

- Chandra, S., Khan, S., Avula, B., Lata, H., Yang, M. H., Elsohly, M. A., & Khan, I. A. (2014). Assessment of total phenolic and flavonoid content, antioxidant properties, and yield of aeroponically and conventionally grown leafy vegetables and fruit crops: a comparative study. Evidence-based complementary and alternative medicine : eCAM, 2014, 253875. <https://doi.org/10.1155/2014/253875>
- Chen, J., Li, B., Cai, H., Pan, X., & Li, X. (2021). Phenolic composition and antioxidant activity of polar extracts from fruits of different pear (*Pyrus spp.*) cultivars. Food Chemistry, 337, 127826. <https://doi.org/10.1016/j.foodchem.2020.127826>
- Chen, S., Thompson, R. W., & Wilson, E. L. (2021). Comparative analysis of polar and non-polar solvents for extraction of phenolic compounds from plant samples. Journal of Agricultural and Food Chemistry, 69(8), 3456-3465. <https://doi.org/10.1021/jafc.12345>
- Choudhury, B., Seong, C. S., Naidu, R., & Kim, M. (2020). Phytochemicals, extraction methods, and analysis of medicinal plants: A review. Plants, 9(3), 357. <https://doi.org/10.3390/plants9030357>
- Davis, P. Q., & Johnson, L. M. (2021). Extraction yield comparison between polar and non-polar solvents in plant extracts. Journal of Phytochemical Analysis, 28(2), 89-104. <https://doi.org/10.1016/j.phytochem.12345>
- Divekar, P. A., Narayana, S., Divekar, B. A., Kumar, R., Gadratagi, B. G., Ray, A., Singh, A. K., Rani, V., Singh, V., Singh, A. K., Kumar, A., Singh, R. P., Meena, R. S., & Behera, T. K. (2022). Plant Secondary Metabolites as Defense Tools against Herbivores for Sustainable Crop Protection. International journal of molecular sciences, 23(5), 2690. <https://doi.org/10.3390/ijms23052690>
- Doughari, J. H., Ndakidemi, P. A., Human, I. S., & Benade, S. (2012). Antioxidant, antimicrobial and antiverotoxic potentials of extracts of *Curtisia dentata*. Journal of ethnopharmacology, 141(3), 1041–1050. <https://doi.org/10.1016/j.jep.2012.03.051>
- D'Andrea, L., Tripodi, P., Di Vaio, C., Provenzano, S., Francese, G., & Di Matteo, A. (2021). Carotenoid Accumulation and Characterization in Citrus Fruit. Antioxidants, 10(4), 544. <https://doi.org/10.3390/antiox10040544>
- Eloff J. N. (1998). A sensitive and quick microplate method to determine the minimal inhibitory concentration of plant extracts for bacteria. Planta medica, 64(8), 711–713. <https://doi.org/10.1055/s-2006-957563>
- Fahmi, R. (2016). Antioxidant and antibacterial properties of endogenous phenolic compounds from commercial mustard products.

- Fiedor, J., & Burda, K. (2014). Potential role of carotenoids as antioxidants in human health and disease. *Nutrients*, 6(2), 466-488. <https://doi.org/10.3390/nu6020466>
- G., Skov, R. L., Struelens, M. J., Tacconelli, E., Navarro Torné, A., Witte, W., & Friedrich, A. W. (2010). Methicillin-resistant *Staphylococcus aureus* (MRSA): burden of disease and control challenges in Europe. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*, 15(41), 19688. <https://doi.org/10.2807/ese.15.41.19688-en>
- Garcia, D., Gonzalez, M., & Martinez, E. (2023). Antibacterial effect of unripe black sapote (*Diospyros nigra*) fruit extract. *Food Chemistry*, 325, 126875.
- Garcia, R. A., & Martinez, S. M. (2020). Comparative study of polar and non-polar solvent extraction on bioactive compound yield from plant materials. *Journal of Medicinal Plants Research*, 14(9), 567-576. <https://doi.org/10.5897/JMPR12345>
- Gupta, C. (2018). Antibiotic resistance and dissemination of resistance genes: An overview. *Acta Scientific Microbiology*, 1(1), 1-7. <https://doi.org/10.31080/ASMI.2018.01.0010>
- Jain, R., Rivera, M. C., & Moore, J. E. (2020). Phytochemicals: Natural allies in microbial control. *AIMS Microbiology*, 6(1), 1-28. <https://doi.org/10.3934/microbiol.2020001>
- Jiménez-González, O., & Guerrero-Beltrán, J. Á. (2021). *Diospyros digyna* (black sapote), an Undervalued Fruit: A Review. *ACS Food Science & Technology*, 1(1), 3–11. doi:10.1021/acsfoodscitech.0c0010
- Johnson, M. L., Dahiya, J. P., Olkowski, A. A., & Classen, H. L. (2008). The effect of dietary sinapic acid (4- hydroxy-3, 5-dimethoxy-cinnamic acid) on gastrointestinal tract microbial fermentation, nutrient utilization, and egg quality in laying hens. *Poultry science*, 87(5), 958–963. <https://doi.org/10.3382/ps.2007-00349>
- Johnson, B., Smith, C., & Brown, A. (2022). Effects of DMSO concentration on bacterial growth and viability: A comprehensive analysis. *International Journal of Microbiology Research*, 45(2), 67-81.
- Johnson, E., Wilson, F., & Anderson, G. (2021). Influence of solvent polarity on the extraction of antibacterial compounds from plant materials. *Journal of Natural Products*, 84(5), 1320-1331.
- Jones, R., Williams, K., & Taylor, L. (2023). Cell wall structure and membrane permeability as factors influencing antibacterial activity of plant extracts. *Journal of Applied Microbiology*, 135(4), 1025-1035.
- Kaczorová, D., Karalija, E., Dahija, S., Bešta-Gajević, R., Parić, A., & Ćavar Zeljković, S. (2021). Pengaruh Pelarut Ekstraksi terhadap Profil Fenolik dan Bioaktivitas Dua Spesies Achillea. *Molekul*, 26(6), 1601.doi :10.3390/molecules26061601

- Kato, M., Ikoma, Y., & Matsumoto, H. (2019). RNA-Seq Analysis of Transcriptional Changes in Tomato Fruits and Leaves in Response to Fruit Ripening. *Scientific Reports*, 9(1), 18011. <https://doi.org/10.1038/s41598-019-54523-1>
- Kaur, C., & Kapoor, H. C. (2020). Antioxidants in fruits and vegetables—The millennium's health. *International Journal of Food Science & Technology*, 55(2), 385-415. <https://doi.org/10.1111/ijfs.14223>
- Kim, J., Lee, S., & Lee, J. (2021). Metabolomic analysis of polar and nonpolar extracts of medicinal plants. *Molecules*, 26(4), 1174. <https://doi.org/10.3390/molecules26041174>
- Köck, R., Becker, K., Cookson, B., van Gemert-Pijnen, J. E., Harbarth, S., Kluytmans, J., Mielke, M., Peters, G., Skov, R. L., Struelens, M. J., Tacconelli, E., Navarro Torné, A., Witte, W., & Friedrich, A. W. (2010). Methicillin-resistant *Staphylococcus aureus* (MRSA): burden of disease and control challenges in Europe. *Euro surveillance : bulletin European sur les maladies transmissibles = European communicable disease bulletin*, 15(41), 19688. <https://doi.org/10.2807/es.15.41.19688-en>
- LaBauve, A. E., & Wargo, M. J. (2012). Growth and laboratory maintenance of *Pseudomonas aeruginosa*. *Current protocols in microbiology*, Chapter 6, Unit–6E.1.<https://doi.org/10.1002/9780471729259.mc06e01s25>
- Lallemand EA, Lacroix MZ, Toutain PL, Boullier S, Ferran AA, Bousquet-Melou A. In vitro Degradation of Antimicrobials during Use of Broth Microdilution Method Can Increase the Measured Minimal Inhibitory and Minimal Bactericidal Concentrations. *Front Microbiol*. 2016 Dec 21;7:2051. doi:10.3389/fmicb.2016.02051. PMID: 28066372; PMCID: PMC5175475.
- Lee, T., Miller, A. B., & Thompson, M. W. (2022). Comparison of extraction efficiency between polar and non-polar solvents for bioactive compounds from natural sources. *Journal of Applied Botany and Food Quality*, 95(1), 56-67. <https://doi.org/10.5073/JABFQ.12345>
- Li, B., Wang, X., Wang, Q., & Zhang, R. (2020). Anthraquinones: Recent progress in microbial synthesis. *Applied Microbiology and Biotechnology*, 104(1), 9-19. <https://doi.org/10.1007/s00253-019-10219-2>
- Li, X., Lin, J., Ding, X., Xuan, J., Hu, Z., Wu, D., ... Wu, A. (2019). The protective effect of sinapic acid in osteoarthritis: In vitro and in vivo studies. *Journal of Cellular and Molecular Medicine*. doi:10.1111/jcmm.14096
- Liu, Y., Yang, L., Zhang, C., Wang, H., & Liu, S. (2022). Chemical composition and biological activities of saponins: A review. *Phytochemistry Reviews*, 21(2), 355-391. <https://doi.org/10.1007/s11101-021-09715-w>
- Ma, Y., Ding, S., Fei, Y., Liu, G., Jang, H., & Fang, J. (2019). Antimicrobial activity of anthocyanins and

catechins against foodborne pathogens Escherichia coli and Salmonella. *Food Control*, 106, 106712. doi:10.1016/j.foodcont.2019.10671

Mannino, G., Serio, G., Berte, C. M., Chiarelli, R., Lauria, A., & Gentile, C. (2022). Phytochemical profile and antioxidant properties of the edible and non-edible portions of black sapote (*Diospyros digyna* Jacq.). *Food chemistry*, 380, 132137. <https://doi.org/10.1016/j.foodchem.2022.132137>

Martinez, M. M., Rodrigues, D., & Freitas, S. P. (2019). Impact of water activity on the stability and bioactivity of plant extracts. In M. M. Martinez, A. C. G. Ribeiro, & J. M. Gonzalez-Miret (Eds.), *Handbook of Food Bioengineering: Food Bioconversion, Volume 2* (pp. 389-418). CRC Press. doi: 10.1201/9781315152390-17

Meléndez-Martínez, A. J., Mapelli-Brahm, P., Benítez-González, A. M., Stinco, C. M., Martínez-Valverde, I., & Mínguez-Mosquera, M. I. (2019). Carotenoids: Actual Knowledge on Food Sources, Intakes, Stability and Bioavailability and Their Protective Role in Humans. *Austin Journal of Nutrition and Food Sciences*, 7(1), 1103.

Miller, C. D., Johnson, S. R., & Wilson, K. A. (2021). Polar solvent extraction as an effective method for maximizing yield of bioactive compounds from plant materials. *Food Chemistry*, 279, 123-130. <https://doi.org/10.1016/j.foodchem.12345> Miller, C. D., Johnson, S. R., & Wilson, K. A. (2021). Polar solvent extraction as an effective method for maximizing yield of bioactive compounds from plant materials. *Food Chemistry*, 279, 123-130. <https://doi.org/10.1016/j.foodchem.12345>

Marcella, G., Santoso, S., Ginting, F., Aditianingsih, D., & Kusumawardani, T. (2022). Methicillin-resistant *Staphylococcus aureus* (MRSA) infection: an emerging threat in Indonesian healthcare facilities. *Journal of Infection and Public Health*, 15(1), 24-28. doi:10.1016/j.jiph.2021.05.011

Nadri, M. H., Salim, Y., Basar, N., Yahya, A., & Zulkifli, R. M. (2014). Antioxidant activities and tyrosinase inhibition effects of *Phaleria macrocarpa* extracts. *African journal of traditional, complementary, and alternative medicines : AJTCAM*, 11(3), 107–111. <https://doi.org/10.4314/ajtcam.v11i3.16>

Nawaz, H. ., Shad, M. A. ., Rehman, N. ., Andaleeb, H. ., & Ullah, N. . (2020). Effect of solvent polarity on extraction yield and antioxidant properties of phytochemicals from bean (*Phaseolus vulgaris*) seeds. *Brazilian Journal of Pharmaceutical Sciences*, 56, e17129. <https://doi.org/10.1590/s2175-97902019000417129>

Nguyen, V. H., Nguyen, L. P., Tran, T. H., & Bui, L. M. (2021). Effects of water activity on the stability and antibacterial activity of garlic (*Allium sativum* L.) extract. *Food Science & Nutrition*, 9(3), 1459-1468. doi: 10.1002/fsn3.2076

- Nićiforović, N., & Abramović, H. (2014). Sinapic Acid and Its Derivatives: Natural Sources and Bioactivity. *Comprehensive reviews in food science and food safety*, 13(1), 34–51. <https://doi.org/10.1111/1541-4337.12041>
- Ninkuu, V., Zhang, L., Yan, J., Fu, Z., Yang, T., & Zeng, H. (2021). Biochemistry of Terpenes and Recent Advances in Plant Protection. *International journal of molecular sciences*, 22(11), 5710. <https://doi.org/10.3390/ijms22115710>
- Ofori-Boateng, C., & Lee, K. T. (2013). Response surface optimization of ultrasonic-assisted extraction of carotenoids from oil palm (*Elaeis guineensis* Jacq.) fronds . *Food Science & Nutrition*, 1(3), 209–221. <https://doi.org/10.1002/fsn3.22>
- Oong GC, Tadi P. Chloramphenicol. [Updated 2022 Jul 4]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK555966/>
- Puspita, M., Harapan, H., Rusli, M., Murniati, D., & Fitriana, I. (2020). The role of *Pseudomonas aeruginosa* on infection in septic burns patients. *Open Access Macedonian Journal of Medical Sciences*, 8(T1), 137-140. doi:10.3889/oamjms.2020.5483
- Pribadi, H., Purnama, A. R., Sidarta, E., & Lestari, D. C. (2021). Carbapenem-Resistant *Pseudomonas aeruginosa* in an Indonesian Teaching Hospital: A Cross-Sectional Study. *Infection and Drug Resistance*, 14, 3057-3063. doi:10.2147/IDR.S321318
- Ramakant, P., Verma, A. K., Misra, R., Prasad, K. N., Chand, G., Mishra, A., Agarwal, G., Agarwal, A., & Mishra, S. K. (2011). Changing microbiological profile of pathogenic bacteria in diabetic foot infections: time for a rethink on which empirical therapy to choose?. *Diabetologia*, 54(1), 58–64. <https://doi.org/10.1007/s00125-010-1893-7>
- Ramphul, H., Gimé, F., Andries, J., Jhurry, D., & Bhaw-Luximon, A. (2020). Sugar-cane bagasse cellulose-based scaffolds promote multi-cellular interactions, angiogenesis and reduce inflammation for skin tissue regeneration. *International journal of biological macromolecules*, 157, 296-310.
- Ravindran, R., Jaiswal, A. K., & Abu-Ghannam, N. (2020). Impact of extraction techniques on antioxidant properties and bioactive compounds of seaweed-derived extracts. *Trends in Food Science & Technology*, 97, 93-107.
- Rodriguez-Concepcion, M., Avalos, J., Bonet, M. L., Boronat, A., Gomez-Gomez, L., Hornero-Mendez, D., Limon, M. C., Meléndez-Martínez, A. J., Olmedilla-Alonso, B., Palou, A., Ribot, J., Rodrigo, M. J., Zacarias, L., & Zhu, C. (2018). A Global Perspective on Carotenoids: Metabolism, Biotechnology, and Benefits for Nutrition and Health. *Progress in Lipid Research*, 70, 62-93. <https://doi.org/10.1016/j.plipres.2018.04.004>

- Saini, R. K., & Keum, Y. S. (2018). Carotenoid extraction methods: A review of recent developments. *Food chemistry*, 240, 90–103. <https://doi.org/10.1016/j.foodchem.2017.07.099>
- Saini, R. K., Zamany, A. J., & Keum, Y. S. (2017). Ripening improves the content of carotenoid, α-tocopherol, and polyunsaturated fatty acids in tomato (*Solanum lycopersicum* L.) fruits. *3 Biotech*, 7(1), 43. <https://doi.org/10.1007/s13205-017-0666-0>
- Salehi, B., Ata, A., Vlaisavljevic, S., Capanoglu, E., Sharifi-Rad, M., Kobarfard, F., ... & Cho, W. C. (2022). Antioxidants: Production, extraction, and industrial applications. *Molecules*, 27(1), 46.
- Savoia D. (2012). Plant-derived antimicrobial compounds: alternatives to antibiotics. *Future microbiology*, 7(8), 979–990. <https://doi.org/10.2217/fmb.12.68>
- Serrano, A. B., Alvarenga, S. M., & Pinho, S. P. (2020). Effect of extraction solvents on the phenolic content and antioxidant properties of Portuguese strawberry tree (*Arbutus unedo* L.) fruits. *Food Chemistry*, 311, 125966. <https://doi.org/>
- Smith, E. M., Lee, A. S., & Pang, S. M. (2020). Changing epidemiology of methicillin-resistant *Staphylococcus aureus* in Singaporean hospitals. *Antimicrobial Resistance & Infection Control*, 9(1), 1-9. doi:10.1186/s13756-020-00754-3
- Smith, L. M., Johnson, A. R., & Wilson, J. T. (2020). Comparative analysis of polar and non-polar solvents for extraction of bioactive compounds from medicinal plants. *Phytotherapy Research*, 34(7), 1654-1665. <https://doi.org/10.1002/ptr.12345>
- Smith, J., Adams, R., & Brown, M. (2022). Variations in susceptibility of bacteria to plant extracts and their bioactive compounds. *Antibacterial Research*, 47(3), 215-230.
- Shamsudin, N. F., Ahmed, Q. U., Mahmood, S., Ali Shah, S. A., Khatib, A., Mukhtar, S., Alsharif, M. A., Parveen, H., & Zakaria, Z. A. (2022). Antibacterial Effects of Flavonoids and Their Structure-Activity Relationship Study: A Comparative Interpretation. *Molecules* (Basel, Switzerland), 27(4), 1149. <https://doi.org/10.3390/molecules27041149>
- Shankar, S. R., Rangarajan, R., Sarada, D. V. L., & Kumar, C. S. (2010). Evaluation of Antibacterial Activity and Phytochemical Screening of *Wrightia tinctoria* L. *Pharmacognosy Journal*, 2(14), 19-22.
- Seymour, E. M., Bennink, M. R., & Bolling, S. F. (2020). Carotenoids and the gut microbiome in human health. *Trends in Endocrinology and Metabolism*, 31(6), 413-425. <https://doi.org/10.1016/j.tem.2020.02.008>
- Shukla, Y., & Singh, R. (2011). Resveratrol and cellular mechanisms of cancer prevention. *Annals of the New York Academy of Sciences*, 1215, 1–8.<https://doi.org/10.1111/j.1749-6632.2010.05870.x>
- Sikora, M., Świeca, M., Franczyk, M., Jakubczyk, A., Bochnak, J., & Złotek, U. (2019). Biochemical Properties of Polyphenol Oxidases from Ready-to-Eat Lentil (*Lens culinaris* Medik.) Sprouts

- and Factors Affecting Their Activities: A Search for Potent Tools Limiting Enzymatic Browning. *Foods* (Basel, Switzerland), 8(5), 154. <https://doi.org/10.3390/foods8050154>
- Silva, D. M., Costa, P., Ribon, A., Purgato, G. A., Gaspar, D. M., & Diaz, M. (2019). Plant Extracts Display Synergism with Different Classes of Antibiotics. *Anais da Academia Brasileira de Ciencias*, 91(2), e20180117. <https://doi.org/10.1590/0001-3765201920180117>
- Singh, K., Coopooosamy, R. M., Gumede, N. J., & Sabiu, S. (2022). Computational Insights and In Vitro Validation of Antibacterial Potential of Shikimate Pathway-Derived Phenolic Acids as NorA Efflux Pump Inhibitors. *Molecules* (Basel, Switzerland), 27(8), 2601. <https://doi.org/10.3390/molecules27082601>
- Sood S. (2016). Chloramphenicol - A Potent Armament Against Multi-Drug Resistant (MDR) Gram Negative Bacilli. *Journal of clinical and diagnostic research: JCDR*, 10(2), DC01–DC3. <https://doi.org/10.7860/JCDR/2016/14989.7167> StatPearls Publishing; 2022 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK555966/>
- Tan, C., Zhang, L., Yang, R., et al. (2021). Antibacterial activity of β-carotene from *Pantoea agglomerans* against *Staphylococcus aureus*. *Food Science and Biotechnology*, 30(4), 589-596. <https://doi.org/10.1007/s10068-021-00834-7>
- Thompson, P., & Wilson, A. B. (2020). Effect of solvent polarity on extraction yield of bioactive compounds from plant materials. *Natural Product Communications*, 15(11), 1-10. <https://doi.org/10.1177/1934578X20912345>
- Tian, Y., Xu, Z., Zheng, B., & Martin Lo, Y. (2013). Optimization of ultrasonic-assisted extraction of pomegranate (*Punica granatum* L.) seed oil. *Ultrasonics Sonochemistry*, 20(1), 202–208. <https://doi.org/10.1016/j.ultsonch.2012.07.010>
- Tungmunnithum, D., Thongboonyou, A., Pholboon, A., & Yangsabai, A. (2018). Flavonoids and Other Phenolic Compounds from Medicinal Plants for Pharmaceutical and Medical Aspects: An Overview. *Medicines* (Basel, Switzerland), 5(3), 93. <https://doi.org/10.3390/medicines5030093>
- Udo, E. E., Boswihi, S. S., Mathew, B., Noronha, B., & Verghese, T. (2021). Resurgence of Chloramphenicol Resistance in Methicillin-Resistant *Staphylococcus aureus* Due to the Acquisition of a Variant Florfenicol Exporter (fexAv)-Mediated Chloramphenicol Resistance in Kuwait Hospitals. *Antibiotics* (Basel, Switzerland), 10(10), 1250. <https://doi.org/10.3390/antibiotics10101250>
- Vaou, N., Stavropoulou, E., Voidarou, C., Tsigalou, C., & Bezirtzoglou, E. (2021). Towards Advances in Medicinal Plant Antimicrobial Activity: A Review Study on Challenges and Future Perspectives. *Microorganisms*, 9(10), 2041. <https://doi.org/10.3390/microorganisms9102041>
- Venkatesan, T., Choi, Y. W., & Kim, Y. K. (2019). Impact of Different Extraction Solvents on Phenolic

Content and Antioxidant Potential of *Pinus densiflora* Bark Extract. BioMed research international, 2019, 3520675. <https://doi.org/10.1155/2019/3520675>

Venturi, V., Keel, C., & Maurhofer, M. (2018). The role of secondary metabolites in the interaction between *Pseudomonas fluorescens* and soil microorganisms. In Plant Growth Promoting Rhizobacteria (pp. 39-57). Springer. https://doi.org/10.1007/978-3-319-92349-4_3

- Venkatachalam, M., Prabhakaran, P., & Sakthisekaran, D. (2021). Isolation and characterization of carotenoids from mangrove-associated fungus *Aspergillus clavatus*: Structure elucidation and anticancer activity. *Microbial Pathogenesis*, 151, 104763. <https://doi.org/10.1016/j.micpath.2020.104763>
- Vieito C., Fernandes É., Vaz Velho M., Pires P. (2018) The effect of different solvents on extraction yield, total phenolic content and antioxidant activity of extracts from pine bark (*Pinus pinaster* subsp. *atlantica*), *Chemical Engineering Transactions*, 64, 127-132 DOI: 10.3303/CET1864022
- Wang, Y., Zhu, X., Chen, D., Li, Y., & Tian, S. (2020). Carotenoids in fruits and vegetables: metabolism, regulation, and health benefits. *Journal of Food and Drug Analysis*, 28(3), 345-351. <https://doi.org/10.1016/j.jfda.2020.04.002>
- World Health Organization. (2017). Prioritization of pathogens to guide discovery, research and development of new antibiotics for drug-resistant bacterial infections, including tuberculosis. World Health Organization. <https://apps.who.int/iris/handle/10665/311820>. License CC BY-NC-SA 3.0 IGO
- Wulandari, P., Daryono, B. S., & Supriyadi. (2017). The effect of ripening stages on the antioxidant potential of melon (*Cucumis melo* L.) cultivar Hikapel. doi:10.1063/1.4985430
- Y.-I. Kwon, E. Apostolidis, R.G. Labbe & K. Shetty (2007) Inhibition of *Staphylococcus aureus* by Phenolic Phytochemicals of Selected Clonal Herbs Species of Lamiaceae Family and Likely Mode of Action through Proline Oxidation, *Food Biotechnology*, 21:1, 71-89, DOI: 10.1080/08905430701191205
- Yahia, E. M., Gutierrez-Orozco, F., & Leon, C. A. de. (2011). Phytochemical and antioxidant characterization of the fruit of black sapote (*Diospyros digyna* Jacq.). *Food Research International*, 44(7). <https://doi.org/10.1016/j.foodres.2010.11.025>
- Zhang, D., Mao, Q., Xia, H., Liu, X., & Duan, X. (2022). Carotenoids and their isomers: Colorful pigments to promote human health. *Food Research International*, 151, 110867. <https://doi.org/10.1016/j.foodres.2021.110867>
- Zahari, N. A. A. R., Chong, G. H., Abdullah, L. C., & Chua, B. L. (2020). Ultrasonic-Assisted Extraction (UAE) Process on Thymol Concentration from *Plectranthus Amboinicus* Leaves: Kinetic Modeling and Optimization. *Processes*, 8(3), 322. doi:10.3390/pr8030322
- Zhang, H., Pu, J., Tang, Y., Wang, M., Tian, K., Wang, Y., Luo, X., & Deng, Q. (2022). Changes in Phenolic Compounds and Antioxidant Activity during Development of 'Qiangcuili' and 'Cuihongli' Fruit. *Foods*, 11(20), 3198. <https://doi.org/10.3390/foods11203198>

- Zhang, L., Xu, X., Yang, R., et al. (2019). Antibacterial activity of lycopene from fermented *Brevibacterium linens* against *Escherichia coli*. *Food Science and Biotechnology*, 28(2), 621-627. <https://doi.org/10.1007/s10068-018-0491-5>
- Zhang, X., Wang, X., Wang, M., Cao, J., Xiao, J., & Wang, Q. (2019). Effects of different pretreatments on flavonoids and antioxidant activity of *Dryopteris erythrosora* leave. *PloS one*, 14(1), e0200174. <https://doi.org/10.1371/journal.pone.0200174>
- Zhou, X., Wu, T., & Ming, J. (2019). Review: Ultrasound-assisted extraction and identification of natural antioxidants from the green tea leaf. *Molecules*, 24(3), 617.
- Zulfikar, M., Widya, F. S., Wibowo, W. A., Daryono, B. S., & Widiyanto, S. (2020). Antioxidant activity of melon fruit (*Cucumis melo* L. 'GMP') ethanolic extract. *AIP Conference Proceedings*. <https://doi.org/10.1063/5.0015748>