

References

- Ahn, H., & Kim, I. D. (2021). Color and antioxidant potential of seasoning with butternut squash (*Cucurbita moschata*) powder. *International Journal of Sciences*, 10(04), 38–41. <https://doi.org/10.18483/ijSci.2464>
- Amalraj, A., Jude, S., Sukumaran, N. P., & Gopi, S. (2019). Nanomaterials in nutraceutical and phytonutrient industries. In *Industrial Applications of Nanomaterials* (pp. 441–474). Elsevier. <https://doi.org/10.1016/B978-0-12-815749-7.00016-5>
- Aryal, S., Baniya, M. K., Danekhu, K., Kunwar, P., Gurung, R., & Koirala, N. (2019). Total phenolic content, flavonoid content and antioxidant potential of wild vegetables from western Nepal. *Plants*, 8(4), 96. <https://doi.org/10.3390/plants8040096>
- Aschemann-Witzel, J., Gantriis, R. F., Fraga, P., & Perez-Cueto, F. J. A. (2021). Plant-based food and protein trend from a business perspective: Markets, consumers, and the challenges and opportunities in the future. *Critical Reviews in Food Science and Nutrition*, 61(18), 3119–3128. <https://doi.org/10.1080/10408398.2020.1793730>
- AttahDaniel, E. B., Hikon, B. N., Ayo, J. A., Archibong, C. S., Ngantem, G. S., James, T., & Lawrence, P. G. (2018). *Comparative Study Of Local And Commercial Table Salts Marketed In Wukari, Nigeria*. 3(2).
- Back, S. Y., Kim, H. K., Lim, S. D., Do, G. P., & Do, J.R. (2013). Development of antihypertensive natural seasoning using beef hydrolyzate. *Journal of the Korean Society for Applied Biological Chemistry*, 56(2), 201–206. <https://doi.org/10.1007/s13765-011-3023-8>
- Bae, S. M., Choi, J. H., & Jeong, J. Y. (2020). Effects of radish powder concentration and incubation time on the physicochemical characteristics of alternatively cured pork products. *Journal of Animal Science and Technology*, 62(6), 922–932. <https://doi.org/10.5187/jast.2020.62.6.922>
- Bahri, S. S., Rosli, W. I. W., & Kasmah, M. (2017). *Phenolic content and free radical scavenging activity of herbal seasoning enriched with oyster mushroom (Pleurotus sajor- caju) powder*. 45(2).

- Baker, B. P., & Grant, J. A. (2018). *White Pepper Profile*.
- Banerjee, A., Chitnis, U. B., Jadhav, S. L., Bhawalkar, J. S., & Chaudhury, S. (2009). Hypothesis testing, type I and type II errors. *Industrial Psychiatry Journal*, 18(2), 127–131. <https://doi.org/10.4103/0972-6748.62274>
- Banjarnahor, S. D. S., & Artanti, N. (2015). Antioxidant properties of flavonoids. *Medical Journal of Indonesia*, 23(4), 239–244. <https://doi.org/10.13181/mji.v23i4.1015>
- Blainski, A., Lopes, G. C., & de Mello, J. C. P. (2013). Application and analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from *Limonium Brasiliense L.* *Molecules*, 18(6), 6852–6865. <https://doi.org/10.3390/molecules18066852>
- Brand-Williams, W., Cuvelier, M. E., & Berset, C. (1995). Use of a free radical method to evaluate antioxidant activity. *LWT - Food Science and Technology*, 28(1), 25–30. [https://doi.org/10.1016/S0023-6438\(95\)80008-5](https://doi.org/10.1016/S0023-6438(95)80008-5)
- Cai, Y. Z., & Corke, H. (2000). Production and properties of spray-dried Amaranthus Betacyanin pigments. *Journal of Food Science*, 65(7), 1248–1252. <https://doi.org/10.1111/j.1365-2621.2000.tb10273.x>
- Caliskan, G., & Nur Dirim, S. (2013). The effects of the different drying conditions and the amounts of maltodextrin addition during spray drying of sumac extract. *Food and Bioprocess Processing*, 91(4), 539–548. <https://doi.org/10.1016/j.fbp.2013.06.004>
- Can, S., Göğüş, F., & Bozkurt, H. (2022). Optimization of spray drying encapsulation of bioactive compounds from organic blueberry extract. *Akademik Gıda*, 20(1), 1–11. <https://doi.org/10.24323/akademik-gida.1097801>
- Carlos Sánchez-Rangel, J., Benavides, J., Basilio Heredia, J., Cisneros-Zevallos, L., & A. Jacobo-Velázquez, D. (2013). The Folin–Ciocalteu assay revisited: Improvement of its specificity for total phenolic content determination. *Analytical Methods*, 5(21), 5990–5999. <https://doi.org/10.1039/C3AY41125G>

- Carocho, M., Morales, P., & Ferreira, I. C. F. R. (2015). Natural food additives: Quo vadis? *Trends in Food Science & Technology*, 45(2), 284–295. <https://doi.org/10.1016/j.tifs.2015.06.007>
- Chang, L. S., Karim, R., Abdulkarim, S. M., Yusof, Y. A., & Ghazali, H. M. (2018). Storage stability, color kinetics and morphology of spray-dried soursop (*Annona muricata* L.) powder: Effect of anticaking agents. *International Journal of Food Properties*, 21(1), 1937–1954. <https://doi.org/10.1080/10942912.2018.1510836>
- Chavasit, V., & Photi, J. (2018). Condiments and Sauces. In *Food Fortification in a Globalized World* (pp. 153–158). Elsevier. <https://doi.org/10.1016/B978-0-12-802861-2.00015-8>
- Chen, E., Huang, X., Tian, Z., Wing, R. A., & Han, B. (2019). The genomics of *Oryza* Species provides insights into rice domestication and heterosis. *Annual Review of Plant Biology*, 70(1), 639–665. <https://doi.org/10.1146/annurev-arplant-050718-100320>
- Chen, Z., Bertin, R., & Frolidi, G. (2013). EC50 estimation of antioxidant activity in DPPH assay using several statistical programs. *Food Chemistry*, 138(1), 414–420. <https://doi.org/10.1016/j.foodchem.2012.11.001>
- Chimsook, T. (2017). Microwave Assisted Extraction of Avocado Oil from Avocado Skin and Encapsulation Using Spray Drying. *Key Engineering Materials*, 737, 341–346. <https://doi.org/10.4028/www.scientific.net/KEM.737.341>
- Choi, Y.-H., Huh, J.-H., Lee, S.-H., Han, C., & Ahn, J.-W. (2016). Preparation of spherical granules of dolomite kiln dust as gas adsorbent. *Journal of the Korean Ceramic Society*, 53(1), 13–17. <https://doi.org/10.4191/kcers.2016.53.1.13>
- Clemenson, S., Muggeridge, M., & Clay, M. (2012). Quality specifications for herbs and spices. In *Handbook of Herbs and Spices* (pp. 25–41). Elsevier. <https://doi.org/10.1533/9780857095671.25>
- Coimbra, P. P. S., Cardoso, F. de S. N., & Gonçalves, É. C. B. de A. (2021). Spray-drying wall materials: Relationship with bioactive compounds. *Critical Reviews in Food Science and Nutrition*, 61(17), 2809–2826. <https://doi.org/10.1080/10408398.2020.1786354>

- Costa, J., Rocha, É., & Costa, J. (2015). Study of the physicochemical characteristics of soursop powder obtained by spray-drying. *Food Science and Technology*, *34*, 663–666. <https://doi.org/10.1590/1678-457X.6380>
- de Mejia, E. G., Aguilera-Gutiérrez, Y., Martín-Cabrejas, M. A., & Mejia, L. A. (2015). Industrial processing of condiments and seasonings and its implications for micronutrient fortification: Processing of fortified condiments and seasonings. *Annals of the New York Academy of Sciences*, *1357*(1), 8–28. <https://doi.org/10.1111/nyas.12869>
- Dias, M. C., Pinto, D. C. G. A., & Silva, A. M. S. (2021). Plant flavonoids: Chemical characteristics and biological activity. *Molecules*, *26*(17), 5377. <https://doi.org/10.3390/molecules26175377>
- Dong, X., Chen, W., Wang, W., Zhang, H., Liu, X., & Luo, J. (2014). Comprehensive profiling and natural variation of flavonoids in rice. *Journal of Integrative Plant Biology*, *56*(9), 876–886. <https://doi.org/10.1111/jipb.12204>
- Drosou, C. G., Krokida, M. K., & Biliaderis, C. G. (2017). Encapsulation of bioactive compounds through electrospinning/electrospraying and spray drying: A comparative assessment of food-related applications. *Drying Technology*, *35*(2), 139–162. <https://doi.org/10.1080/07373937.2016.1162797>
- Eilander, A., Verbakel, M. R., & Dötsch-Klerk, M. (2023). The potential of condiments, seasonings, and bouillon cubes to deliver essential micronutrients in Asia: Scenario analyses of iodine and iron fortification. *Nutrients*, *15*(3), Article 3. <https://doi.org/10.3390/nu15030616>
- Ekdahl, A., Mudie, D., Malewski, D., Amidon, G., & Goodwin, A. (2019). Effect of spray-dried particle morphology on mechanical and flow properties of Felodipine in PVP VA Amorphous Solid Dispersions. *Journal of Pharmaceutical Sciences*, *108*(11), 3657–3666. <https://doi.org/10.1016/j.xphs.2019.08.008>
- Eishama, S. (2020). *Synthetic and Natural Food Additives: Toxicological Hazards and Health Benefits*. *4*(4), 104–107.

- Eran Nagar, E., Berenshtein, L., Hanuka Katz, I., Lesmes, U., Okun, Z., & Shpigelman, A. (2021). The impact of chemical structure on polyphenol bioaccessibility, as a function of processing, cell wall material and pH: A model system. *Journal of Food Engineering*, 289, 110304. <https://doi.org/10.1016/j.jfoodeng.2020.110304>
- Fauziah, S. N., Triastuti, D., Rahayu, W. E., & Barat, J. (2023). *Karakteristik Fisikokimia, Organoleptik, Dan Daya Terima Bubuk Penyedap Rasa Alami Dari Ceker Ayam Dan Tomat*.
- Flores, F. P., Singh, R. K., & Kong, F. (2014). Physical and storage properties of spray-dried blueberry pomace extract with whey protein isolate as wall material. *Journal of Food Engineering*, 137, 1–6. <https://doi.org/10.1016/j.jfoodeng.2014.03.034>
- Friedman, M. (2013). Rice Brans, rice bran oils, and rice hulls: Composition, food and industrial uses, and bioactivities in humans, animals, and cells. *Journal of Agricultural and Food Chemistry*, 61(45), 10626–10641. <https://doi.org/10.1021/jf403635v>
- Goula, A. M., & Adamopoulos, K. G. (2010). A new technique for spray drying orange juice concentrate. *Innovative Food Science & Emerging Technologies*, 11(2), 342–351. <https://doi.org/10.1016/j.ifset.2009.12.001>
- Gul, K., Yousuf, B., Singh, A. K., Singh, P., & Wani, A. A. (2015). Rice bran: Nutritional values and its emerging potential for development of functional food—A review. *Bioactive Carbohydrates and Dietary Fibre*, 6(1), 24–30. <https://doi.org/10.1016/j.bcdf.2015.06.002>
- Harada-Padermo, S. dos S., Dias-Faceto, L. S., Selani, M. M., Alvim, I. D., Floh, E. I. S., Macedo, A. F., Bogusz, S., Dias, C. T. dos S., Conti-Silva, A. C., & Vieira, T. M. F. de S. (2020). Umami ingredient: Flavor enhancer from shiitake (*Lentinula edodes*) byproducts. *Food Research International*, 137, 109540. <https://doi.org/10.1016/j.foodres.2020.109540>
- Heim, K. E., Tagliaferro, A. R., & Bobilya, D. J. (2002). Flavonoid antioxidants: Chemistry, metabolism and structure-activity relationships. *The Journal of Nutritional Biochemistry*, 13(10), 572–584. [https://doi.org/10.1016/S0955-2863\(02\)00208-5](https://doi.org/10.1016/S0955-2863(02)00208-5)

- Hidayat, T., & Risfaheri. (2021). Evaluasi mutu lada putih bubuk yang diperdagangkan di pasar tradisional dan modern di bogor dan jakarta. *Jurnal Penelitian Pascapanen Pertanian*, 17(3), 126. <https://doi.org/10.21082/jpasca.v17n3.2020.126-133>
- Hossain, M. B., Ahmed, L., Martin-Diana, A. B., Brunton, N. P., & Barry-Ryan, C. (2023). Individual and combined antioxidant activity of spices and spice phenolics. *Antioxidants*, 12(2), Article 2. <https://doi.org/10.3390/antiox12020308>
- Hu, L. T., Elam, E., Ni, Z. J., Shen, Y., Xia, B., Thakur, K., Jiang, L., Zhang, J. G., & Wei, Z.-J. (2021). The structure and flavor of low sodium seasoning salts in combination with different sesame seed meal protein hydrolysate derived Maillard reaction products. *Food Chemistry: X*, 12, 100148. <https://doi.org/10.1016/j.fochx.2021.100148>
- Huang, Y.-F., & Lo, S.-L. (2019). 19—Utilization of rice hull and straw | Elsevier Enhanced Reader. In *Rice* (4th ed.). AACC International Press. <https://doi.org/10.1016/B978-0-12-811508-4.00019-8>
- Husarova, V., & Ostatnikova, D. (2013). Monosodium Glutamate Toxic Effects and their implications for human intake: A review. *JMED Research*, 1–12. <https://doi.org/10.5171/2013.608765>
- Itoh, J.-I., Nonomura, K.-I., Ikeda, K., Yamaki, S., Inukai, Y., Yamagishi, H., Kitano, H., & Nagato, Y. (2005). Rice plant development: From zygote to spikelet. *Plant and Cell Physiology*, 46(1), 23–47. <https://doi.org/10.1093/pcp/pci501>
- Jafari, S. M., Ghalegi Ghalenoei, M., & Dehnad, D. (2017). Influence of spray drying on water solubility index, apparent density, and anthocyanin content of pomegranate juice powder. *Powder Technology*, 311, 59–65. <https://doi.org/10.1016/j.powtec.2017.01.070>
- Jiménez-Aguilar, D. M., Ortega-Regules, A. E., Lozada-Ramírez, J. D., Pérez-Pérez, M. C. I., Vernon-Carter, E. J., & Welti-Chanes, J. (2011). Color and chemical stability of spray-dried blueberry extract using mesquite gum as wall material. *Journal of Food Composition and Analysis*, 24(6), 889–894. <https://doi.org/10.1016/j.jfca.2011.04.012>

- Jimtaisong, A., & Krisdaphong, P. (2016). Antioxidant activity of *Pandanus amaryllifolius* leaf and root extract and its application in topical emulsion. *Tropical Journal of Pharmaceutical Research*, 12(3), 425–431. <https://doi.org/10.4314/tjpr.v12i3.23>
- Juarez-Enriquez, E., Olivas, G. I., Zamudio-Flores, P. B., Ortega-Rivas, E., Perez-Vega, S., & Sepulveda, D. R. (2017a). Effect of water content on the flowability of hygroscopic powders. *Journal of Food Engineering*, 205, 12–17. <https://doi.org/10.1016/j.jfoodeng.2017.02.024>
- Juarez-Enriquez, E., Olivas, G. I., Zamudio-Flores, P. B., Ortega-Rivas, E., Perez-Vega, S., & Sepulveda, D. R. (2017b). Effect of water content on the flowability of hygroscopic powders. *Journal of Food Engineering*, 205, 12–17. <https://doi.org/10.1016/j.jfoodeng.2017.02.024>
- Juliano, P., & Barbosa-Cánovas, G. V. (2010). Food powders flowability characterization: Theory, methods, and applications. *Annual Review of Food Science and Technology*, 1(1), 211–239. <https://doi.org/10.1146/annurev.food.102308.124155>
- Kanpairo, K., Usawakesmanee, W., Sirivongpaisal, P., & Siripongvutikorn, S. (2012). *The compositions and properties of spray dried tuna flavor powder produced from tuna precooking juice*. 19(3).
- Kazmi, Z., Fatima, I., Perveen, S., & Malik, S. S. (2017). Monosodium glutamate: Review on clinical reports. *International Journal of Food Properties*, 1–9. <https://doi.org/10.1080/10942912.2017.1295260>
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48(4), 412–422. <https://doi.org/10.1007/s13197-011-0251-1>
- Kemp, I. C., Hartwig, T., Herdman, R., Hamilton, P., Bisten, A., & Bermingham, S. (2016). Spray drying with a two-fluid nozzle to produce fine particles: Atomization, scale-up, and modeling. *Drying Technology*, 34(10), 1243–1252. <https://doi.org/10.1080/07373937.2015.1103748>
- Khanthapok, P., Muangprom, A., & Sukrong, S. (2015). Antioxidant activity and DNA protective properties of rice grass juices. *ScienceAsia*, 41, 119. <https://doi.org/10.2306/scienceasia1513-1874.2015.41.119>

- Krishnaiah, D., Nithyanandam, R., & Sarbatly, R. (2014). A critical review on the spray drying of fruit extract: effect of additives on physicochemical properties. *Critical Reviews in Food Science and Nutrition*, 54(4), 449–473. <https://doi.org/10.1080/10408398.2011.587038>
- Koç, G. Ç., & Dirim, S. N. (2018). Spray dried spinach juice: Powder properties. *Journal of Food Measurement and Characterization*, 12(3), 1654–1668. <https://doi.org/10.1007/s11694-018-9781-9>
- Kukusamude, C., & Kongsri, S. (2018). *Elemental and isotopic profiling of Thai jasmine rice (Khao Dawk Mali 105) for discrimination of geographical origins in Thung Kula Rong Hai area, Thailand | Elsevier Enhanced Reader*. 91. <https://doi.org/10.1016/j.foodcont.2018.04.018>
- Kwaw, E., Ma, Y., Tchabo, W., Apaliya, M. T., Xiao, L., Li, X., & Hu, M. (2017). *Effect of fermentation parameters and their optimization on the phytochemical properties of lactic-acid-fermented mulberry juice*. 11, 1462–1473.
- Lawless, H. T., & Heymann, H. (2013). *Sensory Evaluation of Food: Principles and Practices*. Springer New York. <https://doi.org/10.1007/978-1-4419-6488-5>
- Lim, Y. P., Pang, S. F., Yusoff, M. M., & Gimbin, J. (2019). *Correlation between the Antioxidant, Total Flavonoid and Total Phenolic Content of Phaleria macrocarpa Fruit Extract*. 8(1).
- Lin, Y. S., Huang, W. Y., Ho, P. Y., Hu, S. Y., Lin, Y. Y., Chen, C. Y., Chang, M.-Y., & Huang, S.L. (2020). Effects of storage time and temperature on antioxidants in juice from *Momordica charantia* L. and *Momordica charantia* L. var. *Abbreviata* Ser. *Molecules*, 25(16), 3614. <https://doi.org/10.3390/molecules25163614>
- Liu, F., Cao, X., Wang, H., & Liao, X. (2010). Changes of tomato powder qualities during storage. *Powder Technology*, 204(1), 159–166. <https://doi.org/10.1016/j.powtec.2010.08.002>
- Maksup, S., Roytrakul, S., & Supaibulwatana, K. (2014). Physiological and comparative proteomic analyses of Thai jasmine rice and two check cultivars in response to drought stress. *Journal of Plant Interactions*, 9(1), 43–55. <https://doi.org/10.1080/17429145.2012.752042>

- Malekizadeh, N., Peighambardoust, S. H., Ghaffari, A. O., & Sarabandi, K. (2018). Effects of different concentrations of maltodextrin and drying temperatures of spray drying process on physicochemical properties of encapsulated sumac extract. *Iranian Food Science & Technology Research Journal*, 14(2), 321–334.
- Mishra, P., Mishra, S., & Mahanta, C. L. (2014). Effect of maltodextrin concentration and inlet temperature during spray drying on physicochemical and antioxidant properties of amla (*Emblca officinalis*) juice powder. *Food and Bioproducts Processing*, 92(3), 252–258. <https://doi.org/10.1016/j.fbp.2013.08.003>
- Mitchell, M., Brutnon, N. P., Fitzgerald, R. J., & Wilkinson, M. G. (2013). The use of herbs, spices, and whey proteins as natural flavor enhancers and their effect on the sensory acceptability of reduced-salt chilled ready-meals. *Journal of Culinary Science & Technology*, 11(3), 222–240. <https://doi.org/10.1080/15428052.2013.769869>
- Moldenhauer, K., Counce, P., & Hardke, J. (2001). Rice Growth and Development. In *Rice Production Hanbook*.
- Moldenhauer, K., J. H., G., C. W., S., & R. H., D. (2003). Rice Morphology and Development. In *Rice: Origin, History, Technology, and Production*. John Wiley & Sons, Inc.
- Muflihah, Y. M., Gollavelli, G., & Ling, Y.-C. (2021). Correlation study of antioxidant activity with phenolic and flavonoid compounds in 12 Indonesian indigenous herbs. *Antioxidants*, 10(10), 1530. <https://doi.org/10.3390/antiox10101530>
- Murali, S., Kar, A., Mohapatra, D., & Kalia, P. (2015). Encapsulation of black carrot juice using spray and freeze drying. *Food Science and Technology International*, 21(8), 604–612. <https://doi.org/10.1177/1082013214557843>
- Nawaz, H., Rehman, H., Aslam, M., Gul, H., Zakir, I., Fatima, Z., Iqbal, P., Khan, A., & Nahar, K. (2022). Phytochemical Composition of Rice. In N. Sarwar, Atique-ur-Rehman, S. Ahmad, & M. Hasanuzzaman (Eds.), *Modern Techniques of Rice Crop Production* (pp. 757–780). Springer Singapore. https://doi.org/10.1007/978-981-16-4955-4_37

- Ndife, J., Alozie, E., & Onwuzuruike, U. (2020). *Development and comparative evaluation of spice-mix seasonings from functional leaves of Utazi (Gongronema latifolium), Uda (Xylopia aethiopica), Nchanwu (Ocimum gratissimum) and Uziza (Piper guineense)*. 6, 174–189.
- Nilsang, S. (2018). *Effect of Spray Drying Temperature on Quality of Instant Herbal Drinks*. 6(Special Issue on Food and Applied Bioscience), 55–68.
- Niroula, A., Khatri, S., Khadka, D., & Timilsina, R. (2019). Total phenolic contents and antioxidant activity profile of selected cereal sprouts and grasses. *International Journal of Food Properties*, 22(1), 427–437. <https://doi.org/10.1080/10942912.2019.1588297>
- Nour, A. H., Oluwaseun, A. R., Nour, A. H., Omer, M. S., & Ahmed, N. (2021). Microwave-Assisted Extraction of Bioactive Compounds (Review). In G. I. Churyumov (Ed.), *Microwave Heating*. IntechOpen. <https://doi.org/10.5772/intechopen.96092>
- Okafor, J. N. C., Meyer, M., Le Roes-Hill, M., & Jideani, V. A. (2022). Flavonoid and phenolic acid profiles of dehulled and whole *Vigna subterranea* (L.) Verdc Seeds commonly consumed in South Africa. *Molecules (Basel, Switzerland)*, 27(16), 5265. <https://doi.org/10.3390/molecules27165265>
- Pabón-Baquero, L. C., Otálvaro-Álvarez, Á. M., Fernández, M. R. R., & Chaparro-González, M. P. (2018). Plant Extracts as Antioxidant Additives for Food Industry. In E. Shalaby & G. M. Azzam (Eds.), *Antioxidants in Foods and Its Applications*. InTech. <https://doi.org/10.5772/intechopen.75444>
- Peng, Z., Li, J., Guan, Y., & Zhao, G. (2013). Effect of carriers on physicochemical properties, antioxidant activities and biological components of spray-dried purple sweet potato flours. *LWT - Food Science and Technology*, 51(1), 348–355. <https://doi.org/10.1016/j.lwt.2012.09.022>
- Pérez-Serradilla, J. A., & Luque de Castro, M. D. (2011). Microwave-assisted extraction of phenolic compounds from wine lees and spray-drying of the extract. *Food Chemistry*, 124(4), 1652–1659. <https://doi.org/10.1016/j.foodchem.2010.07.046>

- Pereira, G. A., Arruda, H. S., de Morais, D. R., Eberlin, M. N., & Pastore, G. M. (2018). Carbohydrates, volatile and phenolic compounds composition, and antioxidant activity of calabura (*Muntingia calabura* L.) fruit. *Food Research International*, *108*, 264–273. <https://doi.org/10.1016/j.foodres.2018.03.046>
- Pinkas, J. M., & Keller, S. E. (2014). Spices. In J. B. Gurtler, M. P. Doyle, & J. L. Kornacki (Eds.), *The Microbiological Safety of Low Water Activity Foods and Spices* (pp. 99–114). Springer New York. https://doi.org/10.1007/978-1-4939-2062-4_7
- Piñón-Balderrama, C. I., Leyva-Porras, C., Terán-Figueroa, Y., Espinosa-Solís, V., Álvarez-Salas, C., & Saavedra-Leos, M. Z. (2020). Encapsulation of Active ingredients in food industry by spray-drying and nano spray-drying technologies. *Processes*, *8*(8), 889. <https://doi.org/10.3390/pr8080889>
- Piyarach, K., Nipawan, K., Chadapon, C., Daluwan, S., & Kunjana, R. (2020). Effect of drying on β -Carotene, α Carotene, Lutein and Zeaxanthin content in vegetables and its application for vegetable seasoning. *E3S Web of Conferences*, *141*(02007). <https://doi.org/10.1051/e3sconf/202014102007>
- Pujol Palol, M. (2008). Cereals. In *Les plantes cultivades*.
- Ramakrishnan, Y., Adzahan, N. M., Yusof, Y. A., & Muhammad, K. (2018). Effect of wall materials on the spray drying efficiency, powder properties and stability of bioactive compounds in tamarillo juice microencapsulation. *Powder Technology*, *328*, 406–414. <https://doi.org/10.1016/j.powtec.2017.12.018>
- Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*, *20*(7), 933–956. [https://doi.org/10.1016/0891-5849\(95\)02227-9](https://doi.org/10.1016/0891-5849(95)02227-9)
- Rigon, R. T., & Zapata Noreña, C. P. (2016). Microencapsulation by spray-drying of bioactive compounds extracted from blackberry (*Rubus fruticosus*). *Journal of Food Science and Technology*, *53*(3), 1515–1524. <https://doi.org/10.1007/s13197-015-2111-x>

- Rohmah, M., Saragih, B., Amaliah, N., Apriadi, R., & Rahmadi, A. (2022). Panelist acceptance, proximate characteristics of amino acids and volatile compounds, and color profile of fermented cempedak (*Artocarpus champeden*) and Oyster Mushroom (*Pleurotus ostreatus*) seasoning. *Journal of Food Quality*, 2022, 1–13. <https://doi.org/10.1155/2022/3092246>
- Rojas, R., Castro-López, C., Sánchez-Alejo, E. J., Niño-Medina, G., & Martínez-Ávila, G. C. G. (2016). Phenolic Compound Recovery from Grape Fruit and By- Products: An Overview of Extraction Methods. In A. Morata & I. Loira (Eds.), *Grape and Wine Biotechnology*. InTech. <https://doi.org/10.5772/64821>
- Rumpf, J., Burger, R., & Schulze, M. (2023). Statistical evaluation of DPPH, ABTS, FRAP, and Folin-Ciocalteu assays to assess the antioxidant capacity of lignins. *International Journal of Biological Macromolecules*, 233, 123470. <https://doi.org/10.1016/j.ijbiomac.2023.123470>
- Sakulnarmrat, K., Dalar, A., Bengü, A., & Konczak, I. (2018). Phytochemical composition and health-enhancing properties of *Oryza sativa* L. leaf tea. *Integrative Food, Nutrition and Metabolism*, 5, 1–11. <https://doi.org/10.15761/IFNM.1000234>
- Sakulnarmrat, K., Wongsrikaew, D., & Konczak, I. (2021). Microencapsulation of red cabbage anthocyanin-rich extract by drum drying technique. *LWT*, 137, 110473. <https://doi.org/10.1016/j.lwt.2020.110473>
- Samborska, K., Langa, E., & Bakier, S. (2015). Changes in the physical properties of honey powder during storage. *International Journal of Food Science & Technology*, 50(6), 1359–1365. <https://doi.org/10.1111/ijfs.12797>
- Santhalakshmy, S., Don Bosco, S. J., Francis, S., & Sabeena, M. (2015). Effect of inlet temperature on physicochemical properties of spray-dried jamun fruit juice powder. *Powder Technology*, 274, 37–43. <https://doi.org/10.1016/j.powtec.2015.01.016>
- Santos-Sánchez, N. F., Salas-Coronado, R., Villanueva-Cañongo, C., & Hernández-Carlos, B. (2019). Antioxidant compounds and their antioxidant mechanism. In *Antioxidants*. IntechOpen. <https://doi.org/10.5772/intechopen.85270>

- Schuck, P. (2009). Understanding the factors affecting spray-dried dairy powder properties and behavior. In *Dairy-Derived Ingredients* (pp. 24–50). Elsevier.
<https://doi.org/10.1533/9781845697198.1.24>
- Schwarz, K., & Amft, J. (2021). Chapter 16—Spray-dried capsules and extrudates as omega-3 lipids delivery systems. In P. J. García-Moreno, C. Jacobsen, A.-D. Moltke Sørensen, & B. Yesiltas (Eds.), *Omega-3 Delivery Systems* (pp. 321–343). Academic Press.
<https://doi.org/10.1016/B978-0-12-821391-9.00007-7>
- Shadordizadeh, T., Mahdian, E., & Hesarinejad, M. A. (2023). Application of encapsulated *Indigofera tinctoria* extract as a natural antioxidant and colorant in ice cream. *Food Science & Nutrition*, 11(4), 1940–1951. <https://doi.org/10.1002/fsn3.3228>
- Shah, M. A., Bosco, S. J. D., & Mir, S. A. (2014). Plant extracts as natural antioxidants in meat and meat products. *Meat Science*, 98(1), 21–33. <https://doi.org/10.1016/j.meatsci.2014.03.020>
- Shishir, M. R. I., & Chen, W. (2017). Trends of spray drying: A critical review on drying of fruit and vegetable juices. *Trends in Food Science & Technology*, 65, 49–67.
<https://doi.org/10.1016/j.tifs.2017.05.006>
- Shori, A. B. (2022). Storage quality and antioxidant properties of yogurt fortified with polyphenol extract from nutmeg, black pepper, and white pepper. *Electronic Journal of Biotechnology*, 57, 24–30. <https://doi.org/10.1016/j.ejbt.2022.03.003>
- Silva, M., & Lidon, F. (2016). Food preservatives—An overview on applications and side effects. *Emirates Journal of Food and Agriculture*, 28(6), 366.
<https://doi.org/10.9755/ejfa.2016-04-351>
- So, V., Pocasap, P., Sutthanut, K., Sethabouppha, B., Thukhammee, W., Wattanathorn, J., & Weerapreeyakul, N. (2020). Effect of Harvest age on total phenolic, total anthocyanin content, bioactive antioxidant capacity and antiproliferation of black and white glutinous rice sprouts. *Applied Sciences*, 10(20), Article 20. <https://doi.org/10.3390/app10207051>

- Sosnik, A., & Seremeta, K. P. (2015). Advantages and challenges of the spray-drying technology for the production of pure drug particles and drug-loaded polymeric carriers. *Advances in Colloid and Interface Science*, 223, 40–54. <https://doi.org/10.1016/j.cis.2015.05.003>
- Spiegel, M., Kapusta, K., Kołodziejczyk, W., Saloni, J., Żbikowska, B., Hill, G. A., & Sroka, Z. (2020). Antioxidant Activity of Selected Phenolic Acids–Ferric Reducing Antioxidant Power Assay and QSAR Analysis of the Structural Features. *Molecules*, 25(13), 3088. <https://doi.org/10.3390/molecules25133088>
- Srisungwan, S., Chalermchaiwat, P., Suttisunsanee, U., Jittinandana, S., Chamchan, R., Chemthong, C., & On-Nom, N. (2019). *Development of reduced-sodium seasoning powder using yeast extract*.
- Świąder, K., & Marczevska, M. (2021). Trends of using sensory evaluation in new product development in the food industry in countries that belong to the EIT Regional Innovation Scheme. *Foods*, 10(2), 446. <https://doi.org/10.3390/foods10020446>
- Tahmaz, J., Begić, M., Oručević Žuljević, S., Mehmedović, V., Alkić-Subašić, M., Jurković, J., & Djulančić, N. (2022). Physical Properties of Vegetable Food Seasoning Powders. In M. Brka, Z. Sarić, S. Oručević Žuljević, E. Omanović-Miklićanin, I. Taljić, L. Biber, & A. Mujčinović (Eds.), *10th Central European Congress on Food* (pp. 14–32). Springer International Publishing. https://doi.org/10.1007/978-3-031-04797-8_2
- Taladrid, D., Laguna, L., Bartolomé, B., & Moreno-Arribas, M. V. (2020). Plant-derived seasonings as sodium salt replacers in food. *Trends in Food Science & Technology*, 99, 194–202. <https://doi.org/10.1016/j.tifs.2020.03.002>
- Tamprasit, K., Weerapreeyakul, N., Sutthanut, K., Thukhammee, W., & Wattanathorn, J. (2019). *Harvest Age Effect on Phytochemical Content of White and Black Glutinous Rice Cultivars*. 24(24), 4432. <https://doi.org/10.3390/molecules24244432>
- Tangirala, S. (2014). Modeling of size reduction, particle size analysis and flow characterisation of spice powders ground in hammer and pin mills. *International Journal of Research in Engineering and Technology*, 03, 296–309. <https://doi.org/10.15623/ijret.2014.0312042>

- Tchabo, W., Ma, Y., Kaptso, G. K., Kwaw, E., Chen, R. W., Xiao, L., Osae, R., Wu, M., & Farooq, M. (2019). Process Analysis of Mulberry (*Morus alba*) Leaf Extract Encapsulation: Effects of spray drying conditions on bioactive encapsulated powder quality. *Food and Bioprocess Technology*, 12(1), 122–146. <https://doi.org/10.1007/s11947-018-2194-2>
- Tee, L. H., Luqman Chuah, A., Pin, K. Y., Abdull Rashih, A., & Yusof, Y. A. (2012). Optimization of spray drying process parameters of Piper betle L. (Sirih) leaves extract coated with maltodextrin. 4(3).
- Thaipong, K., Boonprakob, U., Crosby, K., Cisneros-Zevallos, L., & Hawkins Byrne, D. (2006). Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts. *Journal of Food Composition and Analysis*, 19(6–7), 669–675. <https://doi.org/10.1016/j.jfca.2006.01.003>
- Tietje, C., & Brouder, A. (Eds.). (2010). International Conference On Harmonisation Of Technical Requirements For Registration Of Pharmaceuticals For Human Use. In *Handbook of Transnational Economic Governance Regimes* (pp. 1041–1053). Brill | Nijhoff. <https://doi.org/10.1163/ej.9789004163300.i-1081.897>
- Tomasina, F., Carabio, C., Celano, L., & Thomson, L. (2012). Analysis of two methods to evaluate antioxidants. *Biochemistry and Molecular Biology Education*, 40(4), 266–270. <https://doi.org/10.1002/bmb.20617>
- Tomé, D. (2021). Yeast extracts: Nutritional and flavoring food ingredients. *ACS Food Science & Technology*, 1(4), 487–494. <https://doi.org/10.1021/acscfoodscitech.0c00131>
- Tonon, R. V., Brabet, C., Pallet, D., Brat, P., & Hubinger, M. D. (2009). Physicochemical and morphological characterisation of açai (*Euterpe oleraceae* Mart.) powder produced with different carrier agents. *International Journal of Food Science & Technology*, 44(10), 1950–1958. <https://doi.org/10.1111/j.1365-2621.2009.02012.x>

- Tran, N. Y. T., Vu Duc, N., Dang Le, T., Huynh, L. B., Nguyen, A. V. V., & Dao, T. P. (2023). Study of seasoning powder processing from gray abalone mushroom. *Journal of Food Quality*, 2023, e7991830. <https://doi.org/10.1155/2023/7991830>
- Tran, T., & Nguyen, H. (2018). Effects of spray-drying temperatures and carriers on physical and antioxidant properties of lemongrass leaf extract powder. *Beverages*, 4(4), 84. <https://doi.org/10.3390/beverages4040084>
- Ullah, A., Munir, S., Badshah, S. L., Khan, N., Ghani, L., Poulson, B. G., Emwas, A.-H., & Jaremko, M. (2020). Important flavonoids and their role as a therapeutic agent. *Molecules*, 25(22), Article 22. <https://doi.org/10.3390/molecules25225243>
- Vaclavik, V. A., Christian, E. W., & Campbell, T. (2021). Sugars, Sweeteners, and Confections. In V. A. Vaclavik, E. W. Christian, & T. Campbell, *Essentials of Food Science* (pp. 281–299). Springer International Publishing. https://doi.org/10.1007/978-3-030-46814-9_14
- Vasilaki, A., Panagiotopoulou, E., Koupantsis, T., Katsanidis, E., & Mourtzinis, I. (2021). Recent insights in flavor-enhancers: Definition, mechanism of action, taste-enhancing ingredients, analytical techniques and the potential of utilization. *Critical Reviews in Food Science and Nutrition*, 62, 1–17. <https://doi.org/10.1080/10408398.2021.1939264>
- Vera Zambrano, M., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2019). Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science & Technology*, 88, 484–496. <https://doi.org/10.1016/j.tifs.2019.04.006>
- Verma, D. K., & Srivastav, P. P. (2020). *Bioactive compounds of rice (Oryza sativa L.): Review on paradigm and its potential benefit in human health*. 97. <https://doi.org/10.1016/j.tifs.2020.01.007>
- Voelker, A. L., Sommer, A. A., & Mauer, L. J. (2020). Moisture sorption behaviors, water activity-temperature relationships, and physical stability traits of spices, herbs, and seasoning

- blends containing crystalline and amorphous ingredients. *Food Research International*, 136, 109608. <https://doi.org/10.1016/j.foodres.2020.109608>
- Wang, H., Tong, X., Yuan, Y., Peng, X., Zhang, Q., Zhang, S., Xie, C., Zhang, X., Yan, S., Xu, J., Jiang, L., Qi, B., & Li, Y. (2020). Effect of spray-drying and freeze-drying on the properties of soybean hydrolysates. *Journal of Chemistry*, 2020, e9201457. <https://doi.org/10.1155/2020/9201457>
- Wang, W., Li, Y., Dang, P., Zhao, S., Lai, D., & Zhou, L. (2018). *Rice Secondary Metabolites: Structures, Roles, Biosynthesis, and Metabolic Regulation*. 23(12). <https://www.mdpi.com/1420-3049/23/12/3098>
- Wei, X., & Huang, X. (2019). Origin, taxonomy, and phylogenetics of rice. In *Rice* (4th ed.). AACC International Press.
- Wijana, S., Perdani, C. G., & Angelina, T. (2020). Formulation of vegetable seasoning made from raw material of coconut blondo protein hydrolysate. *IOP Conference Series: Earth and Environmental Science*, 475(1), 012035. <https://doi.org/10.1088/1755-1315/475/1/012035>
- Wilson, L. (2016). Spices and Flavoring Crops: Fruits and Seeds. In *Encyclopedia of Food and Health* (pp. 73–83). Elsevier. <https://doi.org/10.1016/B978-0-12-384947-2.00647-4>
- Wopereis, M. C. S., Defoer, T., Idinoba, P., Diack, S., & Dugué, M. J. (2019). *Curriculum for participatory learning and action research (PLAR) for integrated rice management (IRM) in inland valleys of sub-saharan Africa*. African Rice Center (WARDA).
- Wuttisin, N., & Boonsook, W. (2019). Total phenolic, flavonoid contents and antioxidant activity of *Siraitia grosvenorii* fruits extracts. *Food and Applied Bioscience Journal*, 7(3), Article 3.
- Yan, S. W., & Asmah, R. (2010). Comparison of total phenolic contents and antioxidant activities of turmeric leaf, pandan leaf and torch ginger flower. *International Food Research Journal*, 17, 417–423.
- Zhang, Y., Truzzi, F., D’Amen, E., & Dinelli, G. (2021). Effect of Storage conditions and time on the polyphenol content of wheat flours. *Processes*, 9(2), 2. <https://doi.org/10.3390/pr9020248>

Zhong, Y., & Shahidi, F. (2015). Methods for the assessment of antioxidant activity in foods. In *Handbook of Antioxidants for Food Preservation* (pp. 287–333). Elsevier.
<https://doi.org/10.1016/B978-1-78242-089-7.00012-9>