

## References

- Allen, L., & Ansel, H. C. (2013). *Ansel's pharmaceutical dosage forms and drug delivery systems*. Lippincott Williams & Wilkins.
- Arts, I. C., Coolen, E. J., Bours, M. J., Huyghebaert, N., Stuart, M. A. C., Bast, A., & Dagnelie, P. C. (2012). Adenosine 5'-triphosphate (ATP) supplements are not orally bioavailable: a randomized, placebo-controlled cross-over trial in healthy humans. *Journal of the International Society of Sports Nutrition*, 9(1), 16.
- Betz, J. M., Brown, P. N., & Roman, M. C. (2011). Accuracy, precision, and reliability of chemical measurements in natural products research. *Fitoterapia*, 82(1), 44-52.
- BPOM. (2018). Guideline for Good Manufacturing of Drugs. *The Indonesian Food and Drug Authority of the Republic of Indonesia*. Retrieved from: <https://jdih.pom.go.id/download/product/1364/34/2018>
- BPOM. (2022) Guideline of Bioequivalent Test. *The Indonesian Food and Drug Authority of the Republic of Indonesia*. Retrieved from: <https://jdih.pom.go.id/download/product/1380/11/2022>
- British Pharmacopoeia (BP). (2022). Diazepam. British Pharmacopoeia Commision. *London: Medicines and Healthcare products Regulatory Agency*. Vol.3, p. 524-5
- Chavan, S. D., & Desai, D. M. (2022). Analytical method validation: A brief review.
- Chan, C. C. (2004). *Analytical method validation and instrument performance verification*. John Wiley & Sons.
- Chinese Pharmacopeia (CP). (2015). Chinese Pharmacopoeia Commission Pharmacopoeia of the People's Republic of China. Vol.2, *China Medical Science Press*, Beijing, 27-28.
- Ciurba, A., Hancu, G., Cojocea, L. M., Sipos, E., & Todoran, N. (2014). Development of new formulation and its evaluation by capillary electrophoresis of tablets containing tramadol hydrochloride and paracetamol. *Pharmaceutical Development and Technology*, 19(7), 833-838.
- Council, G. P. (2018). Revalidation for pharmacists and pharmacy technicians. *London: GPhC*.
- Dunn, J., & Grider, M. H. (2020). Physiology, adenosine triphosphate. <https://www.ncbi.nlm.nih.gov/books/NBK553175/>
- European Pharmacopoeia (EP) (2014). European Directorate for the Quality of Medicines & HealthCare. *European Pharmacopoeia (Ph. Eur.) 11th Edition - European Directorate for the Quality of Medicines & HealthCare - EDQM*. <https://www.edqm.eu/en/european-pharmacopoeia-ph.-eur-11th-edition>

- Farmakope Indonesia (FI). (2020). Farmakope Indonesia Edisi VI. Kementerian Kesehatan Republik Indonesia. Retrieved from: <https://Farmakope%20Indonesia%20Edisi%20VI.pdf>
- Fytopoulos, A., & Pardalos, P. M. (2022). Benefits of Application of Process Optimization in Pharmaceutical Manufacturing: A Panoramic View. In *International Symposium on Mathematical and Computational Biology* (pp. 291-304). Cham: Springer Nature Switzerland.
- Gupta, S., Kesarla, R., Chotai, N., & Omri, A. (2017). Development and validation of reversed-phase HPLC gradient method for the estimation of efavirenz in plasma. *PLoS One*, 12(5), e0174777.
- Haggag, R. S., Belal, S. F., & Hewala, I. I. (2021). Stability-Indicating HPLC-DAD Determination of Lamivudine in Pharmaceutical Preparations and Biological Fluids. *Current Trends Anal Bioanal Chem*, 5(1), 150-157.
- Hanna, K. T., & Sales, F. (2021). *gap analysis*. CIO; TechTarget. <https://www.techtarget.com/searchcio/definition/gap-analysis>
- Hurtado, M., Alvarado, Y. V., Miriam, A., & Rosa, C. A. (2003). Comparison of dissolution profiles for albendazole tablets using USP apparatus 2 and 4. *Drug development and industrial pharmacy*, 29(7), 777-784.
- Joseph, L. (2010). Setting up a Laboratory. Elsevier EBooks, 303–314. <https://doi.org/10.1016/b978-0-12-374430-2.00027-4>
- Juarez-Facio, A. T., Martin de Lagarde, V., Monteil, C., Vaugeois, J. M., Corbiere, C., & Rogez-Florent, T. (2021). Validation of a fast and simple HPLC-UV method for the quantification of adenosine phosphates in human bronchial epithelial cells. *Molecules*, 26(20), 6324.
- Kadian, N., Raju, K. S. R., Rashid, M., Malik, M. Y., Taneja, I., & Wahajuddin, M. (2016). Comparative assessment of bioanalytical method validation guidelines for pharmaceutical industry. *Journal of pharmaceutical and biomedical analysis*, 126, 83-97.
- Kumar, M., Shukla, A. K., Bishnoi, R. S., & Jain, C. P. (2018). Development of UV spectrophotometric method for the determination of benidipine hydrochloride by using quality by design (QbD) approach. *International Journal of Applied Pharmaceutics*, 10(4), 92-97.
- Li, L., Brown, J. L., & Toske, S. G. (2018). Simultaneous detection and quantitation of organic impurities in methamphetamine by ultra-high-performance liquid chromatography-tandem mass spectrometry, a complementary technique for methamphetamine profiling. *Drug Testing and Analysis*, 10(7), 1209-1219.

- Maggio, R. M., Calvo, N. L., Vignaduzzo, S. E., & Kaufman, T. S. (2014). Pharmaceutical impurities and degradation products: Uses and applications of NMR techniques. *Journal of pharmaceutical and biomedical analysis*, 101, 102-122.
- Markl, D., & Zeitler, J. A. (2017). A review of disintegration mechanisms and measurement techniques. *Pharmaceutical research*, 34(5), 890-917.
- Nandre, R. S., Bhamre, V. G., & Rajbhoj, S. S. (2014). Effect of Temperature on Binding Properties of Natural Gum. *International Research Journal of Pharmacy*, 5(8), 633–635. <https://doi.org/10.7897/2230-8407.0508129>
- Phapros. (2023). Phapros.co.id. PT Phapros TBK. <https://www.phapros.co.id/>
- Rawal, N., Macquaire, V., Catalá, E., Berti, M., Costa, R., & Wietlisbach, M. (2011). Tramadol/paracetamol combination tablet for postoperative pain following ambulatory hand surgery: a double-blind, double-dummy, randomized, parallel-group trial. *Journal of Pain Research*, 103-110.
- Sanagi, M. M., Ling, S. L., Nasir, Z., Hermawan, D., Wan Ibrahim, W. A., & Naim, A. A. (2009). Comparison of signal-to-noise, blank determination, and linear regression methods for the estimation of detection and quantification limits for volatile organic compounds by gas chromatography. *Journal of AOAC International*, 92(6), 1833-1838.
- Scholz, E. (2012). *Karl Fischer titration: determination of water*. Springer Science & Business Media.
- Siagian, R. C., & Ayuningtyas, D. (2019). Gap analysis for drug development policy-making: An attempt to close the gap between policy and its implementation. *Plos one*, 14(8), e0220605.
- Tiryaki, O., Baysoyu, D., Aydin, G., & Secer, E. (2009). Setting system suitability parameters for performance optimization of GC-NPD detection for pesticide residue analysis. *Gazi University Journal of Science*, 22(3), 149-155.
- Tsume, Y., Mudie, D. M., Langguth, P., Amidon, G. E., & Amidon, G. L. (2014). The Biopharmaceutics Classification System: subclasses for in vivo predictive dissolution (IPD) methodology and IVIVC. *European Journal of Pharmaceutical Sciences*, 57, 152-163.
- United States Pharmacopeia (USP) 43. (2020). *U.S. Pharmacopeia National Formulary 2020 : usp 43 nf 38*. United States Pharmacopeia.
- Verch, T., Campa, C., Chéry, C. C., Frenkel, R., Graul, T., Jaya, N & Ranheim, T. (2022). Analytical quality by design, life cycle management, and method control. *The AAPS Journal*, 24(1), 34.

Yanyi, Z., Ma, J., Yumeng, G., Song, C., Ma, J., Jielei, Z., & Zhang, W. (2015). Pharmacopoeia of the People's Republic of China 2015 V, *Beijing: China Medical Science Press*. Vol (2), 27-28.

Zhou, L., Socha, J. M., Vogt, F. G., Chen, S., & Kord, A. S. (2010). A systematic method development strategy for water determinations in drug substance using Karl Fischer titrations. *Am. Pharm. Rev*, 13(1), 74-84.