

## REFERENCES

- Abadi, S., Avram, O., Rosset, S., Pupko, T., & Mayrose, I. (2020). ModelTeller: model selection for optimal phylogenetic reconstruction using machine learning. *Molecular biology and evolution*, 37(11), 3338-3352.
- Ashraf, M. A., & Sarfraz, M. (2016). Biology and evolution of life science. *Saudi journal of biological sciences*, 23(1), S1–S5. <https://doi.org/10.1016/j.sjbs.2015.11.012>
- Battaglia, P., Pascanu, R., Lai, M., & Jimenez Rezende, D. (2016). Interaction networks for learning about objects, relations and physics. *Advances in neural information processing systems*, 29.
- Burgstaller-Muehlbacher, S., Crotty, S., Schmidt, H. A., Reden, F., Drucks, T., & Von Haeseler, A. (2023). ModelRevelator: Fast phylogenetic model estimation via deep learning. *Molecular Phylogenetics and Evolution*, 107905. <https://doi.org/10.1016/j.ympev.2023.107905>
- Cartwright, R. A. (2005). DNA assembly with gaps (Dawg): simulating sequence evolution. *Bioinformatics*, 21(Suppl\_3), iii31-iii38.
- Catanzaro, D., Pesenti, R., & Milinkovitch, M. C. (2006). A non-linear optimization procedure to estimate distances and instantaneous substitution rate matrices under the GTR model. *Bioinformatics*, 22(6), 708–715. <https://doi.org/10.1093/bioinformatics/btk001>
- Choudhuri, S. (2014). Phylogenetic analysis. In *Bioinformatics for Beginners* (pp. 209–218). Elsevier Academic Press. <https://doi.org/10.1016/b978-0-12-410471-6.00009-8>
- Chowdhury, B., & Garai, G. (2017). A review on multiple sequence alignment from the perspective of genetic algorithm. *Genomics*, 109(5–6), 419–431. <https://doi.org/10.1016/j.ygeno.2017.06.007>
- De Bruyn, A., Martin, D. P., & Lefevre, P. (2014). Phylogenetic reconstruction methods: an overview. *Molecular Plant Taxonomy: Methods and Protocols*, 257-277.
- Doğan, İ., & Doğan, N. (2016). Genetic Distance Measures: review. *Turkiye Klinikleri Journal of Biostatistics*, 8(1), 87–93. <https://doi.org/10.5336/biostatic.2015-49517>
- Farizawani, A., Puteh, M. H., Marina, Y., & Rivaie, A. (2020). A review of artificial neural network learning rule based on multiple variant of conjugate gradient approaches. *Journal of Physics*, 1529(2), 022040. <https://doi.org/10.1088/1742-6596/1529/2/022040>
- Felsenstein, J. (1981). Evolutionary trees from DNA sequences: a maximum likelihood approach. *Journal of molecular evolution*, 17, 368-376. <https://doi.org/10.1007/BF01734359>
- Felsenstein, J. (2004). Inferring Phylogenies. Sinauer Associates, Sunderland, Massachusetts.
- Fey, M., & Lenssen, J. E. (2019). Fast Graph Representation Learning with PyTorch Geometric. *arXiv (Cornell University)*. <https://doi.org/10.48550/arxiv.1903.02428>
- Fitch, W. M. (1986). An estimation of the number of invariable sites is necessary for the accurate estimation of the number of nucleotide substitutions since a common ancestor. *Progress in clinical and biological research*, 218, 149–159.

- Fitch, W. M., & Margoliash, E. (1967). A method for estimating the number of invariant amino acid coding positions in a gene using cytochrome c as a model case. *Biochemical genetics*, 1(1), 65–71.
- Fletcher, W., & Yang, Z. (2009). INDELible: a flexible simulator of biological sequence evolution. *Molecular biology and evolution*, 26(8), 1879–1888.
- Fout, A., Byrd, J., Shariat, B., & Ben-Hur, A. (2017). Protein interface prediction using graph convolutional networks. *Advances in neural information processing systems*, 30.
- Gregory, T. R. (2008). Understanding evolutionary trees. *Evolution: Education and Outreach*, 1(2), 121–137. <https://doi.org/10.1007/s12052-008-0035-x>
- Hamaguchi, T., Oiwa, H., Shimbo, M., & Matsumoto, Y. (2017). Knowledge transfer for out-of-knowledge-base entities: A graph neural network approach. *arXiv preprint arXiv:1706.05674*.
- Han, S. H., Kim, K. W., Kim, S., & Youn, Y. C. (2018). Artificial Neural Network: Understanding the Basic Concepts without Mathematics. *Dementia and neurocognitive disorders*, 17(3), 83–89. <https://doi.org/10.12779/dnd.2018.17.3.83>
- Han, S. H., Kim, K. W., Kim, S., & Youn, Y. C. (2018). Artificial Neural Network: Understanding the Basic Concepts without Mathematics. *Dementia and neurocognitive disorders*, 17(3), 83–89. <https://doi.org/10.12779/dnd.2018.17.3.83>
- Harris, C. R., Millman, K. J., Van Der Walt, S. J., Gommers, R., Virtanen, P., Cournapeau, D., ... & Oliphant, T. E. (2020). Array programming with NumPy. *Nature*, 585(7825), 357–362.
- Hunter, J. D. (2007). Matplotlib: A 2D graphics environment. *Computing in science & engineering*, 9(03), 90–95.
- Jukes, T. H., & Cantor, C. R. (1969). Evolution of Protein Molecules. In *Mammalian Protein Metabolism* (Vol. 3, pp. 21–132). <https://doi.org/10.1016/b978-1-4832-3211-9.50009-7>
- Khalil, E., Dai, H., Zhang, Y., Dilksina, B., & Song, L. (2017). Learning combinatorial optimization algorithms over graphs. *Advances in neural information processing systems*, 30.
- Kinane, T., Wainaina, J., Maina, S., & Boykin, L. M. (2016). Rooting Trees, Methods for. *Encyclopedia of Evolutionary Biology*, 489–493. <https://doi.org/10.1016/B978-0-12-800049-6.00215-8>
- Lemey, P., Salemi, M., & Vandamme, A.-M. (2009). The Phylogenetic Handbook. In *Cambridge University Press eBooks*. Cambridge University Press. <https://doi.org/10.1017/cbo9780511819049>
- Leuchtenberger, A. F., Crotty, S., Drucks, T., Schmidt, H. A., Burgstaller-Muehlbacher, S., & Von Haeseler, A. (2020). Distinguishing Felsenstein Zone from Farris Zone Using Neural Networks. *Molecular Biology and Evolution*, 37(12), 3632–3641. <https://doi.org/10.1093/molbev/msaa164>
- Liberles, D. A., & Holland, B. R. (2019). Evolutionary models. In *Encyclopedia of Bioinformatics and Computational Biology* (Vol. 2, pp. 712–718). Elsevier Academic Press. <https://doi.org/10.1016/B978-0-12-809633-8.20256-2>

Ling, C., Cheng, W., Zhang, H., Zhu, H., & Zhang, H. (2020). Deep neighbor information learning from evolution trees for phylogenetic likelihood estimates. *IEEE Access*, 8, 220692-220702.

López-Antoñanzas, R., Mitchell, J. S., Simões, T. R., Condamine, F. L., Aguilée, R., Peláez-Campomanes, P., Renaud, S., Rolland, J., & Donoghue, P. C. J. (2022). Integrative Phylogenetics: Tools for palaeontologists to explore the tree of life. *Biology*, 11(8), 1185. <https://doi.org/10.3390/biology11081185>

Ly-Trong, N., Naser-Khdour, S., Lanfear, R., & Minh, B. Q. (2022). AliSim: A Fast and Versatile Phylogenetic Sequence Simulator for the Genomic Era. *Molecular biology and evolution*, 39(5), msac092. <https://doi.org/10.1093/molbev/msac092>

McCulloch, W. S., & Pitts, W. (1990). A logical calculus of the ideas immanent in nervous activity. 1943. *Bulletin of mathematical biology*, 52(1-2), 99–97.

McGuire, G., Prentice, M. J., & Wright, F. (1999). Improved Error Bounds for Genetic Distances from Dna Sequences. *Biometrics*, 55(4), 1064–1070. <https://doi.org/10.1111/j.0006-341x.1999.01064.x>

McKinney, W. (2010). Data structures for statistical computing in python. In *Proceedings of the 9th Python in Science Conference* (Vol. 445, No. 1, pp. 51-56).

Munjal, G., Hanmandlu, M., & Srivastava, S. (2018). Phylogenetics Algorithms and Applications. *Ambient Communications and Computer Systems: RACCCS-2018*, 904, 187–194. [https://doi.org/10.1007/978-981-13-5934-7\\_17](https://doi.org/10.1007/978-981-13-5934-7_17)

Nakhleh, L. (2013). Evolutionary trees. In *Brenner's Encyclopedia of Genetics* (2nd ed., pp. 549–550). Academic Press. <https://doi.org/10.1016/b978-0-12-374984-0.00504-0>

Nesterenko, L., Boussau, B., & Jacob, L. (2022). Phyloformer: towards fast and accurate phylogeny estimation with self-attention networks. *bioRxiv (Cold Spring Harbor Laboratory)*. <https://doi.org/10.1101/2022.06.24.496975>

Paradis, E., Julien, C., & Strimmer, K. (2004). APE: Analyses of Phylogenetics and Evolution in R language. *Bioinformatics*, 20(2), 289–290. <https://doi.org/10.1093/bioinformatics/btg412>

Paszke, A., Gross, S., Massa, F., Lerer, A., Bradbury, J. T., Chanan, G., Killeen, T., Lin, Z., Gimelshein, N., Antiga, L., Desmaison, A., Köpf, A., Yang, E., DeVito, Z., Raison, M., Tejani, A., Chilamkurthy, S., Steiner, B., Liu, F., . . . Chintala, S. (2019). PyTorch: An Imperative Style, High-Performance Deep Learning Library. *arXiv (Cornell University)*. <https://doi.org/10.48550/arxiv.1912.01703>

Patwardhan, A., Ray, S., & Amit, R. (2014). Molecular Markers in Phylogenetic Studies-A Review. *Journal of Phylogenetics & Evolutionary Biology*, 02(02). <https://doi.org/10.4172/2329-9002.1000131>

Philippe, H., Brinkmann, H., Lavrov, D. V., Littlewood, D. T., Manuel, M., Wörheide, G., & Baurain, D. (2011). Resolving difficult phylogenetic questions: why more sequences are not enough. *PLoS biology*, 9(3), e1000602. <https://doi.org/10.1371/journal.pbio.1000602>

Rambaut, A., & Grassly, N. C. (1997). Seq-Gen: an application for the Monte Carlo simulation of DNA sequence evolution along phylogenetic trees. *Computer applications in the biosciences : CABIOS*, 13(3), 235–238. <https://doi.org/10.1093/bioinformatics/13.3.235>

- Rodríguez, F., Oliver, J. L., Marín, A., & Medina, J. R. (1990). The general stochastic model of nucleotide substitution. *Journal of theoretical biology*, 142(4), 485–501. [https://doi.org/10.1016/s0022-5193\(05\)80104-3](https://doi.org/10.1016/s0022-5193(05)80104-3)
- Russo, C. A. M., & André, T. (2019). Science and evolution. *Genetics and molecular biology*, 42(1), 120–124. <https://doi.org/10.1590/1678-4685-gmb-2018-0086>
- Saitou, N., & Nei, M. (1987). The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Molecular biology and evolution*, 4(4), 406-425.
- Sanchez-Gonzalez, A., Heess, N., Springenberg, J. T., Merel, J., Riedmiller, M., Hadsell, R., & Battaglia, P. (2018, July). Graph networks as learnable physics engines for inference and control. In *International Conference on Machine Learning* (pp. 4470-4479). PMLR.
- Scarselli, F., Gori, M., Tsoi, A. C., Hagenbuchner, M., & Monfardini, G. (2008). The graph neural network model. *IEEE transactions on neural networks*, 20(1), 61-80.
- Scott, A., & Baum, D. (2016). Phylogenetic tree. In *Encyclopedia of Evolutionary Biology*. (Vol. 3, pp. 270–276). Elsevier Academic Press. <https://doi.org/10.1016/b978-0-12-800049-6.00203-1>
- Shoemaker, J. S., & Fitch, W. M. (1989). Evidence from nuclear sequences that invariable sites should be considered when sequence divergence is calculated. *Molecular Biology and Evolution*, 6(3), 270-289.
- Simon, C., Buckley, T. R., Frati, F., Stewart, J. B., & Beckenbach, A. T. (2006). Incorporating molecular evolution into phylogenetic analysis, and a new compilation of conserved polymerase chain reaction primers for animal mitochondrial DNA. *Annu. Rev. Ecol. Evol. Syst.*, 37, 545-579.
- Soubrier, J., Steel, M., Lee, M. S., Der Sarkissian, C., Guindon, S., Ho, S. Y., & Cooper, A. (2012). The influence of rate heterogeneity among sites on the time dependence of molecular rates. *Molecular biology and evolution*, 29(11), 3345-3358.
- Suárez-Díaz E. (2016). Molecular Evolution in Historical Perspective. *Journal of molecular evolution*, 83(5-6), 204–213. <https://doi.org/10.1007/s00239-016-9772-6>
- Suárez-Díaz, E. (2016). Molecular evolution in historical perspective. *Journal of Molecular Evolution*, 83(5–6), 204–213. <https://doi.org/10.1007/s00239-016-9772-6>
- Suvorov, A., Hochuli, J., & Schrider, D. R. (2020). Accurate Inference of Tree Topologies from Multiple Sequence Alignments Using Deep Learning. *Systematic Biology*, 69(2), 221–233. <https://doi.org/10.1093/sysbio/syz060>
- Tajima, F., & Nei, M. (1982). Biases of the estimates of DNA divergence obtained by the restriction enzyme technique. *Journal of Molecular Evolution*, 18(2), 115–120. <https://doi.org/10.1007/bf01810830>
- Tajima, F., & Nei, M. (1984). Estimation of evolutionary distance between nucleotide sequences. *Molecular Biology and Evolution*. <https://doi.org/10.1093/oxfordjournals.molbev.a040317>
- Tavaré, S. (1986). Some Probabilistic and Statistical Problems in the Analysis of DNA Sequences. *Lectures on Mathematics in the Life Sciences*. 17: 57–86.
- Van Rossum, G., & Drake, F. L. (2009). *Python 3 Reference Manual*. Scotts Valley, CA: CreateSpace.

- Waddell, P. J., & Steel, M. (1997). General Time-Reversible Distances with Unequal Rates across Sites: Mixing  $\Gamma$  and Inverse Gaussian Distributions with Invariant Sites. *Molecular Phylogenetics and Evolution*, 8(3), 398–414. <https://doi.org/10.1006/mpev.1997.0452>
- Weyenberg, G., & Yoshida, R. (2016). Phylogenetic Tree Distances. In *Encyclopedia of Evolutionary Biology* (Vol. 3, pp. 285–290). Elsevier Academic Press. <https://doi.org/10.1016/b978-0-12-800049-6.00218-3>
- Wu, Y., Lian, D., Xu, Y., Wu, L., & Chen, E. (2020, April). Graph convolutional networks with markov random field reasoning for social spammer detection. In *Proceedings of the AAAI conference on artificial intelligence* (Vol. 34, No. 01, pp. 1054-1061).
- Xu, K., Li, J., Zhang, M., Du, S. S., Kawarabayashi, K. I., & Jegelka, S. (2019). What can neural networks reason about?. *arXiv preprint arXiv:1905.13211*.
- Xue, H. (2022). Phylogenetics and its Application in Biodiversity Conservation. In *Springer eBooks* (pp. 1–16). [https://doi.org/10.1007/978-981-16-6005-4\\_1](https://doi.org/10.1007/978-981-16-6005-4_1)
- Yang, Z. (1994a). Estimating the pattern of nucleotide substitution. *Journal of Molecular Evolution*, 39(1). <https://doi.org/10.1007/bf00178256>
- Yang, Z. (1994b). Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: approximate methods. *Journal of Molecular evolution*, 39, 306-314.
- Yang, Z. (1996). Among-site rate variation and its impact on phylogenetic analyses. *Trends in ecology & evolution*, 11(9), 367-372.
- Yang, Z. (2014). Molecular Evolution: A Statistical Approach. In *Oxford University Press eBooks*. <https://doi.org/10.1093/acprof:oso/9780199602605.001.0001>
- Yang, Z., & Rannala, B. (2012). Molecular phylogenetics: principles and practice. *Nature Reviews Genetics*, 13(5), 303–314. <https://doi.org/10.1038/nrg3186>
- Young, A. D., & Gillung, J. P. (2019). Phylogenomics — principles, opportunities and pitfalls of big-data phylogenetics. *Systematic Entomology*, 45(2), 225–247. <https://doi.org/10.1111/syen.12406>
- Zharkikh, A. (1994). Estimation of evolutionary distances between nucleotide sequences. *Journal of molecular evolution*, 39(3), 315–329. <https://doi.org/10.1007/BF00160155>
- Zhou, J., Cui, G., Hu, S., Zhang, Z., Yang, C., Liu, Z., Wang, L., Li, C., & Sun, M. (2020). Graph neural networks: A review of methods and applications. *AI Open*, 1, 57–81. <https://doi.org/10.1016/j.aiopen.2021.01.001>
- Zou, Z., Zhang, H., Guan, Y., & Zhang, J. (2019). Deep residual neural networks resolve quartet molecular phylogenies. *Molecular Biology and Evolution*, 37(5), 1495–1507. <https://doi.org/10.1093/molbev/msz307>